

Company : U.S. Nuclear Regulatory Commission
Telefax No. : 630-515-1259
Attn. : Reciprocity Request / Jeff Warren
C.c. :
Number of pages : 7 (inc. cover)
From : Randy Schlegel
Date : March 10, 2011
Your ref./No. :
Our ref./No. :
Subject : Reciprocity

Material Testing · Non-Destructive Testing
Product Evaluation · Construction Materials

662 Cromwell Avenue
St. Paul, MN 55114
USA

Telephone : (651) 645-3601
Telefax : (651) 659-7348
Website : www.storktct.com

TELEFAX

If you have problems receiving this message, please contact us Msg. No.:

Please see the attached information regarding reciprocity.

Please call or e-mail if you have any questions or concerns.

Thank You,
Randy Schlegel
randy.schlegel@us.stork.com
651-248-0740 (cell)
651-659-7413

page 1 of 1

This TELEFAX contains information from Stork Twin City Testing Corporation which is confidential. The information is intended only for the use of the individual named on this cover page. If you are not the intended recipient, you are hereby notified that any disclosure of, or the taking of any action in reliance on the contents of this TELEFAXED information is strictly prohibited.

Stork Twin City Testing Corporation is an operating unit of Stork Materials Technology B.V., Amsterdam, The Netherlands, which is a member of the Stork group.

March 10, 2011

U.S. Nuclear Regulatory Commission, Region III
Attn: Reciprocity Request / Jeff Warren
2443 Warrenville Road, Suite 210
Lisle, Illinois 60532-4352

RE: Reciprocity for Radioactive Materials

Radiation Control:

The attached application is provided in accordance with the U.S Nuclear Regulatory Commission rules to gain reciprocity. We – Stork Twin City Testing – will be conducting nuclear soil density testing in the State of Idaho between the dates of March 21, 2011 and July 15, 2011. We will be working for the contractor, Wanzek Construction Company at the Rockland Wind Project construction site in American Falls, ID (3048 Isaak Loop Road, American Falls Idaho 83211). One nuclear density gauge (serial # 17121) will be onsite while work is in progress. Please see the provided paperwork for more information in regards to the jobsite contacts and Stork TCT general information.

I trust the information provided above is satisfactory. Please contact myself (651.659.7413 or randy.schlegel@stork.com) should you have any questions regarding the submitted information.

Kindest Regards,


Randy Schlegel
Radiation Safety Officer

Attach. (1) NRC Form 241
(1) MDH License

**REPORT OF PROPOSED ACTIVITIES IN
NON-AGREEMENT STATES, AREAS OF EXCLUSIVE
FEDERAL JURISDICTION, OR OFFSHORE WATERS**

(Please read the instructions before completing this form)

Estimated burden per response to comply with this mandatory collection request: 15 minutes. This notification is required so that NRC may schedule inspection of the activities to ensure that they are conducted in accordance with requirements for protection of the public health and safety. Send comments regarding burden estimate to the Records and FOIA/Privacy Services Branch (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollect@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0013), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

1. NAME OF LICENSEE (Person or firm proposing to conduct the activities described below) STARK TOWN CITY TESTING CORP.		2. TYPE OF REPORT <input checked="" type="checkbox"/> INITIAL <input type="checkbox"/> CHANGE	
3. ADDRESS OF LICENSEE (Mailing address or other location where licensee may be located) 662 CROMWELL AVENUE ST. PAUL MINNESOTA 55114		4. LICENSEE CONTACT AND TITLE RANDY SCHUEBEL RSO / SUPERVISOR - COORDINATOR	
		5. TELEPHONE NUMBER (Include Area Code) 651-659-7413	6. FACSIMILE NUMBER (Include Area Code) 651-659-7348

7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 150.20

WELL LOGGING LEAK TESTING AND/OR CALIBRATIONS TELETHERAPY/IRRADIATOR SERVICE

PORTABLE GAUGES OTHER (Specify) ⇒ _____

RADIOGRAPHY ⇒ _____ REGISTERED AS USER OF PACKAGING (CERTIFICATES OF COMPLIANCE NUMBERS) _____

8. CLIENT NAME, ADDRESS, CITY/COUNTY, STATE, ZIP CODE WANZEK CONSTRUCTION INC. 16553 37R STREET SE. FARGO ND, 58103 PO Box 2019		9. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION (Street and Number or other location. Give as complete an address or directions as possible.) ROCKLAND WIND PROJECT 3048 ISAAC LOOP ROAD AMERICAN FALLS IDAHO 83211	
		10. CLIENT TELEPHONE NUMBER (Include Area Code) 701-412- BEN NICKOLA 6716	11. WORK LOCATION TELEPHONE NUMBER (Include Area Code) 701-412-6716

12. DATES SCHEDULED		13. NUMBER OF WORK DAYS	14. ADD	15. DELETE	16. LOCATION REFERENCE NUMBER
FROM	TO				NUMBER TO BE ASSIGNED BY NRC
MARCH 21, 2011	JULY 15, 2011	117			

LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 9-16 ABOVE.

17. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED (Include description of type and quantity of radioactive material, sealed sou rces, or devices to be used.)

**TROXLER MUDCL 3440 SOIL/MOISTURE DENSITY GAUGE
CS-137C 8mCi / AM-241: BE C 40 mCi**

18. AGREEMENT STATE SPECIFIC LICENSE WHICH AUTHORIZES THE UNDERSIGNED TO CONDUCT ACTIVITIES WHICH ARE THE SAME, EXCEPT FOR LOCATION OF USE, AS SPECIFIED IN ITEM 9 ABOVE. (One copy of the specific license must accompany the initial NRC Form 241.)	LICENSE NUMBER 1070-200-62 MN	STATE MN	EXPIRATION DATE JULY 31, 2014
---	---	--------------------	---

19. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)

I, THE UNDERSIGNED, HEREBY CERTIFY THAT:

- All information in this report is true and complete.
- I have read and understand the provision of the general license 10 CFR 150.20 printed on the instructions of this form; and I understand that I am required to comply with these provisions as to all byproduct, source, or special nuclear material which I possess and use in non-Agreement States or offshore waters under the general license for which this report is filed with the U.S. Nuclear Regulatory Commission.
- I understand that activities, including storage, conducted in non-Agreement States under general license 10 CFR 150.20 are limited to a total of 180 days in calendar year. With the exception of work conducted in off-shore waters, which is authorized for an unlimited period of time in the calendar year.
- I understand that I may be inspected by NRC at the above listed work site locations and at the Licensee home office address for activities performed in non-Agreement States or offshore waters.
- I understand that conduct of any activities not described above, including conduct of activities on dates or locations different from those described above or without NRC authorization, may subject me to enforcement action, including civil or criminal penalties.

CERTIFYING OFFICER - RSO or Management Representative (Name and Title) Randy Schuebel RSO	SIGNATURE <i>Randy Schuebel</i>	DATE 3-10-11
---	------------------------------------	------------------------

WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.

FOR NRC USE ONLY	REVIEWING OFFICIAL (Typed/Printed Name and Title)	SIGNATURE	DATE	TOTAL USAGE - DAYS TO DATE
------------------	---	-----------	------	----------------------------



RADIOACTIVE MATERIALS LICENSE

Pursuant to Minnesota Statute 144.12 and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer radioactive materials designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the rules. This license is subject to all applicable rules and orders of the Minnesota Department of Health (MDH) including the Minnesota Radioactive Materials Rules, Chapter 4731, now or hereafter in effect, and to any conditions specified below.

LICENSEE 1. STORK TWIN CITY TESTING 2. 662 CROMWELL AVENUE ST. PAUL, MINNESOTA 55114	In accordance with the documents listed in Item 18, the Minnesota Department of Health Radioactive Materials License is issued to read as follows:
	3. License Number: 1070-200-62
	4. Expiration Date: July 31, 2014
	[REDACTED]

5. By Product, Source, Special Nuclear and/or Natural Occurring; or Accelerator Produced Radioactive Material A. Cesium-137 B. Americium-241/Beryllium C. Cesium-137	6. Chemical and/or Physical Form A. Sealed source (Troxler Drawing No. A-102112) B. Sealed source (Troxler Drawing No. A102451 or C-106580) C. Sealed source (Troxler Drawing No. A-102112)	7. Maximum Amount That Licensee May Possess At Any One Time Under This License A. 17 sources. No single source to exceed 9 millicuries (333 MBq) B. 17 sources. No single source to exceed 44 millicuries (1.63 GBq) C. 4 sources. No single source to exceed 9 millicuries (333 MBq)
---	--	--

8. **AUTHORIZED USE**
- A. and B. To be used in Troxler Electronics Laboratories model 3401, 3401-B, 3411, 3411-B or 3400 Series (models 3430, 3430 Plus, 3440, 3440 Plus, 3450, or 3451) devices for measuring physical properties of materials.
 - C. To be used in Troxler Electronics Laboratories model 4640 or 4640B devices for measuring physical properties of materials.

CONDITIONS

- 9. Licensed material may be used or stored at the licensee's facilities located at 662 Cromwell Avenue, St. Paul, Minnesota and may be used at temporary job sites of the licensee anywhere in the State of Minnesota where the Minnesota Department of Health maintains jurisdiction for regulating the use of licensed material.
- 10. The Radiation Safety Officer for this license is Randy Schlegel.
- 11. Licensed material shall only be used by, or under the supervision and in the physical presence of individuals who have received the training described in application dated July 7, 2009 and the letter dated August 27, 2009 and have been approved in writing by the Radiation Safety Officer. The licensee shall maintain records of individuals designated as users for three years following the last use of licensed material.
- 12. Sealed sources shall be tested for leakage and/or contamination in accordance with 4731.2360.





RADIOACTIVE MATERIALS LICENSE

13. Sealed sources or source rods containing licensed radioactive material shall not be opened or removed or detached from the source rods or gauges by the licensee, except as specifically authorized.
14. Each portable gauge licensee must use a minimum of 2 independent physical controls that form tangible barriers to secure portable gauge(s) from unauthorized removal, whenever the portable gauge(s) are not under the control and constant surveillance of the licensee.
15. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage or when not under the direct surveillance of an authorized user
16. Any cleaning, maintenance, or repair of the gauge(s) that requires removal of the source shall be performed only by the manufacturer or by other persons specifically licensed by the US Nuclear Regulatory Commission or an Agreement State to perform such services.
17. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under the license.
18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Minnesota Department of Health's rules shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the rules.
 - A. Application dated July 7, 2009 and letter dated August 27, 2009.

FOR THE MINNESOTA DEPARTMENT OF HEALTH

Prepared by:  Date: 9/10/09
Radioactive Materials Unit Staff

Reviewed by:  Date: 9/10/09
Radioactive Materials Unit Staff

Approved by:  Date: 09/10/09
Radioactive Materials Unit Supervisor

