



Illinois
Environmental
Protection Agency

Bureau of Land
1021 North Grand Avenue East
Box 19276
Springfield, IL 62794-9276

Scanned 7/7/a
RCRA GW
2nd QTR
2006

RCRA FACILITY GROUNDWATER, LEACHATE AND GAS REPORTING FORM

This form must be used as a cover sheet for the notices and reports, identified below as required by: (1) a facility's RCRA interim status closure plan; (2) the RCRA interim status regulations; or (3) a facility's RCRA permit. All reports must be submitted to the Illinois EPA's Bureau of Land Permit Section. This form is for use by Hazardous Waste facilities only. Reporting for Solid Waste facilities should be submitted on a separate form. All reports submitted to the Illinois EPA's Bureau of Land Permit Section must contain an original, plus a minimum of two copies.

Note: This form is not to be used with permit or closure plan modification requests. The facility's approved permit or closure plan will state whether the document you are submitting is required as a report or a modification request.

Facility Name: Honeywell International Inc. Site ID #: 1278540002
Facility Address: 2768 North U.S. 45 Road Fed ID #: ILD 006 278 170

Check the appropriate heading. Only one heading may be checked for each corresponding submittal. Check the appropriate sub-heading, where applicable. Attach the original and all copies behind this form.

<input checked="" type="checkbox"/>	LPC-160 Forms		
	<u>Groundwater</u>		<u>Leachate</u>
<input checked="" type="checkbox"/>	Quarterly – Indicate one: 1 <input checked="" type="radio"/> 3 4	<input type="checkbox"/>	Quarterly – Indicate one: 1 2 3 4
	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/>	<input type="checkbox"/> Semi-Annual
	<input type="checkbox"/> Annual	<input type="checkbox"/>	<input type="checkbox"/> Annual
	<input type="checkbox"/> Biennial	<input type="checkbox"/>	<input type="checkbox"/> Biennial

Groundwater Data (without LPC-160 Forms)
 Quarterly – Indicate one: 1 2 3 4
 Annual Semi-Annual Biennial

Well Construction Information
 Well Construction Forms, Boring Logs and/or Abandonment Forms
 Well Survey Data (e.g., Stick-up Elevation Data)

Notice of Statistically Significant Evidence of Groundwater Contamination
(35 Ill. Adm. Code 724.198)

Notice of Exceedence of Groundwater Concentration Limit (35 Ill. Adm. Code 724.199(h))

Notice of Alternate Source or Error in Sampling Analysis or Evaluation of Groundwater
(35 Ill. Adm. Code 724.199(i))

Gas Monitoring Reports

Other (identify) Report Cover for the RCRA regulated unit wells

Specialty Materials
Honeywell
P.O. Box 430
Highway 45 North
Metropolis, IL 62960
618 524-2111
618 524-6239 Fax

July 7, 2006

Certified Mail:
7004 1350 0003 7046 2945

Ms. Joyce Munie, PE
Permit Section Manager
Illinois Environmental Protection Agency
Division of Land Pollution Control
1021 North Grand Avenue East
Springfield, IL 62794-9276

RE: Honeywell
Metropolis, Illinois
ILD 006 278 170

Dear Ms. Munie:

The enclosed transmittal contains Honeywell Metropolis Works results for the Second Quarter 2006 RCRA groundwater monitoring event conducted on April 24, 2006. These monitoring results are submitted in accordance with Operating Permit No. 1981-30-OP and Section III.J.2 of the Facility's RCRA Permit.

Honeywell is submitting its RCRA groundwater report as an electronic text file in accordance with Section III.J.8 of the Facility's RCRA permit. Enclosed is one diskette that contains two files identified as "RCRA-GW-2^{qtr}2006-file 01" and "RCRA-GW-2qtr2006-file 02". These files contain all the required groundwater monitoring information as outlined in the Facility's RCRA permit. Additionally, included as Attachment A is a summary of the parameter results for each well sampled for the Second Quarter 2006 sampling event. Honeywell has also enclosed the statistical evaluation for the Second Quarter 2006 RCRA groundwater monitoring data as Attachment B. As indicated in this attachment, the statistical evaluation of the Second Quarter 2006 RCRA groundwater monitoring data indicated statically significant increases for fluorides in wells G-107 and G-108; gross alpha in well numbers R-104 and G-105; and gross beta in well numbers G-103, R-104, G-105, and G-108. Additional samples were collected on June 1st and an additional report will be filed under a separate submittal.

As required by Section III.F.3.b of the permit, Attachment C provides sampling results for each well and parameter for the previous four quarters. Analysis of the data indicates that the gross alpha activity in well G-108 has increased over the past four consecutive quarters.

Attachment D is a hard copy of the electronic data on the enclosed disk.

If there are any questions concerning the enclosed information, please contact Mr. Darrin Dodge at (618) 524-6277.

Sincerely,

A handwritten signature in black ink, appearing to read "David B. Edwards". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

David B. Edwards
Plant Manager

cc: D. Mays (No Attachments)
D. Dodge
G. Thomas
C. Schafer

ATTACHMENT A

Honeywell - Metropolis Works
RCRA Groundwater Parameters
 Contracted Lab Results

Well Identification G-101

Date	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
04/24/2006	2.90	2.20	2.20	1.20	2.20	2.10	2.30	2.00	2.20	1.30	-0.08	2.50	1.30	1.20	1.60	1.10		

Well Identification G-102

Date	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
04/24/2006	2.60	2.30	2.60	5.00	2.30	2.30	2.00	3.40	1.50	1.32	2.20	5.20	0.91	0.98	1.10	1.60		

Well Identification G-103

Date	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
04/24/2006	4.80	2.60	3.20	2.70	2.90	2.70	3.20	2.40	1.10	3.20	5.50	23.20	1.00	1.50	1.70	3.40		

Well Identification G-105

Date	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
04/24/2006	6.90	5.50	4.90	4.00	2.20	2.00	2.00	1.80	10.20	4.20	4.50	5.00	2.10	2.00	2.00	1.80		

Well Identification G-106

Date	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
4/24/2006	0.50	1.50	1.10	1.10	1.20	1.50	1.50	1.20	3.10	2.10	2.80	2.40	1.80	1.80	1.80	1.50		

Well Identification G-107

Date	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
4/24/2006	0.70	0.90	2.10	3.50	1.20	1.40	1.50	1.70	3.70	2.20	6.60	3.50	1.70	1.70	2.00	1.90		

Honeywell - Metropolis Works
RCRA Groundwater Parameters
 Contracted Lab Results

Well Identification G-108

Date	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)			Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)	
4/24/2006	0.90	1.90	1.60	1.00	1.30	1.50	1.40	1.20	1.50	26.60	8.40	2.10	1.80	3.60	2.20	1.80		

Well Identification G-109

Date	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)			Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)	
4/24/2006																		

Well Identification L-301W

Date	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)			Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)	
4/24/2006	4.00				13.00				1,440.00				150.00				0.81	0.80

Well Identification L-302E

Date	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)			Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)	
4/24/2006	10.00				29.00				3,350.00				350.00				3.37	1.09

Well Identification R-104

Date	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)			Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)	
4/24/2006	6.60	5.60	5.10	7.60	3.50	3.00	2.30	3.10	4.50	2.70	4.90	11.80	1.50	1.60	2.30	3.30		

Well Identification R-110

Date	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)			Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)	
4/24/2006	0.50	0.70	0.30	1.80	1.40	1.40	1.30	1.80	2.20	3.20	2.50	3.10	2.10	2.10	2.10	2.50		

Honeywell - Metropolis Works
RCRA Groundwater Parameters
 In-House Lab Results

Well Identification G-101

Date	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
04/24/2006	15.90	0.55	0.55	0.54	0.55	6.34	6.36	6.35	6.32	372.0	372.0	371.0	371.0		69.00

Well Identification G-102

Date	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
04/24/2006	16.30	0.49	0.48	0.47	0.50	6.74	6.73	6.71	6.72	401.0	401.0	401.0	402.0		24.00

Well Identification G-103

Date	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
04/24/2006	17.01	0.52	0.51	0.52	0.52	6.84	6.80	6.78	6.77	442.0	442.0	442.0	442.0		19.00

Well Identification G-105

Date	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
04/24/2006	15.94	0.48	0.48	0.47	0.48	6.00	6.59	6.55	6.54	345.0	343.0	343.0	342.0		395.00

Well Identification G-106

Date	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
04/24/2006	15.90	0.22	0.23	0.22	0.23	6.12	6.13	6.15	6.15	394.0	394.0	393.0	394.0		38.00

Well Identification G-107

Date	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
04/24/2006	16.17	0.63	0.62	0.62	0.63	6.75	6.74	6.75	6.74	405.0	405.0	405.0	404.0		36.00

Honeywell - Metropolis Works
RCRA Groundwater Parameters
 In-House Lab Results

Well Identification G-108

Date	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
04/24/2006	15.35	0.60	0.60	0.61	0.60	6.86	6.82	6.82	6.79	424.0	424.0	424.0	424.0		13.00

Well Identification G-109

Date	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
04/24/2006															

Well Identification L-301W

Date	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
04/24/2006														11.22	

Well Identification L-302E

Date	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
04/24/2006														5.88	

Well Identification R-104

Date	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
04/24/2006	16.96	0.55	0.55	0.55	0.54	6.70	6.69	6.71	6.70	462.0	462.0	462.0	462.0		129.00

Well Identification R-110

Date	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
04/24/2006	16.32	0.50	0.50	0.49	0.49	5.88	5.91	5.86	5.89	517.0	516.0	514.0	514.0		51.00

Honeywell - Metropolis Works
RCRA Groundwater Parameters
4 Qtrs - Contracted Lab Results Through 06/30/2006

Well Identification R110

Qtr Ending	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)			Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
9/30/2005	0.30	-0.04	1.20	1.20	2.20	2.10	1.50	2.00	1.70	2.20	1.10	2.80	1.40	1.90	1.80	1.90	
12/31/2005	0.07	1.00	2.00	0.80	2.30	1.70	2.00	1.60	3.80	6.20	9.10	3.80	2.30	3.50	3.10	2.30	
3/31/2006	0.40	0.70	2.00	1.20	1.90	3.00	2.40	1.70	1.90	1.10	1.50	4.40	2.00	1.70	1.80	1.50	
6/30/2006	1.70	0.70	0.30	1.80	1.40	1.40	1.30	1.80	1.20	3.20	2.50	3.10	1.90	2.10	2.10	2.50	

ATTACHMENT B

Honeywell - Metropolis Works

(Statistical Evaluation - Averaged Replicate T-test)
April 24, 2006

Constituent: Soluble Fluorides, (Mg/L)

BACKGROUND DATA																
Well:	G-101								R-110							
	2001				2002				2001				2002			
	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q
	0.33	0.36	0.2	0.31	0.34	0.42	0.52	0.41	0.19	0.15	0.22	0.2	0.18	0.23	0.33	0.24
	0.32	0.35	0.22	0.3	0.33	0.43	0.52	0.41	0.18	0.14	0.21	0.2	0.17	0.23	0.33	0.21
	0.31	0.35	0.23	0.3	0.32	0.41	0.48	0.41	0.18	0.14	0.21	0.2	0.16	0.21	0.32	0.22
	0.31	0.34	0.22	0.3	0.3	0.42	0.48	0.4	0.17	0.14	0.2	0.2	0.16	0.2	0.32	0.22
Avg.=	0.32	0.35	0.22	0.30	0.32	0.42	0.50	0.41	0.18	0.14	0.21	0.20	0.17	0.22	0.33	0.22
Averaged Replicate Mean:				<u>0.281</u>				Averaged Replicate Standard Deviation:				<u>0.103</u>				

SAMPLING DATA									
G-101	G-102	G-103	R-104	G-105	G-106	G-107	G-108	R-110	
0.55	0.49	0.52	0.55	0.48	0.22	0.63	0.60	0.50	
0.55	0.48	0.51	0.55	0.48	0.23	0.62	0.60	0.50	
0.54	0.47	0.52	0.55	0.47	0.22	0.62	0.61	0.49	
0.55	0.50	0.52	0.54	0.48	0.23	0.63	0.60	0.49	
xm	0.485	0.517	0.544	0.475	0.225	0.625	0.601	xm	
t*	1.915	2.216	2.478	1.823	-0.529	3.234	3.013	t*	
tc	2.602	2.602	2.602	2.602	2.602	2.602	2.602	tc	

Well Status: **OK** **OK** **OK** **OK** **OK** **RESAMPLE** **RESAMPLE**

Honeywell - Metropolis Works

(Statistical Evaluation - Averaged Replicate T-test)
April 24, 2006

Constituent: pH, (SU)

BACKGROUND DATA																
Well:	G-101								R-110							
	2001				2002				2001				2002			
	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q
	7.13	6.48	6.33	6.11	6.62	6.53	6.45	6.63	7.31	6.04	5.79	5.51	6.2	6.18	5.99	6.24
	7.13	6.48	6.33	6.12	6.61	6.52	6.45	6.62	7.2	6.05	5.79	5.51	6.19	6.18	6.02	6.25
	7.29	6.49	6.33	6.12	6.61	6.53	6.46	6.65	7.31	6.05	5.79	5.51	6.19	6.18	6.02	6.25
	7.29	6.48	6.33	6.12	6.63	6.54	6.46	6.64	7.25	6.05	5.79	5.51	6.2	6.18	6.04	6.24
Avg.=	7.21	6.48	6.33	6.12	6.62	6.53	6.46	6.64	7.27	6.05	5.79	5.51	6.20	6.18	6.02	6.25

Averaged Replicate Mean: 6.352

Averaged Replicate Standard Deviation: 0.457

SAMPLING DATA									
G-101	G-102	G-103	R-104	G-105	G-106	G-107	G-108	R-110	
6.34	6.74	6.84	6.70	6.00	6.12	6.75	6.86	5.88	
6.36	6.73	6.80	6.69	6.59	6.13	6.74	6.82	5.91	
6.35	6.71	6.78	6.71	6.55	6.15	6.75	6.82	5.86	
6.32	6.72	6.77	6.70	6.54	6.15	6.74	6.79	5.89	
xm	6.725	6.798	6.700	6.420	6.138	6.745	6.823	xm	
t*	0.792	0.946	0.739	0.145	-0.455	0.834	0.999	t*	
tc	2.947	2.947	2.947	2.947	2.947	2.947	2.947	tc	

Well Status: OK

OK

OK

OK

OK

OK

OK

Honeywell - Metropolis Works

(Statistical Evaluation - Averaged Replicate T-test)
April 24, 2006

Constituent: Specific Conductance, (Umhos/cm)

BACKGROUND DATA																
Well:	G-101								R-110							
	2001				2002				2001				2002			
	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q
	441.5	445.0	395.0	437.0	452.0	522.0	451.0	409.0	723.21	659.0	603.0	688.0	648.0	663.0	615.0	609.0
	439.3	445.0	394.0	436.0	450.0	520.0	449.0	409.0	723.21	659.0	603.0	688.0	648.0	664.0	615.0	609.0
	451.5	446.0	393.0	435.0	450.0	517.0	447.0	405.0	717.94	659.0	603.0	688.0	647.0	665.0	616.0	608.0
	438.2	447.0	393.0	435.0	447.0	515.0	447.0	405.0	716.2	659.0	603.0	688.0	647.0	661.0	616.0	608.0
Avg.=	442.6	445.8	393.8	435.8	449.8	518.5	448.5	407.0	720.1	659.0	603.0	688.0	647.5	663.3	615.5	608.5
Averaged Replicate Mean:								Averaged Replicate Standard Deviation:								
<u>546.68</u>								<u>113.78</u>								

SAMPLING DATA									
G-101	G-102	G-103	R-104	G-105	G-106	G-107	G-108	R-110	
372.00	401.00	442.00	462.00	345.00	394.00	405.00	424.00	517.00	
372.00	401.00	442.00	462.00	343.00	394.00	405.00	424.00	516.00	
371.00	401.00	442.00	462.00	343.00	393.00	405.00	424.00	514.00	
371.00	402.00	442.00	462.00	342.00	394.00	404.00	424.00	514.00	
xm	401.25	442.00	462.00	343.25	393.75	404.75	424.00	xm	
t*	-1.240	-0.892	-0.722	-1.734	-1.304	-1.210	-1.046	t*	
tc	2.602	2.602	2.602	2.602	2.602	2.602	2.602	tc	
Well Status:	OK								

Honeywell - Metropolis Works

(Statistical Evaluation - Averaged Replicate T-test)
April 24, 2006

Constituent: **Gross Alpha, (pCi/L)**

BACKGROUND DATA																
Well:	G-101								R-110							
	2001				2002				2001				2002			
	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q
	0.00	1.60	-0.40	1.10	0.10	3.30	0.04	1.30	-0.03	0.60	0.50	1.50	1.00	3.40	2.00	0.60
	0.90	0.80	-0.40	0.30	1.00	3.60	0.90	0.90	0.30	1.80	0.50	6.50	1.90	4.80	-0.05	1.60
	1.90	1.20	0.60	1.10	-1.00	5.00	2.20	1.00	-0.40	2.10	0.50	5.10	0.80	3.90	4.90	2.70
	2.20	1.90	0.20	1.10	1.90	3.60	0.50	2.20	0.40	2.50	1.90	3.80	1.70	4.20	3.20	1.00
Avg.=	1.25	1.38	0.00	0.90	0.50	3.88	0.91	1.35	0.07	1.75	0.85	4.23	1.35	4.08	2.51	1.48
Averaged Replicate Mean:				<u>1.654</u>				Averaged Replicate Standard Deviation:				<u>1.341</u>				

SAMPLING DATA									
G-101	G-102	G-103	R-104	G-105	G-106	G-107	G-108	R-110	
2.90	2.60	4.80	6.60	6.90	0.50	0.70	0.90	0.50	
2.20	2.30	2.60	5.60	5.50	1.50	0.90	1.90	0.70	
2.20	2.60	3.20	5.10	4.90	1.10	2.10	1.60	0.30	
1.20	5.00	2.70	7.60	4.00	1.10	3.50	1.00	1.80	
xm	3.125	3.325	6.225	5.325	1.050	1.800	1.350	xm	
t*	1.064	1.209	3.308	2.656	-0.437	0.106	-0.220	t*	
tc	2.602	2.602	2.602	2.602	2.602	2.602	2.602	tc	
Well Status:	OK	OK	RESAMPLE	RESAMPLE	OK	OK	OK		

Honeywell - Metropolis Works

(Statistical Evaluation - Averaged Replicate T-test)
April 24, 2006

Constituent: **Gross Beta, (pCi/L)**

BACKGROUND DATA																		
Well:	G-101								R-110									
	2001				2002				2001				2002					
	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q	1Q	2Q	3Q	4Q		
	0.4	1.5	0.6	2.3	2.9	4.3	2.6	1.0	1.5	2.1	3.3	4.9	0.6	4	3	1.3		
	3.0	1.9	0.5	2.0	2.3	1.8	1.2	2.5	3.4	2.6	0.2	3.8	1.6	3.1	3.5	1.3		
	-1.5	1.6	1.1	1.1	1.7	3.5	3.4	1.6	0.2	3.9	0.6	2.5	2.1	4.5	4.6	2.5		
	3.7	1.2	1.3	2.5	1.5	2.7	2.7	3.4	1.3	2.8	-0.9	3.3	0.7	3	5.2	1.5		
Avg.=	1.4	1.6	0.9	2.0	2.1	3.1	2.5	2.1	1.6	2.9	0.8	3.6	1.3	3.7	4.1	1.7		
Averaged Replicate Mean:								<u>2.192</u>		Averaged Replicate Standard Deviation:								<u>1.011</u>

SAMPLING DATA									
G-101	G-102	G-103	R-104	G-105	G-106	G-107	G-108	R-110	
2.20	1.50	1.10	4.50	10.20	3.10	3.70	1.50	2.20	
1.30	1.32	3.20	2.70	4.20	2.10	2.20	26.60	3.20	
-0.08	2.20	5.50	4.90	4.50	2.80	6.60	8.40	2.50	
2.50	5.20	23.20	11.80	5.00	2.40	3.50	2.10	3.10	
xm	2.555	8.250	5.975	5.975	2.600	4.000	9.650	xm	
t*	0.348	5.815	3.631	3.631	0.391	1.735	7.159	t*	
tc	2.602	2.602	2.602	2.602	2.602	2.602	2.602	tc	
Well Status:	OK	RESAMPLE	RESAMPLE	RESAMPLE	OK	OK	RESAMPLE		

Honeywell - Metropolis Works
RCRA Groundwater Parameters
4 Qtrs - In-House Lab Results Through 06/30/2006

Well Identification G101

Qtr Ending	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
9/30/2005	16.44	0.23	0.23	0.24	0.23	7.10	7.10	7.08	7.00	442.00	442.00	440.00	440.00		3.60
12/31/2005	15.93	0.38	0.39	0.38	0.39	6.48	6.59	6.60	6.56	410.00	408.00	407.00	408.00		5.90
3/31/2006	15.43	0.35	0.32	0.32	0.34	6.62	6.63	6.59	6.60	393.00	392.00	391.00	390.00		12.10
6/30/2006	15.96	0.55	0.55	0.54	0.55	6.48	6.49	6.49	6.50	367.00	370.00	366.00	368.00		12.00

Well Identification G102

Qtr Ending	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
9/30/2005	17.35	0.24	0.24	0.24	0.24	6.96	6.96	6.97	6.97	479.00	479.00	479.00	479.00		1.00
12/31/2005	16.56	0.42	0.45	0.46	0.46	6.70	6.72	6.72	6.72	419.00	419.00	420.00	420.00		36.00
3/31/2006	15.95	0.48	0.46	0.47	0.46	6.37	6.48	6.47	6.48	426.00	425.00	426.00	426.00		24.00
6/30/2006	16.30	0.49	0.48	0.47	0.50	6.74	6.73	6.71	6.72	401.00	401.00	401.00	402.00		24.00

Well Identification G103

Qtr Ending	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
9/30/2005	18.29	0.24	0.23	0.23	0.24	7.74	7.74	7.74	7.73	1,070.00	1,069.00	1,061.00	1,049.00		1.00
12/31/2005	16.91	0.34	0.36	0.37	0.36	6.56	6.54	6.55	6.60	715.00	714.00	717.00	717.00		6.35
3/31/2006	16.61	0.38	0.37	0.38	0.35	6.42	6.45	6.45	6.45	480.00	480.00	480.00	479.00		3.00
6/30/2006	16.83	0.52	0.51	0.52	0.52	8.53	8.55	8.54	8.54	726.00	719.00	715.00	715.00		47.00

Well Identification G105

Qtr Ending	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
9/30/2005	16.07	0.33	0.33	0.34	0.33	6.94	6.95	6.95	6.95	409.00	410.00	410.00	410.00		4.20
12/31/2005	15.69	0.29	0.28	0.27	0.27	6.45	6.42	6.43	6.43	400.00	400.00	400.00	400.00		58.25
3/31/2006	15.32	0.21	0.28	0.28	0.25	6.48	6.42	6.46	6.46	366.00	372.00	376.00	378.00		60.00
6/30/2006	15.65	0.48	0.48	0.47	0.48	8.37	8.37	8.36	8.33	398.00	399.00	402.00	403.00		45.00

Honeywell - Metropolis Works
RCRA Groundwater Parameters
4 Qtrs - In-House Lab Results Through 06/30/2006

Well Identification L301W

Qtr Ending	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
09/30/2005														6.00	
12/31/2005														67.00	
03/31/2006														7.14	
06/30/2006														11.22	

Well Identification L302E

Qtr Ending	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
09/30/2005														8.26	
12/31/2005														12.64	
03/31/2006														15.84	
06/30/2006														5.88	

Well Identification R104

Qtr Ending	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
09/30/2005	18.80	0.49	0.48	0.49	0.48	7.74	7.73	7.74	7.74	528.00	528.00	528.00	528.00		14.90
12/31/2005	16.66	0.37	0.37	0.36	0.36	6.57	6.64	6.67	6.59	474.00	475.00	474.00	479.00		6.20
03/31/2006	15.99	0.31	0.32	0.36	0.35	6.33	6.43	6.46	6.42	493.00	493.00	493.00	493.00		2.00
06/30/2006	16.66	0.55	0.55	0.55	0.54	6.52	6.50	6.52	6.52	454.00	455.00	454.00	454.00		2.00

Well Identification R110

Qtr Ending	Temp. (degrees C)	Fluoride, Dissolved (ppm)				pH (SU)				Specific Conductivity (umhos/cm)				Fluoride, Total (ppm)	Turbidity
09/30/2005	16.85	0.24	0.25	0.25	0.25	6.49	6.51	6.55	6.55	617.00	618.00	618.00	618.00		14.20
12/31/2005	16.41	0.30	0.29	0.29	0.28	6.27	6.20	6.16	6.16	569.00	570.00	571.00	571.00		9.15
03/31/2006	15.90	0.29	0.31	0.24	0.30	6.03	6.02	6.02	6.02	557.00	557.00	557.00	557.00		1.00
06/30/2006	16.53	0.50	0.50	0.49	0.49	7.61	7.60	7.58	7.60	501.00	501.00	502.00	501.00		17.00

Honeywell - Metropolis Works
RCRA Groundwater Parameters
4 Qtrs - Contracted Lab Results Through 06/30/2006

Well Identification G101

Qtr Ending	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
09/30/2005	-0.90	-0.30	-0.10	-0.30	2.50	1.70	1.50	1.80	0.60	1.10	1.40	0.20	1.10	1.30	1.20	1.70		
12/31/2005	0.20	0.60	2.40	1.20	1.00	1.20	1.60	1.30	1.80	1.50	1.10	2.00	1.60	1.40	1.30	1.20		
03/31/2006	1.00	-0.70	4.20	1.00	1.50	2.00	2.40	1.50	2.10	1.30	2.80	1.40	1.20	1.00	1.10	1.10		
06/30/2006	0.40	2.20	2.20	1.20	2.00	2.10	2.30	2.00	2.10	1.30	-0.08	2.50	1.40	1.20	1.60	1.10		

Well Identification G102

Qtr Ending	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
09/30/2005	2.40	2.90	1.80	2.60	1.10	1.80	1.80	1.90	2.34	1.20	1.90	3.30	0.85	1.30	1.10	1.40		
12/31/2005	2.20	2.10	0.90	-0.03	1.50	1.70	1.30	1.90	2.80	1.10	1.00	1.00	1.40	1.70	1.40	1.20		
03/31/2006	2.80	4.60	0.20	1.80	2.40	2.60	1.70	2.20	-3.00	5.20	1.40	-1.00	1.40	1.30	1.10	1.30		
06/30/2006	2.60	2.30	2.60	5.00	2.30	2.30	2.00	3.40	1.50	1.32	2.20	5.20	0.91	0.98	1.10	1.60		

Well Identification G103

Qtr Ending	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
09/30/2005	0.80	1.80	2.90	2.10	3.40	2.00	2.40	2.20	2.70	4.40	3.70	5.10	3.60	3.50	3.20	3.90		
12/31/2005	-0.05	0.60	1.90	1.00	2.60	2.40	2.60	2.50	2.80	3.60	1.20	2.40	2.20	2.20	1.80	1.80		
03/31/2006	1.90	2.40	3.10	3.10	2.00	2.50	1.90	2.00	-0.40	-0.60	3.00	1.60	1.00	1.00	1.40	1.40		
06/30/2006	6.40	2.60	3.20	2.70	1.30	2.70	3.20	2.40	3.00	3.20	5.50	23.20	1.60	1.50	1.70	3.40		

Well Identification G105

Qtr Ending	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
09/30/2005	1.40	1.60	1.80	1.50	2.80	2.50	2.50	2.00	2.77	2.00	2.80	2.91	0.82	1.10	0.83	0.84		
12/31/2005	1.60	2.90	2.20	1.10	2.30	1.90	1.70	1.50	2.30	2.60	3.20	1.80	1.40	1.50	1.30	1.10		
03/31/2006	3.90	4.50	4.20	4.40	3.10	2.50	1.90	2.00	0.80	0.90	2.80	2.40	1.40	1.40	1.40	1.40		

Honeywell - Metropolis Works
RCRA Groundwater Parameters
4 Qtrs - Contracted Lab Results Through 06/30/2006

12/31/2005
03/31/2006
06/30/2006

Well Identification L301W

Qtr Ending	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
09/30/2005	0.00	11.00	0.16	20.00	1,190.00	1,210.00	130.00	130.00	1.26	0.63								
12/31/2005	140.00		85.00		1,600.00		190.00		4.19	0.98								
03/31/2006	27.00		21.00		1,550.00		160.00		1.07	0.68								
06/30/2006	4.00		13.00		1,440.00		150.00		0.81	0.80								

Well Identification L302E

Qtr Ending	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
09/30/2005	65.00	28.00	57.00	38.00	3,760.00	3,810.00	390.00	400.00	4.25	0.99								
12/31/2005	91.00		60.00		4,270.00		450.00		4.36	1.01								
03/31/2006	68.00		60.00		4,770.00		500.00		3.94	1.05								
06/30/2006	10.00		29.00		3,350.00		350.00		3.37	1.09								

Well Identification R104

Qtr Ending	Alpha Activity, Total (pCi/l)				Alpha Error (pCi/l)				Beta Activity, Total (pCi/l)				Beta Error (pCi/l)				Ra226 + Ra228 (pCi/l)	Ra226 + Ra228 Error (pCi/l)
09/30/2005	4.90	16.90	2.10	5.20	2.30	4.10	2.10	2.30	1.70	0.80	1.40	1.90	1.30	1.80	1.50	1.50		
12/31/2005	0.10	1.10	0.90	1.80	1.40	1.90	2.30	1.70	0.70	2.50	3.10	0.80	1.20	1.70	1.60	1.30		
03/31/2006	2.40	2.70	3.20	2.20	2.30	2.50	3.10	2.30	5.20	2.30	2.50	2.90	1.50	1.40	1.40	1.60		
06/30/2006	1.10	5.60	5.10	7.60	1.50	3.00	2.30	3.10	1.50	2.70	4.90	11.80	1.70	1.60	2.30	3.30		

ATTACHMENT D

RCRA groundwater data for July 15, 2006 report

LPCSM01A1278540002G101042406	071506000000	1120 L
LPCSM01A1278540002G102042406	071506000000	1620 L
LPCSM01A1278540002G103042406	071506000000	1531 L
LPCSM01A1278540002R104042406	071506000000	1453 L
LPCSM01A1278540002G105042406	071506000000	1338 L
LPCSM01A1278540002G106042406	071506000000	1305 L
LPCSM01A1278540002G107042406	071506000000	1648 L
LPCSM01A1278540002G108042406	071506000000	1416 L
LPCSM01A1278540002G109042406	071506000000	1715 L
LPCSM01A1278540002R110042406	071506000000	1002 L
LPCSM01A1278540002L301042406	071506000000	1725 L
LPCSM01A1278540002L302042406	071506000000	1725 L

RCRA groundwater data for July 15, 2006 report

LPCSM02A1278540002G101042406 72109 0005700000
 LPCSM02A1278540002G101042406 00011 0006062000
 LPCSM02A1278540002G101042406 00950 1 0000054800
 LPCSM02A1278540002G101042406 00950 2 0000054800
 LPCSM02A1278540002G101042406 00950 3 0000054200
 LPCSM02A1278540002G101042406 00950 4 0000054800
 LPCSM02A1278540002G101042406 00400 1 0000634000
 LPCSM02A1278540002G101042406 00400 2 0000636000
 LPCSM02A1278540002G101042406 00400 3 0000635000
 LPCSM02A1278540002G101042406 00400 4 0000632000
 LPCSM02A1278540002G101042406 00094 1 0037200000
 LPCSM02A1278540002G101042406 00094 2 0037200000
 LPCSM02A1278540002G101042406 00094 3 0037100000
 LPCSM02A1278540002G101042406 00094 4 0037100000
 LPCSM02A1278540002G101042406201501 1 0000290000
 LPCSM02A1278540002G101042406201501 2 0000220000
 LPCSM02A1278540002G101042406201501 3 0000220000
 LPCSM02A1278540002G101042406201501 4 0000120000
 LPCSM02A1278540002G101042406201502 1 0000220000
 LPCSM02A1278540002G101042406201502 2 0000210000
 LPCSM02A1278540002G101042406201502 3 0000230000
 LPCSM02A1278540002G101042406201502 4 0000200000
 LPCSM02A1278540002G101042406203501 1 0000220000
 LPCSM02A1278540002G101042406203501 2 0000130000
 LPCSM02A1278540002G101042406203501 3 -000000800
 LPCSM02A1278540002G101042406203501 4 0000250000
 LPCSM02A1278540002G101042406203502 1 0000130000
 LPCSM02A1278540002G101042406203502 2 0000120000
 LPCSM02A1278540002G101042406203502 3 0000160000
 LPCSM02A1278540002G101042406203502 4 0000110000
 LPCSM02A1278540002G101042406245626 0006900000
 LPCSM02A1278540002G101042406 71993 0032051000
 LPCSM02A1278540002G101042406 72019 0005496000
 LPCSM02A1278540002G101042406 72020 0007651000
 LPCSM02A1278540002G102042406 72109 0005252000
 LPCSM02A1278540002G102042406 00011 0006134000
 LPCSM02A1278540002G102042406 00950 1 0000048700
 LPCSM02A1278540002G102042406 00950 2 0000048200
 LPCSM02A1278540002G102042406 00950 3 0000047200
 LPCSM02A1278540002G102042406 00950 4 0000049700
 LPCSM02A1278540002G102042406 00400 1 0000674000
 LPCSM02A1278540002G102042406 00400 2 0000673000
 LPCSM02A1278540002G102042406 00400 3 0000671000
 LPCSM02A1278540002G102042406 00400 4 0000672000
 LPCSM02A1278540002G102042406 00094 1 0040100000
 LPCSM02A1278540002G102042406 00094 2 0040100000
 LPCSM02A1278540002G102042406 00094 3 0040100000
 LPCSM02A1278540002G102042406 00094 4 0040200000
 LPCSM02A1278540002G102042406201501 1 0000260000
 LPCSM02A1278540002G102042406201501 2 0000230000
 LPCSM02A1278540002G102042406201501 3 0000260000
 LPCSM02A1278540002G102042406201501 4 0000500000
 LPCSM02A1278540002G102042406201502 1 0000230000
 LPCSM02A1278540002G102042406201502 2 0000230000

LPCSM02A1278540002G102042406201502 3 0000200000
LPCSM02A1278540002G102042406201502 4 0000340000
LPCSM02A1278540002G102042406203501 1 0000150000
LPCSM02A1278540002G102042406203501 2 0000132000
LPCSM02A1278540002G102042406203501 3 0000220000
LPCSM02A1278540002G102042406203501 4 0000520000
LPCSM02A1278540002G102042406203502 1 0000091000
LPCSM02A1278540002G102042406203502 2 0000098000
LPCSM02A1278540002G102042406203502 3 0000110000
LPCSM02A1278540002G102042406203502 4 0000160000
LPCSM02A1278540002G102042406245626 0002400000
LPCSM02A1278540002G102042406 71993 0031092000
LPCSM02A1278540002G102042406 72019 0005066000
LPCSM02A1278540002G102042406 72020 0006150000
LPCSM02A1278540002G103042406 72109 0005665000
LPCSM02A1278540002G103042406 00011 0006262000
LPCSM02A1278540002G103042406 00950 1 0000051800
LPCSM02A1278540002G103042406 00950 2 0000051200
LPCSM02A1278540002G103042406 00950 3 0000051800
LPCSM02A1278540002G103042406 00950 4 0000051800
LPCSM02A1278540002G103042406 00400 1 0000684000
LPCSM02A1278540002G103042406 00400 2 0000680000
LPCSM02A1278540002G103042406 00400 3 0000678000
LPCSM02A1278540002G103042406 00400 4 0000677000
LPCSM02A1278540002G103042406 00094 1 0044200000
LPCSM02A1278540002G103042406 00094 2 0044200000
LPCSM02A1278540002G103042406 00094 3 0044200000
LPCSM02A1278540002G103042406 00094 4 0044200000
LPCSM02A1278540002G103042406201501 1 0000480000
LPCSM02A1278540002G103042406201501 2 0000260000
LPCSM02A1278540002G103042406201501 3 0000320000
LPCSM02A1278540002G103042406201501 4 0000270000
LPCSM02A1278540002G103042406201502 1 0000290000
LPCSM02A1278540002G103042406201502 2 0000270000
LPCSM02A1278540002G103042406201502 3 0000320000
LPCSM02A1278540002G103042406201502 4 0000240000
LPCSM02A1278540002G103042406203501 1 0000110000
LPCSM02A1278540002G103042406203501 2 0000320000
LPCSM02A1278540002G103042406203501 3 0000550000
LPCSM02A1278540002G103042406203501 4 0002320000
LPCSM02A1278540002G103042406203502 1 0000100000
LPCSM02A1278540002G103042406203502 2 0000150000
LPCSM02A1278540002G103042406203502 3 0000170000
LPCSM02A1278540002G103042406203502 4 0000340000
LPCSM02A1278540002G103042406245626 0001900000
LPCSM02A1278540002G103042406 71993 0031109000
LPCSM02A1278540002G103042406 72019 0005581000
LPCSM02A1278540002G103042406 72020 0007938000
LPCSM02A1278540002R104042406 72109 0006230000
LPCSM02A1278540002R104042406 00011 0006253000
LPCSM02A1278540002R104042406 00950 1 0000055000
LPCSM02A1278540002R104042406 00950 2 0000054500
LPCSM02A1278540002R104042406 00950 3 0000054500
LPCSM02A1278540002R104042406 00950 4 0000053700
LPCSM02A1278540002R104042406 00400 1 0000670000
LPCSM02A1278540002R104042406 00400 2 0000669000
LPCSM02A1278540002R104042406 00400 3 0000671000

LPCSM02A1278540002R104042406	00400	4	0000670000
LPCSM02A1278540002R104042406	00094	1	0046200000
LPCSM02A1278540002R104042406	00094	2	0046200000
LPCSM02A1278540002R104042406	00094	3	0046200000
LPCSM02A1278540002R104042406	00094	4	0046200000
LPCSM02A1278540002R104042406201501		1	0000660000
LPCSM02A1278540002R104042406201501		2	0000560000
LPCSM02A1278540002R104042406201501		3	0000510000
LPCSM02A1278540002R104042406201501		4	0000760000
LPCSM02A1278540002R104042406201502		1	0000350000
LPCSM02A1278540002R104042406201502		2	0000300000
LPCSM02A1278540002R104042406201502		3	0000230000
LPCSM02A1278540002R104042406201502		4	0000310000
LPCSM02A1278540002R104042406203501		1	0000450000
LPCSM02A1278540002R104042406203501		2	0000270000
LPCSM02A1278540002R104042406203501		3	0000490000
LPCSM02A1278540002R104042406203501		4	0001180000
LPCSM02A1278540002R104042406203502		1	0000150000
LPCSM02A1278540002R104042406203502		2	0000160000
LPCSM02A1278540002R104042406203502		3	0000230000
LPCSM02A1278540002R104042406203502		4	0000330000
LPCSM02A1278540002R104042406245626			0012900000
LPCSM02A1278540002R104042406	71993		0031011000
LPCSM02A1278540002R104042406	72019		0006230000
LPCSM02A1278540002R104042406	72020		0007055000
LPCSM02A1278540002G105042406	72109		0006430000
LPCSM02A1278540002G105042406	00011		0006069000
LPCSM02A1278540002G105042406	00950	1	0000047700
LPCSM02A1278540002G105042406	00950	2	0000047500
LPCSM02A1278540002G105042406	00950	3	0000047200
LPCSM02A1278540002G105042406	00950	4	0000047500
LPCSM02A1278540002G105042406	00400	1	0000600000
LPCSM02A1278540002G105042406	00400	2	0000659000
LPCSM02A1278540002G105042406	00400	3	0000655000
LPCSM02A1278540002G105042406	00400	4	0000654000
LPCSM02A1278540002G105042406	00094	1	0034500000
LPCSM02A1278540002G105042406	00094	2	0034300000
LPCSM02A1278540002G105042406	00094	3	0034300000
LPCSM02A1278540002G105042406	00094	4	0034200000
LPCSM02A1278540002G105042406201501		1	0000690000
LPCSM02A1278540002G105042406201501		2	0000550000
LPCSM02A1278540002G105042406201501		3	0000490000
LPCSM02A1278540002G105042406201501		4	0000400000
LPCSM02A1278540002G105042406201502		1	0000220000
LPCSM02A1278540002G105042406201502		2	0000200000
LPCSM02A1278540002G105042406201502		3	0000200000
LPCSM02A1278540002G105042406201502		4	0000180000
LPCSM02A1278540002G105042406203501		1	0001020000
LPCSM02A1278540002G105042406203501		2	0000420000
LPCSM02A1278540002G105042406203501		3	0000450000
LPCSM02A1278540002G105042406203501		4	0000500000
LPCSM02A1278540002G105042406203502		1	0000210000
LPCSM02A1278540002G105042406203502		2	0000200000
LPCSM02A1278540002G105042406203502		3	0000200000
LPCSM02A1278540002G105042406203502		4	0000180000
LPCSM02A1278540002G105042406245626			0039500000
LPCSM02A1278540002G105042406	71993		0031147000

LPCSM02A1278540002G105042406	72019	0006265000
LPCSM02A1278540002G105042406	72020	0008760000
LPCSM02A1278540002G106042406	72109	0005725000
LPCSM02A1278540002G106042406	00011	0006062000
LPCSM02A1278540002G106042406	00950	1 0000022300
LPCSM02A1278540002G106042406	00950	2 0000022700
LPCSM02A1278540002G106042406	00950	3 0000022000
LPCSM02A1278540002G106042406	00950	4 0000023100
LPCSM02A1278540002G106042406	00400	1 0000612000
LPCSM02A1278540002G106042406	00400	2 0000613000
LPCSM02A1278540002G106042406	00400	3 0000615000
LPCSM02A1278540002G106042406	00400	4 0000615000
LPCSM02A1278540002G106042406	00094	1 0039400000
LPCSM02A1278540002G106042406	00094	2 0039400000
LPCSM02A1278540002G106042406	00094	3 0039300000
LPCSM02A1278540002G106042406	00094	4 0039400000
LPCSM02A1278540002G106042406201501	1	0000050000
LPCSM02A1278540002G106042406201501	2	0000150000
LPCSM02A1278540002G106042406201501	3	0000110000
LPCSM02A1278540002G106042406201501	4	0000110000
LPCSM02A1278540002G106042406201502	1	0000120000
LPCSM02A1278540002G106042406201502	2	0000150000
LPCSM02A1278540002G106042406201502	3	0000150000
LPCSM02A1278540002G106042406201502	4	0000120000
LPCSM02A1278540002G106042406203501	1	0000310000
LPCSM02A1278540002G106042406203501	2	0000210000
LPCSM02A1278540002G106042406203501	3	0000280000
LPCSM02A1278540002G106042406203501	4	0000240000
LPCSM02A1278540002G106042406203502	1	0000180000
LPCSM02A1278540002G106042406203502	2	0000180000
LPCSM02A1278540002G106042406203502	3	0000180000
LPCSM02A1278540002G106042406203502	4	0000150000
LPCSM02A1278540002G106042406245626		0003800000
LPCSM02A1278540002G106042406	71993	0031506000
LPCSM02A1278540002G106042406	72019	0005545000
LPCSM02A1278540002G106042406	72020	0008468000
LPCSM02A1278540002G107042406	72109	0005237000
LPCSM02A1278540002G107042406	00011	0006111000
LPCSM02A1278540002G107042406	00950	1 0000062900
LPCSM02A1278540002G107042406	00950	2 0000062200
LPCSM02A1278540002G107042406	00950	3 0000062200
LPCSM02A1278540002G107042406	00950	4 0000062500
LPCSM02A1278540002G107042406	00400	1 0000675000
LPCSM02A1278540002G107042406	00400	2 0000674000
LPCSM02A1278540002G107042406	00400	3 0000675000
LPCSM02A1278540002G107042406	00400	4 0000674000
LPCSM02A1278540002G107042406	00094	1 0040500000
LPCSM02A1278540002G107042406	00094	2 0040500000
LPCSM02A1278540002G107042406	00094	3 0040500000
LPCSM02A1278540002G107042406	00094	4 0040400000
LPCSM02A1278540002G107042406201501	1	0000070000
LPCSM02A1278540002G107042406201501	2	0000090000
LPCSM02A1278540002G107042406201501	3	0000210000
LPCSM02A1278540002G107042406201501	4	0000350000
LPCSM02A1278540002G107042406201502	1	0000120000
LPCSM02A1278540002G107042406201502	2	0000140000
LPCSM02A1278540002G107042406201502	3	0000150000

LPCSM02A1278540002G107042406201502 4 0000170000
LPCSM02A1278540002G107042406203501 1 0000370000
LPCSM02A1278540002G107042406203501 2 0000220000
LPCSM02A1278540002G107042406203501 3 0000660000
LPCSM02A1278540002G107042406203501 4 0000350000
LPCSM02A1278540002G107042406203502 1 0000170000
LPCSM02A1278540002G107042406203502 2 0000170000
LPCSM02A1278540002G107042406203502 3 0000200000
LPCSM02A1278540002G107042406203502 4 0000190000
LPCSM02A1278540002G107042406245626 0003600000
LPCSM02A1278540002G107042406 71993 0031385000
LPCSM02A1278540002G107042406 72019 0005084000
LPCSM02A1278540002G107042406 72020 0006691000
LPCSM02A1278540002G108042406 72109 0005722000
LPCSM02A1278540002G108042406 00011 0005963000
LPCSM02A1278540002G108042406 00950 1 0000059700
LPCSM02A1278540002G108042406 00950 2 0000060000
LPCSM02A1278540002G108042406 00950 3 0000060700
LPCSM02A1278540002G108042406 00950 4 0000060000
LPCSM02A1278540002G108042406 00400 1 0000686000
LPCSM02A1278540002G108042406 00400 2 0000682000
LPCSM02A1278540002G108042406 00400 3 0000682000
LPCSM02A1278540002G108042406 00400 4 0000679000
LPCSM02A1278540002G108042406 00094 1 0042400000
LPCSM02A1278540002G108042406 00094 2 0042400000
LPCSM02A1278540002G108042406 00094 3 0042400000
LPCSM02A1278540002G108042406 00094 4 0042400000
LPCSM02A1278540002G108042406201501 1 0000090000
LPCSM02A1278540002G108042406201501 2 0000190000
LPCSM02A1278540002G108042406201501 3 0000160000
LPCSM02A1278540002G108042406201501 4 0000100000
LPCSM02A1278540002G108042406201502 1 0000130000
LPCSM02A1278540002G108042406201502 2 0000150000
LPCSM02A1278540002G108042406201502 3 0000140000
LPCSM02A1278540002G108042406201502 4 0000120000
LPCSM02A1278540002G108042406203501 1 0000150000
LPCSM02A1278540002G108042406203501 2 0002660000
LPCSM02A1278540002G108042406203501 3 0000840000
LPCSM02A1278540002G108042406203501 4 0000210000
LPCSM02A1278540002G108042406203502 1 0000180000
LPCSM02A1278540002G108042406203502 2 0000360000
LPCSM02A1278540002G108042406203502 3 0000220000
LPCSM02A1278540002G108042406203502 4 0000180000
LPCSM02A1278540002G108042406245626 0001300000
LPCSM02A1278540002G108042406 71993 0031136000
LPCSM02A1278540002G108042406 72019 0005546000
LPCSM02A1278540002G108042406 72020 0007028000
LPCSM02A1278540002G109042406 72109 0006200000
LPCSM02A1278540002G109042406 71993 0031776000
LPCSM02A1278540002G109042406 72019 0006011000
LPCSM02A1278540002G109042406 72020 0007910000
LPCSM02A1278540002R110042406 72109 0003940000
LPCSM02A1278540002R110042406 00011 0006138000
LPCSM02A1278540002R110042406 00950 1 0000049700
LPCSM02A1278540002R110042406 00950 2 0000049700
LPCSM02A1278540002R110042406 00950 3 0000049200
LPCSM02A1278540002R110042406 00950 4 0000049400

LPCSM02A1278540002R110042406 00400 1 0000588000
LPCSM02A1278540002R110042406 00400 2 0000591000
LPCSM02A1278540002R110042406 00400 3 0000586000
LPCSM02A1278540002R110042406 00400 4 0000589000
LPCSM02A1278540002R110042406 00094 1 0051700000
LPCSM02A1278540002R110042406 00094 2 0051600000
LPCSM02A1278540002R110042406 00094 3 0051400000
LPCSM02A1278540002R110042406 00094 4 0051400000
LPCSM02A1278540002R110042406201501 1 0000050000
LPCSM02A1278540002R110042406201501 2 0000070000
LPCSM02A1278540002R110042406201501 3 0000030000
LPCSM02A1278540002R110042406201501 4 0000180000
LPCSM02A1278540002R110042406201502 1 0000140000
LPCSM02A1278540002R110042406201502 2 0000140000
LPCSM02A1278540002R110042406201502 3 0000130000
LPCSM02A1278540002R110042406201502 4 0000180000
LPCSM02A1278540002R110042406203501 1 0000220000
LPCSM02A1278540002R110042406203501 2 0000320000
LPCSM02A1278540002R110042406203501 3 0000250000
LPCSM02A1278540002R110042406203501 4 0000310000
LPCSM02A1278540002R110042406203502 1 0000210000
LPCSM02A1278540002R110042406203502 2 0000210000
LPCSM02A1278540002R110042406203502 3 0000210000
LPCSM02A1278540002R110042406203502 4 0000250000
LPCSM02A1278540002R110042406245626 0005100000
LPCSM02A1278540002R110042406 71993 0033846000
LPCSM02A1278540002R110042406 72019 0003707000
LPCSM02A1278540002R110042406 72020 0008140000
LPCSM02A1278540002L301042406201501 1 0000400000
LPCSM02A1278540002L301042406201502 1 0001300000
LPCSM02A1278540002L301042406203501 1 0144000000
LPCSM02A1278540002L301042406203502 1 0015000000
LPCSM02A1278540002L301042406 00951 0001122000
LPCSM02A1278540002L301042406211503 0000081000
LPCSM02A1278540002L301042406211504 0000080000
LPCSM02A1278540002L302042406201501 1 0001000000
LPCSM02A1278540002L302042406201502 1 0002900000
LPCSM02A1278540002L302042406203501 1 0335000000
LPCSM02A1278540002L302042406203502 1 0035000000
LPCSM02A1278540002L302042406 00951 0000588000
LPCSM02A1278540002L302042406211503 0000337000
LPCSM02A1278540002L302042406211504 0000109000