

# DRAFT

## Title 15 - Mississippi Department of Health

### Part III – Office of Health Protection

#### Subpart 78 – Division of Radiological Health

#### CHAPTER 01 REGULATIONS FOR CONTROL OF RADIATION IN MISSISSIPPI

##### 100 General Provisions

100.01 Scope. Except as otherwise specifically provided, these regulations apply to all persons who receive, possess, use, transfer, own, or acquire any source of radiation; provided, however, that nothing in these regulations shall apply to any person to the extent such person is subject to regulation by the U.S. Nuclear Regulatory Commission.<sup>1</sup>

100.02 Definitions. As used in these regulations, these terms have the definitions set forth below. Additional definitions used only in a certain section will be found in that section.

"A<sub>1</sub>" means the maximum activity of special form radioactive material permitted in a Type A package. "A<sub>2</sub>" means the maximum activity of radioactive material, other than special form, LSA and SCO material, permitted in a Type A package. These values are either listed in Appendix A, Table A-1 of Section 1300 of these regulations or may be derived in accordance with the procedure prescribed in Appendix A of Section 1300 of these regulations.

"Absorbed dose" means the energy imparted to matter by ionizing radiation per unit mass of irradiated material at the place of interest. The units of absorbed dose are the rad and the gray (Gy).

"Accelerator" means any machine capable of accelerating electrons, protons, deuterons, or other charged particles in a vacuum and of discharging the resultant particulate or other radiation into a medium at energies usually in excess of 1 MeV. For purposes of this definition, "particle accelerator" is an equivalent term.

"Accelerator-produced **radioactive** material" means any material made radioactive by a particle accelerator.

---

<sup>1</sup> Attention is directed to the fact that regulation by the State of source material, byproduct material, and special nuclear material in quantities not sufficient to form a critical mass is subject to the provisions of the agreement between State and the U.S. Nuclear Regulatory Commission and to 10 CFR Part 150 of the Commission's regulations.

"Act" means the Mississippi Radiation Protection Law of 1976.

"Activity" means the rate of disintegration (transformation) or decay of radioactive material. The units of activity are the curie (Ci) and the becquerel (Bq).

"Adult" means an individual 18 or more years of age.

"Agency" means the Mississippi Department of Health.

"Agreement State" means any State with which the U.S. Nuclear Regulatory Commission or the U.S. Atomic Energy Commission has entered into an effective agreement under subchapter 274b. of the Atomic Energy Act of 1954, as amended (73 Stat. 689).

"Airborne radioactive material" means any radioactive material dispersed in the air in the form of dusts, fumes, particulates, mists, vapors, or gases.

"Airborne radioactivity area" means a room, enclosure, or area in which airborne radioactive materials exist in concentrations:

in excess of the derived air concentrations (DACs) specified in Appendix B, Table I of Section 400 of these regulations; or

to such a degree that an individual present in the area without respiratory protective equipment could exceed, during the hours an individual is present in a week, an intake of 0.6 percent of the annual limit on intake (ALI) or 12 DAC-hours.

"Alert" means events may occur, are in progress, or have occurred that could lead to a release of radioactive material but that the release is not expected to require a response by offsite response organizations to protect persons offsite.

"As low as is reasonably achievable" (ALARA) means making every reasonable effort to maintain exposures to radiation as far below the dose limits in these regulations as is practical, consistent with the purpose for which the licensed or registered activity is undertaken, taking into account the state of technology, the economics of improvements in relation to state of technology, the economics of improvements in relation to benefits to the public health and safety, and other societal and socioeconomic considerations, and in relation to utilization of nuclear energy and licensed or registered sources of radiation in the public interest.

"Background radiation" means radiation from cosmic sources; naturally occurring radioactive materials, including radon, except as a decay product of source or special nuclear material, and including global fallout as it exists in the environment from the testing of nuclear explosive devices or from past nuclear accidents such as Chernobyl that contribute to background radiation

and are not under control of the licensee. "Background radiation" does not include sources of radiation from radioactive materials regulated by the Agency.

"Becquerel" (Bq) means the SI unit of activity. One becquerel is equal to 1 disintegration or transformation per second (dps or tps).

"Bioassay" means the determination of kinds, quantities or concentrations, and, in some cases, the locations of radioactive material in the human body, whether by direct measurement, in vivo counting, or by analysis and evaluation of materials excreted or removed from the human body. For purposes of these regulations, "radiobioassay" is an equivalent term.

"Brachytherapy" means a method of radiation therapy in which sealed sources are utilized to deliver a radiation dose at a distance of up to a few centimeters, by surface, intracavitary, or interstitial application.

"Byproduct material" means:

(1) any radioactive material, except special nuclear material, yielded in or made radioactive by exposure to the radiation incident to the process of producing or utilizing special nuclear material;

(2) the tailings or wastes produced by the extraction or concentration of uranium or thorium from ore processed primarily for its source material content, including discrete surface wastes resulting from uranium or thorium solution extraction processes. Underground ore bodies depleted by these solution extraction operations do not constitute "byproduct material" within this definition;

(3) Any discrete source of radium-226 that is produced, extracted, or converted after extraction, for use for a commercial, medical, or research activity;

(4) Any material that has been made radioactive by use of a particle accelerator; and is produced, extracted, or converted after extraction, for use for a commercial, medical, or research activity; and

(5) Any discrete source of naturally occurring radioactive material, other than source material, that the Nuclear Regulatory Commission, in consultation with the Administrator of the Environmental Protection Agency, the Secretary of Energy, the Secretary of Homeland Security, and the head of any other appropriate Federal agency, determines would pose a threat similar to the threat posed by a discrete source of radium-226 to the public health and safety or the common defense and security; and is extracted or converted after extraction for use in a commercial, medical, or research activity.

"Calendar quarter" means not less than 12 consecutive weeks nor more than 14 consecutive weeks. The first calendar quarter of each year shall begin in January and subsequent calendar quarters shall be so arranged such that no day is included in more than one calendar quarter and no day in any one year is omitted from inclusion within a calendar quarter. No licensee or registrant shall change the method observed by him of determining calendar quarters for purposes of these regulations except at the beginning of a year.

"Calibration" means the determination of (1) the response or reading of an instrument relative to a series of known radiation values over the range of the instrument, or (2) the strength of a source of radiation relative to a standard.

"CFR" means Code of Federal Regulations.

"Chelating agent" means amine polycarboxylic acids, hydroxycarboxylic acids, gluconic acid, and polycarboxylic acids.

"Collective dose" means the sum of the individual doses received in a given period of time by a specified population from exposure to a specified source of radiation.

"Committed dose equivalent" ( $H_{T,50}$ ) means the dose equivalent to organs or tissues of reference (T) that will be received from an intake of radioactive material by an individual during the 50-year period following the intake. "Committed effective dose equivalent" ( $H_{E,50}$ ) is the sum of the products of the weighting factors applicable to each of the body organs or tissues that are irradiated and the committed dose equivalent to each of these organs or tissues ( $H_{E,50} = \sum W_T H_{T,50}$ ).

"Consortium" means an association of medical use licensees and a PET radionuclide production facility in the same geographical area that jointly own or share in the operation and maintenance cost of the PET radionuclide production facility that produces PET radionuclides for use in producing radioactive drugs within the consortium for noncommercial distributions among its associated members for medical use. The PET radionuclide production facility within the consortium must be located at an educational institution or a Federal facility or a medical facility.

"Controlled area" means an area, outside of a restricted area but inside the site boundary, access to which can be limited by the licensee or registrant for any reason.

"Critical Group" means the group of individuals reasonably expected to receive the greatest exposure to residual radioactivity for any applicable set of circumstances.

"Curie" means a unit of quantity of radioactivity. One curie (Ci) is that quantity of radioactive material which decays at the rate of  $3.7E+10$  transformations per second (tps). Commonly used submultiples of the curie are the millicurie and the microcurie. One millicurie (mCi) = 0.001 curie =  $3.7E+7$  tps. One microcurie ( $\mu$ Ci) = 0.000001 curie =  $3.7E+4$  tps (See 100.16 for SI equivalent becquerel).

"Decommission" means to remove a facility or site safely from service and reduce residual radioactivity to a level that permits:

Release of the property for unrestricted use and termination of the license;  
or

Release of the property under restricted conditions and termination of the license.

"Deep dose equivalent" ( $H_d$ ), which applies to external whole body exposure, means the dose equivalent at a tissue depth of 1 centimeter ( $1000 \text{ mg/cm}^2$ ).

"Depleted uranium" means the source material uranium in which the isotope uranium-235 is less than 0.711 weight percent of the total uranium present. Depleted uranium does not include special nuclear material.

"Discrete source" means a radionuclide that has been processed so that its concentration within a material has been purposely increased for use for commercial, medical, or research activities.

"Distinguishable from background" means that the detectable concentration of a radionuclide is statistically different from the background concentration of that radionuclide in the vicinity of the site or, in the case of structures, in similar materials using adequate measurements technology, survey, and statistical techniques.

"Dose" is a generic term that means absorbed dose, dose equivalent, effective dose equivalent, committed dose equivalent, committed effective dose equivalent, total organ dose equivalent, or total effective dose equivalent. For purposes of these regulations, "radiation dose" is an equivalent term.

"Dose equivalent ( $H_T$ )" means the product of the absorbed dose in tissue, quality factor, and all other necessary modifying factors at the location of interest. The units of dose equivalent are the rem and the sievert (Sv).

"Dose limits" means the permissible upper bounds of radiation doses established in accordance with these regulations. For purposes of these regulations, "limits" is an equivalent term.

"Effective dose equivalent ( $H_E$ )" means the sum of the products of the dose equivalent to each organ or tissue ( $H_T$ ) and the weighting factor ( $w_T$ )

applicable to each of the body organs or tissues that are irradiated ( $H_E = \sum w_T H_T$ ).

"Embryo/fetus" means the developing human organism from conception until the time of birth.

"Entrance or access point" means any opening through which an individual or extremity of an individual could gain access to radiation areas or to sources of radiation. This includes entry or exit portals of sufficient size to permit human entry, irrespective of their intended use.

"Explosive material" means any chemical compound, mixture, or device which produces a substantial instantaneous release of gas and heat spontaneously or by contact with sparks or flame.

"Exposure" means being exposed to ionizing radiation or to radioactive material.

"Exposure" means the quotient of  $dQ$  by  $dm$  where " $dQ$ " is the absolute value of the total charge of the ions of one sign produced in air when all the electrons (negatrons and positrons) liberated by photons in a volume element of air having mass " $dm$ " are completely stopped in air. The SI unit of exposure is the coulomb per kilogram (C/kg). The special unit of exposure is the roentgen (R) (See 100.15 for SI equivalent coulomb per kilogram).<sup>2</sup>

"Exposure rate" means the exposure per unit of time, such as roentgen per minute and milliroentgen per hour.

"External dose" means that portion of the dose equivalent received from any source of radiation outside the body.

"Extremity" means hand, elbow, arm below the elbow, foot, knee, and leg below the knee.

"Former U.S. Atomic Energy Commission (AEC) or U.S. Nuclear Regulatory Commission (NRC) licensed facilities" means nuclear reactors, nuclear fuel reprocessing plants, uranium enrichment plants, or critical mass experimental facilities where AEC or NRC licenses have been terminated.

"Generally applicable environmental radiation standards" means standards issued by the U.S. Environmental Protection Agency (EPA) under the authority of the Atomic Energy Act of 1954, as amended, that impose limits on radiation exposures or levels, or concentrations or quantities of radioactive

---

<sup>2</sup> "When not underlined as above or indicated as 'exposure' (x), the term 'exposure' has a more general meaning in these regulations."

material, in the general environment outside the boundaries of locations under the control of persons possessing or using radioactive material.

"Gray" (Gy) means the SI unit of absorbed dose. One gray is equal to an absorbed dose of 1 joule per kilogram (100 rads).

"Hazardous waste" means those wastes designated as hazardous by the U.S. Environmental Protection Agency regulations in 40 CFR Part 261.

"Healing arts" means the professional disciplines authorized by the laws of this state to use sources of radiation in the diagnosis or treatment of human or animal diseases.

"High radiation area" means an area, accessible to individuals, in which radiation levels from radiation sources external to the body could result in an individual receiving a dose equivalent in excess of 0.1 rem (1 millisievert) in 1 hour at 30 centimeters from any source of radiation or 30 centimeters from any surface that the radiation penetrates.

"Human use" means the internal or external administration of radiation or radioactive material to human beings.

"Individual" means any human being.

"Individual monitoring" means the assessment of:

Dose equivalent: (a) by the use of individual monitoring devices, or (b) by the use of survey data; or

Committed effective dose equivalent: (a) by bioassay, or (b) by determination of the time-weighted air concentrations to which an individual has been exposed, that is, DAC-hours. (See the definition of DAC-hours in Section 400).

"Individual monitoring devices" (individual monitoring equipment) means devices designed to be worn by a single individual for the assessment of dose equivalent such as film badges, thermoluminescence dosimeters (TLDs), optically stimulated luminescence dosimeters (OSLs), pocket ionization chambers, and personal ("lapel") air sampling devices.

"Inspection" means an official examination or observation including, but not limited to, tests, surveys, and monitoring to determine compliance with rules, regulations, orders, requirements, and conditions of the Agency.

"Interlock" means a device arranged or connected such that the occurrence of an event or condition is required before a second event or condition can occur or continue to occur.

"Internal dose" means that portion of the dose equivalent received from radioactive material taken into the body.

"Lens dose equivalent" (LDE) applies to the external exposure of the lens of the eye and is taken as the dose equivalent at a tissue depth of 0.3 centimeter ( $300 \text{ mg/cm}^2$ ).

"License" means a license issued by the Agency in accordance with the regulations adopted by the Agency.

"Licensed material" means radioactive material received, possessed, used, transferred or disposed of under a general or specific license issued by the Agency.

"Licensee" means any person who is licensed by the Agency in accordance with these regulations and the Act.

"Licensing State" means any State with regulations equivalent to the Suggested State Regulations for Control of Radiation relating to, and an effective program for, the regulatory control of NARM and which has been granted final designation by the Conference of Radiation Control Program Directors, Inc.

"Limits" See "Dose limits".

"Lost or missing source of radiation" means a source of radiation whose location is unknown. This definition includes licensed material that has been shipped but has not reached its planned destination and whose location cannot be readily traced in the transportation system.

"Major processor" means a user processing, handling, or manufacturing radioactive material exceeding Type A quantities as unsealed sources or material, or exceeding 4 times Type B quantities as sealed sources, but does not include nuclear medicine programs, universities, industrial radiographers, or small industrial programs. Type A and B quantities are defined in 1300.02 of these regulations.

"Member of the public" means any individual except when that individual is receiving an occupational dose.

"Minor" means an individual less than 18 years of age.

"Monitoring" means the measurement of radiation, radioactive material concentrations, surface area activities or quantities of radioactive material and the use of the results of these measurements to evaluate potential exposures and doses. For purposes of these regulations, "radiation monitoring" and "radiation protection monitoring" are equivalent terms.



"NARM" means any naturally occurring or accelerator-produced radioactive material. It does not include byproduct, source, or special nuclear material.

"Nationally tracked source" means a sealed source containing a quantity equal to or greater than Category 1 or Category 2 levels of any radioactive material listed in Appendix G to Section 400 of these regulations. In this context a sealed source is defined as radioactive material that is sealed in a capsule or closely bonded, in a solid form and which is not exempt from regulatory control. It does not mean material encapsulated solely for disposal, or nuclear material contained in any fuel assembly, subassembly, fuel rod, or fuel pellet. Category 1 nationally tracked sources are those containing radioactive material at a quantity equal to or greater than the Category 1 threshold. Category 2 nationally tracked sources are those containing radioactive material at a quantity equal to or greater than the Category 2 threshold but less than the Category 1 threshold.

"Natural radioactivity" means radioactivity of naturally occurring nuclides.

"Nuclear Regulatory Commission" (NRC) means the U.S. Nuclear Regulatory Commission or its duly authorized representatives.

"Occupational dose" means the dose received by an individual in the course of employment in which the individual's assigned duties involve exposure to radiation and/or radioactive material from licensed and unlicensed sources of radiation, whether in the possession of the licensee, registrant, or other person. Occupational dose does not include doses from background radiation, from any medical administration the individual has received, from exposure to individuals administered radioactive material and released in accordance with Section 700.33 of these regulations, from voluntary participation in medical research programs, or as a member of the public.

"Package" means the packaging together with its radioactive contents as presented for transport.

"Particle accelerator" See "Accelerator".

"Person" means any individual, corporation, partnership, firm, association, trust, estate, public or private institution, group, agency, political subdivision of this State, any other State or political subdivision or agency thereof, and any legal successor, representative, agent, or agency of the foregoing, other than the NRC and federal government agencies licensed or exempted by the NRC.

"Personnel monitoring equipment" See "Individual monitoring devices".

"Pharmacist" means an individual licensed by this State to compound and dispense drugs, prescriptions, and poisons.

"Physician" means an individual licensed by this State to dispense drugs in the practice of medicine.

"Principal activities" means activities authorized by the license which are essential to achieving the purpose(s) for which the license was issued or amended. Storage during which no licensed material is accessed for use or disposal and activities incidental to decontamination or decommissioning are not principal activities.

"Public dose" means the dose received by a member of the public from exposure to radiation and/or radioactive material released by a licensee, or to any other source of radiation under the control of the licensee or registrant. Public dose does not include occupational dose or doses received from background radiation, from any medical administration the individual has received, from exposure to individuals administered radioactive material and released in accordance with Section 700.33 of these regulations, or from voluntary participation in medical research programs.

"Pyrophoric liquid" means any liquid that ignites spontaneously in dry or moist air at or below 130 °F (54.4 °C). A pyrophoric solid is any solid material, other than one classed as an explosive, which under normal conditions is liable to cause fires through friction, retained heat from manufacturing or processing, or which can be ignited readily and, when ignited, burns so vigorously and persistently as to create a serious transportation, handling, or disposal hazard. Included are spontaneously combustible and water-reactive materials.

"Qualified expert" means an individual having the knowledge and training to measure ionizing radiation, to evaluate safety techniques, and to advise regarding radiation protection needs, for example, individuals certified in the appropriate field by the American Board of Radiology or the American Board of Health Physics, or those having equivalent qualifications. With reference to the calibration of radiation therapy equipment, an individual having, in addition to the above qualifications, training and experience in the clinical applications of radiation physics to radiation therapy, for example, individuals certified in Therapeutic Radiological Physics or X-Ray and Radium Physics by the American Board of Radiology, or those having equivalent qualifications.

"Quality factor" (Q) means the modifying factor, listed in Tables I and II of 100.15, that is used to derive dose equivalent from absorbed dose.

"Rad" means the special unit of absorbed dose. One rad is equal to an absorbed dose of 100 ergs per gram or 0.01 joule per kilogram (0.01 gray).

"Radiation" means gamma rays and x-rays, alpha and beta particles, high speed electrons, neutrons, high speed protons and other atomic particles and

electromagnetic radiation consisting of associated and interacting electric and magnetic waves and ultrasonic waves.

"Radiation area" means any area, accessible to individuals, in which radiation levels could result in an individual receiving a dose equivalent in excess of 0.005 rem (0.05 millisievert) in 1 hour at 30 centimeters from the source of radiation or from any surface that the radiation penetrates.

"Radiation dose" See "Dose".

"Radiation machine" means any device capable of producing radiation except, those devices with radioactive material as the only source of radiation.

"Radiation safety officer" means an individual who has the knowledge to apply appropriate radiation protection regulations and has the responsibility for the overall radiation safety program at the facility.

"Radioactive material" means any solid, liquid, or gas which emits radiation spontaneously.

"Radioactivity" means the transformation of unstable atomic nuclei by the emission of radiation.

"Radiobioassay" See "Bioassay".

"Registrant" means any person who is registered with the Agency and is legally obligated to register with the Agency pursuant to these regulations and the Act.

"Registration" means registration with the Agency in accordance with the regulations adopted by the Agency.

"Regulations of the U.S. Department of Transportation" means the regulations in 49 CFR Parts 100-189.

"Residual radioactivity" means radioactivity in structures, materials, soils, groundwater, and other media at a site resulting from activities under the licensee(s) control. This includes radioactivity from all licensed and unlicensed sources used by the licensee, but excludes background radiation. It also includes radioactive materials remaining at the site as a result of routine or accidental releases of radioactive material at the site and previous burials at the site, even if those burials were made in accordance with the provisions of Section 400 of these regulations.

"Rem" means the special unit of any of the quantities expressed as dose equivalent. The dose equivalent in rem is equal to the absorbed dose in rad multiplied by the quality factor (1 rem = 0.01 sievert).

"Research and development" means (1) theoretical analysis, exploration, or experimentation; or (2) the extension of investigative findings and theories of a scientific or technical nature into practical application for experimental and demonstration purposes, including the experimental production and testing of models, devices, equipment, materials, and processes. Research and development does not include the internal or external administration of radiation or radioactive material to human beings.

"Restricted area" means an area, access to which is limited by the licensee or registrant for the purpose of protecting individuals against undue risks from exposure to sources of radiation. Restricted area does not include areas used as residential quarters, but separate rooms in a residential building may be set apart as a restricted area.

"Roentgen" means the special unit of exposure. One roentgen (R) equals  $2.58 \times 10^{-4}$  coulomb per kilogram of air (see "Exposure" and 100.15).

"Sealed source" means any radioactive material that is encased in a capsule designed to prevent leakage or escape of the radioactive material.

"Shallow dose equivalent" ( $H_s$ ), which applies to the external exposure of the skin of the whole body or the skin of an extremity, means the dose equivalent at a tissue depth of 0.007 centimeter ( $7 \text{ mg/cm}^2$ ).

"SI" means the abbreviation for the International System of Units.

"Sievert" (Sv) means the SI unit of any of the quantities expressed as dose equivalent. The dose equivalent in sievert is equal to the absorbed dose in gray multiplied by the quality factor (1 sievert = 100 rems).

"Site area emergency" means events may occur, are in progress, or have occurred that could lead to a significant release of radioactive material and that could require a response by offsite response organizations to protect persons offsite.

"Site boundary" means that line beyond which the land or property is not owned, leased, or otherwise controlled by the licensee or registrant.

"Source material" means:

uranium or thorium, or any combination thereof, in any physical or chemical form; or

ores that contain by weight one-twentieth of 1 percent (0.05 percent) or more of uranium, thorium or any combination of uranium and thorium. Source material does not include special nuclear material.

"Source material milling" means any activity that results in the production of byproduct material as defined by definition (2) of byproduct material.

"Source of radiation" means any radioactive material or any device or equipment emitting, or capable of producing, radiation.

"Special form radioactive material" means radioactive material that satisfies the following conditions:

It is either a single solid piece or is contained in a sealed capsule that can be opened only by destroying the capsule;

The piece or capsule has at least one dimension not less than 5 millimeters (0.2 inch); and

It satisfies the test requirements specified by the U.S. Nuclear Regulatory Commission. A special form encapsulation designed in accordance with the U.S. Nuclear Regulatory Commission requirements in effect on June 30, 1983, and constructed prior to July 1, 1985, may continue to be used. A special form encapsulation designed in accordance with the Nuclear Regulatory Commission requirements in effect on March 31, 1996, and constructed prior to April 1, 1998, may continue to be used. A special form encapsulation either designed or constructed after April 1, 1998, must meet requirements of this definition applicable at the time of its design or construction.

"Special nuclear material" means:

plutonium, uranium-233, uranium enriched in the isotope 233 or in the isotope 235, and any other material that the U.S. Nuclear Regulatory Commission, pursuant to the provisions of section 51 of the Atomic Energy Act of 1954, as amended, determines to be special nuclear material, but does not include source material; or

any material artificially enriched by any of the foregoing but does not include source material.

"Special nuclear material in quantities not sufficient to form a critical mass" means uranium enriched in the isotope U-235 in quantities not exceeding 350 grams of contained U-235; uranium-233 in quantities not exceeding 200 grams; plutonium in quantities not exceeding 200 grams; or any combination of them in accordance with the following formula: For each kind of special nuclear material, determine the ratio between the quantity of that special nuclear material and the quantity specified above for the same kind of special nuclear material. The sum of such ratios for all of the kinds of special nuclear material in combination shall not exceed 1. For example, the

following quantities in combination would not exceed the limitation and are within the formula:

$$\frac{175(\text{grams contained U - 235})}{350} + \frac{50(\text{grams U - 233})}{200} + \frac{50(\text{grams Pu})}{200} = 1$$

"Survey" means an evaluation of the radiological conditions and potential hazards incident to the production, use, transfer, release, disposal, or presence of sources of radiation. When appropriate, such evaluation includes, but is not limited to, tests, physical examinations, and measurements of levels of radiation or concentrations of radioactive material present.

"Test" means the process of verifying compliance with an applicable regulation.

"These regulations" mean all sections of the Mississippi State Board of Health Regulations for Control of Radiation, Part 78 -Radiation.

"Total effective dose equivalent" (TEDE) means the sum of the effective dose equivalent for external exposures and the committed effective dose equivalent for internal exposures.

"Total organ dose equivalent" (TODE) means the sum of the deep dose equivalent and the committed dose equivalent to the organ receiving the highest dose as described in 400.47(1)(f) of these regulations.

"U.S. Department of Energy" means the Department of Energy established by Public Law 95-91, August 4, 1977, 91 Stat. 565, 42 U.S.C. 7101 et seq., to the extent that the Department exercises functions formerly vested in the U.S. Atomic Energy Commission, its Chairman, members, officers and components and transferred to the U.S. Energy Research and Development Administration and to the Administrator thereof pursuant to sections 104(b), (c) and (d) of the Energy Reorganization Act of 1974 (Public Law 93-438, October 11, 1974, 88 Stat. 1233 at 1237, 42 U.S.C. 5814, effective January 19, 1975) and retransferred to the Secretary of Energy pursuant to section 301(a) of the Department of Energy Organization Act (Public Law 95-91, August 4, 1977, 91 Stat. 565 at 577-578, 42 U.S.C. 7151, effective October 1, 1977).

"Unrefined and unprocessed ore" means ore in its natural form prior to any processing, such as grinding, roasting, beneficiating, or refining.

"Unrestricted area" means any area access to which is neither limited nor controlled by the licensee or registrant for purposes of protection of individuals from exposure to radiation and radioactive material, and any area used for residential quarters. For purposes of these regulations, "uncontrolled area" is an equivalent term.

"Very high radiation area" means an area, accessible to individuals, in which radiation levels from radiation sources external to the body could result in an individual receiving an absorbed dose in excess of 500 rads (5 grays) in 1 hour at 1 meter from a source of radiation or from any surface that the radiation penetrates.<sup>3</sup>

"Waste" means those low-level radioactive wastes **containing source, special nuclear, or byproduct material** that are acceptable for disposal in a land disposal facility. For the purposes of this definition, low-level **radioactive waste means** ~~has the same meaning as in the Low Level Radioactive Waste Policy Act, P.L. 96-573, as amended by P.L. 99-240, effective January 15, 1986; that is, radioactive waste not classified as high-level radioactive waste, transuranic waste, spent nuclear fuel, or byproduct material as defined in Section 11e.(2) of the Atomic Energy Act (uranium or thorium tailings and waste) and (b) classified as low level radioactive waste consistent with existing law and in accordance with (a) by the U.S. Nuclear Regulatory Commission.~~ **paragraphs (2), (3), and (4) of the definition of byproduct material set forth in this section.**

"Waste handling licensees" mean persons licensed to receive and store radioactive wastes prior to disposal and/or persons licensed to dispose of radioactive waste.

"Week" means 7 consecutive days starting on Sunday.

"Whole body" means, for purposes of external exposure, head, trunk including male gonads, arms above the elbow, or legs above the knee.

"Worker" means an individual engaged in work under a license or registration issued by the Agency and controlled by a licensee or registrant, but does not include the licensee or registrant.

"Working level" (WL) means any combination of short-lived radon daughters in 1 liter of air that will result in the ultimate emission of 1.3E+5 MeV of potential alpha particle energy. The short-lived radon daughters are -- for radon-222: polonium-218, lead-214, bismuth-214, and polonium-214; and for radon-220: polonium-216, lead-212, bismuth-212, and polonium-212.

"Working level month" (WLM) means an exposure to 1 working level for 170 hours (2,000 working hours per year divided by 12 months per year is approximately equal to 170 hours per month).

---

<sup>3</sup> "Very high radiation area" means an area, accessible to individuals, in which radiation levels from radiation sources external to the body could result in an individual receiving an absorbed dose in excess of 500 rads (5 grays) in 1 hour at 1 meter from a source of radiation or from any surface that the radiation penetrates.

"Year" means the period of time beginning in January used to determine compliance with the provisions of these regulations. The licensee or registrant may change the starting date of the year used to determine compliance by the licensee or registrant provided that the change is made at the beginning of the year and that no day is omitted or duplicated in consecutive years.

### **Exemptions from the Regulatory Requirements**

#### 100.03 Exemptions.

1. The Agency may, upon application or upon its own initiative, grant such exemptions or exceptions from the requirements of these regulations as it determines are authorized by law and will not result in undue hazard to public health and safety or property.
2. U.S. Department of Energy Contractors and U.S. Nuclear Regulatory Commission Contractors. Any U.S. Department of Energy contractor or subcontractor and any U.S. Nuclear Regulatory Commission contractor or subcontractor of the following categories operating within this State is exempt from these regulations to the extent that such contractor or subcontractor under his contract receives, possesses, uses, transfers, or acquires sources of radiation:
  - a. prime contractors performing work for the U.S. Department of Energy at U.S. Government-owned or -controlled sites, including the transportation of sources of radiation to or from such sites and the performance of contract services during temporary interruptions of such transportation;
  - b. prime contractors of the U.S. Department of Energy performing research in, or development, manufacture, storage, testing, or transportation of, atomic weapons or components thereof;
  - c. prime contractors of the U.S. Department of Energy using or operating nuclear reactors or other nuclear devices in a United States Government-owned vehicle or vessel; and
  - d. any other prime contractor or subcontractor of the U.S. Department of Energy or of the U.S. Nuclear Regulatory Commission when the State and the U.S. Nuclear Regulatory Commission jointly determine:
    - i. that the exemption of the prime contractor or subcontractor is authorized by law; and
    - ii. that, under the terms of the contract or subcontract, there is adequate assurance that the work thereunder can be accomplished without undue risk to the public health and safety.



## General Regulatory Requirements

100.04 Records. Each licensee and registrant shall maintain records showing the receipt, transfer, and disposal of all sources of radiation. Additional record requirements are specified elsewhere in these regulations.

100.05 Inspections.

1. Each licensee and registrant shall afford the Agency at all reasonable times opportunity to inspect sources of radiation and the premises and facilities wherein such sources of radiation are used or stored.
2. Each licensee and registrant shall make available to the Agency for inspection, upon reasonable notice, records maintained pursuant to these regulations.

100.06 Tests. Each licensee and registrant shall perform upon instructions from the Agency, or shall permit the Agency to perform, such reasonable tests as the Agency deems appropriate or necessary including, but not limited to, tests of:

1. sources of radiation;
2. facilities wherein sources of radiation are used or stored;
3. radiation detection and monitoring instruments; and
4. other equipment and devices used in connection with utilization or storage of licensed or registered sources of radiation.

100.07 Reports. Notwithstanding any other requirements for notification:

1. Immediate Report. Each licensee shall notify the Agency as soon as possible but not later than 4 hours after the discovery of an event that prevents immediate protective actions necessary to avoid exposures to radiation or radioactive materials that could exceed regulatory limits or releases of licensed material that could exceed regulatory limits (events may include fires, explosions, toxic gas releases, etc.).
2. Twenty-Four Hour Report. Each licensee shall notify the Agency within 24 hours after the discovery of any of the following events involving licensed material:
  - a. An unplanned contamination event that:
    - i. requires access to the contaminated area, by workers or the public, to be restricted for more than 24 hours by imposing additional radiological controls or by prohibiting entry into the area;

- ii. involves a quantity of material greater than five times the lowest annual limit on intake specified in Appendix B of Section 400 of these regulations for the material; and
    - iii. has access to the area restricted for a reason other than to allow isotopes with a half-life of less than 24 hours to decay prior to decontamination.
  - b. An event that requires unplanned medical treatment at a medical facility of an individual with spreadable radioactive contamination on the individual's clothing or body.
  - c. An unplanned fire or explosion damaging any licensed material or any device, container, or equipment containing licensed material when:
    - i. the quantity of material involved is greater than five times the lowest annual limit on intake specified in Appendix B of Section 400 of these regulations for the material; and
    - ii. the damage affects the integrity of the licensed material or its container.
- 3. Twenty-Four Hour Report. Each licensee or registrant shall notify the Agency within 24 hours after the discovery of an event in which equipment is disabled or fails to function as designed when:
  - a. The equipment is required by regulation or license condition to prevent releases exceeding regulatory limits, to prevent exposures to radiation and radioactive materials exceeding regulatory limits, or to mitigate the consequences of an accident;
  - b. The equipment is required to be available and operable when it is disabled or fails to function; and
  - c. No redundant equipment is available and operable to perform the required safety function.
- 4. Preparation and Submission of Reports. Reports made by licensees or registrants in response to the requirements of this section must be made as follows:
  - a. Licensees or registrants shall make reports required by 100.07(1), (2), and (3) by telephone to the Agency. To the extent that the information is available at the time of notification, the information provided in these reports must include:
    - i. the caller's name and call back telephone number;

- ii. a description of the event, including the manufacturer and model number (if applicable) of any equipment that failed or malfunctioned;
  - iii. the exact location of the event;
  - iv. the date and time of the event;
  - v. the isotopes, quantities, and chemical and physical form of the licensed material involved; and
  - vi. any personnel radiation exposure data available.
- b. Written report. Each licensee or registrant who makes a report required by 100.07(1), (2), or (3) shall submit a written follow-up report within 30 days of the initial report. Written reports prepared pursuant to other regulations may be submitted to fulfill this requirement if the reports contain all of the necessary information and the appropriate distribution is made. The reports must include the following:
- i. a description of the event, including the probable cause and the manufacturer and model number (if applicable) of any equipment that failed or malfunctioned;
  - ii. the exact location of the event;
  - iii. the isotopes, quantities and chemical and physical form of the licensed material involved;
  - iv. date and time of the event;
  - v. corrective actions taken or planned and the results of any evaluations or assessments; and
  - vi. the extent of exposure of individuals to radiation or to radioactive materials without identification of individuals by name.

### **Additional Regulatory Requirements**

- 100.08 Additional Requirements. The Agency may, by rule, regulation, or order, impose upon any licensee or registrant such requirements in addition to those established in these regulations as it deems appropriate or necessary to minimize danger to public health and safety or property.

### **Enforcement Requirements**

- 100.09 Violations. An injunction or other court order may be obtained prohibiting any violation of any provision of the Act or any regulation or order issued thereunder. Any person who willfully violates any provision of the Act or any regulation or order issued thereunder may be guilty of a misdemeanor and, upon conviction, may be punished by fine or imprisonment or both, as provided by Section 45-14-37 of the Act.
- 100.10 Impounding. Sources of radiation shall be subject to impounding pursuant to Section 45-14-23 of the Act.
- 100.11 Prohibited Uses.
1. A hand-held fluoroscopic screen shall not be used with x-ray equipment unless it has been listed in the Registry of Sealed Sources and Devices maintained by the Agency or accepted for certification by the U.S. Food and Drug Administration, Center for Devices and Radiological Health.
  2. A shoe-fitting fluoroscopic device shall not be used.
  3. Sources of radiation shall not be used to expose any individual solely for training or demonstration purposes.

#### **Deliberate Misconduct**

- 100.12 Deliberate Misconduct.
1. Any licensee, certificate holder, quality assurance program approval holder, or registrant; applicant for a license, certificate, quality assurance program approval, or registration; employee of a licensee, certificate holder, quality assurance program approval holder, registrant or applicant; or any contractor (including a supplier or consultant), subcontractor, employee of a contractor or subcontractor of any licensee, certificate holder, quality assurance program approval holder, or registrant or applicant, who knowingly provides to any licensee, certificate holder, quality assurance program approval holder, registrant, applicant, contractor, or subcontractor, any components, equipment, materials, or other goods or services that relate to a licensee's, certificate holder's, quality assurance program approval holder's, registrant's or applicant's activities in these regulations, may not:
    - a. Engage in deliberate misconduct that causes or would have caused, if not detected, a licensee, certificate holder, quality assurance program approval holder, registrant, or applicant to be in violation of any rule, regulation, or order; or any term, condition, or limitation of any license, certificate, approval or registration issued by the Agency; or
    - b. Deliberately submit to the Agency, a licensee, certificate holder, quality assurance program approval holder, registrant, an applicant, or

a licensee's, certificate holder's, quality assurance program approval holder's registrant's or applicant's, contractor or subcontractor, information that the person submitting the information knows to be incomplete or inaccurate in some respect material to the Agency.

2. A person who violates 100.12(1)(a) or (1)(b) of this section may be subject to enforcement action in accordance with the procedures in 100.17 and Chapter 45-14-37 of the Act.
3. For the purposes of 100.12(1)(a) of this section, deliberate misconduct by a person means an intentional act or omission that the person knows:
  - a. Would cause a licensee, certificate holder, quality assurance program approval holder, registrant or applicant to be in violation of any rule, regulation, or order; or any term, condition, or limitation, of any license or registration issued by the Agency; or
  - b. Constitutes a violation of a requirement, procedure, instruction, contract, purchase order, or policy of a licensee, certificate holder, quality assurance program approval holder, registrant, applicant, contractor, or subcontractor.

### **Interpretations**

- 100.13 Interpretations. Except as specifically authorized by the Agency in writing, no interpretation of these regulations by an officer or employee of the Agency other than a written interpretation by the legal counsel will be recognized to be binding upon the Agency.

### **Communications**

- 100.14 Communications. All communications and reports concerning these regulations, and applications filed thereunder, should be addressed to the Division of Radiological Health at its office located at 3150 Lawson Street, P.O. Box 1700, Jackson, Mississippi, 39215-1700.

- 100.15 Units of Exposure and Dose.

1. As used in these regulations, the unit of Exposure is the coulomb per kilogram (C/kg) of air. One roentgen is equal to 2.58E-4 coulomb per kilogram of air.
2. As used in these regulations, the units of dose are:
 

Gray (Gy) is the SI unit of absorbed dose. One gray is equal to an absorbed dose of 1 joule per kilogram (100 rads).

Rad is the special unit of absorbed dose. One rad is equal to an absorbed dose of 100 ergs per gram or 0.01 joule per kilogram (0.01 gray).

Rem is the special unit of any of the quantities expressed as dose equivalent. The dose equivalent in rem is equal to the absorbed dose in rad multiplied by the quality factor (1 rem = 0.01 sievert).

Sievert is the SI unit of any of the quantities expressed as dose equivalent. The dose equivalent in sievert is equal to the absorbed dose in gray multiplied by the quality factor (1 sievert = 100 rems).

3. As used in these regulations, the quality factors for converting absorbed dose to dose equivalent are shown in Table I.

TABLE I  
QUALITY FACTORS AND ABSORBED DOSE EQUIVALENCIES

| TYPE OF RADIATION  | Quality Factor<br>(Q) | Absorbed Dose<br>Equal to<br>a Unit Dose<br>Equivalent <sup>a</sup> |
|--|-----------------------|---|
| X, gamma, or beta radiation and high-speed electrons   | 1                     | 1   |
| Alpha particles, multiple-charged particles, fission fragments and heavy particles of unknown charge | 20                    | 0.05  |
| Neutrons of unknown energy   | 10                    | 0.1   |
| High-energy protons  | 10                    | 0.1   |

<sup>a</sup>Absorbed dose in rad equal to 1 rem or the absorbed dose in gray equal to 1 sievert.

4. If it is more convenient to measure the neutron fluence rate than to determine the neutron dose equivalent rate in rem per hour or sievert per hour, as provided in 100.15(3), 1 rem (0.01 sievert) of neutron radiation of unknown energies may, for purposes of these regulations, be assumed to result from a total fluence of 25 million neutrons per square centimeter incident upon the body. If sufficient information exists to estimate the

approximate energy distribution of the neutrons, the licensee or registrant may use the fluence rate per unit dose equivalent or the appropriate Q value from Table II to convert a measured tissue dose in rad or gray to dose equivalent in rem or sievert.

TABLE II

MEAN QUALITY FACTORS, Q, AND FLUENCE PER UNIT DOSE EQUIVALENT FOR MONOENERGETIC NEUTRONS

|           | Neutron Energy (MeV) | Quality Factor <sup>a</sup> (Q) | Fluence per Unit Dose Equivalent <sup>b</sup> (neutrons cm <sup>-2</sup> rem <sup>-1</sup> ) | Fluence per Unit Dose Equivalent <sup>b</sup> (neutrons cm <sup>-2</sup> Sv <sup>-1</sup> ) |
|-----------|----------------------|---------------------------------|--|---|
| (thermal) | 2.5E-8               | 2                               | 980E+6   | 980E+8  |
|           | 1E-7                 | 2                               | 980E+6   | 980E+8  |
|           | 1E-6                 | 2                               | 810E+6   | 810E+8  |
|           | 1E-5                 | 2                               | 810E+6   | 810E+8  |
|           | 1E-4                 | 2                               | 840E+6   | 840E+8  |
|           | 1E-3                 | 2                               | 980E+6   | 980E+8  |
|           | 1E-2                 | 2.5                             | 1010E+6  | 1010E+8   |
|           | 1E-1                 | 7.5                             | 170E+6   | 170E+8  |
|           | 5E-1                 | 11                              | 39E+6  | 39E+8   |
|           | 1                    | 11                              | 27E+6  | 27E+8   |
|           | 2.5                  | 9                               | 29E+6  | 29E+8   |
|           | 5                    | 8                               | 23E+6  | 23E+8   |
|           | 7                    | 7                               | 24E+6  | 24E+8   |
|           | 10                   | 6.5                             | 24E+6  | 24E+8   |
|           | 14                   | 7.5                             | 17E+6  | 17E+8   |
|           | 20                   | 8                               | 16E+6  | 16E+8   |
|           | 40                   | 7                               | 14E+6  | 14E+8   |
|           | 60                   | 5.5                             | 16E+6  | 16E+8   |
|           | 1E+2                 | 4                               | 20E+6  | 20E+8   |
|           | 2E+2                 | 3.5                             | 19E+6  | 19E+8   |
|           | 3E+2                 | 3.5                             | 16E+6  | 16E+8   |
|           | 4E+2                 | 3.5                             | 14E+6  | 14E+8   |

<sup>a</sup>Value of quality factor (Q) at the point where the dose equivalent is maximum in a 30-centimeter diameter cylinder tissue-equivalent phantom.

<sup>b</sup>Monoenergetic neutrons incident normally on a 30-centimeter diameter cylinder tissue-equivalent phantom.

100.16 Units of Activity. For purposes of these regulations, activity is expressed in the special unit of curie (Ci), or in the SI unit of becquerel (Bq) or their multiples, or disintegrations or transformations per unit of time.

1. One becquerel (Bq) = 1 disintegration or transformation per second (dps or tps).
2. One curie (Ci) =  $3.7E+10$  disintegrations or transformations per second (dps or tps) =  $3.7E+10$  becquerel (Bq) =  $2.22E+12$  disintegrations or transformations per minute (dpm or tpm).

100.17 Hearings and Judicial Review. In any proceedings under these regulations for granting, denying, suspending, revoking, or amending any license or registration, or for determining compliance with rules and regulations of the Agency, the Agency shall afford an opportunity for a hearing upon the request of any person whose interest may be affected by the proceeding, and shall admit any such person as a party to such a hearing. Any order or decision of the Agency regarding the granting, denying, suspending, revoking or amending any license or registration as provided by these regulations, shall be subject to review by writ of certiorari to the Circuit Court of Hinds County, Mississippi, at the instance of any party in interest. The filing of the appeal shall, in all cases, be with a bond, with security for all costs, as approved by the judge or clerk of the court, and shall operate as a stay of any such order or decision until the court directs otherwise. The court may review all the facts and, in disposing of the issue before it, may modify, affirm or reverse the order or decision of the Agency in whole or in part.

### **Fees**

100.18 The Agency is authorized to charge and collect fees in accordance with the categories established in Section 45-14-31 (Schedule of Fees) of the Mississippi Code of 1972, Annotated. For categories not listed in the above, the Board of Health is authorized in accordance with Section 41-3-15 of the Mississippi Code of 1972, Annotated to charge and collect reasonable fees for licenses and registrations. The fees shall not exceed the estimated cost to the Agency for performing licensing, registration, inspection, and other regulatory duties.

| <b>License Category</b>   | <b>Application Fee</b> | <b>Annual Fee</b> |
|---|------------------------|-------------------|
| Licenses that authorize the possession, use and/or processing of source material for extraction of metals other than uranium or thorium | <b>\$11,000</b>        | <b>\$11,000</b>   |



