



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 19, 2011

LICENSEE: Entergy Nuclear Operations, Inc.
FACILITY: Pilgrim Nuclear Power Station
SUBJECT: SUMMARY OF TELEPHONE CONFERENCE CALL HELD ON
APRIL 6, 2011, BETWEEN THE U.S. NUCLEAR REGULATORY COMMISSION
AND ENTERGY NUCLEAR OPERATIONS, INC., CONCERNING THE PILGRIM
NUCLEAR POWER STATION LICENSE RENEWAL APPLICATION
(TAC NO. MC9669)

The U.S. Nuclear Regulatory Commission (the staff) and representatives of Entergy Nuclear Operations, Inc. (the applicant) held a telephone conference call on April 6, 2011, to discuss and clarify the staff's draft request for additional information (RAI) concerning the Pilgrim Nuclear Power Station license renewal application. The draft RAI was associated with a review of NUREG-1891, "Safety Evaluation Report Related to the License Renewal of Pilgrim Nuclear Power Station," issued on June 28, 2007, and supplemented on September 28, 2007.

The staff has identified in the enclosure, areas where additional information is needed. The telephone conference call was useful in clarifying the intent of the staff's draft RAI.

Enclosure 1 provides a listing of the participants and Enclosure 2 includes the draft RAI discussed with the applicant, including a brief description on the status of the item.

The applicant had an opportunity to comment on this summary.

A handwritten signature in black ink, appearing to read "L. Regner".

Lisa M. Regner, Sr. Project Manager
Projects Branch 2
Division of License Renewal
Office of Nuclear Reactor Regulation

Docket No. 50-293

Enclosures:
As stated

cc w/encls: Listserv

**TELEPHONE CONFERENCE CALL
PILGRIM NUCLEAR POWER STATION
LICENSE RENEWAL APPLICATION**

**LIST OF PARTICIPANTS
APRIL 6, 2011**

PARTICIPANTS

Lisa Regner
Emma Wong
John Wise
Aloysius Obodoako
Joe Lynch
Fred Mogglesko
Paul Smith

AFFILIATIONS

U.S. Nuclear Regulatory Commission (NRC)
NRC
NRC
NRC
Entergy Nuclear Operations, Inc. (Entergy)
Entergy
Entergy

**DRAFT REQUEST FOR ADDITIONAL INFORMATION
PILGRIM NUCLEAR POWER STATION
LICENSE RENEWAL APPLICATION**

APRIL 6, 2011

The U.S. Nuclear Regulatory Commission (the staff) and representatives of Entergy Nuclear Operations, Inc. (the applicant), held a telephone conference call on April 6, 2011, to discuss and clarify the following draft request for additional information (RAI) concerning the Pilgrim Nuclear Power Station license renewal application (LRA).

RAI B.1.35-1 Neutron Absorber Monitoring Program

Background

In letter dated March 16, 2011, the applicant stated that the Neutron Absorber Monitoring Program will be used to manage loss of material and reduction of neutron absorption capacity of Boral and Metamic neutron absorbing panels in the spent fuel racks. The staff noted that the licensee commitment to manage the aging effects (Commitment No. 49) and portions of the LRA have not been changed to reflect the new program.

Issue

The staff cannot adequately evaluate the LRA until portions of it are updated, or a summary of the effected portions of the LRA are provided, to reflect the Neutron Absorber Monitoring Program and the inclusion of Metamic, which was not present in the original LRA. Also, the update final safety analysis report (UFSAR) supplement does not reflect the planned number and frequency of inspections and testing prior to, and during, the period of extended operation. The staff believes that this information should be explicitly stated in the UFSAR supplement to ensure that the licensing basis for the period of extended operation is clear.

Request

1. Revise the LRA, or provide a summary of the effected portions of the LRA, to reflect the inclusion of Metamic and the Neutron Absorber Monitoring Program. Portions of the LRA that may be affected by the second material and new aging management program include, but are not necessarily limited to, Table 3.3.1, Table 3.3.2-13, and Section 3.3.2.2.6.
2. Revise Commitment No. 49 to reflect the Neutron Absorber Monitoring Program.
3. Revise the UFSAR supplement to reflect the number and frequency of inspections and testing prior to, and during, the period of extended operation.

Discussion

For item 1 above, the applicant stated that it revised LRA Table 3.3.2-13 in its Annual Update, dated December 28, 2009, to recognize Metamic. While the staff agrees that the applicant added two Metamic items to LRA Table 3.3.2-13, the applicant did not recognize the Neutron Absorber Monitoring Program as the aging management program for these items in the table. The staff specified that LRA Table 3.3.2-13 should be modified to recognize the Neutron

ENCLOSURE 2

Absorber Monitoring Program as managing the appropriate aging effects for both Boral and Metamic. The applicant stated that it understands the question and will respond in a formal letter.

For items 2 and 3, the applicant stated that it understands the questions and will respond in a formal letter.

RAI XI.S8-1 Protective Containment Coatings

Background

In letter dated March 16, 2011, the applicant stated that the Protective Containment Coatings Program will be used to manage the effects of aging on Service Level I coatings. The staff noted that the licensee did not provide conforming LRA changes or an UFSAR supplement to reflect the new program.

Issue

The staff cannot adequately evaluate the LRA until portions of it are updated or a summary of the effected portions of the LRA are provided to reflect the Protective Containment Coatings Program, which was not present in the original LRA. Also, an UFSAR supplement was not provided which would reflect the addition of this program and appropriate. The staff cannot complete its review to ensure that the licensing basis for the period of extended operation is clear without the UFSAR supplement.

Request

Provide the UFSAR supplement to reflect the Protective Containment Coatings Program.

Discussion

The applicant stated that it understands the question and will respond in a formal letter.

April 19, 2011

LICENSEE: Entergy Nuclear Operations, Inc.

FACILITY: Pilgrim Nuclear Power Station

SUBJECT: SUMMARY OF TELEPHONE CONFERENCE CALL HELD ON
APRIL 6, 2011, BETWEEN THE U.S. NUCLEAR REGULATORY COMMISSION
AND ENTERGY NUCLEAR OPERATIONS, INC., CONCERNING THE PILGRIM
NUCLEAR POWER STATION LICENSE RENEWAL APPLICATION
(TAC NO. MC9669)

The U.S. Nuclear Regulatory Commission (the staff) and representatives of Entergy Nuclear Operations, Inc. (the applicant) held a telephone conference call on April 6, 2011, to discuss and clarify the staff's draft request for additional information (RAI) concerning the Pilgrim Nuclear Power Station license renewal application. The draft RAI was associated with a review of NUREG-1891, "Safety Evaluation Report Related to the License Renewal of Pilgrim Nuclear Power Station," issued on June 28, 2007, and supplemented on September 28, 2007.

The staff has identified in the enclosure, areas where additional information is needed. The telephone conference call was useful in clarifying the intent of the staff's draft RAI.

Enclosure 1 provides a listing of the participants and Enclosure 2 includes the draft RAI discussed with the applicant, including a brief description on the status of the item.

The applicant had an opportunity to comment on this summary.

/RA/

Lisa M. Regner, Sr. Project Manager
Projects Branch 2
Division of License Renewal
Office of Nuclear Reactor Regulation

Docket No. 50-293

Enclosures:
As stated

cc w/encls: Listserv

DISTRIBUTION:
See next page

ADAMS Accession No.: **ML110970034**

***concurrence by e-mail**

OFFICE	LA:DLR*	PM:RPB2:DLR	BC:RPB2:DLR	PM:RPB2:DLR
NAME	SFigueroa	LRegner	DWrona	LRegner
DATE	4/13/11	4/14/11	4/14/11	4/19/11

OFFICIAL RECORD COPY

Memorandum to Entergy Nuclear Operations, Inc., from L. Regner dated April 19, 2011

**SUBJECT: SUMMARY OF TELEPHONE CONFERENCE CALL HELD ON
APRIL 6, 2011, BETWEEN THE U.S. NUCLEAR REGULATORY COMMISSION
AND ENTERGY NUCLEAR OPERATIONS, INC., CONCERNING THE PILGRIM
NUCLEAR POWER STATION LICENSE RENEWAL APPLICATION
(TAC NO. MC9669)**

DISTRIBUTION:

HARD COPY:

DLR RF

E-MAIL:

PUBLIC

RidsNrrDir Resource
RidsNrrDirRpb1 Resource
RidsNrrDirRpb2 Resource
RidsNrrDirRer1 Resource
RidsNrrDirRer2 Resource
RidsNrrDirRerb Resource
RidsNrrDirRpob Resource
RidsNrrDciCvib Resource
RidsNrrDciCpnb Resource
RidsNrrDciCsgb Resource
RidsNrrDraAfpb Resource
RidsNrrDraApla Resource
RidsNrrDeEmcb Resource
RidsNrrDeEeeb Resource
RidsNrrDssSrxb Resource
RidsNrrDssSbpb Resource
RidsNrrDssScvb Resource
RidsOgcMailCenter Resource
RidsOpaMail

L. Regner
S. Uttal, OGC
S. Schneider, RIV
D. Jackson, RIV