NOTES:
1. FOR GENERAL NOTES AND SYMBOLS SEE SHEET 01.
2. ALL UNID'S SHOWN ON THIS SHEET ARE PRECEDED BY 2YC UNLESS OTHERWISE NOTED.
3. BREAKS ON POSITIVE OFF, OTHERWISE THERMALLY ACTIVATED - BREAKS ON TEMPERATURE RISE, MAKES ON TEMPERATURE FALL.

MON
MI763

REF 5GWC640-IS-28

BOP CAB. C.B.M.
2IX-II-011A

REF DWG.
YORK 5GW2657-JI-01-1

MCR PNL
2IX-IM-011

REF DWG.
B.&.W 16-1038567F-U2

ITR-200

TB38-445-

TB37-445-SHLD

ECA3-88

TB4-90 BK
TB4-89 W
TB4-88 R

TB2-21
TB2-20 BK-W
TB2-19 BK-BK
TB2-16 W-BK
TB2-17 W-W
TB2-18

ECA2-89

0-10V

MV/V

TB1-25 TB1-26 TB1-28 TB1-29

BL R ECA1-90

BL R ECA1-91

CU CN

ITE-200A
MS VALVE RM A
AIR TEMP

ITE-200B
MS VALVE RM B
AIR TEMP

899 & 1185

480V, 3Ø, AC

AØ BØ CØ

52-143

T1 T2 T3

HONEYWELL THERMOSTAT
MODEL T498B1215
TVA CONTRACT
77K17-821045-2
ETH-143

SEE NOTE 3 THIS SH

&T1 &L1

BK W

L1 L2 L3 EFU2-143 C2

2A

480/120V

M

HIGH TEMP CUTOUT

C1

MOT

CHROMALOX
MODEL LUH-25-03
EHTR-143

TVA CONTRACT
76K5-87054-2

MCC 2B3 COMPT J1(R)
2ED-EMCC-52J1
TYP 7TNO
DWG 5GW0747-RP-3
EFU2-143

ECA4-14

EHTR-143 ETH-143

ECA3-15

EL 649 MAIN STEAM SAFETY VALVE
ROOM 2B UNIT HEATER
SEE SCHEMATIC ABOVE

MCC 2A3 COMPT K3(R)
2ED-EMCC-48K3
TYP 7TNO
DWG 5GW0747-RP-3
EFU2-146

ECA4-20

EHTR-146 ETH-146

ECA3-21

EL 649 MAIN STEAM SAFETY VALVE
ROOM 2A UNIT HEATER
TYPICAL OF EHTR-143

MCC 2B4 COMPT E2(L)
2ED-EMCC-53E2
TYP 7TNO
DWG 5GW0747-RP-3
EFU2-144

ECA4-16

EHTR-144 ETH-144

ECA3-17

EL 649 MAIN STEAM SAFETY VALVE
ROOM 2B UNIT HEATER
TYPICAL OF EHTR-143

MCC 2A4 COMPT K3(L)
2ED-EMCC-49K3
TYP 7TNO
DWG 5GW0747-RP-3
EFU1-147

ECA4-22

EHTR-147 ETH-147

ECA3-23

EL 649 MAIN STEAM SAFETY VALVE
ROOM 2A UNIT HEATER
TYPICAL OF EHTR-147

MCC 2B4 COMPT E2(R)
2ED-EMCC-53E2
TYP 7TNO
DWG 5GW0747-RP-3
EFU2-145

ECA4-18

EHTR-145 ETH-145

ECA3-19

EL 649 MAIN STEAM SAFETY VALVE
ROOM 2B UNIT HEATER
TYPICAL OF EHTR-143

PRC APERTURE CARD

Docket # 50-438
Control # 8301050536
Date 3-25-83 of Document:
REGULATORY DOCKET FILE

S1

INSPECTED AND APPROVED FOR ISSUE

REV	DESCRIPTION
3	899,1185,S1 DELETED MS VALVE RM FANS AND ADDED VALVE RM TEMP MONITOR. MINOR CHG.
2	S1 REMOVED HOLD CIRCLES, DELETED EL AND COL, AND MADE MINOR CHANGES.
1	519, S1 CHANGED MCC CONT PWR FUSES AND MINOR CHANGES.

REV NO.	ECN NO.	DATE	DSGN	DRWN	CHKD	SUPV	ENGR	INSP	SUBM	PRCH	APPR

DSGN
DRWN
CHKD
SUPV
INSP
ENGINEER

GENERAL
UNIT 2

SYSTEM SCHEMATIC
AUX BLDG COMMON AREA
ENVIRONMENTAL CONT SYS

BELLEFONTE NUCLEAR PLANT
TENNESSEE VALLEY AUTHORITY
DIVISION OF ENGINEERING DESIGN

SUBMITTED	RECOMMENDED	APPROVED

KNOXVILLE 4-23-78 | 88 | E | 5GW0740-VC-06 | R3

RECORD DRAWING AS CONSTRUCTED

THIS SCALE DRAWING IS UNDER CONFIGURATION CONTROL

PRINTS REQD-FR PROJ: DWG SIZE F H

ME EE CE AD CD ED MD BF SM BL PA