

(12-2010)
10 CFR 30.36(j)(1); 40.42(j)(1);
70.38(j)(1); and 72.54(k)(5)(1)(1)

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the Information Services Branch (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to Infocollects.Resource@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

CERTIFICATE OF DISPOSITION OF MATERIALS

LICENSEE NAME AND ADDRESS

North Star Paving & Construction, Inc.
35743 Kenai Spur Hwy #A
Soldotna, AK 99669

LICENSE NUMBER

50-27652-01

DOCKET NUMBER

03035288

LICENSE EXPIRATION DATE

3.31.2020

A. LICENSE STATUS (Check the appropriate box)

This license has expired.

This license has not yet expired; please terminate it.

B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

- 1. No radioactive materials have ever been procured or possessed by the licensee under this license.
- 2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner.

a. Transfer of radioactive materials to the licensee listed below:

QAP 240 W. 68th Ave. Anchorage, AK 99518

b. Disposal of radioactive materials:

1. Directly by the licensee:

2. By licensed disposal site:

3. By waste contractor:

c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

*postmarked
3-28-2011
cm*

RECEIVED

APR 1 2011

DNMS

C. SURVEYS PERFORMED AND REPORTED

- 1. A radiation survey was conducted by the licensee. The survey confirms:
 - a. the absence of licensed radioactive materials
 - b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
- 2. A copy of the radiation survey results:
 - a. is attached; or b. is not attached (Provide explanation); or c. was forwarded to NRC on: _____ Date
- 3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
 - a. The results of the latest leak test are attached; and/or
 - b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME Carey Foster	TITLE President	TELEPHONE (Include Area Code) (907) 262-9139	E-MAIL ADDRESS carey.nspei@alaska.net
----------------------	--------------------	---	--

Mail all future correspondence regarding this license to:
35743 Kenai Spur Hwy #A Soldotna, AK 99669

C. CERTIFYING OFFICIAL
I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE	SIGNATURE	DATE
------------------------	-----------	------

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

574870

Form is not signed.



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057
Research Triangle Park, NC 27709
Tel: (877) 876-9537 Fax: (866) 391-2759
License: NC 032-0182-1

LARRY SCHMIDT
QUALITY ASPHALT PAVING,
240 W. 68TH AVENUE
ANCHORAGE, AK 99518

Cust ID: 6153

LEAK TEST CERTIFICATE

DEVICE:

Model: 3241 Serial No: 1322

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
55-8605	12/05/1989	AM-241:BE	3.7	100

LEAK TEST ANALYSIS:

Sample collected on: 03/18/2011
Sample analyzed on: 03/23/2011 3:12:17 PM Position: 25
Analyzed by: D. Rose

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.22E+01	1.95E+01
Background measurement (cpm)	2	27
Sample measurement (cpm)	0	32
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	7.2E-01	1.4E+00

This certifies that the leak test results are:

Less than 185 Bq (0.005 uCi)

Greater than 185 Bq (0.005 uCi)



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057
Research Triangle Park, NC 27709
Tel: (877) 876-9537 Fax: (866) 391-2759
License: NC 032-0182-1

LARRY SCHMIDT
QUALITY ASPHALT PAVING,
240 W. 68TH AVENUE
ANCHORAGE, AK 99518

Cust ID: 6153

LEAK TEST CERTIFICATE

DEVICE:

Model: 3450 **Serial No:** 382

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
47-28020	11/18/1998	AM-241:BE	1.48	40
750-5912	10/22/1999	CS-137	0.296	8

LEAK TEST ANALYSIS:

Sample collected on: 03/18/2011
Sample analyzed on: 03/23/2011 3:06:12 PM **Position:** 20
Analyzed by: D. Rose

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.22E+01	1.95E+01
Background measurement (cpm)	2	27
Sample measurement (cpm)	0	32
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	7.2E-01	1.4E+00

This certifies that the leak test results are:

Less than 185 Bq (0.005 uCi) **Greater than 185 Bq (0.005 uCi)**

APR 12 2011

DATE

This is to acknowledge the receipt of your letter/application dated 3/29/11, and to inform you that the initial processing, which includes an administrative review, has been performed.

There were no administrative omissions. Your application will be assigned to a technical reviewer. Please note that the technical review may identify other omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card:

Signed Copy of NRC Form 314 (original sent was unsigned)

The action you requested is normally processed within _____ days.

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 574870.
When calling to inquire about this action, please refer to this mail control number.
You may call me at (817) 860-8103.

Fax- 817-860-8210

Sincerely,
Carol D. Hise
Licensing Assistant

BETWEEN:

Accounts Receivable/Payable
and
Regional Licensing Branches

[FOR ARPB USE]
INFORMATION FROM LTS

Program Code: 03121
Status Code: Pending Termination
Fee Category: 3P
Exp. Date:
Fee Comments:
Decom Fin Assur Req: N

License Fee Worksheet - License Fee Transmittal

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: NORTH STAR PAVING & CONSTR., INC.
Received Date: 03/28/2011
Docket Number: 3035288
Mail Control Number: 574870
License Number: 50-27652-01
Action Type: Termination

2. FEE ATTACHED

Amount: _____

Check No.: _____

3. COMMENTS

Signed: Carol L. Hice

Date: 4/7/11

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / /)

1. Fee Category and Amount: _____

2. Correct Fee Paid. Application may be processed for:

Amendment: _____

Renewal: _____

License: _____

3. OTHER _____


Signed: _____

Date: _____

NORTHSTAR

Paving & Construction, Inc.

35743 Kenai Spur Hwy., Suite A
Soldotna, AK 99669



Pursuing Excellence in Construction

5 7 4 8 7 0

Material Radiation Protection Section
U.S. Nuclear Regulatory Comm. Region IV
1123 E. Lamar Blvd., Ste 400
Arlington, TX 76011-4125

