

April 18, 2011

MEMORANDUM TO: John W. Lubinski, Acting Director  
Division of Component Integrity  
Office of Nuclear Reactor Regulation

FROM: Robert O. Hardies, Senior Level Advisor */RA/*  
Division of Component Integrity  
Office of Nuclear Reactor Regulation

SUBJECT: CATEGORY 2 PUBLIC MEETING BETWEEN THE U.S. NUCLEAR  
REGULATORY COMMISSION AND REPRESENTATIVES OF THE  
AMERICAN SOCIETY OF MECHANICAL ENGINEERS TO DISCUSS  
ASPECTS OF CODE CASE N-766 RELATED TO ALLOY 52 INLAYS  
FOR REPAIR OR MITIGATION

DATE & TIME: Tuesday, May 3, 2011  
8:30 A.M. - 12:00 P.M.

LOCATION: U.S. Nuclear Regulatory Commission Headquarters  
One White Flint North  
Room O7B4

PURPOSE: To discuss aspects of American Society of Mechanical Engineers  
Code Case N-766 regarding related to Alloy 52 inlays for repair or  
mitigation.

CATEGORY 2:\* This is a Category 2 Meeting. The public is invited to participate in this  
meeting by discussing regulatory issues with the Nuclear Regulatory  
Commission (NRC) at designated points identified on the agenda.

MEETING CONTACT: Robert O. Hardies, NRR/DCI  
301-415-5802  
Robert.Hardies@nrc.gov

\*Commission Policy Statement on "Enhancing Public Participation in NRC Meetings," (67 FR 36920)  
May 28, 2002.

J. Lubinski

- 2 -

PARTICIPANTS: Participants from the NRC include members from the Office of Nuclear Reactor Regulation.

NRC

R. Hardies  
D. Rudland  
A. Csontos  
K. Karwoski  
M. Mitchell  
W. Norris

Industry

W. Bamford  
J. Weicks

The NRC provides reasonable accommodation to individuals with disabilities where appropriate. If you need a reasonable accommodation to participate in a meeting, or need a meeting notice or a transcript or other information from a meeting in another format (e.g., Braille, large print), please notify the NRC's meeting contact. Determinations on requests for reasonable accommodation will be made on a case-by-case basis.

Enclosure:  
Agenda

cc w/encl: See next page

PARTICIPANTS: Participants from the NRC include members from the Office of Nuclear Reactor Regulation.

NRC

R. Hardies  
D. Rudland  
A. Csontos  
K. Karwoski  
M. Mitchell  
W. Norris

Industry

W. Bamford  
J. Weicks

The NRC provides reasonable accommodation to individuals with disabilities where appropriate. If you need a reasonable accommodation to participate in a meeting, or need a meeting notice or a transcript or other information from a meeting in another format (e.g., Braille, large print), please notify the NRC's meeting contact. Determinations on requests for reasonable accommodation will be made on a case-by-case basis.

Enclosure:  
Agenda

cc w/encl: See next page

DISTRIBUTION:

DCI R/F      RidsNrrDCI      Druland      Acsontos      Kkarwoski      Mmitchell  
WNorris

External Email: [bamforwh@westinghouse.com](mailto:bamforwh@westinghouse.com) [JWEICKS@enertgy.com](mailto:JWEICKS@enertgy.com)

**ADAMS ACCESSION NO.: ML111090190**

<b>OFFICE</b>	NRR/DCI	NRR/DCI
<b>NAME</b>	RHardies	BThomas
<b>DATE</b>	04/18/2011	04/18/2011

**OFFICIAL RECORD COPY**

AGENDA FOR MAY 3 PUBLIC MEETING BETWEEN THE U.S. NUCLEAR REGULATORY  
COMMISSION AND AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
REPRESENTATIVES TO DISCUSS ASPECTS OF CODE CASE N-766 RELATED TO ALLOY  
52 INLAYS FOR REPAIR OR MITIGATION

8:30 A.M. – 12:00 P.M. EDT

<u>TIME</u>	<u>TOPIC</u>	<u>Lead</u>
8:30-8:40	Introductions and opening remarks	NRC
8:40-9:15	Discussion of NRC Comments and Responses	ASME
9:15-9:45	Discussion of NRC Report ML101260554 – Discussion of the basis for performing PWSCC crack growth in the inlay material	ASME
9:45-10:15	Presentation on operating experience with Alloy 690 and associated weld metals	ASME
10:15-10:30	Presentation on surface examination capabilities to detect flaws in the final inlay surface	ASME
10:30-10:45	Break	ASME
10:45-11:10.	Presentation of fatigue crack growth analysis results for a sample inlay design	ASME
11:10-11:45	Experience with performance of inlays already in place at operating plants	ASME
11:45-12:00	Public comments/discussion/review of action items	NRC

(Times in the agenda are approximate)

ENCLOSURE