



**UNITED STATES  
NUCLEAR REGULATORY COMMISSION**

REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

APR 04 2011

John S. Harkness  
Radiation Safety Officer  
Moberly Hospital Company, LLC  
1515 Union Street  
Moberly, MO 65270

Dear Mr. Harkness:

Enclosed is Amendment No. 32 renewing your NRC Material License No. 24-18695-01 in accordance with your request dated November 2, 2010. Please note that the changes made to your license are printed in **bold** font.


Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please be advised that prior to performing positron emission tomography (PET) imaging, you will need to amend your NRC license to include shielding information of your facility and provide a copy of your shielding calculations that shows compliance 10 CFR Part 20, Radiation levels in unrestricted areas.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

  
James R. Mullauer, M.H.S.  
Health Physicist  
Materials Licensing Branch

License No. 24-18695-01  
Docket No. 030-14054  
Enclosure: Amendment No. 32