



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION II
245 PEACHTREE CENTER AVENUE NE, SUITE 1200
ATLANTA, GEORGIA 30303-1257

April 25, 2011

Mr. Dominique Grandemange
Site Manager
AREVA NP, Inc.
2101 Horn Rapids Road
Richland, WA 99354-0130

SUBJECT: AREVA NP, INC (RICHLAND) – NRC INTEGRATED INSPECTION REPORT
NO. 070-01257/2011-002

Dear Mr. Grandemange:

This letter is to document the closure of NRC Integrated Report 070-01257/2011-002, for the first quarter in calendar year 2011 (January 1-March 31, 2011). There were no inspections conducted at your Richland, Washington fuel facility during this inspection period.

In accordance with 10 CFR 2.390 of NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>

If you have any questions, please call Mary Lynne Thomas (404) 997-4561.

Sincerely,

/RA by M. Sykes/

Marvin D. Sykes, Chief
Fuel Facility Inspection Branch 3
Division of Fuel Facility Inspection

Docket No. 070-01257
License No. SNM-1227

cc: (See page 2)

April 25, 2011

Mr. Dominique Grandemange
Site Manager
AREVA NP, Inc.
2101 Horn Rapids Road
Richland, WA 99354-0130

SUBJECT: AREVA NP, INC (Richland) – NRC INTEGRATED INSPECTION REPORT
NO. 070-01257/2011-002

Dear Mr. Grandemange:

This letter is to document the closure of NRC Integrated Report 070-01257/2011-002, for the first Quarter in CY 2011 (January 1-March 31, 2011). There were no inspections conducted at your Richland, Washington, fuel facility during this inspection period.

In accordance with 10 CFR 2.390 of NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>

If you have any questions, please call Mary Lynne Thomas (404) 997-4561.

Sincerely,

/RA by M. Sykes/

Marvin D. Sykes, Chief
Fuel Facility Inspection Branch 3
Division of Fuel Facility Inspection

Docket No. 070-01257
License No. SNM-1227

cc: (See page 2)

PUBLICLY AVAILABLE NON-PUBLICLY AVAILABLE SENSITIVE NON-SENSITIVE
ADAMS: Yes ACCESSION NUMBER: ML111170442 SUNSI REVIEW COMPLETE

OFFICE	RII: DFFI													
SIGNATURE	/RA by MDS for MT/													
NAME	MThomas													
DATE	4/22/2011	4/ /2011	4/ /2011	4/ /2011	4/ /2011	4/ /2011	4/ /2011	4/ /2011	4/ /2011	4/ /2011	4/ /2011	4/ /2011	4/ /2011	4/ /2011
E-MAIL COPY?	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO

OFFICIAL RECORD COPY DOCUMENT NAME: G:\DNMSI\FFBII\REPORTS\DRAFT INSPECTION REPORT
FOLDER\AREVA - RICHLAND\1ST QUARTER CY 2011 INPUT\AREVA RICHLAND NARRATIVE 2011-002 (CR DRAFT).DOCX

cc:

Thomas Scott Wilkerson, Vice President, Engineering
Areva NP, Inc.
3315 Old Forest Road
Lynchburg, Virginia 24501

Ron Land, Vice President, Manufacturing
Areva NP, Inc.
3315 Old Forest Road
Lynchburg, Virginia 24501

Robert E. Link, Manager
Environmental, Health, Safety & Licensing
Areva NP, Inc.
2101 Horn Rapids Road
Richland, Washington 99352

Loren J. Maas, Manager
Licensing and Compliance
Areva NP, Inc.
2101 Horn Rapids Road
Richland, Washington 99352

Calvin D. Manning, Manager
Nuclear Criticality Safety
Areva NP, Inc.
2101 Horn Rapids Road
Richland, Washington 99352

Gary L. Robertson, Director
Division of Radiation Protection
Department of Health, Bldg. 5
PO Box 47827
7171 Cleanwater Lane
Olympia, Washington 98504-7827

Earl Fordham
Eastern Regional Director
Office of Radiation Protection
Department of Health
309 Bradley Boulevard, Suite 201
Richland, Washington 99352

Letter to Mr. Dominique Grandemange from Marvin D. Sykes dated April 25, 2011

Subject: ARENA NP, INC (Richland) –NRC INTEGRATED INSPECTION REPORT
NO. 070-01257/2011-002

Distribution:

M. Thomas, RII
O. López, RII
R. Rodriguez, NMSS
M. Diaz, NMSS
M. Sykes, RII