Daily Area Survey

MPC MEDICAL PHYSICS CONSULTANTS, INC.

MONTH: February YEAR: 2011

INSTRUMENT: GM Survey Meter Make: Ludlum Model: 14C Serial # 240344

Check source value: mR/hr

DAY	OK	BKG: 1.15 mR/hr	Enter readings in mR/h 1	2	3	4	5	6	7	8	9	10	Name
	Trigger values:		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	
1			NO PETS										
2			Snow Day										
3		✓	NO PETS										
4		✓	.01	.01	.00	.00	.00	.00	.00				L. Kubat
5		—	—										
6		—	—										
7		✓	.01	.01	.00	.00	.01	.01					L. Kubat
8		✓	.01	.01	.00	.01	.01	.01					L. Kubat
9		NO PETS											
10		✓	.01	.01	.00	.00	.01	.01					L. Kubat
11		✓	.01	.01	.00	.01	.01	.00					L. Kubat
12		—	—										
13		—	—										
14		NO PETS											
15		✓	.01	.01	.01	.00	.00	.00					L. Kubat
16		✓	.02	.01	.01	.00	.01	.01					L. Kubat
17		NO PETS											
18		NO PETS											
19		—	—										
20		—	—										
21		NO PETS											
22		NO PETS											
23		✓	.01	.01	.00	.00	.00	.00					[illegible]
24		✓	.01	.01	.00	.01	.01	.00					L. Kubat
25		NO PETS											
26		—	—										
27		—	—										
28		✓	.01	.01	.01	.01	.01	.01	.01				L. Kubat
29													
30													
31													

Daily Area Survey

MPC MEDICAL PHYSICS CONSULTANTS, INC.

MONTH: March YEAR: 2011

INSTRUMENT: GM Survey Meter Make: Ludlum Model: 14C Serial # 240344

Check source value: mR/hr

Enter readings in mR/h

DAY	OK	BKG: 1.95 mR/h	1	2	3	4	5	6	7	8	9	10	Name
	Trigger values:		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	
1		✓	.01	.01	.00	.01	.01	.00					L. Kubsch
2		✓	.01	.01	.00	.01	.01	.01					L. Kubsch
3		✓	.02	.01	.00	.01	.01	.01					L. Kubsch
4		NO PETS											
5		—											
6		—											
7		NO PETS											
8		✓	.01	.01	.00	.01	.01	.00					L. Kubsch
9		✓	.01	.01	.00	.00	.00	.00					[illegible]
10		✓	.01	.01	.00	.01	.01	.00					L. Kubsch
11		✓	.01	.01	.00	.00	.01	.00					L. Kubsch
12		—											
13		—											
14		NO PETS											
15		✓	.01	.01	.00	.00	.01	.00					L. Kubsch
16		✓	.01	.01	.00	.00	.01	.01					L. Kubsch
17		✓	.01	.01	.00	.00	.01	.00					L. Kubsch
18		✓	.01	.01	.00	.00	.01	.01					L. Kubsch
19		—											
20		—											
21		✓	.01	.01	.00	.00	.01	.00					L. Kubsch
22		✓	.01	.01	.00	.00	.01	.00					L. Kubsch
23		✓	.01	.01	.00	.00	.00	.00					[illegible]
24		✓	.01	.01	.00	.00	.01	.01					L. Kubsch
25		✓	.01	.01	.00	.00	.00	.00					[illegible]
26		—											
27		—											
28		✓	.01	.01	.00	.00	.01	.00					[illegible]
29		✓	.01	.01	.00	.00	.01	.00					L. Kubsch
30		NO PETS											
31		✓	.01	.01	.00	.00	.01	.01					L. Kubsch

Daily Area Survey

MPC MEDICAL PHYSICS CONSULTANTS, INC

MONTH: April YEAR: 2011

INSTRUMENT: GM Survey Meter Make: Ludlum Model: 14C Serial # 240344

Check source value: mR/hr

DAY	OK	BKG.	Enter readings in mR/h 1	2	3	4	5	6	7	8	9	10	11	12	Name
	Trigger values:														
1		NO PET'S													
2	—	—													
3		—													
4		NO PET'S													
5		✓	.01	.01	.00	.00	.01	.00							L. Kubach
6		NO PET'S													
7		✓	.01	.01	.00	.01	.01	.00							L. Kubach
8		✓	.00	.01	.00	.00	.01	.01							L. Kubach
9		—													
10		—													
11		✓	.01	.01	.00	.00	.01	.00							L. Kubach
12		NO PET'S													
13		NO PET'S													
14		NO PET'S													
15		✓	.01	.01	.00	.00	.00	.00							L. Kubach
16		—													
17		—													
18		NO PET'S													
19		✓	.01	.01	.00	.01	.00	.01							L. Kubach
20		NO PET'S													
21		✓	.01	.01	.00	.01	.01	.00							L. Kubach
22		NO PET'S													
23		—													
24		—													
25		NO PET'S													
26		NO PET'S													
27		✓	.01	.01	.00	.00	.01	.00							L. Kubach
28		—													
29		—													construction
30		—													
31		—													

MEDICAL IMAGING

53940 Carmichael Drive
South Bend, IN 46635

(574) 243-0100
(574) 243-2965 FAX

FAX TRANSMISSION COVER SHEET

To: Jare Forster @ FAX #: 630-515-1078 Date: 4/29/11

From: Lisa Kubsch @ Telephone #: 574-243-0100

Message: Licensing control # 574393

You should receive _____ pages, including this cover sheet. If you do not receive all of the pages, call at the number listed above.

Hard copy to follow? _____ *Yes* _____ *No*

CONFIDENTIALITY NOTICE: The documents accompanying this telecopy transmission contain confidential information. This information is intended only for the use of the individual(s) or entity named above. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance to the contents of this telecopied information is not permissible. If you have received this telecopy in error, please immediately notify us by telephone at the number listed above to arrange for the return of the facsimile. Thank you.