



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352
APR 03 2011

Stephen Messana, D.O.
Radiation Safety Officer
Genesys Regional Medical Center
Nuclear Medicine Dept.
One Genesys Parkway
Grand Blanc, MI 48439

Dear Dr. Messana:

Due to a change in NRC licensing policy, total possession limits for all regulated materials need to be listed on all NRC licenses. We found that your NRC did not contain a possession limit for depleted uranium use to shield your linear accelerator. We have found that 999 kilograms of depleted uranium is adequate for programs your size so we added a possession limit of 999 kilogram of depleted uranium on you NRC license. If in the future your needs change and you require additional depleted uranium, you will need to request an amendment to your NRC license.

Enclosed is a corrected copy to your NRC license as a result of this change in licensing policy. Please carefully review these changes.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Please contact me at (623) 214-5213 if you have any questions.

Sincerely,


James R. Mullauer, M.H.S.
Materials Licensing Branch
Region III

License No. 21-26740-01
Docket No. 030-34188

Enclosure: Corrected copy of Amendment No. 12