

JPM#	1. Dyn (D/S)	2. LOD (1-5)	3. Attributes					4. Job Content Errors		5. U/E/S	6. Explanation (See below for instructions)
			IC Focus	Cues	Critical Steps	Scope (N/B)	Overlap	Job-Link	Minutia		
RO (A1)					E					E S	Remove critical step designations from steps contained in step 5.7.2, 5.7.6, and 5.7.8. This was completed.
RO (A2)										E S	Add detail as to how the candidate will determine the reactor is critical prior to the ECP. These details were added to the JPM.
RO (A3)								?		S	Verify this review is done by the RO versus the SRO. It was confirmed the RO performs this review.
RO (A4)										E S	Two hours and four hours cannot both be correct. It was determined the only correct answer is 4 hours.
SRO (A1)										E S	Add detail as to how the candidate will determine the reactor is critical prior to the ECP. These details were added to the JPM.
SRO (A2)							U			U S	The applicable TS/JPM needs to be changed so that it is not the same as one of the SRO questions on the written exam. The exam question was changed.
SRO (A3)											No comments.
SRO (A4)										E S	Change the JPM so that the permit is disapproved. This was completed.
SRO (A5)										S	No comments.

Instructions for Completing Matrix

This form is not contained in or required by NUREG-1021. Utilities are not required or encouraged to use it. The purpose of this form is to enhance regional consistency in reviewing operating tests. Additional information on these areas may be found in Examination Good Practices Appendix D. Check or mark any item(s) requiring comment and explain the issue in the space provided.

- Determine whether the task is dynamic (D) or static (S). A dynamic task is one that involves continuous monitoring and response to varying parameters. A static task is basically a system reconfiguration or realignment.
- Determine level of difficulty (LOD) using established 1-5 rating scale. Levels 1 and 5 represent inappropriate (low or high) discriminatory level for the license being tested.
- Check the appropriate box when an attribute weakness is identified:
 - The initiating cue is not sufficiently clear to ensure the operator understands the task and how to begin.
 - The JPM does not contain sufficient cues that are objective (not leading).
 - All critical steps (elements) have not been properly identified.
 - Scope of the task is either too narrow (N) or too broad (B).
 - Excessive overlap with other part of operating test or written examination.
- Check the appropriate box when a job content error is identified:
 - Topics not linked to job content (e.g., disguised task, not required in real job).
 - Task is trivial and without safety significance.
- Based on the reviewer's judgment, is the JPM as written (U)nacceptable (requiring repair or replacement), in need of (E)ditorial enhancement, or (S)atisfactory?
- Provide a brief description of any U or E rating in the explanation column.
- Save initial review comments as normal black text; indicate how comments were resolved using **blue text** so that each JPM used on the exam is reflected by a

(S)atisfactory resolution on this form.

JPM#	1. Dyn (D/S)	2. LOD (1-5)	3. Attributes					4. Job Content Errors		5. U/E/S	6. Explanation (See below for instructions)
			IC Focus	Cues	Critical Steps	Scope (N/B)	Over-lap	Job-Link	Minutia		
Sa										S	No comments.
Sb										S	No comments.
Sc										S	No comments.
Sd										S	No comments.
Se										E S	ARP card step 3 is not a critical step. This step was revised so it is not a critical step.
Sf										S	No comments.
Sg										S	No comments.
Sh										E S	Step 5.7.12 should be designated as a critical step. This step was changed to a critical step.
Pi										S	No comments.
Pj										S	No comments.
Pk										S	No comments.

Instructions for Completing Matrix

This form is not contained in or required by NUREG-1021. Utilities are not required or encouraged to use it. The purpose of this form is to enhance regional consistency in reviewing operating tests. Additional information on these areas may be found in Examination Good Practices Appendix D. Check or mark any item(s) requiring comment and explain the issue in the space provided.

- Determine whether the task is dynamic (D) or static (S). A dynamic task is one that involves continuous monitoring and response to varying parameters. A static task is basically a system reconfiguration or realignment.
- Determine level of difficulty (LOD) using established 1-5 rating scale. Levels 1 and 5 represent inappropriate (low or high) discriminatory level for the license being tested.
- Check the appropriate box when an attribute weakness is identified:
 - The initiating cue is not sufficiently clear to ensure the operator understands the task and how to begin.
 - The JPM does not contain sufficient cues that are objective (not leading).
 - All critical steps (elements) have not been properly identified.
 - Scope of the task is either too narrow (N) or too broad (B).
 - Excessive overlap with other part of operating test or written examination.
- Check the appropriate box when a job content error is identified:
 - Topics not linked to job content (e.g., disguised task, not required in real job).
 - Task is trivial and without safety significance.
- Based on the reviewer's judgment, is the JPM as written (U)nacceptable (requiring repair or replacement), in need of (E)ditorial enhancement, or (S)atisfactory?
- Provide a brief description of any U or E rating in the explanation column.
- Save initial review comments as normal black text; indicate how comments were resolved using **blue text** so that each JPM used on the exam is reflected by a (S)atisfactory resolution on this form.

Scenario Set	1. ES	2. TS	3. Crit	4. IC	5. Pred	6. TL	7. L/C	8. Eff	9. U/E/S	10. Explanation (See below for instructions)
1									S	No comments
2									E S	Replace event 1 as this has little or no discriminatory value and is primarily performed outside the control room. This event was changed.
3									S	No comments

Instructions for Completing Matrix

This form is not contained in or required by NUREG-1021. Utilities are not required or encouraged to use it. The purpose of this form is to enhance regional consistency in reviewing operating test scenario sets. Additional information on these areas may be found in Examination Good Practices Appendix D. Check or mark any item(s) requiring comment and explain the issue in the space provided.

1. ES: ES-301 checklists 4, 5, & 6 satisfied.
2. TS: Set includes SRO TS actions for each SRO, with required actions explicitly detailed.
3. Crit: Each manipulation or evolution has explicit success criteria documented in Form ES-D-2.
4. IC: Out of service equipment and other initial conditions reasonably consistent between scenarios and not predictive of scenario events and actions.
5. Pred: Scenario sequence and other factors avoid predictability issues.
6. TL: Time line constructed, including event and process triggered conditions, such that scenario can run without routine examiner cuing.
7. L/C: Length and complexity for each scenario in the set is reasonable for the crew mix being examined, such that all applicants have reasonably similar exposure and events are needed for evaluation purposes.
8. Eff: Sequence of events is reasonably efficient for examination purposes, especially with respect to long delays or interactions.
9. Based on the reviewer's judgment, rate the scenario set as (U)nacceptable (requiring repair or replacement), in need of (E)ditorial enhancement, or (S)atisfactory.
10. Provide a brief description of problem in the explanation column.
11. Save initial review comments as normal black text; indicate how comments were resolved using **blue text** so that each JPM used on the exam is reflected by a (S)atisfactory resolution on this form.