PACKAGE: ML111320181
DOCKET #: 03033162

OSRAM SYLVANIA

May 5, 2011

U.S. Nuclear Regulatory Commission
Licensing Branch
Attn: Shirley Xu
Division of Materials Safety & State Agreements
Office of Federal & State Materials and
Environmental Management Programs
Washington, DC 20555-0001

Ref: Control No: 573880
License No: 20-30024-02E
My letter of: September 16, 2010
Your letter of: February 2, 2011

Dear Ms. Xu:

Please consider this letter a renewal of my September 16, 2010 request to amend the above referenced license regarding the change of our company name, as detailed in that letter.

In response to the request contained in your letter of February 2, 2011, I have enclosed copies the licenses of our Distribution Centers located in Kentucky, New Hampshire, Pennsylvania and Puerto Rico that have been amended for the name change. For our California Distribution Center, I've enclosed a copy of the letter from our site Radiation Safety Officer to the State of California, Radiologic Health Branch informing them of the name change and requesting the agency take such action as it deemed necessary to reflect the change. It should be pointed out that our California Distribution Center's license was and still is under "timely renewal". A notice to that effect is also enclosed.

If there are any questions on the above or enclosed or if you have any additional questions , I may be reached directly by mail at the address below or by telephone at (845) 635-8698 or fax at (845) 635-5016.

Very Truly Yours,

Alan H. Jones
Corporate Radiation Safety Officer

Enclosures:

KY License No. 201-423-91 (Versailles)
KY License No. 201-635-90 (Winchester)
NH License No. 430R
PA License No. PA-1395
USNRC License No. 20-30024-03 (Puerto Rico)
Name Change Notification Letter dated 9/22/10 to the State of California from our Western Distribution Center R.S.O.
California Notice of Receipt of Renewal Application For Review, dated March 6, 2010

cc: Paul Feltri
Christianna M.L. Reed, Esq.
Legal Counsel

OSRAM SYLVANIA
100 Endicott Street
Danvers, MA 01923
☎ (978) 777-1900
www.sylvania.com

MAIL CONTROL #575119

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

1. LICENSEE AND 2. ADDRESS

OSRAM SYLVANIA INC.
1100 TYRONE PIKE
VERSAILLES, KY 40383

ATTENTION: KATHLEEN ROY
TELEPHONE: 859-256-1076

PURSUANT TO KRS 211.842 ET SEQ., THE KENTUCKY CABINET FOR HUMAN RESOURCES REGULATIONS, 902 KAR 100, AND IN RELIANCE ON STATEMENTS AND REPRESENTATIONS HERETOFORE MADE BY THE LICENSEE, A LICENSE IS HEREBY ISSUED TO RECEIVE, ACQUIRE, OWN, POSSESS AND TRANSFER RADIOACTIVE MATERIAL LISTED BELOW; AND TO USE SUCH RADIOACTIVE MATERIAL FOR THE PURPOSE(S) AND AT THE PLACE(S) DESIGNATED BELOW. THIS LICENSE IS SUBJECT TO ALL APPLICABLE RULES, REGULATIONS, AND ORDERS OF THE CABINET FOR HEALTH SERVICES, NOW OR HEREINAFTER IN EFFECT AND TO ANY CONDITIONS SPECIFIED BELOW.

---

3. LICENSE NUMBER: 201-423-91
AMENDMENT NO. 39

4. EXPIRATION DATE: MAY 31, 2011

5. REVIEWER: 84

---

6. LICENSED MATERIAL	7. FORM	8. POSSESSION LIMIT
A. KRYPTON 85	A. GAS	A. NOT TO EXCEED 100 MILLICURIES
B. PROMETHIUM 147	B. PLATED SOURCE	B. 40 MILLICURIES

---

9. AUTHORIZED USE

A. AND B. FOR POSSESSION AND STORAGE ONLY INCIDENTAL TO DISTRIBUTION OF EXEMPT PRODUCTS AS LICENSED BY THE U.S. NUCLEAR REGULATORY COMMISSION.

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

CONDITIONS:

10. THE LICENSEE SHALL COMPLY WITH THE PROVISIONS OF THE KENTUCKY CABINET FOR HEALTH SERVICES ADMINISTRATIVE RADIATION REGULATIONS, 902 KAR 100.

11. RADIOACTIVE MATERIAL SHALL BE USED AT:

    1100 TYRONE PIKE
    VERSAILLES, KENTUCKY 40383

12. RADIOACTIVE MATERIALS LISTED IN 6.A. & B. SHALL BE USED BY, OR UNDER THE SUPERVISION OF:
    KATHLEEN ROY

13. THE RADIATION PROTECTION OFFICER FOR ACTIVITIES AUTHORIZED IN ITEM 9.A. & B. IS KATHLEEN ROY.

14. THIS LICENSEE IS AUTHORIZED TO COLLECT LEAK TEST SAMPLES IN ACCORDANCE WITH THE PROCEDURES DESCRIBED IN THE LICENSEE'S APPLICATION DATED NOVEMBER 28, 1995 FOR ANALYSIS BY GUY H. SIMMONS, PH.D. .
    ALTERNATIVELY, LEAK TEST SAMPLES MAY BE COLLECTED AND/OR ANALYZED BY OTHER PERSONS SPECIFICALLY AUTHORIZED BY THE CABINET, U.S. NUCLEAR REGULATORY COMMISSION OR AN AGREEMENT STATE.

15. SEALED SOURCES CONTAINING RADIOACTIVE MATERIAL SHALL NOT BE OPENED.

16. THE FOLLOWING SERVICES SHALL NOT BE PERFORMED BY THE LICENSEE: INSTALLATION, INITIAL RADIATION SURVEYS, RELOCATION, REMOVAL FROM SERVICE, DISMANTLING, ALIGNMENT, REPLACEMENT, DISPOSAL OF THE SEALED SOURCES, AND NON-ROUTINE MAINTENANCE OR REPAIR OF COMPONENTS RELATED TO THE RADIOLOGICAL SAFETY OF THE GAUGE (I.E., THE SEALED SOURCE, THE SOURCE HOLDER, SOURCE DRIVE MECHANISM, ON-OFF MECHANISM (SHUTTER), SHUTTER CONTROL, SHIELDING). THESE SERVICES SHALL BE PERFORMED ONLY BY PERSONS SPECIFICALLY LICENSED BY THE CABINET, U.S. NUCLEAR REGULATORY COMMISSION OR AN AGREEMENT STATE TO PERFORM SUCH SERVICES.

17. THE LICENSEE SHALL CONDUCT A PHYSICAL INVENTORY EVERY SIX (6) MONTHS TO ACCOUNT FOR ALL SEALED SOURCES RECEIVED AND POSSESSED UNDER THE LICENSE. THE RECORDS OF THE INVENTORIES SHALL BE MAINTAINED FOR THREE (3) YEARS FROM THE DATE OF THE INVENTORY FOR INSPECTION BY THE CABINET, AND SHALL INCLUDE THE RADIONUCLIDES, QUANTITIES, MANUFACTURER'S NAME AND MODEL NUMBERS, LOCATION OF SEALED SOURCES, AND THE DATE OF THE INVENTORY.

18. IN ADDITION TO THE POSSESSION LIMITS IN ITEM 8, THE LICENSEE SHALL FURTHER RESTRICT THE POSSESSION OF RADIOACTIVE MATERIAL TO QUANTITIES BELOW THE MINIMUM LIMIT SPECIFIED IN 902 KAR 100:042, SECTION 11, FOR ESTABLISHING DECOMMISSIONING FINANCIAL ASSURANCE.

19. EXCEPT AS SPECIFICALLY PROVIDED OTHERWISE IN THIS LICENSE, THE LICENSEE SHALL CONDUCT ITS PROGRAM IN ACCORDANCE WITH THE STATEMENTS, REPRESENTATIONS, AND PROCEDURES CONTAINED IN THE DOCUMENTS, INCLUDING ANY ENCLOSURES, LISTED BELOW. THE CABINET FOR HEALTH SERVICES REGULATIONS, 902 KAR 100, SHALL GOVERN UNLESS STATEMENTS, REPRESENTATIONS, AND PROCEDURES IN THE LICENSEE'S APPLICATION AND CORRESPONDENCE ARE MORE RESTRICTIVE THAN THE REGULATION.

A. APPLICATION DATED NOVEMBER 28, 1995, SIGNED BY JOEL BEYERLE, PLANT MANAGER.

B. LETTERS DATED:

1. MARCH 13, 1996, SIGNED BY H. DAVID THOMAS, SR. ENVIRONMENTAL ENGINEER.
2. NOVEMBER 26, 1996, SIGNED BY EDDIE SALONE, ENVIRONMENTAL MANAGER.
3. MARCH 26, 1997, SIGNED BY ALAN H. JONES, CORPORATE RADIATION SAFETY OFFICER.
4. FEBRUARY 11, 1997, SIGNED BY EDDIE L. SALONE.
5. MARCH 2, 1998, SIGNED BY ALAN H. JONES, CORPORATE RADIATION SAFETY OFFICER.
6. JUNE 11, 1998, SIGNED BY ALAN H. JONES, CORPORATE RADIATION SAFETY OFFICER.
7. JULY 2, 1998, SIGNED BY ALAN H. JONES, CORPORATE RSO.
8. NOVEMBER 10, 2003, SIGNED BY ALAN H. JONES, CORPORATE RSO.

9. DECEMBER 10, 2003, SIGNED BY LINDA S. DAY, ASSISTANT SECRETARY.
10. DECEMBER 15, 2003, SIGNED BY ALAN H. JONES, CORPORATE RSO.
11. APRIL 26, 2004, SIGNED BY ALAN H. JONES, CORPORATE RSO.
12. MAY 5, 2004, SIGNED BY ALAN H. JONES, CORPORATE RSO.
13. OCTOBER 31, 2006, SIGNED BY ALAN H. JONES, CORPORATE RADIATION SAFETY OFFICER.
14. MAY 30, 2007, SIGNED BY KATHLEEN ROY, RSO AND PETER VAN BREDA, DIRECTOR OF WAREHOUSING AND DISTRIBUTION.
15. JUNE 5, 2007, SIGNED BY ALAN H. JONES, CORPORATE RADIATION SAFETY OFFICER.
16. JANUARY 4, 2008, SIGNED BY KATHLEEN ROY, RSO.
17. JANUARY 11, 2011, SIGNED BY KATHLEEN ROY, MANAGER MDC.

MANAGER
RADIATION HEALTH BRANCH

JANIE MILLER
SECRETARY
CABINET FOR HEALTH AND FAMILY SERVICES

DATE ISSUED FEBRUARY 10, 2011

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

1. LICENSEE AND 2. ADDRESS

OSRAM SYLVANIA INC.
435 EAST WASHINGTON STREET
WINCHESTER, KY 40391

ATTENTION: MICHAEL KLING
TELEPHONE: 859-745-3387

PURSUANT TO KRS 211.842 ET SEQ., THE KENTUCKY CABINET FOR HUMAN RESOURCES REGULATIONS, 902 KAR 100, AND IN RELIANCE ON STATEMENTS AND REPRESENTATIONS HERETOFORE MADE BY THE LICENSEE, A LICENSE IS HEREBY ISSUED TO RECEIVE, ACQUIRE, OWN, POSSESS AND TRANSFER RADIOACTIVE MATERIAL LISTED BELOW; AND TO USE SUCH RADIOACTIVE MATERIAL FOR THE PURPOSE(S) AND AT THE PLACE(S) DESIGNATED BELOW. THIS LICENSE IS SUBJECT TO ALL APPLICABLE RULES, REGULATIONS, AND ORDERS OF THE CABINET FOR HEALTH SERVICES, NOW OR HEREINAFTER IN EFFECT AND TO ANY CONDITIONS SPECIFIED BELOW.

---

3. LICENSE NUMBER: 201-635-90
AMENDMENT NO. 13

4. EXPIRATION DATE: MARCH 31, 2012

5. REVIEWER: 84

---

6. LICENSED MATERIAL	7. FORM	8. POSSESSION LIMIT
A. KRYPTON 85	A. GAS	A. NOT TO EXCEED 2.0 MILLICURIES

---

9. AUTHORIZED USE

A. FOR LAMP PRODUCTION ONLY AS CONTAINED IN SEALED ARC TUBES.

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

CONDITIONS:

10. THE LICENSEE SHALL COMPLY WITH THE PROVISIONS OF THE KENTUCKY CABINET FOR HEALTH SERVICES ADMINISTRATIVE RADIATION REGULATIONS, 902 KAR 100.

11. RADIOACTIVE MATERIAL SHALL BE USED ONLY AT THE LICENSEE'S ADDRESS STATED IN ITEM 2.

12. COPIES OF RECORDS REQUIRED PURSUANT TO 902 KAR 100 OR CONDITIONS OF THE LICENSE SHALL BE MAINTAINED FOR INSPECTION BY THE CABINET AT 435 EAST WASHINGTON STREET, WINCHESTER, KENTUCKY 40391

13. RADIOACTIVE MATERIAL SHALL BE USED BY, OR UNDER THE SUPERVISION OF:

    MICHAEL KLING

14. THE RADIATION SAFETY OFFICER FOR THE ACTIVITIES AUTHORIZED BY THIS LICENSE IS MICHAEL KLING .

15. THE LICENSEE SHALL CONDUCT A PHYSICAL INVENTORY EVERY SIX (6) MONTHS TO ACCOUNT FOR ALL RADIOACTIVE MATERIAL RECEIVED AND POSSESSED UNDER THE LICENSE. THE RECORDS OF THE INVENTORIES SHALL BE MAINTAINED FOR TWO (2) YEARS FROM THE DATE OF THE INVENTORY AND SHALL INCLUDE THE QUANTITIES AND KINDS OF RADIOACTIVE MATERIAL, LOCATION OF THE MATERIAL, AND THE DATE OF THE INVENTORY.

    RECORDS OF RECEIPT, TRANSFER, AND DISPOSAL OF RADIOACTIVE MATERIAL SHALL BE MAINTAINED PURSUANT TO THE REQUIREMENTS OF 902 KAR 100:040, SECTION 14.

16. IN ADDITION TO THE POSSESSION LIMITS IN ITEM 8, THE LICENSEE SHALL FURTHER RESTRICT THE POSSESSION OF RADIOACTIVE MATERIAL TO QUANTITIES BELOW THE MINIMUM LIMIT SPECIFIED IN 902 KAR 100:042, SECTION 11, FOR ESTABLISHING DECOMMISSIONING FINANCIAL ASSURANCE.

17. EXCEPT AS SPECIFICALLY PROVIDED OTHERWISE IN THIS LICENSE, THE LICENSEE SHALL CONDUCT ITS PROGRAM IN ACCORDANCE WITH THE STATEMENTS, REPRESENTATIONS, AND PROCEDURES CONTAINED IN THE DOCUMENTS, INCLUDING ANY ENCLOSURES, LISTED BELOW. THE CABINET FOR HEALTH SERVICES REGULATIONS, 902 KAR 100, SHALL GOVERN UNLESS STATEMENTS, REPRESENTATIONS, AND PROCEDURES IN THE LICENSEE'S APPLICATION AND CORRESPONDENCE ARE MORE RESTRICTIVE THAN THE REGULATION.

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

A. APPLICATION DATED FEBRUARY 4, 2000, SIGNED BY KEVIN MCGARRY, PLANT MANAGER.

B. LETTERS DATED:

1. FEBRUARY 9, 2000, SIGNED BY ALAN H. JONES, CORPORATE RADIATION SAFETY OFFICER.
2. AUGUST 1, 2000, SIGNED BY KEVIN MCGARRY.
3. MARCH 24, 2011, SIGNED BY ERIC MONTGOMERY, PLANT MANAGER.

Matt McKinley

MANAGER
RADIATION HEALTH BRANCH

JANIE MILLER

SECRETARY
CABINET FOR HEALTH AND FAMILY SERVICES

DATE ISSUED APRIL 21, 2011

FORM BRH-2B

AUDIT R Nº 201009123
REF
PAGE 1 of 3 PAGES

STATE OF NEW HAMPSHIRE
DEPARTMENT OF HEALTH AND HUMAN SERVICES
DIVISION OF PUBLIC HEALTH SERVICES
RADIOLOGICAL HEALTH SECTION

RADIOACTIVE MATERIAL LICENSE

Pursuant to the State of New Hampshire, Department of Health and Human Services' Radiological Health Section ("Agency") regulations and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, own, possess, and transfer radioactive material listed below; and to use such radioactive material for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules, regulations, and orders of the Department of Health and Human Services' Radiological Health Section now or hereafter in effect and to any conditions specified below.

LICENSEE	
1. NAME	OSRAM Sylvania, Inc.
2. ADDRESS	655 South Willow Street Manchester, New Hampshire 03103

3. LICENSE NO. 430R AMENDMENT NO. 13

4. EXPIRATION DATE September 30, 2011

5. CATEGORY Manufacturing/Possession

In accordance with renewal application dated August 20, 2010 and letter dated September 23, 2010, both signed by David Lamprey, Plant Manager, and letter dated August 30, 2010 signed by Jane Running, Vice President, New Hampshire Radioactive Material License No. 430R is hereby amended as stated herein.
PREVIOUS AMENDMENTS ARE VOID.

6. RADIOACTIVE MATERIAL (ELEMENT AND MASS NUMBER)	7. CHEMICAL AND/OR PHYSICAL FORM	8. MAXIMUM AMOUNT OF RADIOACTIVITY WHICH LICENSEE MAY POSSESS AT ONE TIME
A. Krypton 85	A. Gas in electron tubes (manufactured by OSRAM GmbH, Berlin, Germany)	A. No single source to exceed 50 nanocuries; Total: 3 millicuries

9. AUTHORIZED USE

A. For receipt, possession, inspection, testing, assembly, and storage incident to distribution as exempt products (as licensed by the United States Nuclear Regulatory Commission (NRC)) of metal halide lamps that incorporate sealed ceramic polycrystalline alumina arc tubes containing Krypton 85 as a filling gas.

CONDITIONS

10. The licensee shall comply with the provisions of Parts He-P 4019, 4020, 4021, 4022, 4023, New Hampshire Rules for the Control of Radiation (NHRCR).

11. This license is subject to an annual fee in accordance with Part He-P 4070, NHRCR, for the applicable amount specified in Table 4070.1 of that Part.

12. Radioactive material shall be used only at the licensee's address stated in Condition 2.

13. A. Radioactive material shall be used by, or under the supervision of, **Gerald "Chip" Darby.**

B. Prior to initial use of radioactive material, and annually thereafter, supervised users shall read the current OSRAM "Information Manual on Licensed Products Containing Radioactive Material", and such individuals shall sign the certification that they have read and are familiar with the contents of the manual. The Radiation Safety Officer shall maintain the signed certifications for each supervised user on file for at least three years.

State of New Hampshire
Department of Health and Human Services
Division of Public Health Services
Radiological Health Section

License No. 430R
Amendment No. 13

Radioactive Material License

Supplementary Sheet

14. A. The individual designated to perform the duties and functions of Radiation Safety Officer (RSO) for activities covered by this license is **Gerald "Chip" Darby.**

    B. During the interim period between the issuance of Amendment No. 13 of License No. 430R and successful completion of the 40-hour radiation safety officer course by Gerald "Chip" Darby, the licensee shall utilize Alan Jones as radiation safety consultant for operations involving the use of radioactive material at OSRAM Sylvania, Inc.'s Manchester facility. This individual shall be readily available to provide necessary information, support and direction to the radiation safety officer, as deemed necessary. Upon completion of the radiation safety officer's course by Gerald "Chip" Darby, a copy of the certificate of training shall be submitted to the Agency. In the event that Gerald "Chip" Darby does not successfully complete the specified course by October 31, 2010, the licensee shall immediately suspend activities involving the use of radioactive material, and place all such materials in safe storage, until such time as the license is amended by the Agency to name a qualified RSO/supervising user, or alternatively, to take further action to transfer all radioactive materials in its possession to a licensed recipient.

15. Radioactive material shall not be used in or on human beings.

16. This license does not authorize the commercial distribution of exempt quantities of licensed material.

17. The licensee shall conduct a running physical inventory to account for all licensed material received, possessed and transferred or disposed under the license. The record of the inventory shall be maintained for three (3) years from the date of the inventory for inspection by the Agency, and shall include the quantities and kinds of radioactive material, location of sealed sources, the date of the inventory, and the name and initials of the person conducting the inventory.

18. The licensee shall submit annual material transfer reports as specified in He-P 4032.04, NHRCR.

19. Sealed sources containing radioactive material shall not be opened.

20. Notwithstanding the requirements of paragraph (a) of section He-P 4030.11, NHRCR, this license shall expire on the date specified in Condition No. 4 of this license; however, nothing in this condition shall relieve the licensee from payment of the applicable annual licensing fee required by Part He-P 4070, NHRCR, and Condition 11 of this license, to be submitted in accordance with the schedule set out in He-P 4030.11(c), NHRCR. Failure to submit the appropriate annual license fee shall cause the licensee to be subject to the provisions of He-P 4070.08, NHRCR, "Administrative Fines", and state law RSA 125-F:8(II), regarding suspension or revocation of the license for non-payment of fee.

21. A. In addition to the requirements of NHRCR He-P 4020.04, "Radiation Protection Programs", so as to implement the ALARA requirements of He-P 4020.04(b), and notwithstanding the requirements in He-P 4020.13, a "constraint" (as defined in Part B of this condition) on air emissions of radioactive material to the environment, (excluding Radon-222 and its daughters), shall be established by the licensee such that the individual member of the public likely to receive the highest dose will not be expected to receive a total effective dose equivalent in excess of 10 mrem (0.1 mSv) per year from these emissions.

    B. For the purposes of this condition, "Constraint" (dose constraint) means a value above which specified licensee actions are required.

(Condition 21 cont'd. on next page)

State of New Hampshire
Department of Health and Human Services
Division of Public Health Services
Radiological Health Section

License No. 430R
Amendment No. 13

Radioactive Material License

Supplementary Sheet

CONDITION 21 *(cont'd from previous page)*

C. If the dose constraint specified in Part A of this condition is exceeded, the licensee shall report the exceedance as specified in Part D below, and promptly take appropriate corrective action to ensure against recurrence.

D. In addition to the reporting requirements of NHRCR He-P 4021.14, "Reports of Exposures, Radiation Levels, and Concentrations of Radioactive Material Exceeding the Limits", the licensee shall submit a written report within 30 days after learning of doses in excess of the ALARA constraints for air emissions established under Part A of this condition. The content of the report shall comply with the requirements set out in He-P 4021.14(b), and shall include the corrective steps taken or planned to ensure against a recurrence, the schedule for achieving conformance with the ALARA constraint, and the specified information for each individual exposed.

22. Except as specifically provided otherwise by this license, the licensee shall possess and use the radioactive material authorized by this license in accordance with statements, representations, and procedures contained in the documents, including any enclosures, listed below:

application dated August 29, 2007
November 5, 2007
letters dated November 5, 2007
November 8, 2007
August 30, 2010
September 23, 2010

The New Hampshire Rules for the Control of Radiation shall prevail over the statements contained in the above documents unless such statements are more restrictive than the Rules.

For the Department of Health and Human Services
Division of Public Health Services

DATE OF ISSUANCE October 1, 2010

Dennis P. O'Dowd

Dennis P. O'Dowd, Administrator
Radiological Health Section

pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTION

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF RADIATION PROTECTION

RADIOACTIVE MATERIALS LICENSE

License No. PA –1395

Amendment No. 1

Pursuant to the Radiation Protection Act, the Act of July 10, 1984 (No. 147, P.L. 688) (35 P.S. §§ 7110.101 – 7110.703) and Title 25. Rules and Regulations, Article V. Radiological Health of the Pennsylvania Department of Environmental Protection, and in reliance on statements and representations heretofore Licensee to receive, acquire, possess, transfer, and use radioactive material listed below for the purposes and at the places designated below. This license shall be deemed subject to all applicable rules, regulations, or orders of the Pennsylvania Department of Environmental Protection now or hereafter in effect and to any conditions specified below.

Licensee	In response to correspondence dated September 29, 2010.
1. Osram Sylvania Inc.	**3.** License No. PA – 1395 Is amended as follows:
2. 100 Endicott Street Danvers, Massachusetts 01923	**4.** Expiration Date: May 31, 2013
	5. Client ID: 185018 Program Code: 3214 Priority: 5

6. Byproduct, source, and/or special nuclear material	**7. Chemical and/or physical form**	**8. Maximum amount that licensee may possess at any one time under this license**
A. Krypton 85	**A.** Gas in sealed glass tubes.	**A.** 100 millicuries
B. Promethium 147	**B.** Electroplated Promethium in a sealed glass capsule.	**B.** 40 millicuries

9. Authorized use:

A. and B. To be used for possession and storage in florescent lamps, metal halide discharge lamps and lamp starters incident to distribution in accordance with the conditions of NRC License 20-30024-02E.

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 2460 Broadhead Road, Bethlehem, Pennsylvania 18020.

11. Licensed material shall be used by, or under the supervision of David Davies.

12. The Radiation Safety Officer for this license is Alan H. Jones.

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified and incorporated by reference in 10 CFR 30.35(d) for establishing financial assurance for decommissioning

14. This license does not authorize commercial distribution of licensed material.

15. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.

16. The licensee shall conduct a physical inventory every 6 months to account for all sealed sources and devices containing licensed material received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.

17. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The Department of Environmental Protection's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Application dated February 8, 1993 (NRC)
B. Letter dated May 2, 1994 (NRC)
C. Letters dated September 22 and September 29, 2010 (DEP)

For the Pennsylvania Department of Environmental Protection

John S. Chippo
Bureau of Radiation Protection
P. O. Box 8469
Harrisburg, PA 17105-8469

Date: January 13, 2011

NRC FORM 374

U.S. NUCLEAR REGULATORY COMMISSION

Amendment No. 9

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	In accordance with the letter dated September 16, 2010,
1. Osram Sylvania Inc.	3. License number 20-30024-03 is amended in its entirety to read as follows:
2. 100 Endicott Street Danvers, Massachusetts 01923	4. Expiration date May 31, 2013
	5. Docket No. 030-34371 Reference No.

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Krypton 85	A. Gas in sealed glass tubes	A. 10 millicuries

9. Authorized use:

A. For possession and storage in electron tubes and arc tubes incident to distribution in accordance with the conditions of NRC License No. 20-30024-02E.

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at Royal Industrial Park, Building C, Road No. 869, Barrio Palmas, Catano, Puerto Rico.

11. Licensed material shall be used by, or under the supervision of, Miguel Morales.

12. The Radiation Safety Officer for this license is Miguel Morales.

13. This license does not authorize commercial distribution of licensed material.

14. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.

NRC FORM 374A	PAGE 2 OF 2 PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET	License Number 20-30024-03 Docket or Reference Number 030-34371 Amendment No. 9

15. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.

16. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

    A. Letter dated October 22, 2009 (ML093010330)

For the U.S. Nuclear Regulatory Commission

Date October 1, 2010

By ***Original signed by Dennis R. Lawyer***

Dennis R. Lawyer
Commercial and R&D Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406

Friday, October 1, 2010 10:12:18

OSRAM SYLVANIA

VIA EMAIL AND
FIRST CLASS MAIL

September 22, 2010

Ms. Lauren Labbe
State of California
Department of Public Health
Radiologic Health Branch
Licensing Section, MS7610
Box 997414
Sacramento, CA 95899-7414

Re: Radioactive Material License No. 5873-36 – Notification of Name Change

Dear Ms. Labbe:

We are writing on behalf of OSRAM SYLVANIA Products Inc. ("OSPI") and OSRAM SYLVANIA Inc. ("OSI"). Specifically, we are writing concerning the above-referenced license, issued to OSPI.

I understand you spoke with Ken Gray of Pierce Atwood on September 21, 2010, and that he explained to you the planned corporate reorganization that is taking place. OSPI, the current license holder, is undertaking an internal corporate reorganization, at the end of which OSPI will change its name to OSI. OSI and OSPI will conduct this internal corporate restructuring effective October 1, 2010. The parent company of OSPI and OSI is and will remain Siemens Industry, Inc; that is not changing. We do not believe that a license amendment is required under these circumstances, and I am told by Ken that you confirmed that fact.

This internal corporate reorganization is being undertaken for accounting purposes and for simplification of tax filing. All persons responsible for compliance, all relevant names and addresses, and all technical and financial capabilities will remain unchanged.

As you requested, I am writing in my capacity of Radiation Safety Officer, to request that the Department take such actions as it deems necessary to reflect that the license will be held by OSRAM SYLVANIA Inc. on and after October 1st.

If you have further questions, please contact me or Ken Gray (207-791-1212).

Very truly yours,

Michael Dixon,
Radiation Safety Officer

OSRAM SYLVANIA
100 Endicott Street
Danvers, MA 01923
☎ (978) 777-1900
www.sylvania.com

KFG:pmp

cc Christianna M.L. Reed, Legal Counsel, OSI
Alan Jones, OSI
Kenneth F. Gray

State of California—Health and Human Services Agency
California Department of Public Health

MARK B HORTON, MD, MSPH
Director

ARNOLD SCHWARZENEGGER
Governor

March 6th, 2010

Osram Sylvania Products, Inc.
Mike Dixon-Distribution Center Manager
1651 S. Archibald Avenue
Ontario, CA 91761

NOTICE OF RECIEPT OF RENEWAL APPLICATION FOR REVIEW

Docket Number: 030610-5873
License Number: 5873-36
Application Date: 03/02/10

The above renewal application has been received by the Radiologic Health Branch. Since your application is deemed timely and accordingly, the license will not expire until final action has been taken up by the Department. This application will be processed in the order received. The license expiration date (*item 4* on the face of the license) will not change until the renewal is reviewed and approved by the Department.
Please retain this notice to demonstrate proof of an active license.

If your renewal application contains any program changes, e.g. change of Radiation Safety Officer, change of storage/use location, change in possession limit, **please submit a separate amendment request,** and reference the license number. You may include these changes in the renewal package that will be reviewed at a later date.

Correspondence or other communication concerning the above referenced application **must be submitted in duplicate** and should make clear reference to your assigned docketed number pertaining to its specific request. Future requests, not related to this (the above request), will be assigned a new docket number.

Thank you,

Gonzalo L. Perez, Chief
Radioactive Materials Licensing Section
Radiologic Health Branch