



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION IV
612 EAST LAMAR BLVD., SUITE 400
ARLINGTON, TEXAS 76011-4125

FACSIMILE



Name: Oscar Paulson
Organization: Kennecott Uranium Company License Number 49-19005-01
Docket Number 030-15192
Control Number 574100
Fax Number: 307-324-4925
Phone: 307-324-4924
From: Jacqueline D. Cook
Date: May 13, 2011
Subject: Application dated November 18, 2010 for License Renewal & Response to
Request for Additional Information dated March 14, 2011
Pages: 2

Mr. Paulson:

Per your application dated November 18, 2010, and your response to our request for additional information dated March 14, 2011, the item on the next page is a deficiency which requires your response. **Please respond to this fax by Wednesday, May 18, 2011.** If you are unable to respond by this due date, please don't hesitate to contact me so we can discuss an extension to the date. Our fax number is (817) 860-8263. You may respond by email if you'd like in pdf format. My email address is Jackie.Cook@nrc.gov. If you have any questions regarding this fax, please call me at (817) 860-8132. When responding to this fax, please include the license, docket and control numbers located at the top of this page.

Thanking you in advance for your cooperation, assistance, and prompt response in this matter.

/RA/

Jacqueline D. Cook
Senior Health Physicist

1. For routine maintenance: Please submit either of the following:

- A statement that: “We will implement and maintain procedures for routine maintenance of our gauges according to each manufacturer’s or distributor’s written recommendations and instructions.”

OR

- Alternative procedures for NRC’s review.