

Characterization Survey Report  
Forest Glen Annex and Gillette Building, MD

Sample ID	Analyte	Matrix	Final Result	Reported Units	Flag	TPU	PRL	MDC	Req MDC	Conversion	Units	DCGL	Flag?
SU01-01	H-3	WIPE	-1.1	pCi/sample	U	2.6	4.5	4.5	20	-2.442	dpm/100cm2	12000000	No
SU01-02	H-3	WIPE	-0.4	pCi/sample	U	2.6	4.5	4.5	20	-0.888	dpm/100cm2	12000000	No
SU01-03	H-3	WIPE	-0.3	pCi/sample	U	2.7	4.6	4.6	20	-0.666	dpm/100cm2	12000000	No
SU01-04	H-3	WIPE	-1.4	pCi/sample	U	2.6	4.6	4.6	20	-3.108	dpm/100cm2	12000000	No
SU01-05	H-3	WIPE	-1.8	pCi/sample	U	2.6	4.5	4.5	20	-3.996	dpm/100cm2	12000000	No
SU01-06	H-3	WIPE	-1.9	pCi/sample	U	2.5	4.4	4.4	20	-4.218	dpm/100cm2	12000000	No
SU01-07	H-3	WIPE	-1.4	pCi/sample	U	2.7	4.7	4.7	20	-3.108	dpm/100cm2	12000000	No
SU01-08	H-3	WIPE	-0.7	pCi/sample	U	2.8	4.8	4.8	20	-1.554	dpm/100cm2	12000000	No
SU01-09	H-3	WIPE	0.3	pCi/sample	U	2.7	4.6	4.6	20	0.666	dpm/100cm2	12000000	No
SU01-10	H-3	WIPE	-1.6	pCi/sample	U	2.7	4.8	4.8	20	-3.552	dpm/100cm2	12000000	No
SU01-11	H-3	WIPE	-1.5	pCi/sample	U	2.6	4.5	4.5	20	-3.33	dpm/100cm2	12000000	No
SU01-12	H-3	WIPE	0.1	pCi/sample	U	2.8	4.7	4.7	20	0.222	dpm/100cm2	12000000	No
SU01-13	H-3	WIPE	-3.9	pCi/sample	U	3.4	6	6	20	-8.658	dpm/100cm2	12000000	No
SU01-14	H-3	WIPE	-1	pCi/sample	U	2.6	4.5	4.5	20	-2.22	dpm/100cm2	12000000	No
SU01-15	H-3	WIPE	-0.7	pCi/sample	U	2.7	4.7	4.7	20	-1.554	dpm/100cm2	12000000	No
SU01-16	H-3	WIPE	0	pCi/sample	U	2.7	4.6	4.6	20	0	dpm/100cm2	12000000	No
SU01-17	H-3	WIPE	-1.5	pCi/sample	U	2.6	4.5	4.5	20	-3.33	dpm/100cm2	12000000	No
SU01-18	H-3	WIPE	-0.9	pCi/sample	U	2.9	5	5	20	-1.998	dpm/100cm2	12000000	No
SU01-19	H-3	WIPE	0.6	pCi/sample	U	2.8	4.7	4.7	20	1.332	dpm/100cm2	12000000	No
SU01-20	H-3	WIPE	-0.5	pCi/sample	U	2.7	4.6	4.6	20	-1.11	dpm/100cm2	12000000	No
SU01-21	H-3	WIPE	-1	pCi/sample	U	2.9	5.1	5.1	20	-2.22	dpm/100cm2	12000000	No
SU01-22	H-3	WIPE	0.6	pCi/sample	U	2.8	4.8	4.8	20	1.332	dpm/100cm2	12000000	No
SU01-23	H-3	WIPE	-1.3	pCi/sample	U	2.5	4.4	4.4	20	-2.886	dpm/100cm2	12000000	No
SU01-24	H-3	WIPE	-2.8	pCi/sample	U	2.6	4.5	4.5	20	-6.216	dpm/100cm2	12000000	No
SU01-25	H-3	WIPE	-1.3	pCi/sample	U	2.7	4.7	4.7	20	-2.886	dpm/100cm2	12000000	No
SU01-26	H-3	WIPE	-1.3	pCi/sample	U	2.6	4.5	4.5	20	-2.886	dpm/100cm2	12000000	No
SU01-27	H-3	WIPE	-0.8	pCi/sample	U	2.9	5.1	5.1	20	-1.776	dpm/100cm2	12000000	No
SU01-28	H-3	WIPE	1.1	pCi/sample	U	3	5	5	20	2.442	dpm/100cm2	12000000	No
SU01-29	H-3	WIPE	0.5	pCi/sample	U	2.8	4.7	4.7	20	1.11	dpm/100cm2	12000000	No
SU01-30	H-3	WIPE	-0.2	pCi/sample	U	2.9	4.9	4.9	20	-0.444	dpm/100cm2	12000000	No
SU01-BIAS (SU01-BS-11)	H-3	WIPE	-0.4	pCi/sample	U	2.8	4.9	4.9	20	-0.888	dpm/100cm2	12000000	No
SU02-31	H-3	WIPE	0.4	pCi/sample	U	2.6	4.4	4.4	20	0.888	dpm/100cm2	12000000	No
SU02-32	H-3	WIPE	-3.5	pCi/sample	U	3.1	5.4	5.4	20	-7.77	dpm/100cm2	12000000	No
SU02-33	H-3	WIPE	-1.1	pCi/sample	U	2.8	4.9	4.9	20	-2.442	dpm/100cm2	12000000	No
SU02-34	H-3	WIPE	-0.6	pCi/sample	U	2.9	4.9	4.9	20	-1.332	dpm/100cm2	12000000	No

Characterization Survey Report  
Forest Glen Annex and Gillette Building, MD

Sample ID	Analyte	Matrix	Final Result	Reported Units	Flag	TPU	PRL	MDC	Req MDC	Conversion	Units	DCGL	Flag?
SU02-35	H-3	WIPE	-3.5	pCi/sample	U	2.9	5.2	5.2	20	-7.77	dpm/100cm2	12000000	No
SU02-36	H-3	WIPE	-0.6	pCi/sample	U	3	5.3	5.3	20	-1.332	dpm/100cm2	12000000	No
SU02-37	H-3	WIPE	0.3	pCi/sample	U	2.8	4.8	4.8	20	0.666	dpm/100cm2	12000000	No
SU02-38	H-3	WIPE	-0.7	pCi/sample	U	2.8	4.8	4.8	20	-1.554	dpm/100cm2	12000000	No
SU02-39	H-3	WIPE	-1.4	pCi/sample	U	2.5	4.4	4.4	20	-3.108	dpm/100cm2	12000000	No
SU02-40	H-3	WIPE	-0.6	pCi/sample	U	2.6	4.5	4.5	20	-1.332	dpm/100cm2	12000000	No
SU02-41	H-3	WIPE	0.8	pCi/sample	U	2.8	4.6	4.6	20	1.776	dpm/100cm2	12000000	No
SU02-42	H-3	WIPE	0.5	pCi/sample	U	2.8	4.8	4.8	20	1.11	dpm/100cm2	12000000	No
SU02-43	H-3	WIPE	7.9	pCi/sample	LT	3.5	5	5	20	17.538	dpm/100cm2	12000000	No
SU02-44	H-3	WIPE	0.2	pCi/sample	U	2.7	4.7	4.7	20	0.444	dpm/100cm2	12000000	No
SU02-45	H-3	WIPE	-0.9	pCi/sample	U	2.7	4.7	4.7	20	-1.998	dpm/100cm2	12000000	No
SU02-46	H-3	WIPE	3.8	pCi/sample	U	3	4.8	4.8	20	8.436	dpm/100cm2	12000000	No
SU02-47	H-3	WIPE	1.3	pCi/sample	U	3	5	5	20	2.886	dpm/100cm2	12000000	No
SU02-48	H-3	WIPE	1.4	pCi/sample	U	2.9	4.8	4.8	20	3.108	dpm/100cm2	12000000	No
SU02-49	H-3	WIPE	0	pCi/sample	U	2.5	4.3	4.3	20	0	dpm/100cm2	12000000	No
SU02-50	H-3	WIPE	3.4	pCi/sample	U	3	4.8	4.8	20	7.548	dpm/100cm2	12000000	No
SU02-51	H-3	WIPE	3.4	pCi/sample	U	2.9	4.6	4.6	20	7.548	dpm/100cm2	12000000	No
SU02-52	H-3	WIPE	2.8	pCi/sample	U	3.1	5.1	5.1	20	6.216	dpm/100cm2	12000000	No
SU02-53	H-3	WIPE	-0.2	pCi/sample	U	2.8	4.8	4.8	20	-0.444	dpm/100cm2	12000000	No
SU02-54	H-3	WIPE	-0.9	pCi/sample	U	2.9	5	5	20	-1.998	dpm/100cm2	12000000	No
SU02-55	H-3	WIPE	-0.2	pCi/sample	U	2.8	4.9	4.9	20	-0.444	dpm/100cm2	12000000	No
SU02-56	H-3	WIPE	0.7	pCi/sample	U	2.9	4.9	4.9	20	1.554	dpm/100cm2	12000000	No
SU02-57	H-3	WIPE	-2	pCi/sample	U	2.9	5.1	5.1	20	-4.44	dpm/100cm2	12000000	No
SU02-58	H-3	WIPE	0.2	pCi/sample	U	2.8	4.8	4.8	20	0.444	dpm/100cm2	12000000	No
SU02-59	H-3	WIPE	-1.1	pCi/sample	U	2.6	4.6	4.6	20	-2.442	dpm/100cm2	12000000	No
SU02-60	H-3	WIPE	-0.5	pCi/sample	U	3	5.1	5.1	20	-1.11	dpm/100cm2	12000000	No
SU02-BIAS (SU02-BS-01)	H-3	WIPE	-2.1	pCi/sample	U	3.2	5.5	5.5	20	-4.662	dpm/100cm2	12000000	No
SU03-61	H-3	WIPE	-0.5	pCi/sample	U	2.7	4.7	4.7	20	-1.11	dpm/100cm2	12000000	No
SU03-62	H-3	WIPE	-0.9	pCi/sample	U	2.7	4.7	4.7	20	-1.998	dpm/100cm2	12000000	No
SU03-63	H-3	WIPE	-1.8	pCi/sample	U	2.6	4.5	4.5	20	-3.996	dpm/100cm2	12000000	No
SU03-64	H-3	WIPE	-0.2	pCi/sample	U	3.2	5.5	5.5	20	-0.444	dpm/100cm2	12000000	No
SU03-65	H-3	WIPE	-2.8	pCi/sample	U	2.7	4.7	4.7	20	-6.216	dpm/100cm2	12000000	No
SU03-66	H-3	WIPE	-0.2	pCi/sample	U	2.7	4.6	4.6	20	-0.444	dpm/100cm2	12000000	No
SU03-67	H-3	WIPE	-0.6	pCi/sample	U	2.7	4.6	4.6	20	-1.332	dpm/100cm2	12000000	No
SU03-68	H-3	WIPE	0.8	pCi/sample	U	2.7	4.5	4.5	20	1.776	dpm/100cm2	12000000	No

Characterization Survey Report  
 Forest Glen Annex and Gillette Building, MD

Sample ID	Analyte	Matrix	Final Result	Reported Units	Flag	TPU	PRL	MDC	Req MDC	Conversion	Units	DCGL	Flag?
SU03-69	H-3	WIPE	-2.8	pCi/sample	U	2.6	4.6	4.6	20	-6.216	dpm/100cm2	12000000	No
SU03-70	H-3	WIPE	0.6	pCi/sample	U	2.8	4.7	4.7	20	1.332	dpm/100cm2	12000000	No
SU03-71	H-3	WIPE	-1.8	pCi/sample	U	2.6	4.6	4.6	20	-3.996	dpm/100cm2	12000000	No
SU03-72	H-3	WIPE	-0.9	pCi/sample	U	2.7	4.7	4.7	20	-1.998	dpm/100cm2	12000000	No
SU03-73	H-3	WIPE	-1.2	pCi/sample	U	2.8	4.9	4.9	20	-2.664	dpm/100cm2	12000000	No
SU03-74	H-3	WIPE	1.7	pCi/sample	U	2.7	4.5	4.5	20	3.774	dpm/100cm2	12000000	No
SU03-75	H-3	WIPE	1.6	pCi/sample	U	2.7	4.5	4.5	20	3.552	dpm/100cm2	12000000	No
SU03-76	H-3	WIPE	-0.7	pCi/sample	U	2.6	4.5	4.5	20	-1.554	dpm/100cm2	12000000	No
SU03-77	H-3	WIPE	0.2	pCi/sample	U	2.6	4.4	4.4	20	0.444	dpm/100cm2	12000000	No
SU03-78	H-3	WIPE	-0.7	pCi/sample	U	2.6	4.4	4.4	20	-1.554	dpm/100cm2	12000000	No
SU03-79	H-3	WIPE	0.1	pCi/sample	U	2.9	5	5	20	0.222	dpm/100cm2	12000000	No
SU03-80	H-3	WIPE	-2	pCi/sample	U	2.5	4.4	4.4	20	-4.44	dpm/100cm2	12000000	No
SU03-81	H-3	WIPE	-0.2	pCi/sample	U	2.6	4.5	4.5	20	-0.444	dpm/100cm2	12000000	No
SU03-82	H-3	WIPE	0.9	pCi/sample	U	2.6	4.4	4.4	20	1.998	dpm/100cm2	12000000	No
SU03-83	H-3	WIPE	0.9	pCi/sample	U	2.7	4.5	4.5	20	1.998	dpm/100cm2	12000000	No
SU03-84	H-3	WIPE	-0.6	pCi/sample	U	2.6	4.5	4.5	20	-1.332	dpm/100cm2	12000000	No
SU03-85	H-3	WIPE	0.2	pCi/sample	U	2.7	4.6	4.6	20	0.444	dpm/100cm2	12000000	No
SU03-86	H-3	WIPE	1.9	pCi/sample	U	2.7	4.5	4.5	20	4.218	dpm/100cm2	12000000	No
SU03-87	H-3	WIPE	-0.3	pCi/sample	U	2.5	4.4	4.4	20	-0.666	dpm/100cm2	12000000	No
SU03-88	H-3	WIPE	-1.7	pCi/sample	U	2.6	4.5	4.5	20	-3.774	dpm/100cm2	12000000	No
SU03-89	H-3	WIPE	0.6	pCi/sample	U	2.7	4.6	4.6	20	1.332	dpm/100cm2	12000000	No
SU03-90	H-3	WIPE	0.4	pCi/sample	U	2.6	4.4	4.4	20	0.888	dpm/100cm2	12000000	No
SU03-BIAS (SU03-BS-01)	H-3	WIPE	0.5	pCi/sample	U	1.8	3	3	20	1.11	dpm/100cm2	12000000	No
SU03-BIAS-02 (SU03-BS-02)	H-3	WIPE	0.7	pCi/sample	U	1.8	3	3	20	1.554	dpm/100cm2	12000000	No
SU03-BIAS-03 (SU03-BS-03)	H-3	WIPE	-1.1	pCi/sample	U	2.8	4.9	4.9	20	-2.442	dpm/100cm2	12000000	No

**NOTES:**

<sup>1</sup> **Flags**

U - Result Less than Sample-Specific MDC  
 LT - Result is less than Requested MDC, but greater than Sample-Specific MDC

<sup>2</sup> **PRL**

Practical Reporting Limit

<sup>3</sup> **TPU**

Total Propagated Uncertainty

<sup>4</sup> **MDC**

Sample Specific Minimum Detectable Concentration