

FieldID	Analyte	LabID	Matrix	Date Collected	Time Collected	Rack	Pos	CPM	Isotopic Efficiency (cts/dis)	Sample Area	Reported Sample Activity	Units	DCGL	Units	Flag
SU01-01	Ni-63	1004226-1	WIPE	17-Nov-09	9:00	38	2	13.5	0.102	100 cm2	132.6	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-02	Ni-63	1004226-3	WIPE	17-Nov-09	9:10	38	4	15.5	0.102	100 cm2	152.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-03	Ni-63	1004226-4	WIPE	17-Nov-09	9:15	38	5	12	0.102	100 cm2	117.9	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-04	Ni-63	1004226-5	WIPE	17-Nov-09	9:20	38	6	11.5	0.102	100 cm2	113.0	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-05	Ni-63	1004226-6	WIPE	17-Nov-09	9:25	38	7	15.5	0.102	100 cm2	152.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-06	Ni-63	1004226-7	WIPE	17-Nov-09	9:30	38	8	18	0.102	100 cm2	176.8	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-07	Ni-63	1004226-9	WIPE	17-Nov-09	9:40	38	10	18.5	0.102	100 cm2	181.7	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-08	Ni-63	1004226-10	WIPE	17-Nov-09	9:45	38	11	12.5	0.102	100 cm2	122.8	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-09	Ni-63	1004226-11	WIPE	17-Nov-09	9:50	46	1	16.5	0.102	100 cm2	162.1	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-10	Ni-63	1004226-12	WIPE	17-Nov-09	9:55	46	2	16.5	0.102	100 cm2	162.1	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-11	Ni-63	1004226-13	WIPE	17-Nov-09	10:00	46	3	14.5	0.102	100 cm2	142.4	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-12	Ni-63	1004226-14	WIPE	17-Nov-09	10:05	46	4	22.5	0.102	100 cm2	221.0	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-13	Ni-63	1004226-16	WIPE	17-Nov-09	10:15	46	6	19	0.102	100 cm2	186.6	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-14	Ni-63	1004226-17	WIPE	17-Nov-09	10:20	46	7	22.5	0.102	100 cm2	221.0	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-15	Ni-63	1004226-18	WIPE	17-Nov-09	10:25	46	8	12.5	0.102	100 cm2	122.8	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-16	Ni-63	1004226-19	WIPE	17-Nov-09	10:30	46	9	15.5	0.102	100 cm2	152.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-17	Ni-63	1004226-20	WIPE	17-Nov-09	10:35	46	10	19	0.102	100 cm2	186.6	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-18	Ni-63	1004226-21	WIPE	17-Nov-09	10:40	48	2	18.5	0.102	100 cm2	181.7	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-19	Ni-63	1004226-22	WIPE	17-Nov-09	10:45	48	3	17.5	0.102	100 cm2	171.9	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-20	Ni-63	1004226-23	WIPE	17-Nov-09	10:50	48	4	16.5	0.102	100 cm2	162.1	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-21	Ni-63	1004226-24	WIPE	17-Nov-09	10:55	48	5	13.5	0.102	100 cm2	132.6	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-22	Ni-63	1004226-25	WIPE	17-Nov-09	11:00	48	6	16.5	0.102	100 cm2	162.1	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-23	Ni-63	1004226-26	WIPE	17-Nov-09	11:05	48	7	14	0.102	100 cm2	137.5	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-24	Ni-63	1004226-27	WIPE	17-Nov-09	11:10	48	8	19	0.102	100 cm2	186.6	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-25	Ni-63	1004226-28	WIPE	17-Nov-09	11:15	48	9	17	0.102	100 cm2	167.0	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-26	Ni-63	1004226-29	WIPE	17-Nov-09	11:20	48	10	18	0.102	100 cm2	176.8	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-27	Ni-63	1004226-30	WIPE	17-Nov-09	11:25	48	11	16	0.102	100 cm2	157.2	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-28	Ni-63	1004226-31	WIPE	17-Nov-09	11:30	55	1	14	0.102	100 cm2	137.5	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-29	Ni-63	1004226-32	WIPE	17-Nov-09	11:35	55	2	17.5	0.102	100 cm2	171.9	dpm/100cm2	3.50E+03	dpm/100cm2	No

FieldID	Analyte	LabID	Matrix	Date Collected	Time Collected	Rack	Pos	CPM	Isotopic Efficiency (cts/dis)	Sample Area	Reported Sample Activity	Units	DCGL	Units	Flag
SU01-30	Ni-63	1004226-33	WIPE	17-Nov-09	11:40	55	3	18.5	0.102	100 cm2	181.7	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU01-BIAS	Ni-63	1004226-34	WIPE	17-Nov-09	11:45	55	4	16.5	0.102	100 cm2	162.1	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-31	Ni-63	1004226-35	WIPE	17-Nov-09	9:00	55	5	15	0.102	100 cm2	147.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-32	Ni-63	1004226-36	WIPE	17-Nov-09	9:05	55	6	21	0.102	100 cm2	206.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-33	Ni-63	1004226-37	WIPE	17-Nov-09	9:10	55	7	17.5	0.102	100 cm2	171.9	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-34	Ni-63	1004226-38	WIPE	17-Nov-09	9:15	55	8	18	0.102	100 cm2	176.8	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-35	Ni-63	1004226-39	WIPE	17-Nov-09	9:20	55	9	15.5	0.102	100 cm2	152.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-36	Ni-63	1004226-40	WIPE	17-Nov-09	9:25	55	10	17	0.102	100 cm2	167.0	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-37	Ni-63	1004226-41	WIPE	17-Nov-09	9:30	39	2	14	0.102	100 cm2	137.5	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-38	Ni-63	1004226-43	WIPE	17-Nov-09	9:40	39	4	23.5	0.102	100 cm2	230.8	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-39	Ni-63	1004226-45	WIPE	17-Nov-09	9:50	39	6	20.5	0.102	100 cm2	201.4	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-40	Ni-63	1004226-46	WIPE	17-Nov-09	9:55	39	7	17	0.102	100 cm2	167.0	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-41	Ni-63	1004226-47	WIPE	17-Nov-09	10:00	39	8	16	0.102	100 cm2	157.2	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-42	Ni-63	1004226-48	WIPE	17-Nov-09	10:05	39	9	17	0.102	100 cm2	167.0	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-43	Ni-63	1004226-49	WIPE	17-Nov-09	10:10	39	10	13	0.102	100 cm2	127.7	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-44	Ni-63	1004226-50	WIPE	17-Nov-09	10:15	39	11	14.5	0.102	100 cm2	142.4	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-45	Ni-63	1004226-51	WIPE	17-Nov-09	10:20	3	1	17.5	0.102	100 cm2	171.9	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-46	Ni-63	1004226-61	WIPE	17-Nov-09		59	2	15.5	0.102	100 cm2	152.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-47	Ni-63	1004226-53	WIPE	17-Nov-09	10:30	3	3	17	0.102	100 cm2	167.0	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-48	Ni-63	1004226-54	WIPE	17-Nov-09	10:35	3	4	21	0.102	100 cm2	206.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-49	Ni-63	1004226-55	WIPE	17-Nov-09	10:40	3	5	24	0.102	100 cm2	235.8	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-50	Ni-63	1004226-56	WIPE	17-Nov-09	10:45	3	6	23	0.102	100 cm2	225.9	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-51	Ni-63	1004226-57	WIPE	17-Nov-09	10:50	3	7	18.5	0.102	100 cm2	181.7	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-52	Ni-63	1004226-58	WIPE	17-Nov-09	10:55	3	8	16.5	0.102	100 cm2	162.1	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-53	Ni-63	1004226-59	WIPE	17-Nov-09	11:00	3	9	22	0.102	100 cm2	216.1	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-54	Ni-63	1004226-60	WIPE	17-Nov-09	11:05	3	10	15.5	0.102	100 cm2	152.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-55	Ni-63	1004226-62	WIPE	17-Nov-09	11:10	59	3	13	0.102	100 cm2	127.7	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-56	Ni-63	1004226-63	WIPE	17-Nov-09	11:15	59	4	16.5	0.102	100 cm2	162.1	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-57	Ni-63	1004226-64	WIPE	17-Nov-09	11:20	59	5	16.5	0.102	100 cm2	162.1	dpm/100cm2	3.50E+03	dpm/100cm2	No

FieldID	Analyte	LabID	Matrix	Date Collected	Time Collected	Rack	Pos	CPM	Isotopic Efficiency (cts/dis)	Sample Area	Reported Sample Activity	Units	DCGL	Units	Flag
SU02-58	Ni-63	1004226-65	WIPE	17-Nov-09	11:25	59	6	19	0.102	100 cm2	186.6	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-59	Ni-63	1004226-66	WIPE	17-Nov-09	11:30	59	7	22.5	0.102	100 cm2	221.0	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-60	Ni-63	1004226-67	WIPE	17-Nov-09	11:35	59	8	14	0.102	100 cm2	137.5	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU02-BIAS	Ni-63	1004226-68	WIPE	18-Nov-09	11:40	59	9	16.5	0.102	100 cm2	162.1	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-61	Ni-63	1004226-69	WIPE	18-Nov-09	10:00	59	10	20	0.102	100 cm2	196.5	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-62	Ni-63	1004226-70	WIPE	18-Nov-09	10:05	59	11	17.5	0.102	100 cm2	171.9	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-63	Ni-63	1004226-71	WIPE	18-Nov-09	10:10	62	1	12.5	0.102	100 cm2	122.8	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-64	Ni-63	1004226-72	WIPE	18-Nov-09	10:15	62	2	15.5	0.102	100 cm2	152.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-65	Ni-63	1004226-73	WIPE	18-Nov-09	10:20	62	3	19	0.102	100 cm2	186.6	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-66	Ni-63	1004226-74	WIPE	18-Nov-09	10:25	62	4	19	0.102	100 cm2	186.6	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-67	Ni-63	1004226-75	WIPE	18-Nov-09	10:30	62	5	12.5	0.102	100 cm2	122.8	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-68	Ni-63	1004226-76	WIPE	18-Nov-09	10:35	62	6	18.5	0.102	100 cm2	181.7	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-69	Ni-63	1004226-77	WIPE	18-Nov-09	10:40	62	7	17.5	0.102	100 cm2	171.9	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-70	Ni-63	1004226-78	WIPE	18-Nov-09	10:45	62	8	20	0.102	100 cm2	196.5	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-71	Ni-63	1004226-79	WIPE	18-Nov-09	10:50	62	9	16.5	0.102	100 cm2	162.1	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-72	Ni-63	1004226-80	WIPE	18-Nov-09	10:55	62	10	16.5	0.102	100 cm2	162.1	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-73	Ni-63	1004226-81	WIPE	18-Nov-09	11:00	8	2	17	0.102	100 cm2	167.0	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-74	Ni-63	1004226-82	WIPE	18-Nov-09	11:05	8	3	16	0.102	100 cm2	157.2	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-75	Ni-63	1004226-83	WIPE	18-Nov-09	11:10	8	4	15.5	0.102	100 cm2	152.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-76	Ni-63	1004226-84	WIPE	18-Nov-09	11:15	8	5	15	0.102	100 cm2	147.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-77	Ni-63	1004226-85	WIPE	18-Nov-09	11:20	8	6	15.5	0.102	100 cm2	152.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-78	Ni-63	1004226-86	WIPE	18-Nov-09	11:25	8	7	10.5	0.102	100 cm2	103.1	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-79	Ni-63	1004226-87	WIPE	18-Nov-09	11:30	8	8	20	0.102	100 cm2	196.5	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-80	Ni-63	1004226-88	WIPE	18-Nov-09	11:35	8	9	20.5	0.102	100 cm2	201.4	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-81	Ni-63	1004226-89	WIPE	18-Nov-09	11:40	8	10	19.5	0.102	100 cm2	191.6	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-82	Ni-63	1004226-90	WIPE	18-Nov-09	11:45	8	11	21.5	0.102	100 cm2	211.2	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-83	Ni-63	1004226-91	WIPE	18-Nov-09	11:50	33	1	18.5	0.102	100 cm2	181.7	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-84	Ni-63	1004226-93	WIPE	18-Nov-09	12:00	33	3	15	0.102	100 cm2	147.3	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-85	Ni-63	1004226-94	WIPE	18-Nov-09	12:05	33	4	19	0.102	100 cm2	186.6	dpm/100cm2	3.50E+03	dpm/100cm2	No

FieldID	Analyte	LabID	Matrix	Date Collected	Time Collected	Rack	Pos	CPM	Isotopic Efficiency (cts/dis)	Sample Area	Reported Sample Activity	Units	DCGL	Units	Flag
SU03-86	Ni-63	1004226-96	WIPE	18-Nov-09	12:15	33	6	14.5	0.102	100 cm2	142.4	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-87	Ni-63	1004226-98	WIPE	18-Nov-09	12:25	33	8	17	0.102	100 cm2	167.0	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-88	Ni-63	1004226-99	WIPE	18-Nov-09	12:30	33	9	14.5	0.102	100 cm2	142.4	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-89	Ni-63	1004226-100	WIPE	18-Nov-09	12:35	33	10	19.5	0.102	100 cm2	191.6	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-90	Ni-63	1004226-101	WIPE	18-Nov-09	12:40	11	2	16	0.102	100 cm2	157.2	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-BIAS	Ni-63	1004226-102	WIPE	18-Nov-09	12:45	11	3	16	0.102	100 cm2	157.2	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-BIAS-02	Ni-63	1004226-103	WIPE	18-Nov-09	12:50	11	5	14	0.102	100 cm2	137.5	dpm/100cm2	3.50E+03	dpm/100cm2	No
SU03-BIAS-03	Ni-63	1004226-104	WIPE	18-Nov-09	12:55	11	6	14.5	0.102	100 cm2	142.4	dpm/100cm2	3.50E+03	dpm/100cm2	No