



UNITED STATES
ATOMIC ENERGY COMMISSION
DIRECTORATE OF REGULATORY OPERATIONS
REGION III
799 ROOSEVELT ROAD
GLEN ELLYN, ILLINOIS 60137

TELEPHONE
(312) 858-2660

November 13, 1972

Wisconsin Public Service Corporation
ATTN: Mr. E. W. James, Senior Vice President
Power Generation and Engineering
P. O. Box 1200
Green Bay, Wisconsin 54305

Docket No. 50-305

Gentlemen:

Thank you for your letter of October 16, 1972, regarding your plans for loss of instrument air testing.

We have reviewed your plans and we continue to feel that a test for plant response to loss of instrument air should be performed as a part of the Kewaunee test program, either during preoperational testing or during hot functional testing. Such a test is provided for in the AEC Guide for the Planning of Preoperational Testing Programs. We will examine this matter further during subsequent inspections at the Kewaunee site.

If you have questions regarding this matter, we will be pleased to discuss them with you.

Sincerely yours,

Boyce H. Grier
Regional Director

cc: C. W. Giesler, Superintendent, Nuclear Power
E. R. Mathews, Manager, Power Engineering
L. O. Ramsett, Quality Assurance Supervisor

bcc: RO Chief, RT&OB
RO Chief, RCB
RO:HQ (4)
Licensing (4)
DR Central Files
R. Renfrow, GC (2)
PDR
Local PDR
NSIC
DTIE

*Mine
appl.*