



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

MAY 12 2011

Brian J. Hart
President/Radiation Safety Officer
Regional Services Corporation
6147 East SR. 44
Franklin, IN 66131

Dear Mr. Hart:

Enclosed is Amendment No. 08 to your NRC Material License No. 13-26017-01 in accordance with your request. Please note that the changes made to your license are printed in **bold font**.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note that we updated License No. 16 in your NRC Materials License. This was only a change in format and should have no impact on your Radiation Protection Program.

We also added License Condition No. 13. F to your license. This license condition requires that you retain record of your leak test for a period of three years.

Finally, we removed License Condition No. 19 as it appeared in Amendment No. 07 of your license. This condition is now considered redundant now that your license has possession limits. This change required us to renumber subsequent license conditions.


In accordance with 10 Code of Federal Regulations 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions.

B. Hart

Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

A handwritten signature in black ink, appearing to read "M. G. Herr", with a stylized flourish at the end.

Michael G. Herr, CHP
Materials Licensing Branch

License No. 13-26017-01
Docket No. 030-31001

Enclosure:

Amendment No. 08