

CCNPP3COLA PEmails

From: Steckel, James
Sent: Tuesday, June 21, 2011 3:38 PM
To: CCNPP3COLA PEmails
Subject: FW: Draft RAI No 57 COLP 1857.doc
Attachments: Draft RAI No 57 COLP 1857.doc

From: Rycyna, John
Sent: Tuesday, January 27, 2009 1:47 PM
To: Poche, Robert; McQueeney, Jennifer
Cc: CCNPP3COL Resource; Bernal, Sara; Frye, Timothy; Arora, Surinder; Colaccino, Joseph; Khanna, Meena; Biggins, James; Gendelman, Adam
Subject: Draft RAI No 57 COLP 1857.doc

Rob,

Attached is DRAFT RAI No. 57. You have until February 10, 2009 to review it and to decide whether you need a conference call to discuss it. After the call or after February 10, 2009 the RAI will be finalized and sent to you. You then have 30 days to respond.

John Rycyna, PE
Sr. Project Manager
Division of New Reactor Licensing
Office of New Reactors
U.S. Nuclear Regulatory Commission
301-415-4122

Hearing Identifier: CalvertCliffs_Unit3Cola_Public_EX
Email Number: 2161

Mail Envelope Properties (0AA17736E4C4154CA37233EEBFC8DEB27400C0E009)

Subject: FW: Draft RAI No 57 COLP 1857.doc
Sent Date: 6/21/2011 3:38:18 PM
Received Date: 6/21/2011 3:38:20 PM
From: Steckel, James

Created By: James.Steckel@nrc.gov

Recipients:
"CCNPP3COLA PEmails" <CCNPP3COLA.PEmails@nrc.gov>
Tracking Status: None

Post Office: HQCLSTR02.nrc.gov

Files	Size	Date & Time
MESSAGE	737	6/21/2011 3:38:20 PM
Draft RAI No 57 COLP 1857.doc		23662

Options
Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received:

Request for Additional Information No. 57

DRAFT

1/27/2009

Calvert Cliffs Unit 3

UniStar

Docket No. 52-016

SRP Section: 12.01 - Assuring that Occupational Radiation Exposures Are as Low as is Reasonably Achievable

Application Section: 12.1 - Assuring that Occupational Radiation Exposures Are as Low as is Reasonably Achievable

QUESTIONS for Health Physics Branch (CHPB)

12.01-1

The applicant's FSAR, Section 12.1, includes a commitment to the use of guidance for ensuring that occupational radiation exposures are as low as is reasonably achievable (ALARA), based on draft NEI Template 07-08, which is currently under NRC staff review. This NEI template discusses operational policies and operational considerations to ensure that occupational radiation exposures are ALARA. Should the staff accept NEI Template 07-08, please update the final version of this template (or otherwise update the FSAR to address any differences for consistency with an approved template). Accordingly, the applicant should update all internal citations to an approved template in applicable FSAR subsections and references.