

steady state conditions greater than or equal to \$1.00; a calculated reactivity balance indicating a shutdown margin less conservative than specified in the technical specifications; short-term reactivity increases that correspond to a reactor period of less than 5 seconds or, if subcritical, an unplanned reactivity insertion of more than 50¢; or occurrence of any unplanned criticality.

- (5) Failure of malfunction of one or more components which prevents or could prevent, by itself, the fulfillment of the functional requirements of system(s) used to cope with accidents analyzed in the SAR.
- (6) Personnel error or procedural inadequacy which prevents or could prevent, by itself, the fulfillment of the functional requirements of systems required to cope with accidents analyzed in the SAR.

Note: For items 6.9.2.a(5) and 6.9.2.a(6) reduced redundancy that does not result in a loss of system function need not be reported under this section but may be reportable under items 6.9.2.b(2) and 6.9.2.b(3) below.

- (7) Conditions arising from natural or man-made events that, as a direct result of the event require plant shutdown, operation of safety systems, or other protective measures required by technical specifications.
- (8) Errors discovered in the transient or accident analyses or in the methods used for such analyses as described in the safety analysis report or in the bases for the technical specifications

July 11, 1979

Green Bay

Technical Specification Page Revision Update

To: All Holders of Technical Specifications

Attached is a tabulation of technical specification pages with the current amendment number and date. A new index for both Appendix A and B has also been provided which corrects the discrepancies in page numbers and subject matter.

Should you find your copy of the technical specifications deficient, it is suggested you borrow a controlled copy of the Tech Specs and have the required pages copied.

Controlled copies of the Tech Specs are located in the following places:

Control Room
Mr. Luoma's Office
Mr. Giesler's Office
Mr. Stern's Office
Mr. Marchi's Office

Mark Marchi

M. L. Marchi

MLM/vmp

Attachments

CURRENT STATUS TECH. SPEC, PAGES

Page No.	Amend. No.	Date	Page No.	Amend. No.	Date
1.1-1	5	12/18/75	3.1-9	--	--
1.1-2	5	12/18/75	3.1-10	--	--
1.1-3	5	12/18/75	3.1.11	18	1/31/78
1.1-4	5	12/18/75	3.1-11a	18	1/31/78
1.1-5	25	1/19/79	3.1-12	--	--
			3.1-13	--	--
2.1-1	--	--	3.1-14	--	--
2.1-2	--	--	3.1-15	--	--
2.1-3	--	--	3.1-16	--	--
2.2-1	--	--	3.1-17	--	--
2.3-1	24	1/15/79	3.2-1	--	--
2.3-2	10	4/5/76	3.2-2	--	--
2.3-3	--	--	3.2-3	--	--
2.3-4	--	--			
2.3-5	--	--	3.3-1	16	3/25/77
2.3-6	--	--	3.3-2	9	3/22/76
			3.3-3	--	--
Fig 2.1-1	--	--	3.3-4	--	--
			3.3-5	--	--
3.1-1	--	--	3.3-6	--	--
3.1-2	--	--	3.3-7	--	--
3.1-3	22	9/26/78	3.3-8	Chg. 1	4/3/74
3.1-4	17	1/1/78			
3.1-5	17	1/1/78	3.4-1	--	--
3.1-6	17	1/1/78	3.4-2	--	--
3.1-7	22	9/26/78	3.4-3	--	--
3.1-8	Voided	--	3.5-1	--	--

Page No.	Amend. No.	Date	Page No.	Amend. No.	Date
3.5-2	--	--	3.9-8	--	--
3.5-3	--	--	3.9-9	13	1/21/77
3.5-4	29	4/27/79	3.9-10	13	1/21/77
3.5-5	--	--	3.9-11	13	1/21/77
3.6-1	12	1/18/77	3.10-1	24	1/15/79
3.6-2	12	1/18/77	3.10-2	9	3/22/76
3.6-3	12	1/18/77	3.10-3	9	3/22/76
3.6-4	12	1/18/77	3.10-4	9	3/22/76
3.6-5	12	1/18/77	3.10-5	21	5/25/78
3.7-1	--	--	3.10-6	9	3/22/76
3.7-2	--	--	3.10-7	9	3/22/76
3.7-3	--	--	3.10-7a	24	1/15/79
			3.10-8	9	3/22/76
3.8-1	16	3/25/77	3.10-9	16	3/25/77
3.8-2	26	3/6/79	3.10-10	24	1/15/79
3-8.2A	12	1/18/77	3.10-10a	24	1/15/79
3.8-3	26	3/6/79	3.10-11	16	3/25/77
3.8-4	26	3/6/79	3.10-12	9	3/22/76
3.8-5	12	1/18/77	3.10-13	16	3/25/77
			3.10-14	9	3/22/76
3.9-1	13	1/21/77	3.10-15	21	5/25/78
3.9-2	13	1/21/77	3.10-16	24	1/15/79
3.9-3	--	--			
3.9-4	--	--	3.11-1	--	--
3.9-5	13	1/21/77	3.11-2	--	--
3.9-6	13	1/21/77	3.11-3	--	--
3.9-7	13	1/21/77			

Page No.	Amend. No.	Date	Page No.	Amend. No.	Date
3.12	Deleted		Table 3.14(11)	25	1/19/79
3.13	Deleted		Table 3.15-1	25	1/19/79
			Table 3.15-2	20	3/3/78
3.14-1	14	3/1/77			
3.14-2	14	3/1/77	Fig 3.1-1	17	1/1/78
			Fig 3.1-2	17	1/1/78
3.15-1	20	3/3/78	Fig 3.1-3	--	--
3.15-2	20	3/3/78	Fig 3.1-4	--	--
3.15-3	20	3/3/78	Fig 3.10-1	9	3/22/76
3.15-4	20	3/3/78	Fig 3.10-2	16	3/25/77
Table 3.1-1	--	--	Fig 3.10-3	21	5/25/78
Table 3.5-1	29	4/27/79	Fig 3.10-4	9	3/22/76
Table 3.5-2(1)	--	--	Fig 3.10-5	9	3/22/76
Table 3.5-2(2)	--	--	Fig 3.10-6	16	3/25/77
Table 3.5-2(3)	9	3/22/76			
Table 3.5-3	29	4/27/79	4.1-1	--	--
Table 3.5-4	--	--	4.1-2	--	--
Table 3.14-1(1)	25	1/19/79	4.1-3	--	--
Table 3.14-1(2)	25	1/19/79	4.2-1	18	1/31/78
Table 3.14-1(3)	25	1/19/79	4.2-2	18	1/31/78
Table 3.14-1(4)	25	1/19/79	4.2-3	18	1/31/78
Table 3.14-1(5)	25	1/19/79	4.2-4	18	1/31/78
Table 3.14-1(6)	25	1/19/79	4.2-5	18	1/31/78
Table 3.14-1(7)	25	1/19/79	4.2-6	18	1/31/78
Table 3.14-1(8)	25	1/19/79	4.2-7	18	1/31/78
Table 3.14-1(9)	25	1/19/79	4.2-8	18	1/31/78
Table 3.14-1(10)	25	1/19/79	4.2-9	18	1/31/78

Page No.	Amend. No.	Date	Page No.	Amend. No.	Date
4.3-1	--	--	4.9-1	5	12/18/75
4.3-2	--	--	4.9-2	--	--
4.4-1	--	--	4.10-1	--	--
4.4-2	--	--	4.11-1	13	1/21/77
4.4-3	--	--	4.11-2	--	--
4.4-4	--	--	4.11-3	--	--
4.4-5	12	1/18/77	4.11-4	--	--
4.4-6	12	1/18/77	4.12-1	12	1/18/77
4.4-7	12	1/18/77	4.12-2	12	1/18/77
4.4-7a	12	1/18/77	4.12-3	12	1/18/77
4.4-8	12	1/18/77	4.12-4	12	1/18/77
4.4-9	12	1/18/77	4.13-1	7	10/21/75
4.4-10	12	1/18/77	4.13-2	7	10/21/75
4.4-11	12	1/18/77	4.14-1	14	3/1/77
4.5-1	--	--	4.14-2	25	1/19/79
4.5-2	--	--	4.14-3	14	3/1/77
4.5-3	--	--	4.14-3a	25	1/19/79
4.5-4	--	--	4.15-1	20	3/3/78
4.6-1	--	--	4.15-2	25	1/19/79
4.6-2	--	--	4.15-3	20	3/3/78
4.6-3	--	--	4.15-4	20	3/3/78
4.7-1	--	--	Table 4.1-1(1)	22	9/26/78
4.8-1	--	--	Table 4.1-1(2)	--	--
4.8-2	--	--			

Page No.	Amend. No.	Date	Page No.	Amend. No.	Date
Table 4.1-1(3)	22	9/26/78	Table 4.11-1(1)	--	--
Table 4.1-2	18	1/31/78	Table 4.11-1(2)	--	--
Table 4.1-3	30	5/7/79	Table 4.11-2(1)	--	--
Table 4.2-1(1)	--	--	Table 4.11-2(2)	--	--
Table 4.2-1(2)	--	--	5.1-1	--	--
Table 4.2-1(3)	--	--	5.2-1	--	--
Table 4.2-1(4)	--	--	5.2-2	--	--
Table 4.2-1(5)	--	--	5.2-3	--	--
Table 4.2-1(6)	--	--	5.3-1	--	--
Table 4.2-1(7)	--	--	5.3-2	--	--
Table 4.2-1(8)	--	--			
Table 4.2-1(9)	4	9/30/74	5.4-1	26	3/6/79
Table 4.2-1(10)	--	--	6.1	19	1/25/78
Table 4.2-1(11)	--	--	6.2	20	3/3/78
Table 4.2-1(12)	--	--	6.2a	20	3/3/78
Table 4.2-1(13)	--	--	6-3	19	1/25/78
Table 4.2-1(14)	--	--	6-4	19	1/25/78
Table 4,2-2	18	1/31/78	6-5	27	3/1/79
Table 4.10-1(1)	--	--	6-6	19	1/25/78
Table 4.10-1(2)	--	--	6-7	27	3/1/79
Table 4.10-1(3)	--	--	6-8	27	3/1/79
Table 4.10-1(4)	--	--	6-9	20	3/3/78
Table 4.10-1(5)	--	--	6-10	20	3/3/78
Table 4.10-1(6)	--	--	6-11	27	3/1/79
			6-12	27	3/1/79
Table 4.10-2	--	--	6-13	19	1/25/78

Page No.	Amend. No.	Date	Page No.	Amend. No.	Date
6-14	19	1/25/78	4.1-1	15	3/16/77
6-15	19	1/25/78	5.1-1	27	3/1/79
6-16	19	1/25/78	5.2-1	27	3/1/79
6-17	19	1/25/78	5.3-1	8	1/23/76
6-18	19	1/25/78	5.4-1	13	1/21/77
6-19	19	1/25/78	5.4-2	13	1/21/77
6-20	19	1/25/78	5.5-1	8	1/23/76
6-21	19	1/25/78			
6-22	19	1/25/78	Table 4.1.1-1	--	--
6-23	19	1/25/78			
6-24	19	1/25/78	Fig 4.1.1-1	--	--
6-25	19	1/25/78			
6-26	27	3/1/79			
6-27	19	1/25/78			

Appendix B

1.1-1	--	--
2.1-1	8	1/23/76
2.1-2	--	--
2.1-3	--	--
2.2-1	8	1/23/76
2.2-2	--	--
2.2-3	8	1/23/76
2.2-4	8	1/23/76
2.2-5	8	1/23/76
2.2-6	8	1/23/76

TABLE OF CONTENTS

Title

TECHNICAL SPECIFICATIONS AND BASES

<u>Section</u>		<u>Page TS</u>
1.0	Definitions	1.1-1
1.0.a	Quadrant-to-Average Power Tilt Ratio	1.1-1
1.0.b	Safety Limits	1.1-1
1.0.c	Limiting Safety System Setting	1.1-1
1.0.d	Limiting Conditions for Operation	1.1-1
1.0.e	Operable	1.1-2
1.0.f	Operating	1.1-2
1.0.g	Containment System Integrity	1.1-2
1.0.h	Protective Instrumentation Logic	1.1-2
1.0.i	Instrumentation Surveillance	1.1-3
1.0.j	Operating Modes	1.1-4
1.0.k	Reactor Critical	1.1-4
1.0.l	Refueling Operation	1.1-5
1.0.m	Rated Power	1.1-5
2.0	Safety Limits and Limiting Safety System Settings	2.1-1
2.1	Safety Limits, Reactor Core	2.1-1
2.2	Safety Limit, Reactor Coolant System Pressure	2.2-1
2.3	Limiting Safety System Settings, Protective Instru- mentation	2.3-1
2.3.a	Reactor Trip Settings	2.3-1
2.3.a.1	Nuclear Flux	2.3-1
2.3.a.2	Pressurizer	2.3-1
2.3.a.3	Reactor Coolant Temperature	2.3-1
2.3.a.4	Reactor Coolant Flow	2.3-3
2.3.a.5	Steam Generators	2.3-3
2.3.a.6	Reactor Trip Interlocks	2.3-3
2.3.a.7	Other Trips	2.3-3
3.0	Limiting Conditions for Operation	3.1-1
3.1	Reactor Coolant System	3.1-1
3.1.a	Operational Components	3.1-1
3.1.a.1	Reactor Coolant Pumps	3.1-1
3.1.a.2	Steam Generator	3.1-1
3.1.a.3	Pressurizer Safety Valves	3.1-2
3.1.b	Heatup and Cooldown Limit Curves for Normal Operation	3.1-3
3.1.c	Maximum Coolant Activity	3.1-9
3.1.d	Leakage of Reactor Coolant	3.1-11
3.1.e	Maximum Reactor Coolant Oxygen, Chloride and Fluoride Concentration	3.1-14
3.1.f	Minimum Conditions for Criticality	3.1-16
3.2	Chemical and Volume Control System	3.2-1
3.3	Engineered Safety Features and Auxiliary Systems	3.3-1
3.3.a	Safety Injection and Residual Heat Removal Systems	3.3-1
3.3.b	Containment Cooling Systems	3.3-3
3.3.c	Component Cooling System	3.3-4
3.3.d	Service Water System	3.3-5
3.4	Steam and Power Conversion System	3.4-1
3.5	Instrumentation System	3.5-1
3.6	Containment System	3.6-1
3.7	Auxiliary Electrical Systems	3.7-1

3.8	Refueling	3.8-1
3.9	Radioactive Materials	3.9-1
3.9.a	Liquid Effluents	3.9-2
3.9.b	Airborne Effluents	3.9-6
3.10	Control Rod and Power Distribution Limits	3.10-1
3.10.a	Shutdown Reactivity	3.10-1
3.10.b	Power Distribution Limits	3.10-1
3.10.c	Quadrant Power Tilt Limits	3.10-5
3.10.d	Rod Insertion Limits	3.10-5
3.10.e	Rod Misalignment Limitations	3.10-6
3.10.f	Inoperable Rod Position Indicator Channels	3.10-6
3.10.g	Inoperable Rod Limitations	3.10-6
3.10.h	Rod Drop Time	3.10-7
3.10.i	Rod Position Deviation Monitor	3.10-7
3.10.j	Quadrant Tilt Monitor	3.10-7
3.10.k	Temperature	3.10-7
3.10.l	Pressure	3.10-7
3.10.m	Flow	3.10-7
3.11	Core Surveillance Instrumentation	3.11-1
3.14	Shock Suppressors (Snubbers)	3.14-1
3.15	Fire Protection System	3.15-1
4.0	Surveillance Requirements	4.1-1
4.1	Operational Safety Review	4.1-1
4.2	Reactor Coolant System Inservice Inspection	4.2-1
4.3	Reactor Coolant System Tests Following Opening	4.3-1
4.4	Containment Tests	4.4-1
4.4.a	Integrated Leak Rate Tests	4.4-1
4.4.b	Isolation Valves and Local Leak Rate Tests	4.4-3
4.4.c	Residual Heat Removal System	4.4-5
4.4.d	Shield Building Ventilation System	4.4-5
4.4.e	Auxiliary Building Special Ventilation System	4.4-6
4.4.f	Containment Vacuum Breaker System	4.4-7
4.5	Emergency Core Cooling System and Containment Air Cooling System Tests	4.5-1
4.5.a	System Tests	4.5-1
4.5.a.1	Safety Injection System	4.5-1
4.5.a.2	Containment Vessel Internal Spray System	4.5-2
4.5.a.3	Containment Fan Coil Units	4.5-2
4.5.b	Component Tests	4.5-2
4.5.b.1	Pumps	4.5-2
4.5.b.2	Valves	4.5-3
4.6	Periodic Testing of Emergency Power Systems	4.6-1
4.6.a	Diesel Generators	4.6-1
4.6.b	Station Batteries	4.6-1
4.7	Main Steam Isolation Valves	4.7-1
4.8	Auxiliary Feedwater System	4.8-1
4.9	Reactivity Anomalies	4.9-1
4.10	Environmental Monitoring	4.10-1
4.11	Radioactive Materials	4.11-1
4.11.a	Liquid Effluents	4.11-1
4.11.b	Airborne Effluents	4.11-2
4.12	Spent Fuel Pool Sweep System	4.12-1
4.13	Radioactive Materials Sources	4.13-1
4.14	Testing and Surveillance of Shock Suppressors (Snubbers)	4.14-1
4.15	Fire Protection System	4.15-1
5.0	Design Features	5.1-1
5.1	Site	5.1-1

5.2	Containment	5.2-1
5.2.a	Containment System	5.2-1
5.2.b	Reactor Containment Vessel	5.2-2
5.2.c	Shield Building	5.2-2
5.2.d	Shield Building Ventilation System	5.2-2
5.2.e	Auxiliary Building Special Ventilation Zone and Special Ventilation System	5.2-3
5.3	Reactor	5.3-1
5.3.a	Reactor Core	5.3-1
5.3.b	Reactor Coolant System	5.3-2
5.4	Fuel Storage	5.4-1
6.0	Administrative Controls	6.1
6.1	Responsibility	6-1
6.2	Organization	6-1
6.2.1	Off Site Organization	6-1
6.2.2	Facility Staff	6-1
6.3	Plant Staff Qualification	6-2
6.4	Training	6-2
6.5	Review and Audit	6-2a
6.5.1	Plant Operations Review Committee	6-2a
6.5.1.1	Function	6-2a
6.5.1.2	Composition	6-3
6.5.1.3	Alternates	6-3
6.5.1.4	Meeting Frequency	6-3
6.5.1.5	Quorum	6-3
6.5.1.6	Responsibilities	6-4
6.5.1.7	Authority	6-5
6.5.1.8	Records	6-5
6.5.2	Corporate Nuclear Engineering Staff	6-5
6.5.2.1	Function	6-5
6.5.2.2	Organization	6-6
6.5.2.3	Activities	6-6
6.5.2.4	Authority	6-7
6.5.3	Nuclear Safety Review and Audit Committee	6-7
6.5.3.2	Composition	6-7
6.5.3.3	Alternates	6-8
6.5.3.4	Consultants	6-8
6.5.3.5	Meeting Frequency	6-8
6.5.3.6	Quorum	6-9
6.5.3.7	Review	6-9
6.5.3.8	Audits	6-10
6.5.3.9	Authority	6-11
6.5.3.10	Records	6-11
6.7	Safety Limit Violation	6-12
6.8	Procedures	6-12
6.9	Reporting Requirements	6-13
6.9.1	Routine Reports	6-13
6.9.2	Reportable Occurrences	6-15
6.9.3	Unique Reporting Requirements	6-19
6.9.3.a	Annual Environmental Operating Report	6-19
6.9.3.b	Radioactive Effluent Releases	6-20
6.9.3.c	Safety Class I Inservice Inspection	6-23
6.10	Record Retention	6-23
6.11	Radiation Protection	6-24
6.13	High Radiation Area	6-25

LIST OF FIGURES

<u>Figure - TS</u>	<u>Title</u>
2.1-1	Safety Limits - Reactor Core Thermal and Hydraulic
3.1-1	Reactor Coolant System Heatup Limitations
3.1-2	Reactor Coolant System Cooldown Limitations
3.1-3	Effect of Fluence and Copper Content on Shift of RTNDT for Reactor Vessel Steels Exposed to 550°F Temperature
3.1-4	Fast Neutron Fluence (E 1MeV) as a Function of Full Power Service
3.10-1	Required Shutdown Reactivity Vs. Reactor Boron Concentration
3.10-2	Hot Channel Factor Normalized Operating Envelope
3.10-3	Control Rod Insertion Limit Vs. Power
3.10-4	Control Bank Insertion Limits
3.10-5	Permissible Operating Band on Indicated Flux Difference as a Function of Burnup (Typical)
3.10-6	Target Band on Indicated Flux Difference as a Function of Operating Power Level (Typical for BOL)
6.2-1	Functional Organization - Power Generation and Engineering Department - Wisconsin Public Service Corporation
6.2-2	Kewaunee Nuclear Plant Organization Chart - Unit No. 1 Wisconsin Public Service Corporation

LIST OF TABLES

<u>Table - TS</u>	<u>Title</u>
3.1-1	WPS(136) Reactor Vessel Toughness Data
3.5-1	Engineered Safety Features Initiation Instrument Setting Limits
3.5-2	Instrument Operation Conditions for Reactor Trip
3.5-3	Emergency Cooling
3.5-4	Instrument Operating Conditions for Isolation Functions
3.14-1	Safety Related Hydraulic Shock Suppressors
3.15-1	Fire Detection Instruments
3.15-2	Fire Hose Stations
4.1-1	Minimum Frequencies for Checks, Calibrations and Test of Instrument Channels
4.1-2	Minimum Frequencies for Sampling Tests
4.1-3	Minimum Frequencies for Equipment Tests
4.2-1	Inservice Inspection
4.2-2	Steam Generator Tube Inspection
4.10-1	Operational Environmental Radiological Surveillance Program
4.10-2	Sampling Locations
4.11-1	Radioactive Liquid Waste Sampling and Analysis
4.11-2	Radioactive Gaseous Waste Sampling and Analysis

ENVIRONMENTAL TECHNICAL SPECIFICATIONS

AND BASES

APPENDIX B

<u>Section</u>		<u>Page</u>
1.0	Definitions	ES 1.1-1
2.0	Environmental Protection Condition	ES 2.1-1
2.1	Thermal	ES 2.1-1
2.1.1	Maximum ΔT across the Condenser	ES 2.1-1
2.1.2	Maximum Discharge Temperature	ES 2.1-2
2.1.3	Rate of Temperature Change of Condenser Cooling Water, ΔT	ES 2.1-3
2.2	Chemicals	ES 2.2-1
2.2.1	Chlorination of Circulating Water Systems	ES 2.2-1
2.2.2	Suspended and Dissolved Solids	ES 2.2-3
2.2.3	Treatment Chemicals	ES 2.2-5
3.0	Monitoring Equipment	ES 2.1-1
3.1	Thermal	ES 2.1-1
3.2	Chemicals	ES 2.2-1
3.2.1	Chlorination of Circulating Water System	ES 2.2-1
3.2.2	Suspended and Dissolved Solids	ES 2.2-3
3.2.3	Treatment Chemicals	ES 2.2-5
4.0	Environmental Surveillance & Special Studies	ES 4.1-1
4.1	Biological	ES 4.1-1
4.1.1	Aquatic	ES 4.1-1
5.0	Administrative Controls	ES 5.1-1
5.1	Organization, Review and Audit	ES 5.1-1
5.2	Actions to be Taken in the Event of Violation of the Environmental Technical Specifications	ES 5.2-1
5.3	Operating Procedures	ES 5.3-1
5.4	Plant Reporting Requirements	ES 5.4-1
5.5	Record Retention	ES 5.5-1