

CCNPP3COLA PEmails

From: Steckel, James
Sent: Tuesday, June 09, 2009 3:24 PM
To: Rycyna, John
Cc: Kang, Peter; Som, Swagata
Subject: Clarification Telecon: CCNPP3 RAI 110, Question 3

UniStar requested a teleconference for clarification of CCNPP3 RAI 110 (eRAI 1469), Question 3. This question has three parts that involve compliance with GDC 17 and site specific grid stability analyses. Peter Kang and I were NRC staff members involved in the telecon discussion, starting at 2:00 pm June 9, 2009.

Clarification was provided to UniStar on the system impact analysis required for Part a of this question. Part b of the question requests explanation of how GDC 17 will be met when the output limit of the unit may need to be limited during certain maintenance outages. UniStar was informed to check the Maintenance Rule for guidance and for compensatory measures that may be needed. To answer Part c, UniStar was informed to check BTP 8-3, Stability of Offsite Power Systems, for grid stability requirements.

No changes to Question 3 are needed as a result of this teleconference.

Jim Steckel

Hearing Identifier: CalvertCliffs_Unit3Cola_Public_EX
Email Number: 2398

Mail Envelope Properties (AC3D8151B0831F4EAFFB2501B87BF90510C8A6A9FC)

Subject: Clarification Telecon: CCNPP3 RAI 110, Question 3
Sent Date: 6/9/2009 3:24:19 PM
Received Date: 6/9/2009 3:24:21 PM
From: Steckel, James

Created By: James.Steckel@nrc.gov

Recipients:

"Kang, Peter" <Peter.Kang@nrc.gov>
Tracking Status: None
"Som, Swagata" <Swagata.Som@nrc.gov>
Tracking Status: None
"Rycyna, John" <John.Rycyna@nrc.gov>
Tracking Status: None

Post Office: HQCLSTR02.nrc.gov

Files	Size	Date & Time
MESSAGE	938	6/9/2009 3:24:21 PM

Options

Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received: