

Carl Schneider
1695 N Shore Rd Apt 1
Revere, MA 02151-3587

CitizenLetter®

An urgent message from a concerned citizen.

June 18, 2011

Chairman Gregory Jaczko
US Nuclear Regulatory Comm.
Mail Stop 0-16G4
Washington, DC 20555-0001

To: Leeds, NRR
Ref. LTR-11-0309

cys: EDO
DEDMRT
DEDR
DEDCM
AO
RI
Bowman

Dear Chairman Gregory Jaczko,

The earthquake and tsunami in Japan -- and subsequent meltdown at the Fukushima nuclear facility -- are a worrying reminder of the threat posed by all nuclear power plants, particularly by the aging fleet of reactors in the U.S.

A prime example: the 38-year-old Pilgrim nuclear plant in Plymouth, Mass.

I'm writing to demand that you run immediate inspections at the Pilgrim plant to address the real risks to our health and the environment.

The cooling pool at Pilgrim was designed to hold only 880 spent fuel assemblies. But it's now overloaded with nearly 3,000. The pool contains more cesium-137 than was released by all the atmospheric nuclear weapons tests in North America combined.

This situation demands immediate attention from your commission. Any water loss at the pool would likely result in an intense fire and lethal release of radiation.

Please let me know how you intend to address this issue.

Sincerely,

Carl Schneider

Template: EDO-001

E-RIDS: EDG-01

CitizenLetters are a service of CREDO™

CREDO™ | more than a network.
a movement.

Jean Berman
15 Nevada Ave Apt 1
Somerville, MA 02143-3717

CitizenLetter[®]

An urgent message from a concerned citizen.

June 22, 2011

Chairman Gregory Jaczko
US Nuclear Regulatory Comm.
Mail Stop 0-16G4
Washington, DC 20555-0001

Dear Chairman Gregory Jaczko,

The earthquake and tsunami in Japan -- and subsequent meltdown at the Fukushima nuclear facility -- are a worrying reminder of the threat posed by all nuclear power plants, particularly by the aging fleet of reactors in the U.S.

A prime example: the 38-year-old Pilgrim nuclear plant in Plymouth, Mass.

I'm writing to demand that you run immediate inspections at the Pilgrim plant to address the real risks to our health and the environment.

The cooling pool at Pilgrim was designed to hold only 880 spent fuel assemblies. But it's now overloaded with nearly 3,000. The pool contains more cesium-137 than was released by all the atmospheric nuclear weapons tests in North America combined.

This situation demands immediate attention from your commission. Any water loss at the pool would likely result in an intense fire and lethal release of radiation.

Please let me know how you intend to address this issue.

Sincerely,

Jean Berman

Jeremy Hobart
1595 Hartsville
New Marlboro Rd
Great Barrington, MA 01230-2076

CitizenLetter®

An urgent message from a concerned citizen.

June 22, 2011

Chairman Gregory Jaczko
US Nuclear Regulatory Comm.
Mail Stop O-16G4
Washington, DC 20555-0001

Dear Chairman Gregory Jaczko,

The earthquake and tsunami in Japan -- and subsequent meltdown at the Fukushima nuclear facility -- are a worrying reminder of the threat posed by all nuclear power plants, particularly by the aging fleet of reactors in the U.S.

A prime example: the 38-year-old Pilgrim nuclear plant in Plymouth, Mass.

I'm writing to demand that you run immediate inspections at the Pilgrim plant to address the real risks to our health and the environment.

The cooling pool at Pilgrim was designed to hold only 880 spent fuel assemblies. But it's now overloaded with nearly 3,000. The pool contains more cesium-137 than was released by all the atmospheric nuclear weapons tests in North America combined.

This situation demands immediate attention from your commission. Any water loss at the pool would likely result in an intense fire and lethal release of radiation.

Please let me know how you intend to address this issue.

Sincerely,

Jeremy Hobart

Claire L Bateman
43 Center St Ste S
Northampton, MA 01060-3062

CitizenLetter®

An urgent message from a concerned citizen.

June 22, 2011

Chairman Gregory Jaczko
US Nuclear Regulatory Comm.
Mail Stop O-16G4
Washington, DC 20555-0001

Dear Chairman Gregory Jaczko,

The earthquake and tsunami in Japan -- and subsequent meltdown at the Fukushima nuclear facility -- are a worrying reminder of the threat posed by all nuclear power plants, particularly by the aging fleet of reactors in the U.S.

A prime example: the 38-year-old Pilgrim nuclear plant in Plymouth, Mass.

I'm writing to demand that you run immediate inspections at the Pilgrim plant to address the real risks to our health and the environment.

The cooling pool at Pilgrim was designed to hold only 880 spent fuel assemblies. But it's now overloaded with nearly 3,000. The pool contains more cesium-137 than was released by all the atmospheric nuclear weapons tests in North America combined.

This situation demands immediate attention from your commission. Any water loss at the pool would likely result in an intense fire and lethal release of radiation.

Please let me know how you intend to address this issue.

Sincerely,

Claire L Bateman

William Maykel
234 Grove St
Paxton, MA 01612-1145

CitizenLetter[®]

An urgent message from a concerned citizen.

June 22, 2011

Chairman Gregory Jaczko
US Nuclear Regulatory Comm.
Mail Stop O-16G4
Washington, DC 20555-0001

Dear Chairman Gregory Jaczko,

The earthquake and tsunami in Japan -- and subsequent meltdown at the Fukushima nuclear facility -- are a worrying reminder of the threat posed by all nuclear power plants, particularly by the aging fleet of reactors in the U.S.

A prime example: the 38-year-old Pilgrim nuclear plant in Plymouth, Mass.

I'm writing to demand that you run immediate inspections at the Pilgrim plant to address the real risks to our health and the environment.

The cooling pool at Pilgrim was designed to hold only 880 spent fuel assemblies. But it's now overloaded with nearly 3,000. The pool contains more cesium-137 than was released by all the atmospheric nuclear weapons tests in North America combined.

This situation demands immediate attention from your commission. Any water loss at the pool would likely result in an intense fire and lethal release of radiation.

Please let me know how you intend to address this issue.

Sincerely,

William Maykel

Allan Rodgers
5 McCall Rd
Winchester, MA 01890-3711

CitizenLetter®

An urgent message from a concerned citizen.

June 21, 2011

Chairman Gregory Jaczko
US Nuclear Regulatory Comm.
Mail Stop 0-16G4
Washington, DC 20555-0001

Dear Chairman Gregory Jaczko,

The earthquake and tsunami in Japan -- and subsequent meltdown at the Fukushima nuclear facility -- are a worrying reminder of the threat posed by all nuclear power plants, particularly by the aging fleet of reactors in the U.S.

A prime example: the 38-year-old Pilgrim nuclear plant in Plymouth, Mass.

I'm writing to demand that you run immediate inspections at the Pilgrim plant to address the real risks to our health and the environment.

The cooling pool at Pilgrim was designed to hold only 880 spent fuel assemblies. But it's now overloaded with nearly 3,000. The pool contains more cesium-137 than was released by all the atmospheric nuclear weapons tests in North America combined.

This situation demands immediate attention from your commission. Any water loss at the pool would likely result in an intense fire and lethal release of radiation.

Please let me know how you intend to address this issue.

Sincerely,

Allan Rodgers

Jo Valens
185 Castle Hill Ave
Gt Barrington, MA 01230-1052

CitizenLetter[®]

An urgent message from a concerned citizen.

June 21, 2011

Chairman Gregory Jaczko
US Nuclear Regulatory Comm.
Mail Stop O-16G4
Washington, DC 20555-0001

Dear Chairman Gregory Jaczko,

The earthquake and tsunami in Japan -- and subsequent meltdown at the Fukushima nuclear facility -- are a worrying reminder of the threat posed by all nuclear power plants, particularly by the aging fleet of reactors in the U.S.

A prime example: the 38-year-old Pilgrim nuclear plant in Plymouth, Mass.

I'm writing to demand that you run immediate inspections at the Pilgrim plant to address the real risks to our health and the environment.

The cooling pool at Pilgrim was designed to hold only 880 spent fuel assemblies. But it's now overloaded with nearly 3,000. The pool contains more cesium-137 than was released by all the atmospheric nuclear weapons tests in North America combined.

This situation demands immediate attention from your commission. Any water loss at the pool would likely result in an intense fire and lethal release of radiation.

Please let me know how you intend to address this issue.

Sincerely,

Jo Valens

Tatiana Bode
164 Whitehall Rd Bldg 3
Amesbury, MA 01913-1068

CitizenLetter[®]

An urgent message from a concerned citizen.

June 21, 2011

Chairman Gregory Jaczko
US Nuclear Regulatory Comm.
Mail Stop 0-16G4
Washington, DC 20555-0001

Dear Chairman Gregory Jaczko,

The earthquake and tsunami in Japan -- and subsequent meltdown at the Fukushima nuclear facility -- are a worrying reminder of the threat posed by all nuclear power plants, particularly by the aging fleet of reactors in the U.S.

A prime example: the 38-year-old Pilgrim nuclear plant in Plymouth, Mass.

I'm writing to demand that you run immediate inspections at the Pilgrim plant to address the real risks to our health and the environment.

The cooling pool at Pilgrim was designed to hold only 880 spent fuel assemblies. But it's now overloaded with nearly 3,000. The pool contains more cesium-137 than was released by all the atmospheric nuclear weapons tests in North America combined.

This situation demands immediate attention from your commission. Any water loss at the pool would likely result in an intense fire and lethal release of radiation.

Please let me know how you intend to address this issue.

Sincerely,

Tatiana Bode

Michael Petrilli
108 Summit St
Plainfield, MA 01070-9759

CitizenLetter®

An urgent message from a concerned citizen.

June 21, 2011

Chairman Gregory Jaczko
US Nuclear Regulatory Comm.
Mail Stop O-16G4
Washington, DC 20555-0001

Dear Chairman Gregory Jaczko,

The earthquake and tsunami in Japan -- and subsequent meltdown at the Fukushima nuclear facility -- are a worrying reminder of the threat posed by all nuclear power plants, particularly by the aging fleet of reactors in the U.S.

A prime example: the 38-year-old Pilgrim nuclear plant in Plymouth, Mass.

I'm writing to demand that you run immediate inspections at the Pilgrim plant to address the real risks to our health and the environment.

The cooling pool at Pilgrim was designed to hold only 880 spent fuel assemblies. But it's now overloaded with nearly 3,000. The pool contains more cesium-137 than was released by all the atmospheric nuclear weapons tests in North America combined.

This situation demands immediate attention from your commission. Any water loss at the pool would likely result in an intense fire and lethal release of radiation.

Please let me know how you intend to address this issue.

Sincerely,

Michael Petrilli

Tracy C Winn
73 Nashoba Rd
Concord, MA 01742-2219

CitizenLetter®

An urgent message from a concerned citizen.

June 21, 2011

Chairman Gregory Jaczko
US Nuclear Regulatory Comm.
Mail Stop 0-16G4
Washington, DC 20555-0001

Dear Chairman Gregory Jaczko,

The earthquake and tsunami in Japan -- and subsequent meltdown at the Fukushima nuclear facility -- are a worrying reminder of the threat posed by all nuclear power plants, particularly by the aging fleet of reactors in the U.S.

A prime example: the 38-year-old Pilgrim nuclear plant in Plymouth, Mass.

I'm writing to demand that you run immediate inspections at the Pilgrim plant to address the real risks to our health and the environment.

The cooling pool at Pilgrim was designed to hold only 880 spent fuel assemblies. But it's now overloaded with nearly 3,000. The pool contains more cesium-137 than was released by all the atmospheric nuclear weapons tests in North America combined.

This situation demands immediate attention from your commission. Any water loss at the pool would likely result in an intense fire and lethal release of radiation.

Please let me know how you intend to address this issue.

Sincerely,

Tracy C Winn

Lawrence Rosenwald
10 Lovewell Rd
Wellesley, MA 02482-6315

CitizenLetter[®]

An urgent message from a concerned citizen.

June 21, 2011

Chairman Gregory Jaczko
US Nuclear Regulatory Comm.
Mail Stop O-16G4
Washington, DC 20555-0001

Dear Chairman Gregory Jaczko,

The earthquake and tsunami in Japan -- and subsequent meltdown at the Fukushima nuclear facility -- are a worrying reminder of the threat posed by all nuclear power plants, particularly by the aging fleet of reactors in the U.S.

A prime example: the 38-year-old Pilgrim nuclear plant in Plymouth, Mass.

I'm writing to demand that you run immediate inspections at the Pilgrim plant to address the real risks to our health and the environment.

The cooling pool at Pilgrim was designed to hold only 880 spent fuel assemblies. But it's now overloaded with nearly 3,000. The pool contains more cesium-137 than was released by all the atmospheric nuclear weapons tests in North America combined.

This situation demands immediate attention from your commission. Any water loss at the pool would likely result in an intense fire and lethal release of radiation.

Please let me know how you intend to address this issue.

Sincerely,

Lawrence Rosenwald

Lucille Lepage
10 Dale Ave Apt 211
Gloucester, MA 01930-5918

CitizenLetter®

An urgent message from a concerned citizen.

June 22, 2011

Chairman Gregory Jaczko
US Nuclear Regulatory Comm.
Mail Stop 0-16G4
Washington, DC 20555-0001

Dear Chairman Gregory Jaczko,

The earthquake and tsunami in Japan -- and subsequent meltdown at the Fukushima nuclear facility -- are a worrying reminder of the threat posed by all nuclear power plants, particularly by the aging fleet of reactors in the U.S.

A prime example: the 38-year-old Pilgrim nuclear plant in Plymouth, Mass.

I'm writing to demand that you run immediate inspections at the Pilgrim plant to address the real risks to our health and the environment.

The cooling pool at Pilgrim was designed to hold only 880 spent fuel assemblies. But it's now overloaded with nearly 3,000. The pool contains more cesium-137 than was released by all the atmospheric nuclear weapons tests in North America combined.

This situation demands immediate attention from your commission. Any water loss at the pool would likely result in an intense fire and lethal release of radiation.

Please let me know how you intend to address this issue.

Sincerely,

Lucille Lepage