

CCNPP3COLA PEmails

From: Steckel, James
Sent: Friday, July 01, 2011 1:25 PM
To: CCNPP3COLA PEmails
Subject: FW: Draft RAI No 53 CHPB 1852.doc (P)
Attachments: Draft RAI No 53 CHPB 1852.doc

From: John Rycyna
Sent: Friday, January 16, 2009 3:40 PM
To: Poche, Robert
Cc: CCNPP3COL Resource; Sara Bernal; Timothy Frye; Surinder Arora; Joseph Colaccino; Meena Khanna; James Biggins; Adam Gendelman
Subject: Draft RAI No 53 CHPB 1852.doc (P)

Rob,

Attached is DRAFT RAI No. 53. You have until January 29, 2009 to review it and to decide whether you need a conference call to discuss it. After the call or after January 29, 2009 the RAI will be finalized and sent to you. You then have 30 days to respond.

John Rycyna, PE
Sr. Project Manager
Division of New Reactor Licensing
Office of New Reactors
U.S. Nuclear Regulatory Commission
301-415-4122

Hearing Identifier: CalvertCliffs_Unit3Cola_Public_EX
Email Number: 2604

Mail Envelope Properties (0AA17736E4C4154CA37233EEBFC8DEB27400C0E61B)

Subject: FW: Draft RAI No 53 CHPB 1852.doc (P)
Sent Date: 7/1/2011 1:25:20 PM
Received Date: 7/1/2011 1:25:22 PM
From: Steckel, James

Created By: James.Steckel@nrc.gov

Recipients:
"CCNPP3COLA PEmails" <CCNPP3COLA.PEmails@nrc.gov>
Tracking Status: None

Post Office: HQCLSTR02.nrc.gov

Files	Size	Date & Time
MESSAGE	709	7/1/2011 1:25:22 PM
Draft RAI No 53 CHPB 1852.doc		25710

Options
Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received:

Request for Additional Information No. 52
DRAFT
1/16/2009

Calvert Cliffs Unit 3
UniStar
Docket No. 52-016
SRP Section: 12.05 - Operational Radiation Protection Program
Application Section: 12.5 - Operational Radiation Protection Program

QUESTIONS for Health Physics Branch (CHPB)

12.05-1

1. The applicant's FSAR Section 12.5 includes a commitment to the use of the NEI Template 07-03, Generic FSAR Template Guidance for Radiation Protection Description to describe, at the functional level, elements of the radiation protection program required by 10 CFR 20.1101. Upon final NRC acceptance of NEI Template 07-03, verify that the applicant will update the commitment of FSAR Section 12.5 to reference the final version of this template (or otherwise update the FSAR to address any differences from this final template version), consistent with RG 1.206 and Section 12.5 of the Standard Review Plan (NUREG 0800), or justify an alternative. Accordingly, the applicant should update all internal citations to the final NEI Template 07-03 in applicable FSAR subsections and references.

2. NEI template 07-03 contains two sections that specify site specific information that should be provided by the applicant to supplement the template. In accordance with the guidance provided in NEI 07-03, provide site-specific information in the following areas:

- a) Descriptions of Very High Radiation Area (VHRA) locations and physical barriers as well as VHRA administrative access controls.
- b) A reference to the site specific document containing quality assurance criteria for the radiation protection program

NEI template 07-03 also contains several sections that allow for site-specific alterations. Provide descriptions of any design or site-specific information for these areas. Areas that may include deviations include:

- a) Alternative staff assigned to specific Radiation Protection Responsibilities.
- b) Alternative or additional Radiation Protection Facilities. Also, list facilities listed in the template that will be located off site and functions that will be carried out at another location or through a vendor.
- c) Modified radiation protection monitoring instrumentation or equipment.
- d) Use of special use respirator filters and disposable supplied air suits.
- e) Alternate or additional procedures for maintaining exposures as low as reasonably achievable.