

Name: Ali A. Bonab, PhD
Address: White 427
Nuclear Medicine Molecular Imaging.
Department of Imaging
Massachusetts General Hospital
Boston, MA 02115
E-Mail: bonab@pet.mgh.harvard.edu
Phone: 617-724-7227 / [REDACTED]

Q-4

MS-16

06-31416-01
03038335

Education:

1989 Ph.D. Physics University of Wyoming 1992 Ms Electrical Engineering University of Wyoming

Postdoctoral Training:

1993-1997 Research Fellow in Radiology, Massachusetts General Hospital, Department of Radiology, Division of Nuclear Medicine

Hospital or Affiliated Institution Appointments:

1997-Present Assistant Physicist Massachusetts General Hospital, Department of Radiology Division of Nuclear Medicine and Molecular Imaging.

Board Certification:

American Board of Radiology, Medical of Nuclear Physics.

University Appointments:

Instructor in Radiology Harvard Medical School.

Experience:

1993-present Massachusetts General Hospital Responsibilities: Compartmental Modeling in PET and SPECT, Parametric image generation, experimental design, Image reconstruction, Image processing, image registration, data processing in PET and SPECT, Quality assurance, pre-clinical and clinical imaging. Director of MicroPET imaging MGH Nuclear Medicine and Shiners Hospital for children Boston.

Professional Societies:

1994-present Society of Nuclear Medicine member.

2008-present American Collage of Radiology member.

Awards and Honors:

1984 Phi Kappa Phi, University of Wyoming, 1984, (4.0GPA)1985-1988 Senior Teaching Assistant Award, 1985-1988, University of Wyoming.

Bibliography:Original Articles

Bonab, Ali A. Carter, EA, Paul K, Kaneki M, Yu, YM, Tompkins RG, Fischman AJ, Effect of Simvastatin on burn-induced alterations in tissue specific glucose metabolism: implications for burn associated insulin resistance. *Int J Mol Med* 2010, 26: 311-316.

Spencer TJ, M.D., Bonab AA, Dougherty DD, Martin J, McDonnell T, Fischman AJ. PET Study Examining Pharmacokinetics, and Dopamine Transporter Occupancy of two Long-Acting formulations of Methylphenidate in adults. *Int J Mol Med* 2010, 25: 261-265.

Knopf A, Parodi K, Paganetti H, Cascio E, Bonab AA, Bortfeld T; Quantitative assessment of the physical-potential of proton beam range verification with PET/CT, *Phys. Med. Biol.* 2008, **53** 4137-4151.

Darin D. Dougherty; Jian Kong; Megan Webb; Ali A. Bonab; Alan J. Fischman Randy L. Gollub; A combined [¹¹C]diprenorphine PET study and fMRI study of acupuncture analgesia. *Behavioral Brain Research* 2008, **193** 63-68.

Stephan D. Voss, Suzanne V. Smith, Nadine DiBartolo, Lacey J. McIntosh, Erika M., Cyr, Ali A. Bonab, Jason L.J. Dearling, Edward A. Carter, Alan J. Fischman, S. Ted Treves, Stephen D. Gillies, Alan M. Sargeson, James S. Huston, and Alan B. Packard, Positron Emission Tomography (PET) Imaging of Neuroblastoma and Melanoma with ⁶⁴Cu-SarAr Immunoconjugates, *Proc Natl Acad Sci, USA*, 2007, 104 17489-17493.

Spencer TJ, M.D., Biederman J, Madras BK, Dougherty DD, Bonab AA, Livni E, Meltzer, PC, Martin J, Rauch S, Fischman AJ, Further Evidence of dopamine transporter dysregulation in ADHD: A Controlled PET Imaging study using Altropane. *Biol Psychiatry* 2007 62(9):1059-1061

Parodi K, Paganetti H, Cascio E, Bonab AA, Alpert NM, Lohmann K, Flanz JB, Bortfeld T PET/CT imaging for treatment verification after proton therapy: a study with plastic phantoms and metallic implants. *Med Phys* 2007, 34: 419

Spencer TJ, M.D., Biederman J, Ciccone PE, Madras BK, Dougherty DD, Bonab AA, Livni E, Parasrampur DA, Fischman AJ. PET Study Examining Pharmacokinetics, Detection and Likeability, and Dopamine Transporter Receptor Occupancy of Short- and Long-Acting Oral Methylphenidate, *Am J Psychiatry* 2006 163: 44

Madras BK, Fahey MA, Goulet M, Lin Z, Bendor J, Goodrich C, Meltzer PC, Elmaleh DR, Livni E, Bonab AA, Fischman AJ, Dopamine Transporter (Dat) Inhibitors Alleviate Specific Parkinsonian Deficits In Monkeys: Association With Dat Occupancy In Vivo, *J. Pharmacol. Exp. Ther.* 2006 : jpet.106.105312v1

Madras BK, Zhihua Xie, Zhicheng Lin, Amy J. Jassen, Helen Panas, Laurie Lynch, Ryan S. Johnson, Eli Livni, Thomas J. Spencer, Ali A. Bonab, Gregory M. Miller, and Alan J. Fischman,

Modafinil Occupies Dopamine and Norepinephrine Transporters *in vivo* and Modulates the Transporters and Trace Amine Activity *in vitro* J. Pharmacol. Exp. Ther. 2006 : jpet.106.106583v1

Pellegrino D, Bonab AA, Dragotakes SD, Pitman TJ, Mariani G, Carter EA, Inflammation and Infection: Imaging Properties of 18F-FDG-Labeled White Blood Cells Versus 18F-FDG, J. Nucl. Med., September 1, 2005; 46(9): 1522 - 1530.

Spencer TJ, Biederman J, Madras BK, Faraone SV, Dougherty DD, Bonab AA, Fischman AJ. In vivo neuroreceptor imaging in attention-deficit/hyperactivity disorder: a focus on the dopamine transporter. Biol Psychiatry 2005, 57(11): 1293-300.

Shoup TM, Elmaleh DR, Bonab AA, Fischman AJ, Evaluation of *trans*-9-¹⁸F-Fluoro-3,4-Methyleneheptadecanoic Acid as a PET Tracer for Myocardial Fatty Acid, JNM 2004, 41: 1086-1092.

Spencer T., Dougherty DD., Fischman, A. J., Bonab, A., Rauch, S. L., & Madras, B. (2004). Dopamine transporter density in patients with attention deficit hyperactivity disorder using PET. Biological Psychiatry, 55(8S), 195S.

Madras, BK, Faheya MA, Millera GM, De La Garza R, Gouleta M, Spealmana RD, Meltzer PC, George SR, O'Dowd BF, Bonab AA, Livni E, Fischman AJ. Non-aminebased dopamine transporter (reuptake) inhibitors retain properties of amine-based progenitors. European Journal of Pharmacology 2003; 479:41-51.

Fischman AJ, Bonab AA, Babich JW, Livni E, Alpert NM, Meltzer PC, Madras BK, [11C,127I]Altopane: A highly selective ligand for PET imaging of dopamine transporter sites. Synapse 2001;39:332-342.

Carter, ED, Yong, MY, Alpert, NM, Bonab, AA, Tompkins, RG, Fischman, AJ, Measurement of muscle protein synthesis by positron emission tomography with

L[Methyl-C]Methionine: Effects of transamination and transmethylolation. The Journal of Trauma: Injury, Infection, and Critical Care 1999; 47:341-345.

Morris, ED, Chefer SI, Lane MA, Muzic Jr. RF, Wong DF, Dannals RF, Matochik JA, Bonab AA, Villemagne VL, Grant SJ, Ingram DK, Roth GS, London ED. Loss of D2 Receptor Binding with Age in Rhesus Monkeys: Importance of Correction for Differences in Striatal Size. J Cereb Blood Flow & Metab 1999; 19:218-229.

Fischman, AJ, Bonab, AA, Rubin, RH, Regional pharmacokinetics of orally administered PET Tracers, Current Pharmaceutical Design 2000; 6:1625-1629.

Dougherty DD, Bonab AA, Spencer TJ, Rauch SL, Madras BK, Fischman AJ, Dopamine transporter density in patients with attention deficit hyperactivity disorder. Lancet 1999; 354(9196):2132-3.

Bonab AA, Fischman AJ, Alpert NM. "Comparison of 4 Methods for Quantification of Dopamine Transporters by SPECT with [¹²³I]IACFT(Altropane). J Nucl Med 2000 41: 1086-1092.

Morris ED, Bonab AA, Alpert NM, Fischman AJ, Madras BK, Christian BT. Concentration of dopamine transporters: to Bmax or not to Bmax? [letter]. Synapse 1999; 32(2):136-40.

Fischman AJ, Bonab AA, Babich JW, Palmer P, Alpert NM, Elmaleh DR, Callahan RJ, Barrow SA, Graham W, Meltzer P, Hanson RN, Madras BK. Rapid Detection of Parkinson's Disease by SPECT With Altropane: A Selective Ligand for Dopamine Transporters. Synaps 1998; 29:128-141.

Carter EA, Yu YM, Alpert NM, Bonab AA, Thmpkins RG, Fischman AJ. Measurement of Muscle Protein Synthesis by Positron Emission Tomography with L[Methyle-C]Methionine: Effects of Transamination and Transmethylation. J. of Trauma: Injury, Infection and Critical Care 1999; 47:341-345. Fischman AJ, Bonab AA, Babich JW, Alpert NM, Rauch SL, Elmaleh DR, Shoup TM, Etienne P, Rubin PR. Positron Emission Tomographic Analysis of Central 5HT₂ Receptor Occupancy in normal human treated with the atypical neuroleptic, Ziprasidone. J Pharmacol Exp Ther 1996; 279(2):939-947.

Morris ED, Babich JW, Alpert NM, Bonab AA, Livni E, Weise S, Hsu H, Christian BT, Madras BK, Fischman AJ. Quantification of dopamine transporter density in monkeys by dynamic PET imaging of multiple injections of C-CFT. Synapse 1996; 24(3):262-72.

Fischman AJ, Babich JW, Bonab AA, Alpert NM, Vincent J, Callahan RJ, Correia JA, Rubin RH. Pharmacokinetics of [¹⁸F]trovafloxacin in healthy human subjects studied with positron emission tomography. Antimicrob Agents Chemother 1998; 42(8):2048-54.

Fischman AJ, Livni E, Babich JW, Alpert NM, Bonab A, Chodosh S, McGovern F, Kamitsuka P, Liu YY, Cleeland R, Prosser BL, Correia JA, Rubin, RH. Pharmacokinetics of [¹⁸F]fleroxacin in patients with acute exacerbations of chronic bronchitis and complicated urinary tract infection studied by positron emission tomography. Antimicrob Agents Chemother 1996 Mar;40(3):659-64.

Fischman AJ, Bonab AA, Babich JW, Alpert NM. Spect imaging of the dopamine transporter with [¹²³I]-2β-carbomethoxy-3β-(4-fluorophenyl)-N-(1-¹²³I-ODOPROP-1-EN-3 YL) NORTROPANE ([¹²³I] IACFT): Initial experience in humans" Neuroscience-Net, 1996; Vol 1, Article 00010. <http://www.neuroscience.com/>

Proceedings of Meetings

Bonab AA, Fischman AJ, Alpert NM. Estimation for the 5HT₂ Receptor Ligand [18F]Setoperone by a Noninvasive Reference Region Graphical Method. Quantitative Functional Brain Imaging, 1998; Chapter 63:421-425.

Abstracts

Stem cell imaging of burn injury with ¹²⁴I in mice model Ali Bonab, Ali Rad, Shawn Fagan, and Alan Fischman J. NUCL. Med. 2010 51: 1443.

Effect of simvastatin on burn induced changes in tissue specific glucose metabolism Edward Carter, Kasie Paul, Masao Kaneki, Ali Bonab, Ronald Tompkins, and Alan Fischman J. NUCL. Med. 2010 51: 1452.

An noninvasive index of blood flow for studying CNS drugs with PET ligands Ali Bonab, Thomas Spencer, and Alan Fischman J. NUCL. Med. 2010 51: 1825.

A PET study examining the dopaminergic activity of armodafinil in healthy adults using PET with ¹¹C Altropane and ¹¹C Raclopride Ali Bonab, Alan Fischman, Eli Livni, Bertha Madras, Darin Dougherty, and Thomas Spencer J. NUCL. Med. 2010 51: 1787

PET imaging of protein pharmacokinetics in the CSF of rats and monkeys with I-124 Mikhail Papisov, Vasily Belov, Alan Fischman, Ali Bonab, James Titus, Hongsheng Xie, Michael Heartlein, and Pericles Calias J. NUCL. Med. 2010 51: 1751.

Burn induced changes in spinal cord and diaphragm glucose metabolism in rodents Edward Carter, Kasie Paul, John Yerxa, Ali Bonab, Ronald Tompkins, and Alan Fischman J. NUCL. Med. 2010 51: 1555.

Ethanol and LPS stimulation of ¹⁸F FHBG uptake by lung and heart of NF Kappa B TK transgenic mice Edward Carter, Kasie Paul, Ali Bonab, Ronald Tompkins, and Alan Fischman J. NUCL. Med. 2010 51: 1547.

Effect of cocaine and amphetamine on ¹⁸FDG uptake by murine heart and brown adipose tissue (BAT) Edward Carter, Kasie Paul, Ali Bonab, Ronald Tompkins, and Alan Fischman J. NUCL. Med. 2010 51: 1499.

Ethanol inhibits LPS stimulation of ¹⁸FDG uptake in mice Edward Carter, Kasie Paul, Ali Bonab, Ronald Tompkins, and Alan Fischman J. NUCL. Med. 2010 51: 1493.

Dopamine transporter binding potential increases following an acute dose of MDMA (Ecstasy) Bertha Madras, Ali Bonab, and Alan Fischman J. NUCL. Med. 50: 1223.

PET imaging of enzyme pharmacokinetics in rats after IV and IT administration Mikhail Papisov, Vasily Belov, Alan Fischman, Ali Bonab, Marc Wiles, Hongsheng Xie, Michael Heartlein, and Pericles Calias J. NUCL. Med. 2009 50: 1226

Iodine-124 as a label for pharmacological PET imaging Vasily Belov, Ali Bonab, Alan Fischman, Michael Heartlein, Pericles Calias, and Mikhail Papisov J. NUCL. Med. 2009 50: 203.

Molecular imaging of smoke inhalation induced changes in NF kappa B expression in lung using reporter mice with thymidine kinase or luciferase genes under the control of the NK kappa B promoter Ali Bonab, Edward Carter, Victoria Hamrahi, Ronald Tompkins, and Alan Fischman J. NUCL. Med. 2009 50: 1004.

PET imaging of alpha-galactosidase A pharmacokinetics in rats and monkeys Mikhail Papisov, Vasily Belov, Alan Fischman, Ali Bonab, James Titus, Marc Wiles, Hongsheng Xie, Michael Heartlein, and Pericles Calias J. NUCL. Med. 2009 50: 1963.

Performance measurement of neuroPET based on NEMA standard Jinsong Ouyang, Terrence Toole, Ali Bonab, Xuping Zhu, Tom Brady, and G El Fakhri J. NUCL. Med. 2009 50: 1544.

Novel in-room proton range verification using mobile PET: Potential for proton therapy monitoring Xuping Zhu, Antje Knopf, Ali, A. Bonab, Martijn Engelsman, Harald Paganetti, Thomas Brady, Thomas Bortfeld, and Georges El Fakhri J. NUCL. Med. 2009 50: 1547.

Mikhail Papisov, Vasily Belov, Alan Fischman, Ali Bonab, James Titus, Marc Wiles, Hongsheng Xie, Michael Heartlein and Pericles Calias' PET imaging of α -galactosidase A pharmacokinetics in rats and monkeys, J Nucl Med. 2009; 2009 50 (Supplement 2)1968.

Vasily Belov, Ali Bonab, Alan Fischman, Michael Heartlein, Pericles Calias and Mikhail Papisov, Iodine-124 as a label for pharmacological PET imaging, J Nucl Med. 2009; 50 (Supplement 2):203

Bonab, Ali A., Rad Ali M., Fagan, Shawn P, Parekkadan, P Yu, Y., Mintzopoulos, D., Righi, V., Fischman, AJ. Imaging in burn injury with mesenchymal stem cells in mice model. World Molecular Imaging Conference Montreal, Canada 2009.

Bonab AA, Carter E, Gambhir SS, Tompkins RG, Fischman, AJ, Molecular imaging of NFkB expression in burned mice with F-18-FHBG. JMIC 2007 177p.

Bonab AA, Parodi K, Paganetti H, Shih H, Michaud S, J. Loeffler J, DeLaney T, Liebsch N, Munzenrider J, Knopf A, Bortfeld T, Alpert NM, and Fischman AJ. In vivo verification of proton beam delivery by PET-CT, J Nucl Med. 2007; 48 (Supplement 2):400P

Bonab AA, Thomas Spencer, Joseph Biederman, Darin Dougherty, Patrick Ciccone, Eli Livni, and Alan Fischman A PET study examining dopamine transporter occupancy of repeat dosing of two formulations of methylphenidate in adults J. NUCL. Med. MEETING ABSTRACTS, May 2007; 48: 261P.

Bonab AA, Carter E, Livni E, Tompkins R, Gambhir S, Fischman AJ, Molecular imaging of NF-KB expression JNM., 2007; 48: 328P.

Madras BK, Xie X, Miller G, Livni E, Bonab A, Fischman AJ, Modafinil potentiates

trace amine receptor activity via the dopamine transporter in vitro and partially occupies the dopamine transporter in vivo JNM. 2006; 47: 278P.

Voss S, Packard A, Smith S, McIntosh N, Cyr E, Bonab A, Carter E, Fischman AJ, Treves S, Huston J, 64Cu-SarAr-antibody conjugates for PET imaging of neuroblastoma J. NUCL. Med. MEETING ABSTRACTS, May 2006; 47: 96P.

Spencer T, Biederman J, Madras B, Dougherty DD, Bonab AA, Livni E, Meltzer PC, Martin J, Rauch S, Fischman AJ, Dopamine transporter (DAT) dysregulation in attention deficit hyperactivity disorder (ADHD): A controlled PET study using 11C-Altropane JNM. MEETING ABSTRACTS, May 2006; 47: 138P.

Dorene Rentz, John Becker, Erin Moran, Reisa Sperling, Lauren Manning, Ali Bonab, Chester Mathis, William Klunk, Alan Fischman, and Keith Johnson Amyloid imaging in AD, MCI, and highly intelligent older adults with Pittsburgh Compound-B (PIB) JNM. MEETING ABSTRACTS, May 2006; 47: 289P.

Alan Fischman, Thomas Spencer, Joseph Biederman, Patrick Ciccone, Peter Meltzer, Darin Dougherty, Ali Bonab, Elijah Livni, and Bertha Madras A PET study examining pharmacokinetics and dopamine transporter occupancy of two long-acting formulations of methylphenidate in adults J. NUCL. Med. MEETING ABSTRACTS, May 2006; 47: 311P.

64Cu-SarAr-Antibody Conjugates for PET Imaging of Neuroblastoma, Voss, SD, Smith, SV, DiBartolo, N, McIntosh, L, Cyr, E, Bonab, A, Dunning, P, Carter, E, Fishman, A, Treves, ST, Gillies, SD, Huston, J, Packard, AB, Society of Nuclear Medicine Annual Meeting, San Diego, 5 June 2006.

64Cu-Immuno-PET Imaging of Neuroblastoma with Bioengineered Anti-GD2 Antibodies, Childrens radiation. Stephan D. Voss M.D., Suzanne V. Smith, Nadine M. Di Bartolo, Lacey J. McIntosh, Erika M. Cyr and Ali A. Bonab et al. The Society for Pediatric Radiology and The European Society of Paediatric Radiology's Fifth Conjoint Meeting.

Bonab AA, Alpert NM, Livni E, Barrow SA, Dougherty DD and Fischman AJ. Effect of benzodiazepine treatment on opiate receptor binding in the CNS. JNM2004;45,257p

Madras BK, Meltzer PC, Bonab AA, Livni E and Fischman AJ. Dopamine Transporter occupancy by a "Tropane horse": A partial cocaine antagonist. JNM 2004; 45, 255p. Pellegrino D, Bonab AA, Carter SC, Dragotakes SC, and Fischman AJ. FDG-labeled WBCs vs. FDG for infection imaging: A μ PET study. JNM 2004;45,77p.

Elmaleh DR, Shoup TM, Bonab AA, Weise S, and Fischman AJ. Evaluation of 9[F]Fluoro-3,4-methyl-eneheptadecanoic acid as a PET tracer for myocardial fatty acid imaging. SNM 2004,45,6p.

Bonab AA, Alpert NM, Livni E, Dragotakes SD, Spencer TJ, Dougherty DD, and Fischman AJ. Dopamin Transporter Density in Patients with Attention Deficit Hyperactivity Disorder (ADHD) measured with ^{11}C -Altropane. JNM 2003;44:67p.

Bonab AA, Weise SW, Syed SZ, Martyn, FS, Carter EA, Fischman AJ. Monitoring treatment with a CDK2 inhibitor by microPET with ^{18}F -FLT in a nude mouse tumor model. JNM 2003;44:368p.

Fischman AJ, Bonab AA, Alpert NM, Elahi D, Tompkins RG. Adaptation of a concord P4 microPET Device for "SMALL-PARTS" imaging in humans. JNM 2003;44:282p.

Pellegrino D, Bonab AA, Carter EA, Syed S, Martyn SF, Fischman AJ. Comparison of the localization properties of ^{18}F - and ^{111}In -labeled leukocytes in a rat model of focal infection: A microPET study. JNM 2003;44:310p.

Bonab AA, Alpert NM, Livni E, Fischman AJ. Development of a bolus-infusion technique for evaluation of dopamine transporter density by PET or SPECT with Altropane. JNM 2002; 43:203p.

Bonab AA, Madras BK, Barrow SA, Fischman AJ. Test-retest reliability of ^{123}I -Altropane binding potential in monkeys. JNM 2002; 43:208p.

Fischman AJ, Bonab AA, Livni E, Meltzer PC, Barrow SA, Madras BK. Evaluation of dopamine density in patients with parkinsons disease by PET with ^{123}I , ^{11}C - Altropane. JNM 2002; 43:233p.

Madras BK, Meltzer PC, Bonab AA, Livni E, Fischman AJ. Dopamine transporter occupancy by candidate cocaine medications. JNM 2002; 43:232p. Madras BK, Bonab AA, Livni E, Fischman AJ. PET Imaging of the dopamine transporter : Evidence for compensatory DAT down regulation with sustained improvement in activity of parkinsonian monkey. JNM 2002;43:233p.

Bonab AA, Alpert NM, Livni E, Meltzer PC, Madras BK, Fischman AJ. Human DAT binding measurement with ^{11}C -Altropane. JNM 2001; 42:184p.

Bonab AA, Meltzer P, Alpert NM, Burker M, Dragotakes SD, Barrow SA, MadrasBK, Fischman AJ. Human brain SPECT imaging with a highly selective DAT ligand $^{99\text{m}}\text{Tc}$ -O1505T. JNM 2001; 42:210p.

Madras BK, Meltzer PC, Babich JW, Bonab AA, Livni E, Fischman AJ. Occupancy of the dopamine transporter by a transporter inhibitor as measured by PET imaging, is predictive of therapeutic efficacy for Parkinsonism. JNM 2001; 42:210p.

Babich JW, Smith MP, Kozikowski AP, Bonab AA, Livni E, Fischman AJ. CNS Pharmacodynamic of a novel cocaine medication: PET studies with ^{11}C Cocaine. JNM 2001; 42:15p.

Bonab AA, Meltzer P, Hillier S, Burker M, Barrow SA, Madras BK, Fischman AJ. Quantification of SPECT imaging with a highly selective DAT ligand; ^{99m}Tc O1505T. JNM 2000; 41:185p.

Bonab AA, Alpert NM, Livni E, Fischman AJ. Measurement of DAT binding potential with ¹¹C-Altropane. JNM 2000; 41:207p.

Jadvar H, Moore SC, Kijewski MF, Bonab A, Zimmerman RE, Fischman AJ. Evolution of SPECT imaging systems based on activity estimation in small nanostructures. JNM; 41:180p.

Madras BK, Bonab AA, Livni E, Babich JW, Meltzer PC, Fischman AJ. [¹¹C]Tropoxene, a Dopamine transporter inhibitor that bears no aminenitrogens, accumulates in the dopamine-rich striatum of monkey: APET study. JNM2000; 41:208p.

Dougherty DD, Bonab AA, Rauch SL, Fava M, Ottowitz W, Livni E, FischmanAJ. PET receptor studies of major depression with anger attacks. JNM 2000; 41:199p.

Dougherty DD, Bonab AA, Biederman, J, Spencer, TJ, Rauch SL, Madras, BK, Dragotakes, SD, Alpert NM, Fischman AJ. Assessment of dopamine transporter density in patients with attention deficit hyperactivity disorder using ¹²³I-Altropane. JNM 2000; 41:27P

Madras, BK, Babich, JW, Livni, Bonab AA, E, Fischman AJ. PET imaging of the dopamine transporter: A window on dopamine neuron regeneration in Parkinsonian monkeys. JNM 2000;41:104p.

Bonab AA, Dougherty DD, Alpert NM, Rauch SL, Fava M, Fischman AJ. Serotonergic and Dopaminergic PET Binding studies in subjects with major depression before and after treatment with an antidepressant. JNM 1999; 40: 143p.

Fischman AJ, Meltzer PC, Hillier S, Bonab AA, Callahan RJ, Barrow SA B. K. Madras."A new ^{99m}Technetium labeled ligand for SPECT imaging of Dopamine transporter site (O-1505T): Preliminary evolution in normal and MPTP treated monkeys. JNM 1999; 40: 262p.

Bonab AA, Alpert NM, Fischman AJ. "Comparison of methods for quantification of 5HT₂ binding. JNM 1999; 40: 287p.

Bonab AA, Babich JW, Madras BK, Meltzer PC, Alpert NM, Fischman AJ, 11CAltropane: An Ideal Dopamine Transporter Ligand for PET?". *NuroImage* 1998; 7:A1.

Bonab AA, Babich JW, Madras BK, Meltzer PC, Alpert NM, Fischman AJ. Determination of Dopamine Transporter Density(Bmax) and Afinity (Kd) using high and low spesificity activity injections of C-11-Altropane. *JNM* 1998; 39: 167p.

Bonab AA, Alpert NM, Livni E, Christian BT, Madras BK, Fischman AJ. Estimation of C11-CFT Binding potential by iterativefitting and comparison with reference region graphical and referencefitting in monkeys. *JNM* 1998; 39:66p.

Bonab AA, Alpert NM, Fischman AJ. Estimation of Binding Potential for the 5-HT₂ Receptor Ligand,[18F]Setoperone by a Non-Invasive Reference Region Graphical Analysis Method". *NeuroImage* 1997 vol. 5:B66.

Bonab AA, Alpert NM, Fischman AJ. Binding Potential Estimation for the 5-HT₂ Receptor Ligand,18F-Setoperone using Reference Region Graphical Analysis Method. *JNM* 1997; 38:201p

Callahan RJ, Correia JA, Bonab AA, Graham W, Babich JW, Fischman AJ. Comparison of human and animal data based radiation absorbed dose estimates for Positron radiopharmaceuticals used in drug development." *JNM* 1996; 37; 228p.

Bonab AA, Morris ED, Hsu H, Christian BT,Alpert NM. Important considerations for modeling of input functions for multiple injection studies of receptors with PET. *Annals of Biomedical Engineering* 1995; 23, suppl 1.

Fischman AJ, Bonab AA, Babich JW, Callahan RJ, Alpert NM. PET Imaging of human pituitary 5-HT₂ Receptors with F-18 Setoperone. *JNM* 1995; 36; 15p.

Hill TC, Connolly L, Bonab AA, Zimmerman RE, Cohen M. Simultaneous acquisition of dual isotope (hybrid) myocardial perfusion. *Radiology* 1993; 189(p); 280.

The American Board of Radiology

Organized through the cooperation of the
American College of Radiology, the American Roentgen Ray Society,
the American Radium Society, the Radiological Society of North America,
the Section on Radiology of the American Medical Association,
the American Society for Therapeutic Radiology and Oncology, the Association of
University Radiologists, and American Association of Physicians in Medicine.

Hereby certifies that

Ali Akbar Aghazadeh-Bonab, PhD

Has pursued an accepted course of graduate study
and clinical work, has met certain standards and qualifications and
has passed the examinations conducted under the authority of


The American Board of Radiology

On this fifth day of June, 2007

Thereby demonstrating to the satisfaction of the Board
that he is qualified to practice the specialty of

Medical Nuclear Physics

By: [Signature]
[Signature]



Certificate No. 12345