



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

JUN 8 2011

Dennis Ream  
Radiation Safety Officer  
Bowser-Morner, Inc.  
P. O. Box 51  
4818 Taylorville  
Dayton, OH 45401-0051

Dear Mr. Ream:

Due to a change in NRC's licensing policies, we have issued a Corrected Copy of Amendment No. 01 to your NRC Material License No. 34-17390-02. As we discussed by telephone on May 19, 2011, please note the addition of total possession limits for Items 8.A., 8.B, and 8.C. on the enclosed Corrected Copy. If this is insufficient to meet your needs, please contact the U.S. Nuclear Regulatory Commission, Region III office immediately at (630) 829-9887.

In accordance with 10 Code of Federal Regulations 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

A handwritten signature in black ink, appearing to read "Toye L. Simmons".

Toye L. Simmons  
Health Physicist  
Materials Licensing Branch

License No. 34-17390-02  
Docket No. 030-35052

Enclosure: Corrected copy of Amendment No. 01