



July 28th, 2011

NRC License # 48-32697-01

Material Licensing Branch  
U.S. Nuclear Regulatory Commission, Region III  
2443 Warrenville Road, Suite 210  
Lisle, IL 60532-4352

Northern Shared Medical Services would like to add additional authorized users to our radioactive materials license. The authorized users are as follows:

**Authorized Users:**

John Baird, M.D.	NRC License# 24-01565-01
Barbara Tellerman, M.D.	NRC License# 24- 01565-01
Charles M. Swaney, M.D.	NRC License# 24-01565-01
Terry J. Elwing, M.D.	NRC License# 24-01565-01
Laura J. Sievert, M.D.	NRC License# 24-01565-01
Maxwell Lazinger, M.D.	NRC License# 24-01565-01
David Perry Brummett, M.D.	NRC License# 24-01565-01
Chad Michael Ruble, M.D.	NRC License# 24-01565-01

Thank you for your kind attention. If any questions should arise, please feel free to contact me 608-839-9956.

Sincerely,

A handwritten signature in cursive script, appearing to read "Paul Flaten".

Paul Flaten, Director of Health & Safety, ARSO  
Northern Shared Medical Services

RECEIVED AUG 01 2011

U.S. NUCLEAR REGULATORY COMMISSION

Amendment No. 78

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Boone Hospital Center</p> <p>2. 1600 East Broadway Columbia, MO 65201</p>	<p>In accordance with letters dated <b>September 23, 2009, and November 17, 2009,</b></p> <p>3. License number 24-01565-01 is amended in its entirety to read as follows:</p> <p>4. Expiration date April 30, 2015</p> <p>5. Docket No. 030-02304 Reference No.</p>
---	---

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Any byproduct material permitted by 10 CFR 35.100	A. Any	A. As needed
B. Any byproduct material permitted by 10 CFR 35.200	B. Any	B. As needed
C. Any byproduct material permitted by 10 CFR 35.300	C. Any	C. As needed (not to exceed 1 curie of iodine-131)
D. Any byproduct material permitted by 10 CFR 35.400	D. Sealed sources (Oncura (Medi-Physics) Model No. 6711, Theragenics Model No. 200, Bard Model STM-1251, 3M Model No. 6500 Series, Tracer Lab Model No. RA-1)	D. Not to exceed 270 millicuries for cesium-137 and 25 millicuries for strontium-90 and 4560 millicuries total
E. Cesium-137 permitted by 10 CFR 35.400	E. Sealed sources (Nuclear Associates, Model Nos. 67-800 and 67-601)	E. 240 millicuries for Model No. 67-800 and 130 millicuries for Model No. 67-601
F. Cesium-137	F. Sealed source (Tech. Ops. Model No. 77032)	F. 95 millicuries
G. Any byproduct material permitted by 10 CFR 31.11	H. Prepackaged kit	H. 50 millicuries
H. Depleted uranium	I. Metal	I. 999 kilograms

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number  
24-01565-01

Docket or Reference Number  
030-02304

Amendment No. 78

9. Authorized use:

- A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
- B. Any imaging and localization study permitted by 10 CFR 35.200.
- C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300.
- D. Any manual brachytherapy procedure permitted by 10 CFR 35.400.
- E. and F. For storage only incident to disposal.
- G. In vitro studies.
- H. For use as shielding material.

CONDITIONS

- 10. Licensed material may be used at the licensee's facilities located at Boone Hospital Center, 1600 East Broadway, Columbia, Missouri.
- 11. Radiation Safety Officer for this license is Liesje Myers, CNMT.
- 12. Licensed material is only authorized for use by, or under the supervision of:
  - A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.
  - B. **The following individuals are authorized users for medical use as indicated:**

Authorized Users

Material and Use

- |                           |  |
|---------------------------|--|
| X John Baird, M.D.        | 10 CFR 35.100, 35.200, iodine-131, diagnostic procedures permitted by 35.300 and 31.11.  |
| X Barbara Telferman, M.D. | 10 CFR 35.100, 35.200, iodine-131 diagnostic procedures permitted by 35.300 and 31.11.   |
| X Charles M. Swaney, M.D. | 10 CFR 35.100, 35.200, 31.11, and iodine-131 for diagnostic procedures and the treatment of hyperthyroidism permitted by 35.300. |
| Mark Bryer, M.D.          | 10 CFR 35.300 and 35.400.  |

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number  
24-01565-01

Docket or Reference Number  
030-02304

Amendment No. 78

Steven Westgate, M.D. 10 CFR 35.300 and 35.400.

Joseph M. Bean, M.D. 10 CFR 35.300 and 35.400.

X Terry J. Elwing, M.D. 10 CFR 35.100, 35.200, iodine-131 diagnostic procedures permitted by 35.300 and 31.11.

X Laura J. Sievert, M.D. 10 CFR 35.100, 35.200, iodine-131 diagnostic procedures and for treatment of hyperthyroidism permitted by 35.300 and 31.11.

James Allen, M.D. 10 CFR 35.300 and 35.400.

X Maxwell Lazing, M.D. 10 CFR 35.100, 35.200, iodine-131 diagnostic procedures permitted by 35.300 and 31.11.

X David Perry Brummett, M.D. 10 CFR 35.100, 35.200, iodine-131 for diagnostic procedures and the treatment of hyperthyroidism permitted by 35.300 and 31.11.

William E. Decker, M.D. 10 CFR 35.300 and 35.400.

X Chad Michael Ruble, M.D. 10 CFR 35.100, 35.200, iodine-131 diagnostic procedures permitted by 35.300 and 31.11.

14. For sealed sources not associated with 10 CFR Part 35 use, the following conditions apply:

- A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material.
- D. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
24-01565-01Docket or Reference Number  
030-02304


Amendment No. 78

- E. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- F. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- G. Records of leak test results shall be kept in units of microcuries and shall be maintained for 3 years.
15. The licensee shall conduct a physical inventory every 3 months to account for all sources and/or devices received and possessed pursuant to 10 CFR 35.59, 10 CFR 35.400 and every 6 months for all other sources and/or devices. Records of inventories shall be maintained for 5 years from the date of each inventory, and shall include the information required in 10 CFR 35.59(g). <sup>10 CFR 35.67</sup>
16. Sealed sources containing licensed material shall not be opened or sources removed from source holders by the licensee. <sup>10 CFR 35.2067</sup>
17. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
18. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
24-01565-01Docket or Reference Number  
030-02304

Amendment No. 78

19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated March 8, 2005;
  - B. Letters dated September 10, 1990, October 18, 2006, November 14, 2006, January 15, 2007, August 1, 2007, October 3, 2007, December 12, 2008;
  - C. Facsimile dated April 20, 2005, transmitting letter dated October 29, 2004; and
  - D. Facsimile letter dated April 2, 2007, October 29, 2007 and November 6, 2007.



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date NOV 30 2009

By

*Toye L. Simmons*  
Toye L. Simmons  
Materials Licensing Branch  
Region III

Visit [ups.com](http://ups.com)® or call 1-800-PICK-UPS® (1-800-742-5877) to schedule a pickup or find a drop off location near you.

**Domestic Shipments**

- To qualify for the Letter rate, UPS Express Envelopes may only contain correspondence, urgent documents, and/or electronic media, and must weigh 8 oz. or less. UPS Express Envelopes containing items other than those listed or weighing more than 8 oz. will be billed by weight.

**International Shipments**


- The UPS Express Envelope may be used only for documents of no commercial value. Certain countries consider electronic media as documents. Visit [ups.com/importexport](http://ups.com/importexport) to verify if your shipment is classified as a document.
- To qualify for the Letter rate, the UPS Express Envelope must weigh 8 oz. or less. UPS Express Envelopes weighing more than 8 oz. will be billed by weight.

**Note:** Express Envelopes are not recommended for shipments of electronic media containing sensitive personal information or breakable items. Do not send cash or cash equivalent.

SHIPPING DEPARTMENT  
(608) 663-6080  
SHARED MEDICAL SERVICES  
209 LIMESTONE PASS  
COTTAGE GROVE WI 53527-8968

LTR 1 OF 1

SHIP TO:  
MATERIALS LICENSING BRANCH  
U.S. NUCLEAR REG COMM REGION III  
SUITE 210  
2443 WARRENVILLE ROAD  
LISLE IL 60532-4352




IL 603 9-03



UPS 2ND DAY AIR

TRACKING #: 1Z 524 1E8 02 4476 4997

2



BILLING: P/P

Billing ID: NIX-3  
Description:

NS 14.0.21 LP2044 18.0A 07/2011

SEE NOTICE ON REVERSE regarding UPS Terms, and notice of limitation of liability, where allowed by law, which may authorize UPS to act as forwarding agent for export control and customs purposes. If exported from the U.S., shippers certify that the commodities, technology or software were exported from the U.S. in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

Apply shipping documents on this side.

Do not use this envelope for:

UP U.S. NUCLEAR REG COMM REGION III  
UP 2443 WARRENVILLE RD  
UP STE 210  
UP LISLE IL 60532-3673

P: YELLOW S: 4BB E: 410  
0404-8380  
1Z5241E8024476 4997  
GEN9800 ILAD106 JUL 29 02:28:14 2011  
US 6014 NIP 10.2.1 0X1LE010

100% Recycled fiber  
80% Post-Consumer

International Shipping Notice - Carriage hereunder may be subject to the rules relating to liability and other terms and/or conditions established by the Convention for the Unification of Certain Rules Relating to International Carriage by Air (the "Warsaw Convention") and/or the Convention on the Contract for the International Carriage of Goods by Road (the "CMR Convention"). These commodities, technology or software were exported from the U.S. in accordance with the Export Administration Regulations. Diversion contrary to U.S. law prohibited.

010195101 1/10 PAC United Parcel Service, Louisville, KY