

**From:** Linton, Ron  
**Sent:** Tuesday, August 02, 2011 10:53 AM  
**To:** Garrett, Betty  
**Subject:** FW: Proposed amendments to SUA-1341  
**Attachments:** RE: Proposed amendments to SUA-1341

For Docket 040-08502, public.

---

**From:** Jon Winter (USA - Casper) [Jon.Winter@uranium1.com]  
**Sent:** Friday, July 08, 2011 3:02 PM  
**To:** Linton, Ron; Mandeville, Douglas  
**Cc:** Bill Kearney (USA - Casper); Scott Schierman (USA - Casper); John Vasein (USA - Christensen Ranch); Larry Arbogast (USA - Christensen Ranch)  
**Subject:** RE: Proposed amendments to SUA-1341

Ron & Doug we have reviewed the proposed language for License condition 9.3 and 9.12 (email of 7.1.11) for amendment 20 of SUA-1341 and they are acceptable to Uranium One.

Jon F. Winter  
Manager Environmental & Regulatory Affairs, Wyoming

907 North Poplar  
Suite 260  
Casper, WY 82601  
Phone: 307-234-8235 ext. 331



This email, including any attachments, is confidential and may be privileged. Please check any attachments for viruses before opening them. If you are not the intended recipient, then any disclosure, copying, distribution or use of this email or any attachment, other than to or by the sender, is prohibited. If you received this email in error, please notify us immediately by returning it to the sender and delete this copy from your system.

**From:** Linton, Ron [mailto:Ron.Linton@nrc.gov]  
**Sent:** Friday, July 01, 2011 1:16 PM  
**To:** Jon Winter (USA - Casper)  
**Cc:** Donna Wichers (USA - Casper); Mandeville, Douglas  
**Subject:** Proposed amendments to SUA-1341

Jon:

We are proposing to amend two License Conditions in SUA-1341 as part of the sulfuric acid and RST amendment request::

9.3 The licensee shall conduct operations in accordance with the commitments, representations, and statements contained in the January 5, 1996, license renewal application submittal as revised by the September 3, 1997, "Responses to NRC

Comments on the License Renewal Application for Source Materials License SUA-1341,” and as supplemented by the December 13, 1996, submittal, requesting a performance based license condition for approval of the startup of new well fields, including standard operating procedures, and supplemented by the February 4, 2011 and June 17, 2011, submittals requesting approval for the use of sulfuric acid in the yellowcake precipitation process and clarification of radiation safety technician qualifications, and hereinafter referred to as the approved license application. The approved license application is hereby incorporated by reference except where superseded by license conditions below.

[Applicable Amendment: 20]

9.12 The RSO shall have the health physics authorities, responsibilities, and technical qualifications identified in Regulatory Guide 8.31. Health Physics Technicians or Radiation Safety Technicians should have qualifications that are equal or equivalent to those specified in Regulatory Guide 8.31, Section 2.4.2 (Revision 1).

[Applicable Amendment: 20]

Please review and let me know if these are acceptable. Please respond to both me and Doug Mandeville and I will not be in the office next week.

Thanks.  
Ron