

UNITED STATES NUCLEAR REGULATORY COMMISSION

REGION III 2443 WARRENVILLE ROAD, SUITE 210 LISLE, IL 60532-4352

JUN 2 8 2011

Diana Krikke
Radiation Safety Officer
URS Corporation
3950 Sparks Drive SE
Grand Rapids, MI 49546

Dear Ms. Krikke:

Due to a change in the NRC's licensing policies, total possession limits for regulated nuclear materials need to be listed on NRC licenses. As you discussed with Frank Tran by telephone on May 5, 2011, and based on the information you provided, we have listed the total possession limit for Items 6.A and 6.B on your license.

Enclosed is a corrected copy to your NRC license as a result of this change in the licensing policy. If you have any question regarding these changes, please contact the U.S. Nuclear Regulatory Commission, Region III office immediately at (630) 829-9623.

Please note, we have removed the license condition that required you to restrict the possession of licensed materials to quantities below the minimum limit for establishing decommissioning financial assurance because based upon the new possession limits, this condition is no longer applicable.

Also, as we discussed by telephone on June 8, 2011, please amendment your NRC license to reflect the change of the Radiation Safety Officer's last name from Romero to Krikke. Please see the enclosed information regarding amendments from NUREG-1556, Volume 1, Revision 1, and NRC Form 313. You may also find a copy of NUREG-1556, Volume 1, Revision 1 on our website at http://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/v1/r1/.

In accordance with Title 10 Code of Federal Regulations 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at http://www.nrc.gov/reading-rm/adams.html.

Sincerely.

William P. Reichhold

Materials Licensing Branch

License No. 21-32549-01 Docket No. 030-36777

Enclosure: Corrected copy of Amendment No. 01