

Thomas Mogren
Manager – Engineering Services

CENG

a joint venture of



**Constellation
Energy**



EDF

R.E. Ginna Nuclear Power Plant, LLC
1503 Lake Road
Ontario, New York 14519-9364

585.771.5208
585.771.3392 Fax

Thomas.Mogren@cengllc.com

August 2, 2011

U.S. Nuclear Regulatory Commission
Washington, D.C. 20555-0001

ATTENTION: Document Control Desk

SUBJECT: **R.E. Ginna Nuclear Power Plant**
Docket No. 50-244

Thirty (30) Day Special Report

Radiation monitor RM-14A, Channel 3, Plant Vent Iodine Accident Range Radiation Monitor, was inoperable for greater than 30 days. This special report is submitted in accordance with Section 3.3 and Table 3.3-1, Action 1, of the R.E. Ginna Nuclear Power Plant Offsite Dose Calculation Manual (ODCM), Revision 27, which requires that the radiation monitor be operable during all modes of operation. This report outlines the action taken, the cause of the inoperability, and period of time the monitor was inoperable.

Radiation monitor RM-14A, Channel 3 was taken out of service on 6/21/11 at 09:05 for the required quarterly calibration. However, due to not satisfying the procedural requirement for sensitivity, the radiation monitor could not be returned to service. Subsequent calibration attempts were performed with adjustments to the attenuator and gain being necessary. After the appropriate adjustments were implemented, the calibration yielded a satisfactory sensitivity in accordance with the calibration procedure. The radiation monitor was returned to operable status on 7/21/11 at 21:46.

Return to service of the radiation monitor was delayed based on the required troubleshooting, impact of the radioactive source strength, inability to replace the detector due to the lack of a qualified spare detector and scheduling constraints. Corrective Action Program condition report CR-2011-005288 was opened to document the radiation monitor being inoperable for greater than 30 days.

IEZZ
NRR

Document Control Desk
August 2, 2011
Page 2

Should you have questions regarding this matter, please contact Thomas Harding at 585.771.5219 or Thomas.HardingJr@CENGLLC.com.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Thomas Mogren', written in a cursive style.

Thomas Mogren

cc: W.M. Dean, NRC
D. V. Pickett, NRC
Resident Inspector, NRC (Ginna)