



Water Discharge Permits (PCS)

file:///C:/MyFiles/Copies/PCS%20Detailed%20Reports.mht
Last updated on Friday, August 19, 2011

You are here: [EPA Home](#) [Envirofacts](#) PCS



Detailed Reports



Results are based on data extracted on AUG-15-2011

Pending migration to a new system, the data for the Permit Compliance System (PCS) will remain frozen in Envirofacts for the following states and territories as of the below listed dates:

- Frozen as of June 6th, 2006: MA,NH,RI,VI,PR,DC,MD,IN,NM,UT,HI,AK,ID
- Frozen as of August, 2006: AS,AT,CT,CZ,FM,GA,GB,GU,JA,MH,MP,MT,MW,NE,NI,NN,NV,NY,PA,PW,SD,SR,TT,UM
- Frozen as of April 24th, 2008: IL
- Frozen as of August 26th, 2008: AR,CA,CO,OK,TN,WI
- Frozen as of June 17th, 2009: TX, LA, GM, AL

Please refer to the [ECHO Clean Water Act Query Screen](#) to retrieve updated data for the states frozen in Envirofacts.

Facility

| | | | |
|---------------------------------------------|-----------------------------------|--------------------------------------------|-------------------------|
| <u>FACILITY NAME (1) :</u> | RAWSONVILLE WOODS MHC | <u>NPDES :</u> | MI0056677 |
| <u>FACILITY NAME (2) :</u> | | | |
| <u>STREET 1 :</u> | 10825 RAWSONVILLE RD | <u>SIC CODE :</u> | 4952 = SEWERAGE SYSTEMS |
| <u>CITY :</u> | BELLEVILLE | <u>MAJOR / MINOR :</u> | |
| <u>COUNTY NAME :</u> | WAYNE | <u>TYPE OF OWNERSHIP :</u> | PRI = PRIVATE |
| <u>STATE :</u> | MI | <u>INDUSTRY CLASS :</u> | X |
| <u>ZIP CODE :</u> | 48111 | <u>ACTIVITY STATUS :</u> | A = Active |
| <u>REGION :</u> | 05 | <u>INACTIVE DATE :</u> | |
| <u>LATITUDE :</u> | +4207300 | <u>TYPE OF PERMIT ISSUED :</u> | S = STATE |
| <u>LONGITUDE :</u> | -08332300 | <u>PERMIT ISSUED DATE :</u> | 18-MAR-2010 |
| <u>LAT/LON CODE OF ACCURACY :</u> | | <u>PERMIT EXPIRED DATE :</u> | 01-OCT-2014 |
| <u>LAT/LON METHOD :</u> | | <u>ORIGINAL PERMIT ISSUE DATE :</u> | 14-MAR-2002 |
| <u>LAT/LON SCALE :</u> | | | |
| <u>LAT/LON DATUM :</u> | | <u>STREAM SEGMENT :</u> | |
| <u>LAT/LON DESCRIPTION :</u> | | <u>MILEAGE IND :</u> | |
| <u>USGS HYDRO BASIN CODE :</u> | | <u>FEDERAL GRANT IND :</u> | |
| <u>FLOW :</u> | .14 | <u>FINAL LIMITS IND :</u> | F = FINAL |
| <u>RECEIVING STREAM CLASS CODE :</u> | | <u>SLUDGE CLASS FAC IND :</u> | |
| <u>RECEIVING WATERS :</u> | BRADSHAW DRAIN & BIRD MARSH DRAIN | <u>ANNUAL DRY SLUDGE PROD :</u> | |
| <u>PRETREATMENT CODE :</u> | | | |
| <u>SLUDGE INDICATOR :</u> | | <u>MAILING STREET (2) :</u> | |
| <u>SLUDGE RELATED PERMIT NUM :</u> | | <u>MAILING STATE :</u> | MI |
| <u>MAILING NAME :</u> | DENMARK MANAGEMENT COMPANY | | |
| <u>MAILING STREET (1) :</u> | 23540 REYNOLDS CT | | |
| <u>MAILING CITY :</u> | CLINTON TWP | | |
| <u>MAILING ZIP CODE :</u> | 48036 | | |
| <u>SLUDGE COMMERCIAL HANDLER :</u> | | <u>SLUDGE HANDLER STREET</u> | |
| <u>SLUDGE HANDLER STREET</u> | | | |

(1) :
SLUDGE HANDLER CITY :
SLUDGE HANDLER ZIP CODE :
COGNIZANT OFFICIAL : DARREL SWAIN

(2) :
SLUDGE HANDLER STATE :
COGNIZANT OFFICIAL TEL :

Permit Documents

FACILITY NAME (1) : RAWSONVILLE WOODS MHC **NPDES :** MI0056677
FACILITY NAME (2) :

No Permit Documents Found.

Permit Tracking

FACILITY NAME (1) : RAWSONVILLE WOODS MHC **NPDES :** MI0056677
FACILITY NAME (2) : **PERMIT ISSUED BY :** S = STATE
PERMIT ISSUED DATE : 18-MAR-2010 **ORIGINAL DATE OF ISSUE :** 14-MAR-2002
PERMIT EXPIRED DATE : 01-OCT-2014

Permit Tracking Events:

| EVENT CODE | EVENT DESCRIPTION | ACTUAL DATE |
|------------|----------------------|-------------|
| P5099 | PERMIT EXPIRED | 01-OCT-2014 |
| P4099 | PERMIT ISSUED | 18-MAR-2010 |
| P1099 | APPLICATION RECEIVED | 15-JUN-2009 |

Inspections

FACILITY NAME (1) : RAWSONVILLE WOODS MHC **NPDES :** MI0056677
FACILITY NAME (2) :

| INSPECTION TYPE | DATE OF INSPECTION | INSPECTION PERFORMED BY |
|-------------------------|--------------------|-------------------------|
| S = COMPLIANCE SAMPLING | 06-MAY-2008 | S = STATE |

Outfalls/Pipe Schedules

| | | | |
|------------------------------------|--------------------------|--------------------------------|------------|
| FACILITY NAME (1) : | RAWSONVILLE WOODS MHC | NPDES : | MI0056677 |
| FACILITY NAME (2) : | | OUTFALL TYPE : | |
| PIPE NUMBER : | 001 | ACTIVITY STATUS: | A = ACTIVE |
| REPORT DESIGNATOR : | A | LATITUDE: | |
| PIPE SET QUALIFIER : | 9 | LONGITUDE : | |
| INACTIVE DATE : | | LAT/LON ACCURACY : | |
| INIT LIMITS START DATE : | | LAT/LON METHOD : | |
| INIT LIMITS END DATE : | | LAT/LON SCALE : | |
| INTERIM LIMITS START DATE : | | LAT/LON DATUM : | |
| INTERIM LIMITS END DATE : | | LAT/LON DESCRIPTION : | |
| FINAL LIMITS START DATE : | 01-JUN-2010 | USGS HYDRO BASIN CODE : | |
| FINAL LIMITS END DATE : | 30-SEP-2014 | PIPE STREAM SEGMENT : | |
| INIT SUBM. DATE(EPA) : | | RECEIVING STREAM CLASS | |
| SUBMISSION UNITS (EPA) : | | CD : | |
| | | MILEAGE INDICATOR : | |

UNITS IN EPA SUBM. PERIOD : 0
INIT SUBM. DATE (STATE) : 10-JUL-2010
SUBMISSION UNITS (STATE) : M = MONTHS
UNITS IN STATE SUBM. PERIOD : 1
INIT REPORTING DATE : 01-JUN-2010
REPORTING UNITS : M = MONTHS
UNITS IN REPORTING PERIOD : 1

PIPE DESCRIPTION :

001 LAGOON DISCHARGE-
BRADSHAW

FACILITY NAME (1) : RAWSONVILLE WOODS
MHC

NPDES :

MI0056677

FACILITY NAME (2) :

OUTFALL TYPE :

PIPE NUMBER : 002

ACTIVITY STATUS:

I = INACTIVE

REPORT DESIGNATOR : A

LATITUDE:

PIPE SET QUALIFIER : 9

LONGITUDE :

INACTIVE DATE : 01-JUN-2005

LAT/LON ACCURACY :

INIT LIMITS START DATE :

LAT/LON METHOD :

INIT LIMITS END DATE :

LAT/LON SCALE :

INTERIM LIMITS START DATE :

LAT/LON DATUM :

INTERIM LIMITS END DATE :

LAT/LON DESCRIPTION :

FINAL LIMITS START DATE : 01-JUN-2010

USGS HYDRO BASIN CODE :

FINAL LIMITS END DATE : 30-SEP-2014

PIPE STREAM SEGMENT :

INIT SUBM. DATE(EPA) :

RECEIVING STREAM CLASS

CD :

SUBMISSION UNITS (EPA) :

MILEAGE INDICATOR :

UNITS IN EPA SUBM. PERIOD : 0

PIPE DESCRIPTION :

002 CONTINUE DISCHARGE-
BRADSHA

INIT SUBM. DATE (STATE) : 10-JUL-2010

SUBMISSION UNITS (STATE) : M = MONTHS

UNITS IN STATE SUBM. PERIOD : 1

INIT REPORTING DATE : 01-JUN-2010

REPORTING UNITS : M = MONTHS

UNITS IN REPORTING PERIOD : 1

Limits Report

FACILITY NAME (1) : RAWSONVILLE WOODS MHC **NPDES :** MI0056677

FACILITY NAME (2) : **PIPE NUMBER :** 001

REPORT DESIGNATOR : A **PIPE SET QUALIFIER :** 9

| <u>LIMIT TYPE</u> | <u>PARAMETER CODE</u> | <u>MONITORING LOCATION</u> | <u>SEASON NUM</u> | <u>MODIFICATION NUM</u> | <u>MOD. PERIOD START DATE</u> | <u>MOD. PERIOD END DATE</u> | <u>CHANGE OF LIMIT STATUS</u> | <u>CONTESTED PARAMETER INDICATOR</u> | <u>DOCKET NUMBER</u> | <u>LONG FORMAT</u> |
|-------------------|-------------------------------|----------------------------|-------------------|-------------------------|-------------------------------|-----------------------------|-------------------------------|--------------------------------------|----------------------|--------------------|
| 5 = FINAL | OXYGEN, DISSOLVED (DO) | 1 = EFFLUENT GROSS VALUE | 1 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | YES |
| 5 = FINAL | BOD, CARBONACEOUS 05 DAY, 20C | B = PRIOR TO DISINFECT | 3 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | YES |
| 5 = | OXYGEN, | 1 = EFFLUENT | | | 01-JUN- | 30-SEP- | | | | |

| | | | | | | | | | | |
|-----------|------------------------------------------|--------------------------|---|---|-------------|-------------|--|--|--|------------|
| FINAL | DISSOLVED (DO) | GROSS VALUE | 3 | 0 | 2010 | 2014 | | | | <u>YES</u> |
| 5 = FINAL | PH | 1 = EFFLUENT GROSS VALUE | 0 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | <u>YES</u> |
| 5 = FINAL | SOLIDS, TOTAL SUSPENDED | B = PRIOR TO DISINFECT | 1 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | <u>YES</u> |
| 5 = FINAL | SOLIDS, TOTAL SUSPENDED | B = PRIOR TO DISINFECT | 2 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | <u>YES</u> |
| 5 = FINAL | NITROGEN, AMMONIA TOTAL (AS N) | B = PRIOR TO DISINFECT | 1 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | <u>YES</u> |
| 5 = FINAL | NITROGEN, AMMONIA TOTAL (AS N) | B = PRIOR TO DISINFECT | 2 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | <u>YES</u> |
| 5 = FINAL | NITROGEN, AMMONIA TOTAL (AS N) | B = PRIOR TO DISINFECT | 3 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | <u>YES</u> |
| 5 = FINAL | PHOSPHORUS, TOTAL (AS P) | B = PRIOR TO DISINFECT | 0 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | <u>YES</u> |
| 5 = FINAL | FLOW, IN CONDUIT OR THRU TREATMENT PLANT | 1 = EFFLUENT GROSS VALUE | 0 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | <u>YES</u> |
| 5 = FINAL | COLIFORM, FECAL GENERAL | 1 = EFFLUENT GROSS VALUE | 0 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | <u>YES</u> |
| 5 = FINAL | BOD, CARBONACEOUS 05 DAY, 20C | B = PRIOR TO DISINFECT | 1 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | <u>YES</u> |
| 5 = FINAL | BOD, CARBONACEOUS 05 DAY, 20C | B = PRIOR TO DISINFECT | 2 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | <u>YES</u> |
| 5 = FINAL | OXYGEN, DISSOLVED (DO) | 1 = EFFLUENT GROSS VALUE | 2 | 0 | 01-JUN-2010 | 30-SEP-2014 | | | | <u>YES</u> |

Measurements and Violations

FACILITY NAME (1): RAWSONVILLE WOODS MHC **NPDES :** MI0056677

FACILITY NAME (2):

No PCS Measurements and Violations Information Found.

Compliance Schedules and Violations

FACILITY NAME (1) : RAWSONVILLE WOODS MHC **NPDES :** MI0056677

FACILITY NAME (2):

No Compliance Schedules Found.

Evidentiary Hearings

FACILITY NAME (1) : RAWSONVILLE WOODS MHC **NPDES :** MI0056677

FACILITY NAME (2) :

No PCS Evidentiary Hearing Information Found.

Pretreatment Inspections/Audits

FACILITY NAME (1) : RAWSONVILLE WOODS MHC **NPDES :** MI0056677

FACILITY NAME (2) :

No PCS Pretreatment Inspections Found.

Pretreatment Performance Summary

FACILITY NAME (1) : RAWSONVILLE WOODS MHC **NPDES :** MI0056677

FACILITY NAME (2) :

No PCS Pretreatment Performance Summary Information Found.
