

CHAPTER 15— ACCIDENT ANALYSES

LIST OF FIGURES

Figure 15.0-1—RCCA Position as a Function of Time to Reach for Full Insertion	15.0-142
Figure 15.0-2—Normalized RCCA Rod Worth as a Function of Position Within the Core	15.0-143
Figure 15.0-3—Normalized RCCA Reactivity Worth as a Function of Rod Drop Time	15.0-144
Figure 15.0-4—MCR Envelope Post-Accident HVAC Filtration Mode Model	15.0-145
Figure 15.0-5—Small Line Break Accident Scenario	15.0-146
Figure 15.0-6—SGTR - Ruptured SG Release Scenario Diagram	15.0-147
Figure 15.0-7—MSLB Scenario Diagram	15.0-148
Figure 15.0-8—LRA Scenario Diagram	15.0-149
Figure 15.0-9—REA - Primary Containment Leakage Scenario Diagram	15.0-150
Figure 15.0-10—REA - Secondary-Side Leakage Scenario Diagram	15.0-151
Figure 15.0-11—FHA Scenario Diagram	15.0-152
Figure 15.0-12—Model for the Loss of Coolant Accident Analysis	15.0-153
Figure 15.1-1—Decrease in Feedwater Temperature - Main Feedwater Flow Rate	15.1-44
Figure 15.1-2—Decrease in Feedwater Temperature - Steam Generator Narrow Range Liquid Level	15.1-45
Figure 15.1-3—Decrease in Feedwater Temperature - Heat Transfer to Steam Generators	15.1-46
Figure 15.1-4—Decrease in Feedwater Temperature - Cold Leg Temperatures	15.1-47
Figure 15.1-5—Decrease in Feedwater Temperature - Reactor Power	15.1-48
Figure 15.1-6—Decrease in Feedwater Temperature - Reactivity	15.1-49
Figure 15.1-7—Decrease in Feedwater Temperature - RCS and Secondary System Pressures	15.1-50
Figure 15.1-8—Decrease in Feedwater Temperature - Pressurizer Level	15.1-51
Figure 15.1-9—Increase in Feedwater Flow - Reactor Power	15.1-52
Figure 15.1-10—Increase in Feedwater Flow - Reactivity	15.1-53
Figure 15.1-11—Increase in Main Feedwater Flow - RCS Pressures	15.1-54

Figure 15.1-12—Increase in Main Feedwater Flow - RCS Flow.....	15.1-55
Figure 15.1-13—Increase in Main Feedwater Flow - RCS Loop Temperatures...	15.1-56
Figure 15.1-14—Increase in Main Feedwater Flow - Affected Core Segment Temperatures.....	15.1-57
Figure 15.1-15—Increase in Main Feedwater Flow - Unaffected Core Segment Temperatures.....	15.1-58
Figure 15.1-16—Increase in Main Feedwater Flow - Heat Flux	15.1-59
Figure 15.1-17—Increase in Main Feedwater Flow - MFW and Main Steam Flows	15.1-60
Figure 15.1-18—Increase in Main Feedwater Flow - SG Pressures	15.1-61
Figure 15.1-19—Increase in Main Feedwater Flow - SG NR Liquid Levels	15.1-62
Figure 15.1-20—Increase in Feedwater Flow - SG Collapsed Level.....	15.1-63
Figure 15.1-21—Increase in Feedwater Flow - Reactivity	15.1-64
Figure 15.1-22—Increase in Steam Flow - Reactor Power	15.1-65
Figure 15.1-23—Increase in Steam Flow - Reactivity.....	15.1-66
Figure 15.1-24—Increase in Steam Flow - RCS Pressures	15.1-67
Figure 15.1-25—Increase in Steam Flow - RCS Flow Rate	15.1-68
Figure 15.1-26—Increase in Steam Flow - RCS Loop Temperatures	15.1-69
Figure 15.1-27—Increase in Steam Flow - Core Fluid Temperatures	15.1-70
Figure 15.1-28—Increase in Steam Flow - Heat Flux.....	15.1-71
Figure 15.1-29—Increase in Steam Flow - MFW and Main Steam Flow Rates.....	15.1-72
Figure 15.1-30—Increase in Steam Flow - SG Pressures.....	15.1-73
Figure 15.1-31—Increase in Steam Flow - SG WR Liquid Level.....	15.1-74
Figure 15.1-32—Increase in Steam Flow - Reactivity (Detail).....	15.1-75
Figure 15.1-33—Inadvertent Opening of a SG Relief or Safety Valve - MSRT Flow Rate.....	15.1-76
Figure 15.1-34—Inadvertent Opening of a SG Relief or Safety Valve - MFW Flow Rate	15.1-77
Figure 15.1-35—Inadvertent Opening of a SG Relief or Safety Valve - SG NR Liquid Levels.....	15.1-78
Figure 15.1-36—Inadvertent Opening of a SG Relief or Safety Valve - Heat Transfer to SGs	15.1-79
Figure 15.1-37—Inadvertent Opening of a SG Relief or Safety Valve - Cold Leg Temperatures	15.1-80

Figure 15.1-38—Inadvertent Opening of a SG Relief or Safety Valve - Reactor Power	15.1-81
Figure 15.1-39—Inadvertent Opening of a SG Relief or Safety Valve - Reactivity	15.1-82
Figure 15.1-40—Inadvertent Opening of a SG Relief or Safety Valve - RCS and Secondary System Pressures	15.1-83
Figure 15.1-41—Inadvertent Opening of a SG Relief or Safety Valve - Pressurizer Level	15.1-84
Figure 15.1-42—Inadvertent Opening of a SG Relief or Safety Valve - Steam Flow Rate	15.1-85
Figure 15.1-43—Inadvertent Opening of a SG Relief or Safety Valve - TSV Position	15.1-86
Figure 15.1-44—MSLB - Break Flow Rate	15.1-87
Figure 15.1-45—MSLB - Steam Generator Pressures	15.1-88
Figure 15.1-46—MSLB - Main Steam Relief Train Flow Rate	15.1-89
Figure 15.1-47—MSLB - Steam Generator Heat Transfer Rates	15.1-90
Figure 15.1-48—MSLB - Feedwater Flow Rates	15.1-91
Figure 15.1-49—MSLB - Steam Generator Secondary-Side Liquid Inventories...	15.1-92
Figure 15.1-50—MSLB - Core Inlet Temperatures	15.1-93
Figure 15.1-51—MSLB - Pressurizer Pressure	15.1-94
Figure 15.1-52—MSLB - Pressurizer Level	15.1-95
Figure 15.1-53—MSLB - Medium-Head Safety Injection Flow Rates	15.1-96
Figure 15.1-54—MSLB - Reactivity	15.1-97
Figure 15.1-55—MSLB - Reactor Power	15.1-98
Figure 15.1-56—MSLB - Longer-Term Reactor Power	15.1-99
Figure 15.1-57—Decrease in Feedwater Temperature - Representative Plot of Normalized Minimum DNBR and Maximum LPD to SAFDL..	15.1-100
Figure 15.1-58—Increase in Main Feedwater Flow - Representative Plot of Normalized Minimum DNBR and Maximum LPD to SAFDL	15.1-101
Figure 15.1-59—Increase in Steam Flow - Representative Plot of Normalized Minimum DNBR and Maximum LPD to SAFDL	15.1-102
Figure 15.1-60—Inadvertent Opening of a SG Relief or Safety Valve - Representative Plot of Normalized Minimum DNBR and Maximum LPD to SAFDL	15.1-103
Figure 15.1-61—MSLB (small break, pre-scrum) - Representative Plot of Normalized Minimum DNBR and Maximum LPD to SAFDL	15.1-104

Figure 15.2-1—Turbine Trip RCS Overpressurization - Peak RCS Pressure	15.2-49
Figure 15.2-2—Turbine Trip RCS Overpressurization - Peak Secondary Pressure.....	15.2-50
Figure 15.2-3—Turbine Trip RCS Overpressurization - Steam Generator Steam Dome Pressures	15.2-51
Figure 15.2-4—Turbine Trip RCS Overpressurization - % Reactor Power.....	15.2-52
Figure 15.2-5—Turbine Trip RCS Overpressurization - Total Reactivity	15.2-53
Figure 15.2-6—Turbine Trip RCS Overpressurization - Total RCS Flow	15.2-54
Figure 15.2-7—Turbine Trip RCS Overpressurization - Core Fluid Temperatures.....	15.2-55
Figure 15.2-8—Turbine Trip RCS Overpressurization - RCS Loop Temperature	15.2-56
Figure 15.2-9—Turbine Trip RCS Overpressurization - PZR Pressure	15.2-57
Figure 15.2-10—Turbine Trip RCS Overpressurization - PZR Level.....	15.2-58
Figure 15.2-11—Turbine Trip RCS Overpressurization - PSRV Flow Rates.....	15.2-59
Figure 15.2-12—Turbine Trip RCS Overpressurization - MSRT Flow Rates	15.2-60
Figure 15.2-13—Turbine Trip RCS Overpressurization - MFW Flows.....	15.2-61
Figure 15.2-14—MSIVC Secondary Overpressurization—MSIV Flow Rates.....	15.2-62
Figure 15.2-15—MSIVC Secondary Overpressurization - Safety Valve Flows for the Affected Loop	15.2-63
Figure 15.2-16—MSIVC Secondary Overpressurization—Cold Leg Temperatures.....	15.2-64
Figure 15.2-17—MSIVC Secondary Overpressurization — Average Core Heat Flux.....	15.2-65
Figure 15.2-18—MSIVC Secondary Overpressurization — Maximum Primary Pressure	15.2-66
Figure 15.2-19—MSIVC Secondary Overpressurization — Reactor Power.....	15.2-67
Figure 15.2-20—MSIVC Secondary Overpressurization — Pressurizer Level.....	15.2-68
Figure 15.2-21—MSIVC Secondary Overpressurization — Pressurizer Relief Valve Flows	15.2-69
Figure 15.2-22—MSIVC Secondary Overpressurization—Total Reactivity	15.2-70
Figure 15.2-23—MSIVC Secondary Overpressurization — Maximum Secondary Pressures.....	15.2-71
Figure 15.2-24—MSIVC Secondary Overpressurization — Average Core Fluid Temperature	15.2-72

Figure 15.2-25—MSIVC Secondary Overpressurization — Turbine Control Valve Flow	15.2-73
Figure 15.2-26—MSIVC Secondary Overpressurization — Safety Valve Flows for an Unaffected Loop	15.2-74
Figure 15.2-27—Loss of Normal Feedwater - Reactor and Total SG Power.....	15.2-75
Figure 15.2-28—Loss of Normal Feedwater - SG Power	15.2-76
Figure 15.2-29—Loss of Normal Feedwater - PZR Pressure	15.2-77
Figure 15.2-30—Loss of Normal Feedwater - PZR Spray Flow	15.2-78
Figure 15.2-31—Loss of Normal Feedwater - PSRV Flow	15.2-79
Figure 15.2-32—Loss of Normal Feedwater - PZR Liquid Level	15.2-80
Figure 15.2-33—Loss of Normal Feedwater - RCS Loop Mass Flow.....	15.2-81
Figure 15.2-34—Loss of Normal Feedwater - RCS Temperatures.....	15.2-82
Figure 15.2-35—Loss of Normal Feedwater - Core Exit Subcooling	15.2-83
Figure 15.2-36—Loss of Normal Feedwater - Core Flow Rate.....	15.2-84
Figure 15.2-37—Loss of Normal Feedwater - Flow Rates through Main Steam Relief Train, Unaffected SGs.....	15.2-85
Figure 15.2-38—Loss of Normal Feedwater - Flow Rates through Main Steam Relief Train, Affected SGs	15.2-86
Figure 15.2-39—Loss of Normal Feedwater - SG Pressure	15.2-87
Figure 15.2-40—Loss of Normal Feedwater - SG NR Liquid Level	15.2-88
Figure 15.2-41—Loss of Normal Feedwater - SG WR Liquid Level	15.2-89
Figure 15.2-42—Loss of Normal Feedwater - SG Total Mass Inventory	15.2-90
Figure 15.2-43—Loss of Normal Feedwater - SG Liquid Mass Inventory	15.2-91
Figure 15.2-44—Loss of Normal Feedwater - Steam and EFW Flow, Unaffected.....	15.2-92
Figure 15.2-45—Loss of Normal Feedwater - Steam and EFW Flow, Affected	15.2-93
Figure 15.2-46—Loss of Normal Feedwater - MFW Flow	15.2-94
Figure 15.2-47—Loss of Normal Feedwater - Blowdown Flow.....	15.2-95
Figure 15.2-48—Loss of Normal Feedwater - Net Heat Addition to RCS.....	15.2-96
Figure 15.2-49—FWLB Representative Small Break - Reactor and Total Steam Generator Power	15.2-97
Figure 15.2-50—FWLB Representative Small Break - Pressurizer Pressure.....	15.2-98
Figure 15.2-51—FWLB Representative Small Break - Pressurizer Spray Flow	15.2-99

Figure 15.2-52—FWLB Representative Small Break - PSRV Flow.....	15.2-100
Figure 15.2-53—FWLB Representative Small Break - Pressurizer Liquid Level	15.2-101
Figure 15.2-54—FWLB Representative Small Break - RCS Cold Leg Temperatures.....	15.2-102
Figure 15.2-55—FWLB Representative Small Break - RCS Hot Leg Temperatures.....	15.2-103
Figure 15.2-56—FWLB Representative Small Break - Core Exit Subcooling.....	15.2-104
Figure 15.2-57—FWLB Representative Small Break - Core Flow.....	15.2-105
Figure 15.2-58—FWLB Representative Small Break - Break Flow	15.2-106
Figure 15.2-59—FWLB Representative Small Break - Main Steam Relief Loops 1 and 2	15.2-107
Figure 15.2-60—FWLB Representative Small Break - Main Steam Relief Loops 3 and 4	15.2-108
Figure 15.2-61—FWLB Representative Small Break - Steam Generator Dome Pressure	15.2-109
Figure 15.2-62—FWLB Representative Small Break - Steam Generator Total Mass	15.2-110
Figure 15.2-63—FWLB Representative Small Break - Steam Generator Liquid Mass.....	15.2-111
Figure 15.2-64—FWLB Representative Small Break - Net Heat Addition to RCS	15.2-112
Figure 15.2-65—FWLB Representative Small Break - RCS Maximum Pressure.....	15.2-113
Figure 15.2-66—FWLB Representative Small Break - Steam Generator Maximum Pressure	15.2-114
Figure 15.2-67—FWLB Representative Small Break - Reactivities	15.2-115
Figure 15.2-68—FWLB Representative Small Break - Liquid Volume Fraction in Pressurizer Dome	15.2-116
Figure 15.2-69—FWLB Maximum RCS Pressure Case - Reactor and Total Steam Generator Power	15.2-117
Figure 15.2-70—FWLB Maximum RCS Pressure Case - Pressurizer Pressure.....	15.2-118
Figure 15.2-71—FWLB Maximum RCS Pressure Case - PSRV Flow	15.2-119
Figure 15.2-72—FWLB Maximum RCS Pressure Case - Pressurizer Liquid Level.....	15.2-120

Figure 15.2-73—FWLB Maximum RCS Pressure Case - RCS Cold Leg Temperatures.....	15.2-121
Figure 15.2-74—FWLB Maximum RCS Pressure Case - RCS Hot Leg and Upper Head Temperatures	15.2-122
Figure 15.2-75—FWLB Maximum RCS Pressure Case - Core Exit Subcooling	15.2-123
Figure 15.2-76—FWLB Maximum RCS Pressure Case - Core Flow	15.2-124
Figure 15.2-77—FWLB Maximum RCS Pressure Case - Break Flow	15.2-125
Figure 15.2-78—FWLB Maximum RCS Pressure Case - Main Steam Relief Loops 1 and 2	15.2-126
Figure 15.2-79—FWLB Maximum RCS Pressure Case - Main Steam Relief Loops 3 and 4	15.2-127
Figure 15.2-80—FWLB Maximum RCS Pressure Case - Steam Generator Dome Pressures	15.2-128
Figure 15.2-81—FWLB Maximum RCS Pressure Case - Steam Generator Total Mass	15.2-129
Figure 15.2-82—FWLB Maximum RCS Pressure Case - Steam Generator Liquid Mass.....	15.2-130
Figure 15.2-83—FWLB Maximum RCS Pressure Case - Net Heat Addition to RCS	15.2-131
Figure 15.2-84—FWLB Maximum RCS Pressure Case - RCS Maximum Pressure.....	15.2-132
Figure 15.2-85—FWLB Maximum RCS Pressure Case - Steam Generator Maximum Pressure	15.2-133
Figure 15.2-86—FWLB Maximum RCS Pressure Case - Reactivities	15.2-134
Figure 15.2-87—FWLB Maximum Secondary Pressure Case - Reactor and Total Steam Generator Power	15.2-135
Figure 15.2-88—FWLB Maximum Secondary Pressure Case - Pressurizer Pressure.....	15.2-136
Figure 15.2-89—FWLB Maximum Secondary Pressure Case - PSRV Flow.....	15.2-137
Figure 15.2-90—FWLB Maximum Secondary Pressure Case - Pressurizer Liquid Level.....	15.2-138
Figure 15.2-91—FWLB Maximum Secondary Pressure Case - RCS Cold Leg Temperatures.....	15.2-139
Figure 15.2-92—FWLB Maximum Secondary Pressure Case - RCS Hot Leg and Upper Head Temperature	15.2-140

Figure 15.2-93—FWLB Maximum Secondary Pressure Case - Core Exit Subcooling	15.2-141
Figure 15.2-94—FWLB Maximum Secondary Pressure Case - Core Flow	15.2-142
Figure 15.2-95—FWLB Maximum Secondary Pressure Case - Break Flow	15.2-143
Figure 15.2-96—FWLB Maximum Secondary Pressure Case - Main Steam Relief Loops 1 and 2	15.2-144
Figure 15.2-97—FWLB Maximum Secondary Pressure Case - Main Steam Relief Loops 3 and 4	15.2-145
Figure 15.2-98—FWLB Maximum Secondary Pressure Case - Steam Generator Dome Pressures	15.2-146
Figure 15.2-99—FWLB Maximum Secondary Pressure Case - Steam Generator Total Mass	15.2-147
Figure 15.2-100—FWLB Maximum Secondary Pressure Case - Steam Generator Liquid Mass	15.2-148
Figure 15.2-101—FWLB Maximum Secondary Pressure Case - Net Heat Addition to RCS	15.2-149
Figure 15.2-102—FWLB Maximum Secondary Pressure Case - RCS Maximum Pressure	15.2-150
Figure 15.2-103—FWLB Maximum Secondary Pressure Case - Steam Generator Maximum Pressure	15.2-151
Figure 15.2-104—FWLB Maximum Secondary Pressure Case - Reactivities	15.2-152
Figure 15.3-1—Partial Loss of Forced Reactor Coolant Flow Event - RCS Flow Rates	15.3-19
Figure 15.3-2—Partial Loss of Forced Reactor Coolant Flow Event - Reactor Power	15.3-20
Figure 15.3-3—Partial Loss of Forced Reactor Coolant Flow Event - Core Average Heat Flux	15.3-21
Figure 15.3-4—Partial Loss of Forced Reactor Coolant Flow Event - Primary System Pressure	15.3-22
Figure 15.3-5—Complete Loss of Forced Reactor Coolant Flow Event - RCS Flow Rates	15.3-23
Figure 15.3-6—Complete Loss of Forced Reactor Coolant Flow Event - Reactor Power	15.3-24
Figure 15.3-7—Complete Loss of Forced Reactor Coolant Flow Event - Core Average Heat Flux	15.3-25
Figure 15.3-8—Complete Loss of Forced Reactor Coolant Flow Event - Primary System Pressure	15.3-26

Figure 15.3-9—Reactor Coolant Pump Rotor Seizure Event - RCS Flow Rates.....	15.3-27
Figure 15.3-10—Reactor Coolant Pump Rotor Seizure Event - Reactor Power.....	15.3-28
Figure 15.3-11—Reactor Coolant Pump Rotor Seizure Event - Primary System Pressure.....	15.3-29
Figure 15.3-12—Reactor Coolant Pump Rotor Seizure Event - Core Average Heat Flux	15.3-30
Figure 15.3-13—Partial Loss of Forced Reactor Coolant Flow Event - Reactivity	15.3-31
Figure 15.3-14—Partial Loss of Forced Reactor Coolant Flow Event - Representative DNBR and LPD.....	15.3-32
Figure 15.3-15—Partial Loss of Forced Reactor Coolant Flow Event - Core Inlet Temperature.....	15.3-33
Figure 15.3-16—Complete Loss of Forced Reactor Coolant Flow Event - Reactivity	15.3-34
Figure 15.3-17—Complete Loss of Forced Reactor Coolant Flow Event - Representative DNBR and LPD.....	15.3-35
Figure 15.3-18—Complete Loss of Forced Reactor Coolant Flow Event - Core Inlet Temperature.....	15.3-36
Figure 15.3-19—Reactor Coolant Pump Rotor Seizure Event - Reactivity.....	15.3-37
Figure 15.3-20—Reactor Coolant Pump Rotor Seizure Event - Core Inlet Temperature	15.3-38
Figure 15.4-1—Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Reactor Power	15.4-53
Figure 15.4-2—Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Reactivity.....	15.4-54
Figure 15.4-3—Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Primary System Pressure	15.4-55
Figure 15.4-4—Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Primary System Temperature	15.4-56
Figure 15.4-5—Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Cold Leg Mass Flow.....	15.4-57
Figure 15.4-6—Uncontrolled Control Bank Withdrawal at Power - Reactor Power.....	15.4-58
Figure 15.4-7—Uncontrolled Control Bank Withdrawal at Power - Reactivity	15.4-59
Figure 15.4-8—Uncontrolled Control Bank Withdrawal at Power - Average Core Heat Flux.....	15.4-60

Figure 15.4-9—Uncontrolled Control Bank Withdrawal at Power - Primary Pressure.....	15.4-61
Figure 15.4-10—Uncontrolled Control Bank Withdrawal at Power - Cold Leg Flow	15.4-62
Figure 15.4-11—Uncontrolled Control Bank Withdrawal at Power - Primary System Temperature	15.4-63
Figure 15.4-12—Uncontrolled Control Bank Withdrawal at Power - Pressurizer Level	15.4-64
Figure 15.4-13—Uncontrolled Control Bank Withdrawal at Power - SG Secondary Pressure	15.4-65
Figure 15.4-14—Uncontrolled Control Bank Withdrawal at Power - Pressurizer Spray	15.4-66
Figure 15.4-15—Dropped RCCA - Reactor Power	15.4-67
Figure 15.4-16—Dropped RCCA - Reactivity	15.4-68
Figure 15.4-17—Dropped RCCA - Average Core Heat Flux	15.4-69
Figure 15.4-18—Dropped RCCA - Primary System Pressure	15.4-70
Figure 15.4-19—Dropped RCCA - Primary System Temperature.....	15.4-71
Figure 15.4-20—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Total RCS Loop Flow	15.4-72
Figure 15.4-21—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - RCS Loop Flows	15.4-73
Figure 15.4-22—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - RCP Speeds	15.4-74
Figure 15.4-23—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Core Temperatures	15.4-75
Figure 15.4-24—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Indicated Reactor Power.....	15.4-76
Figure 15.4-25—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Reactivity.....	15.4-77
Figure 15.4-26—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Cold Leg Temperatures	15.4-78
Figure 15.4-27—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - RCS Bottom Pressure.....	15.4-79
Figure 15.4-28—Rod Ejection Accident DNBR Analysis - BOC HFP Transient Power Fraction.....	15.4-80
Figure 15.4-29—Rod Ejection Accident DNBR Analysis - BOC HFP Transient Peak Fuel and Cladding Temperatures	15.4-81

Figure 15.4-30—Rod Ejection Accident DNBR Analysis - EOC HZP Transient Power Fraction	15.4-82
Figure 15.4-31—Rod Ejection Accident DNBR Analysis - EOC HZP Transient Peak Fuel and Cladding Temperatures	15.4-83
Figure 15.4-32—HFP Rod Ejection Accident Overpressurization Analysis - Percent Reactor Power	15.4-84
Figure 15.4-33—HFP Rod Ejection Accident Overpressurization Analysis - Reactivity	15.4-85
Figure 15.4-34—HFP Rod Ejection Accident Overpressurization Analysis - Primary System Pressure	15.4-86
Figure 15.4-35—HFP Rod Ejection Accident Overpressurization Analysis - Primary System Temperature	15.4-87
Figure 15.4-36—60% NP Rod Ejection Accident Overpressurization Analysis - Percent Reactor Power	15.4-88
Figure 15.4-37—60% NP Rod Ejection Accident Overpressurization Analysis - Reactivity	15.4-89
Figure 15.4-38—60% NP Rod Ejection Accident Overpressurization Analysis - Primary System Pressure	15.4-90
Figure 15.4-39—60% NP Rod Ejection Accident Overpressurization Analysis - Primary System Temperature	15.4-91
Figure 15.4-40—HZP Rod Ejection Accident Overpressurization Analysis - Percent Reactor Power	15.4-92
Figure 15.4-41—HZP Rod Ejection Accident Overpressurization Analysis - Reactivity	15.4-93
Figure 15.4-42—HZP Rod Ejection Accident Overpressurization Analysis - Primary System Pressure	15.4-94
Figure 15.4-43—HZP Rod Ejection Accident Overpressurization Analysis - Primary System Temperature	15.4-95
Figure 15.4-44—Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Primary Hot Leg Temperature....	15.4-96
Figure 15.4-45—Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Primary Cold Leg Temperature..	15.4-97
Figure 15.4-46—Uncontrolled Control Bank Withdrawal from a Subcritical or Low Power Startup Condition - Normalized Minimum DNBR and FCM to SAFDL	15.4-98
Figure 15.4-47—Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature - Normalized Minimum DNBR and Maximum LPD to SAFDL	15.4-99

Figure 15.4-48—HFP Rod Ejection Accident Overpressurization Analysis - Primary Hot Leg Temperature	15.4-100
Figure 15.4-49—HFP Rod Ejection Accident Overpressurization Analysis - Primary Cold Leg Temperature	15.4-101
Figure 15.4-50—60% NP Rod Ejection Accident Overpressurization Analysis - Primary Hot Leg Temperature	15.4-102
Figure 15.4-51—60% NP Rod Ejection Accident Overpressurization Analysis - Primary Cold Leg Temperature	15.4-103
Figure 15.4-52—HZIP Rod Ejection Accident Overpressurization Analysis - Primary Hot Leg Temperature	15.4-104
Figure 15.4-53—HZIP Rod Ejection Accident Overpressurization Analysis - Primary Cold Leg Temperature	15.4-105
Figure 15.4-54—Uncontrolled Control Bank Withdrawal at Power - Representative Plot of Normalized Minimum DNBR and Maximum LPD to SAFDL	15.4-106
Figure 15.4-55—Dropped RCCA - Minimum DNBR and Maximum LPD Normalized to SAFDL	15.4-107
Figure 15.5-1—Inadvertent Operation of the EBS - Transient Reactor Power	15.5-18
Figure 15.5-2—Inadvertent Operation of the EBS - Core Average Heat Flux	15.5-19
Figure 15.5-3—Inadvertent Operation of the EBS - Core Inlet Mass Flux	15.5-20
Figure 15.5-4—Inadvertent Operation of the EBS - RCS Temperature	15.5-21
Figure 15.5-5—Inadvertent Operation of the EBS - PZR Pressure	15.5-22
Figure 15.5-6—Inadvertent Operation of the EBS - PZR Level	15.5-23
Figure 15.5-7—Inadvertent Operation of the EBS - PSRV Flow	15.5-24
Figure 15.5-8—Inadvertent Operation of the EBS - SG Pressure	15.5-25
Figure 15.5-9—Inadvertent Operation of the EBS - EBS Flow	15.5-26
Figure 15.5-10—CVCS Malfunction that Increases RCS Inventory - Transient Reactor Power	15.5-27
Figure 15.5-11—CVCS Malfunction that Increases RCS Inventory - Core Average Heat Flux	15.5-28
Figure 15.5-12—CVCS Malfunction that Increases RCS Inventory - Core Inlet Mass Flux	15.5-29
Figure 15.5-13—CVCS Malfunction that Increases RCS Inventory - RCS Temperature	15.5-30
Figure 15.5-14—CVCS Malfunction that Increases RCS Inventory - PZR Pressure	15.5-31

Figure 15.5-15—CVCS Malfunction that Increases RCS Inventory - PZR Level	15.5-32
Figure 15.5-16—CVCS Malfunction that Increases RCS Inventory - PSRV Flow.....	15.5-33
Figure 15.5-17—CVCS Malfunction that Increases RCS Inventory - SG Pressure	15.5-34
Figure 15.5-18—CVCS Malfunction that Increases RCS Inventory - Charging Flow.....	15.5-35
Figure 15.6-1—IOPSRV Event - Transient Reactor Power	15.6-70
Figure 15.6-2—IOPSRV Event - PZR Pressure	15.6-71
Figure 15.6-3—IOPSRV Event - MHSI and PSRV Flow Rates	15.6-72
Figure 15.6-4—IOPSRV Event - Reactor Vessel Fluid Mass	15.6-73
Figure 15.6-5—IOPSRV Event - Core Exit Void Fraction	15.6-74
Figure 15.6-6—IOPSRV Event - Core Average Heat Flux	15.6-75
Figure 15.6-7—IOPSRV Event - Pressurizer Level	15.6-76
Figure 15.6-8—IOPSRV Event - Core Inlet Temperature.....	15.6-77
Figure 15.6-9—IOPSRV Event - RCS Average Temperature	15.6-78
Figure 15.6-10—IOPSRV Event - SG Pressure	15.6-79
Figure 15.6-11—SGTR Radiological Case - Reactor Power	15.6-80
Figure 15.6-12—SGTR Radiological Case Pressurizer and Affected SG Dome Pressure	15.6-81
Figure 15.6-13—SGTR Radiological Case - SG Blowdown Flow Rates	15.6-82
Figure 15.6-14—SGTR Radiological Case - EFW Flow Rates.....	15.6-83
Figure 15.6-15—SGTR Radiological Case - Total MHSI Flow Rate.....	15.6-84
Figure 15.6-16—SGTR Radiological Case - EBS Flow Rate	15.6-85
Figure 15.6-17—SGTR Radiological Case - PSRV Flow Rate.....	15.6-86
Figure 15.6-18—SGTR Radiological Case - Break Flow Rate	15.6-87
Figure 15.6-19—SGTR Radiological Case - Core Exit Subcooling	15.6-88
Figure 15.6-20—SGTR Radiological Case - Pressurizer Level.....	15.6-89
Figure 15.6-21—SGTR Radiological Case - SG Wide Range Levels	15.6-90
Figure 15.6-22—SGTR Radiological Case - Affected SG Liquid Volume.....	15.6-91
Figure 15.6-23—SGTR Radiological Case - Integrated Break Mass Flow	15.6-92
Figure 15.6-24—SGTR Radiological Case - Integrated Steam Mass Release	15.6-93
Figure 15.6-25—SGTR Radiological Case - Integrated Mass Flashed	15.6-94

Figure 15.6-26—SGTR Radiological Case - Affected SG Apex Liquid Fractions	15.6-95
Figure 15.6-27—RLBLOCA - PCT Independent of Elevation for the Limiting PCT Case (Cycle 1)	15.6-96
Figure 15.6-28—RLBLOCA - PCT Independent Elevation for the Limiting PCT Case Hot Rod (Cycle 1).....	15.6-97
Figure 15.6-29—RLBLOCA - Primary System Pressure for the Limiting PCT Case (Cycle 1)	15.6-98
Figure 15.6-30—RLBLOCA - Flows Supplied to ECCS (includes Accumulator, MHSI and LHSI) for the Limiting PCT Case (Cycle 1)	15.6-99
Figure 15.6-31—RLBLOCA - Flows Delivered by ECCS for the Limiting PCT Case (Cycle 1)	15.6-100
Figure 15.6-32—RLBLOCA - Core Inlet Flow for the Limiting PCT Case (Cycle 1)	15.6-101
Figure 15.6-33—RLBLOCA - Core Outlet Flow for the Limiting PCT Case (Cycle 1).....	15.6-102
Figure 15.6-34—RLBLOCA - Break Flow for the Limiting PCT Case (Cycle 1).....	15.6-103
Figure 15.6-35—RLBLOCA - Collapsed Liquid Level in Downcomer for the Limiting PCT Case (Cycle 1).....	15.6-104
Figure 15.6-36—RLBLOCA - Core Liquid Level for the Limiting PCT Case (Cycle 1).....	15.6-105
Figure 15.6-37—RLBLOCA - Reactor Power for the Limiting PCT Case (Cycle 1).....	15.6-106
Figure 15.6-38—RLBLOCA - Secondary Pressure for the Limiting PCT Case (Cycle 1).....	15.6-107
Figure 15.6-39—RLBLOCA - Downcomer Mass Flowrate for the Limiting PCT Case (Cycle 1)	15.6-108
Figure 15.6-40—RLBLOCA - Core Inlet Temperature for the Limiting PCT Case (Cycle 1)	15.6-109
Figure 15.6-41—RLBLOCA - Core Inlet Quality for the Limiting PCT Case (Cycle 1).....	15.6-110
Figure 15.6-42—RLBLOCA - Core Inlet Quality for the Limiting PCT Case on Smaller Time Scale (Cycle 1)	15.6-111
Figure 15.6-43—RLBLOCA - Core Outlet Temperature for the Limiting PCT Case (Cycle 1)	15.6-112
Figure 15.6-44—RLBLOCA - Core Outlet Quality for the Limiting PCT Case (Cycle 1).....	15.6-113

Figure 15.6-45—RLBLOCA - Core Outlet Quality for the Limiting PCT Case on Smaller Time Scale (Cycle 1)	15.6-114
Figure 15.6-46—RLBLOCA - In-Core Temperature for the Limiting PCT Case (Cycle 1)	15.6-115
Figure 15.6-47—RLBLOCA - In-Core Quality for the Limiting PCT Case (Cycle 1).....	15.6-116
Figure 15.6-48—RLBLOCA - In-Core Quality for the Limiting PCT Case on Smaller Time Scale (Cycle 1)	15.6-117
Figure 15.6-49—RLBLOCA - Cladding Temperature for the Limiting PCT Case (Cycle 1)	15.6-118
Figure 15.6-50—RLBLOCA - Heat Transfer Coefficient for the Limiting PCT Case (Cycle 1)	15.6-119
Figure 15.6-51—SBLOCA - PCT - Break Spectrum with LOOP.....	15.6-120
Figure 15.6-52—SBLOCA - 6.5 Inch Break - Reactor Power	15.6-121
Figure 15.6-53—SBLOCA - 6.5 Inch Break - Primary and Secondary System Pressure.....	15.6-122
Figure 15.6-54—SBLOCA - 6.5 Inch Break - MSRT Flow	15.6-123
Figure 15.6-55—SBLOCA - 6.5 Inch Break - Break Flow.....	15.6-124
Figure 15.6-56—SBLOCA - 6.5 Break - Loop Seal Void Fraction	15.6-125
Figure 15.6-57—SBLOCA - 6.5 Break - ECCS Flow	15.6-126
Figure 15.6-58—SBLOCA - 6.5 Break - MFW Flow	15.6-127
Figure 15.6-59—SBLOCA - 6.5 Inch Break - Steam Generator Mass Inventory	15.6-128
Figure 15.6-60—SBLOCA - 6.5 Inch Break - Steam Generator Wide Range Level	15.6-129
Figure 15.6-61—SBLOCA - 6.5 Inch Break - Steam Generator Steam Line Pressure.....	15.6-130
Figure 15.6-62—SBLOCA - 6.5 Inch Break - Steam Generator Steam Line Pressure and MSRT Cooldown Curve.....	15.6-131
Figure 15.6-63—SBLOCA 6.5 Inch Break - Primary System Inventory.....	15.6-132
Figure 15.6-64—SBLOCA - 6.5 Inch Break - Hot Assembly Collapsed Liquid Level.....	15.6-133
Figure 15.6-65—SBLOCA - 6.5 Inch Break - MHSI Flow Rate.....	15.6-134
Figure 15.6-66—SBLOCA - 6.5 Inch Break - LHSI Flow	15.6-135
Figure 15.6-67—SBLOCA - 6.5 Inch Break - Peak Cladding Temperature and Coolant Temperature	15.6-136

Figure 15.6-68—SBLOCA - 6.5 inch Break - Hot Assembly Cladding Temperature and Coolant Temperature	15.6-137
Figure 15.6-69—SBLOCA - 6.5 inch Break - Inner Core Cladding Temperature and Coolant Temperature	15.6-138
Figure 15.6-70—SBLOCA - 6.5 inch Break - Outer Core Cladding Temperature and Coolant Temperature	15.6-139
Figure 15.6-71—SBLOCA - 6.5 inch Break - Heat Transfer Coefficients for Hot Rod, Hot Assembly, Inner Core and Outer Core	15.6-140
Figure 15.6-72—SBLOCA - 6.5 inch Break - Core Inlet Quality	15.6-141
Figure 15.6-73—SBLOCA - 6.5 inch Break - Core Outlet Quality	15.6-142
Figure 15.6-74—SBLOCA - 6.5 inch Break - Core Inlet Temperature	15.6-143
Figure 15.6-75—SBLOCA - 6.5 inch Break - Core Outlet Temperature	15.6-144
Figure 15.6-76—SBLOCA - 6.5 inch Break - Core Inlet Mass Flow Rate.....	15.6-145
Figure 15.6-77—SBLOCA - 6.5 inch Break - Core Outlet Mass Flow Rate.....	15.6-146
Figure 15.6-78—SBLOCA - 6.5 inch Break - Quality at the PCT Node Location	15.6-147
Figure 15.6-79—SBLOCA - 6.5 inch Break - Reactor Vessel Downcomer Mass Flow Rate	15.6-148
Figure 15.6-80—SBLOCA - 6.5 inch Break - Primary System to Secondary System Heat Transfer Rate	15.6-149
Figure 15.6-81—SBLOCA - 6.5 inch Break - RC Speed	15.6-150
Figure 15.6-82—SBLOCA - PCT - Delayed Pump Trip (Without LOOP) Break Spectrum	15.6-151
Figure 15.6-83—SBLOCA - Comparison PCT - Break Spectrum With/Without LOOP	15.6-152
Figure 15.6-84—SBLOCA - 6.5 Inch Break - Integral of Upper Plenum Flow to the Hot Legs.....	15.6-153
Figure 15.6-85—SBLOCA - 6.5 Inch Break - Integral of Core Region Exit Flows.....	15.6-154
Figure 15.6-86—SBLOCA - 6.5 Inch Break - Integral of Lower Plenum Flow to Lower Head.....	15.6-155
Figure 15.6-87—SBLOCA - 6.5 Inch Break - Pressurizer and Steam Generator 1 Pressure	15.6-156
Figure 15.6-88—LBLOCA with Hot Leg Injection at 60 Minutes - Integrated Flow from Upper Plenum to Hot Legs.....	15.6-157
Figure 15.6-89—LBLOCA with Hot Leg Injection at 60 Minutes - Integrated Flow from Core Regions to Upper Plenum	15.6-158

Figure 15.6-90—LBLOCA with Hot Leg Injection at 60 Minutes - Integrated Flow from Lower Plenum to Core Regions	15.6-159
Figure 15.6-91—LBLOCA with Hot Leg Injection at 60 Minutes - Integrated Flow from Lower Head to Lower Plenum	15.6-160
Figure 15.6-92—Time Dependent Boron Concentration During the Pool Boiling Period with and without Hot Leg Injection at 60 Minutes	15.6-161
Figure 15.6-93—IOPSRV Event- Representative Plot of Normalized Minimum DNBR and Maximum LPD Normalized to the SAFDL	15.6-162
Figure 15.6-94—SGTR Overfill Case - Reactor Power	15.6-163
Figure 15.6-95—SGTR Overfill Case - Pressurizer and Affected SG Dome Pressure	15.6-164
Figure 15.6-96—SGTR Overfill Case - SG Blowdown Flow Rates.....	15.6-165
Figure 15.6-97—SGTR Overfill Case - EFW Flow Rates	15.6-166
Figure 15.6-98—SGTR Overfill Case - Total MHSI Flow Rate	15.6-167
Figure 15.6-99—SGTR Overfill Case - EBS Flow Rate.....	15.6-168
Figure 15.6-100—SGTR Overfill Case - PSRV Flow Rate	15.6-169
Figure 15.6-101—SGTR Overfill Case - Break Flow Rate.....	15.6-170
Figure 15.6-102—SGTR Overfill Case - Core Exit Subcooling.....	15.6-171
Figure 15.6-103—SGTR Overfill Case - Pressurizer Level	15.6-172
Figure 15.6-104—SGTR Overfill Case - SG Wide Range Level.....	15.6-173
Figure 15.6-105—SGTR Overfill Case - Affected SG Liquid Volume	15.6-174
Figure 15.6-106—SGTR Overfill Case - Integrated Break Mass Flow	15.6-175
Figure 15.6-107—SGTR Overfill Case - Integrated Steam Mass Release.....	15.6-176
Figure 15.6-108—SGTR Overfill Case - Integrated Mass Flashed.....	15.6-177
Figure 15.6-109—RLBLOCA - Primary to Secondary Heat Transfer Rate for the Limiting PCT Case (Cycle 1)	15.6-178
Figure 15.6-110—RLBLOCA - Pump Speed for the Limiting PCT Case (Cycle 1).....	15.6-179
Figure 15.6-111—RLBLOCA - Containment Pressure for the Limiting PCT Case (Cycle 1)	15.6-180
Figure 15.6-112—RLBLOCA - PCT Independent of Elevation for the Limiting PCT Case (Equilibrium Cycle)	15.6-181
Figure 15.6-113—RLBLOCA - PCT Independent of Elevation for the Limiting PCT Case Hot Rod (Equilibrium Cycle).....	15.6-182

Figure 15.6-114—RLBLOCA - Primary System Pressure for the Limiting PCT Case (Equilibrium Cycle)	15.6-183
Figure 15.6-115—RLBLOCA - Flows Supplied to ECCS (includes Accumulator, MHSI and LHSI) for the Limiting PCT Case (Equilibrium Cycle).....	15.6-184
Figure 15.6-116—RLBLOCA - Flows Delivered by ECCS for the Limiting PCT Case (Equilibrium Cycle)	15.6-185
Figure 15.6-117—RLBLOCA - Core Inlet Flow for the Limiting PCT Case (Equilibrium Cycle).....	15.6-186
Figure 15.6-118—RLBLOCA - Core Outlet Flow for the Limiting PCT Case (Equilibrium Cycle).....	15.6-187
Figure 15.6-119—RLBLOCA - Break Flow for the Limiting PCT Case (Equilibrium Cycle).....	15.6-188
Figure 15.6-120—RLBLOCA - Collapsed Liquid Level in Downcomer for the Limiting PCT Case (Equilibrium Cycle).....	15.6-189
Figure 15.6-121—RLBLOCA - Core Liquid Level for the Limiting PCT Case (Equilibrium Cycle).....	15.6-190
Figure 15.6-122—RLBLOCA - Reactor Power for the Limiting PCT Case (Equilibrium Cycle).....	15.6-191
Figure 15.6-123—RLBLOCA - Secondary Pressure for the Limiting PCT Case (Equilibrium Cycle)	15.6-192
Figure 15.6-124—RLBLOCA - Downcomer Mass Flowrate for the Limiting PCT Case (Equilibrium Cycle)	15.6-193
Figure 15.6-125—RLBLOCA - Core Inlet Temperature for the Limiting PCT Case (Equilibrium Cycle)	15.6-194
Figure 15.6-126—RLBLOCA - Core Inlet Quality for the Limiting PCT Case (Equilibrium Cycle).....	15.6-195
Figure 15.6-127—RLBLOCA - Core Inlet Quality for the Limiting PCT Case on Smaller Time Scale (Equilibrium Cycle).....	15.6-196
Figure 15.6-128—RLBLOCA - Core Outlet Temperature for the Limiting PCT Case (Equilibrium Cycle)	15.6-197
Figure 15.6-129—RLBLOCA - Core Outlet Quality for the Limiting PCT Case (Equilibrium Cycle).....	15.6-198
Figure 15.6-130—RLBLOCA - Core Outlet Quality for the Limiting PCT Case on Smaller Time Scale (Equilibrium Cycle).....	15.6-199
Figure 15.6-131—RLBLOCA - In-Core Temperature for the Limiting PCT Case (Equilibrium Cycle)	15.6-200

Figure 15.6-132—RLBLOCA - In-Core Quality for the Limiting PCT Case (Equilibrium Cycle).....	15.6-201
Figure 15.6-133—RLBLOCA - In-Core Quality for the Limiting PCT Case on Smaller Time Scale (Equilibrium Cycle).....	15.6-202
Figure 15.6-134—RLBLOCA - Cladding Temperature for the Limiting PCT Case (Equilibrium Cycle)	15.6-203
Figure 15.6-135—RLBLOCA - Heat Transfer Coefficient for the Limiting PCT Case (Equilibrium Cycle)	15.6-204
Figure 15.6-136—RLBLOCA - Primary to Secondary Heat Transfer Rate for the Limiting PCT Case (Equilibrium Cycle).....	15.6-205
Figure 15.6-137—RLBLOCA - Pump Speed for the Limiting PCT Case (Equilibrium Cycle).....	15.6-206
Figure 15.6-138—RLBLOCA - Containment Pressure for the Limiting PCT Case (Equilibrium Cycle)	15.6-207
Figure 15.6-139—LBLOCA with Hot Leg Injection at 60 Minutes - Integrated Flow through Core Bypass Regions	15.6-208