



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

JUN 29 2011

David Hamilton
Radiation Safety Officer
INDOT
185 Agrico Lane
Seymour, IN 47274

Dear Mr. Hamilton:

It has come to our attention that an omission existed in Amendment No. 02 to your NRC Material License No. 13-26342-01. This omission has been corrected by the addition of a total possession limit in Item 8. A and B in the enclosed Corrected Copy of License Amendment No. 02.

Due to a change in NRC's licensing policies, we must obtain possession limits for all materials listed on your license. As we discussed by telephone on May 17, 2011, we have listed the total possession limit for cesium-137 as 162 millicuries and americium-241 as 792 millicuries in Items 8. A and B respectively.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Please contact me at (630) 829-9752, if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Michael G. Herr".

Michael G. Herr, CHP
Materials Licensing Branch

License No. 13-26342-01
Docket No. 030-32464

Enclosure:

Corrected copy of Amendment No. 02