ArevaEPRDCPEm Resource

From: WILLIFORD Dennis (AREVA) [Dennis.Williford@areva.com]

Sent: Monday, August 22, 2011 3:21 PM

To: Tesfaye, Getachew

Cc: BENNETT Kathy (AREVA); DELANO Karen (AREVA); ROMINE Judy (AREVA); RYAN Tom

(AREVA); LENTZ Tony (EXTERNAL AREVA)

Subject: Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14,

Supplement 18

Attachments: RAI 386 Supplement 18 Response US EPR DC.pdf

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, and Supplement 5 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, and September 22, 2010, respectively, to provide a revised schedule. Supplement 7 was submitted to NRC on November 10, 2010 to provide technically correct and complete responses to 9 of the 24 questions and provided a revised schedule for the remaining 15 questions. Supplement 8 was submitted to NRC on November 29, 2010 and Supplement 9 was submitted to NRC on January 21, 2011 to provide a revised schedule for the response to the remaining questions. Supplement 10 was submitted to NRC on February 9. 2011 to provide a technically correct and complete response to 1 of the 15 questions and provided a revised schedule for the remaining 14 guestions. Supplements 11 and 12 were submitted to the NRC on March 22. 2011 and April 22, 2011 to provide a revised schedule for the response to the remaining questions. Supplement 13 was submitted to NRC on May 6, 2011 to provide technically correct and complete responses to 2 of the remaining 14 questions. Supplement 14 was submitted to NRC on May 16, 2011 to provide a technically correct and complete response to 1 of the remaining 12 questions. Supplement 15 and Supplement 16 were submitted to the NRC on June 9, 2011 and August 5, 2011 to provide a revised schedule for the remaining 11 questions. Supplement 17 was submitted to NRC on August 10, 2011 to provide technically correct and complete responses to 6 of the remaining 11 questions.

The attached file, "RAI 386 Supplement 18 Response US EPR DC.pdf" provides a technically correct and complete final response to 1 of the remaining 5 questions.

The following table indicates the respective pages in the response document, "RAI 386 Supplement 18 Response US EPR DC.pdf," that contain AREVA NP's response to the subject question.

Question #	Start Page	End Page
RAI 386 — 14.03.02-50	2	3

The schedule for a technically correct and complete response to the remaining 4 questions is unchanged and is provided below:

Question #	Response Date
RAI 386 — 14.03.02-44	August 30, 2011
RAI 386 — 14.03.02-45	August 30, 2011
RAI 386 — 14.03.02-49	August 30, 2011
RAI 386 — 14.03.02-51	August 30, 2011

Sincerely,

Dennis Williford, P.E.
U.S. EPR Design Certification Licensing Manager

AREVA NP Inc.

7207 IBM Drive, Mail Code CLT 2B

Charlotte, NC 28262 Phone: 704-805-2223

Email: Dennis.Williford@areva.com

From: WILLIFORD Dennis (RS/NB)

Sent: Wednesday, August 10, 2011 5:03 PM

To: Getachew.Tesfaye@nrc.gov

Cc: BENNETT Kathy (RS/NB); DELANO Karen (RS/NB); ROMINE Judy (RS/NB); RYAN Tom (RS/NB); NOXON David

(RS/NB); LENTZ Tony (External RS/NB)

Subject: Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 17

Getachew.

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, and Supplement 5 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, and September 22, 2010, respectively, to provide a revised schedule. Supplement 7 was submitted to NRC on November 10, 2010 to provide technically correct and complete responses to 9 of the 24 questions and provided a revised schedule for the remaining 15 questions. Supplement 8 was submitted to NRC on November 29, 2010 and Supplement 9 was submitted to NRC on January 21, 2011 to provide a revised schedule for the response to the remaining questions. Supplement 10 was submitted to NRC on February 9, 2011 to provide a technically correct and complete response to 1 of the 15 questions and provided a revised schedule for the remaining 14 questions. Supplements 11 and 12 were submitted to the NRC on March 22, 2011 and April 22, 2011 to provide a revised schedule for the response to the remaining questions. Supplement 13 was submitted to NRC on May 6, 2011 to provide technically correct and complete responses to 2 of the remaining 14 questions. Supplement 14 was submitted to NRC on May 16, 2011 to provide a technically correct and complete response to 1 of the remaining 12 questions. Supplement 15 and Supplement 16 were submitted to the NRC on June 9, 2011 and August 5, 2011 to provide a revised schedule for the remaining 11 questions. The attached file. "RAI 386 Supplement 17 Response US EPR DC.pdf" provides technically correct and complete FINAL responses to 6 of the 11 remaining questions.

The following table indicates the respective pages in the response document, "RAI 386 Supplement 17 Response US EPR DC.pdf," that contain AREVA NP's response to the subject questions.

Question #	Start Page	End Page
RAI 386 — 14.02-151	2	2
RAI 386 — 14.02-152	3	3
RAI 386 — 14.02-156	4	4
RAI 386 — 14.02-158	5	5
RAI 386 — 14.02-159	6	6
RAI 386 — 14.03.08-2	7	8

The schedule for a technically correct and complete response to the remaining 5 questions is unchanged as provided below:

Question #	Response Date
RAI 386 — 14.03.02-44	August 30, 2011
RAI 386 — 14.03.02-45	August 30, 2011
RAI 386 — 14.03.02-49	August 30, 2011
RAI 386 — 14.03.02-50	August 30, 2011
RAI 386 — 14.03.02-51	August 30, 2011

Dennis Williford, P.E. U.S. EPR Design Certification Licensing Manager AREVA NP Inc.

7207 IBM Drive, Mail Code CLT 2B

Charlotte, NC 28262 Phone: 704-805-2223

Email: Dennis.Williford@areva.com

From: WILLIFORD Dennis (RS/NB) **Sent:** Friday, August 05, 2011 12:36 PM

To: Getachew.Tesfaye@nrc.gov

Cc: BENNETT Kathy (RS/NB); DELANO Karen (RS/NB); ROMINE Judy (RS/NB); RYAN Tom (RS/NB); LENTZ Tony

(External RS/NB)

Subject: Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 16

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, and Supplement 5 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, and September 22, 2010, respectively, to provide a revised schedule. Supplement 7 was submitted to NRC on November 10, 2010 to provide technically correct and complete responses to 9 of the 24 questions and provided a revised schedule for the remaining 15 questions. Supplement 8 was submitted to NRC on November 29, 2010 and Supplement 9 was submitted to NRC on January 21, 2011 to provide a revised schedule for the response to the remaining questions. Supplement 10 was submitted to NRC on February 9, 2011 to provide a technically correct and complete response to 1 of the 15 questions and provided a revised schedule for the remaining 14 questions. Supplements 11 and 12 were submitted to the NRC on March 22, 2011 and April 22, 2011 to provide a revised schedule for the response to the remaining questions. Supplement 13 was submitted to NRC on May 6, 2011 to provide technically correct and complete responses to 2 of the remaining 14 questions. Supplement 14 was submitted to NRC on May 16, 2011 to provide a technically correct and complete response to 1 of the remaining 12 questions. Supplement 15 was submitted to NRC on June 9, 2011 to provide a revised schedule for the remaining 11 questions.

The schedule for a technically correct and complete response to the remaining 11 questions has been revised and is provided below:

Question #	Response Date
RAI 386 — 14.02-151	August 30, 2011
RAI 386 — 14.02-152	August 30, 2011
RAI 386 — 14.02-156	August 30, 2011
RAI 386 — 14.02-158	August 30, 2011
RAI 386 — 14.02-159	August 30, 2011
RAI 386 — 14.03.02-44	August 30, 2011
RAI 386 — 14.03.02-45	August 30, 2011
RAI 386 — 14.03.02-49	August 30, 2011
RAI 386 — 14.03.02-50	August 30, 2011
RAI 386 — 14.03.02-51	August 30, 2011
RAI 386 — 14.03.08-2	August 30, 2011

Dennis Williford, P.E. U.S. EPR Design Certification Licensing Manager AREVA NP Inc.

7207 IBM Drive, Mail Code CLT 2B

Charlotte, NC 28262 Phone: 704-805-2223

Email: Dennis.Williford@areva.com

From: WILLIFORD Dennis (RS/NB) **Sent:** Thursday, June 09, 2011 12:58 PM

To: Tesfaye, Getachew

Cc: BENNETT Kathy (RS/NB); DELANO Karen (RS/NB); ROMINE Judy (RS/NB); RYAN Tom (RS/NB); LENTZ Tony

(External RS/NB); NOXON David (RS/NB)

Subject: Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 15

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, and Supplement 5 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, and September 22, 2010, respectively, to provide a revised schedule. Supplement 7 was submitted to NRC on November 10, 2010 which provided technically correct and complete responses to 9 of the 24 questions and provided a revised schedule for the remaining 15 questions. Supplement 8 was submitted to NRC on November 29, 2010 and Supplement 9 was submitted to NRC on January 21, 2011 to provide a revised schedule for the response to the remaining questions. Supplement 10 was submitted to NRC on February 9, 2011 which provided technically correct and complete response to 1 of the 15 questions and provided a revised schedule for the remaining 14 questions. Supplements 11 and 12 were submitted to the NRC on March 22, 2011 and April 22, 2011 to provide a revised schedule for the response to the remaining questions. Supplement 13 was submitted to NRC on May 6, 2011 which provided technically correct and complete responses to 2 of the remaining 14 questions. Supplement 14 was submitted to NRC on May 16, 2011 which provided a technically correct and complete response to 1 of the remaining 12 questions.

The schedule for a technically correct and complete response to the remaining 11 questions has been revised and is provided below:

Question #	Response Date
RAI 386 — 14.02-151	August 9, 2011
RAI 386 — 14.02-152	August 9, 2011
RAI 386 — 14.02-156	August 9, 2011
RAI 386 — 14.02-158	August 9, 2011
RAI 386 — 14.02-159	August 9, 2011
RAI 386 — 14.03.02-44	August 9, 2011
RAI 386 — 14.03.02-45	August 9, 2011
RAI 386 — 14.03.02-49	August 9, 2011
RAI 386 — 14.03.02-50	August 9, 2011
RAI 386 — 14.03.02-51	August 9, 2011
RAI 386 — 14.03.08-2	August 9, 2011

Sincerely,

Dennis Williford, P.E.
U.S. EPR Design Certification Licensing Manager

AREVA NP Inc.

7207 BM Drive, Mail Code CLT 2B

Charlotte, NC 28262 Phone: 704-805-2223

Email: Dennis.Williford@areva.com

From: WELLS Russell (RS/NB)

Sent: Monday, May 16, 2011 7:19 AM

To: 'Tesfaye, Getachew'

Cc: LENTZ Tony (External RS/NB); BENNETT Kathy (RS/NB); DELANO Karen (RS/NB); ROMINE Judy (RS/NB); RYAN Tom

(RS/NB)

Subject: Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 14

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, and Supplement 5 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, and September 22, 2010, respectively, to provide a revised schedule. Supplement 7 was submitted to NRC on November 10, 2010 which provided technically correct and complete responses to 9 of the 24 questions and provided a revised schedule for the remaining 15 questions. Supplement 8 was submitted to NRC on November 29, 2010 and Supplement 9 was submitted to NRC on January 21, 2011 to provide a revised schedule for the response to the remaining questions. Supplement 10 was submitted to NRC on February 9, 2011 which provided technically correct and complete response to 1 of the 15 questions and provided a revised schedule for the remaining 14 questions. Supplement 11 and Supplement 12 were submitted to NRC on March 22, 2011 and April 21, 2011, respectively, to provide a revised schedule for the response to the remaining questions. Supplement 13 was submitted to NRC on May 6, 2011 which provided technically correct and complete response to 1 of the 14 questions.

The attached file, "RAI 386 Supplement 14 Response US EPR DC.pdf" provides technically correct and complete FINAL responses to 2 of the remaining 13 questions, as committed.

The following table indicates the respective pages in the response document, "RAI 386 Supplement 14 Response US EPR DC.pdf," that contain AREVA NP's response to the subject questions.

Question #	Start Page	End Page
RAI 386 — 14.02-149	2	2
RAI 386 — 14.02-150	3	3

The schedule for the remaining 11 questions has not changed and is provided below.

Question #	Response Date
RAI 386 — 14.02-151	June 9, 2011
RAI 386 — 14.02-152	June 9, 2011
RAI 386 — 14.02-156	June 9, 2011
RAI 386 — 14.02-158	June 9, 2011
RAI 386 — 14.02-159	June 9, 2011
RAI 386 — 14.03.02-44	June 9, 2011
RAI 386 — 14.03.02-45	June 9, 2011
RAI 386 — 14.03.02-49	June 9, 2011
RAI 386 — 14.03.02-50	June 9, 2011
RAI 386 — 14.03.02-51	June 9, 2011
RAI 386 — 14.03.08-2	June 9, 2011

Russ Wells

U.S. EPR Design Certification Licensing Manager

AREVA NP, Inc.

3315 Old Forest Road, P.O. Box 10935

Mail Stop OF-57

Lynchburg, VA 24506-0935 Phone: 434-832-3884 (work) 434-942-6375 (cell)

434-942-6375 (ceii) Fax: 434-382-3884

Russell.Wells@Areva.com

From: WELLS Russell (RS/NB)

Sent: Friday, May 06, 2011 10:43 AM

To: 'Tesfaye, Getachew'

Cc: LENTZ Tony (External RS/NB); BENNETT Kathy (RS/NB); DELANO Karen (RS/NB); ROMINE Judy (RS/NB); RYAN Tom

(RS/NB)

Subject: Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 13

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, and Supplement 5 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, and September 22, 2010, respectively, to provide a revised schedule. Supplement 7 was submitted to NRC on November 10, 2010 which provided technically correct and complete responses to 9 of the 24 questions and provided a revised schedule for the remaining 15 questions. Supplement 8 was submitted to NRC on November 29, 2010 and Supplement 9 was submitted to NRC on January 21, 2011 to provide a revised schedule for the response to the remaining questions. Supplement 10 was submitted to NRC on February 9, 2011 which provided technically correct and complete response to 1 of the 15 questions and provided a revised schedule for the remaining 14 questions. Supplement 11 and Supplement 12 were submitted to NRC on March 22, 2011 and April 21, 2011, respectively, to provide a revised schedule for the response to the remaining questions.

The attached file, "RAI 386 Supplement 13 Response US EPR DC.pdf" provides technically correct and complete responses to 1 of the remaining 14 questions.

The following table indicates the respective pages in the response document, "RAI 386 Supplement 13 Response US EPR DC.pdf," that contain AREVA NP's response to the subject questions.

Question #	Start Page	End Page
RAI 386 — 14.03.03-46	2	3

The schedule for the remaining 13 questions has not changed and is provided below.

Question #	Response Date
RAI 386 — 14.02-149	June 9, 2011
RAI 386 — 14.02-150	June 9, 2011
RAI 386 — 14.02-151	June 9, 2011
RAI 386 — 14.02-152	June 9, 2011

RAI 386 — 14.02-156	June 9, 2011
RAI 386 — 14.02-158	June 9, 2011
RAI 386 — 14.02-159	June 9, 2011
RAI 386 — 14.03.02-44	June 9, 2011
RAI 386 — 14.03.02-45	June 9, 2011
RAI 386 — 14.03.02-49	June 9, 2011
RAI 386 — 14.03.02-50	June 9, 2011
RAI 386 — 14.03.02-51	June 9, 2011
RAI 386 — 14.03.08-2	June 9, 2011

Russ Wells

U.S. EPR Design Certification Licensing Manager

AREVA NP, Inc.

3315 Old Forest Road, P.O. Box 10935

Mail Stop OF-57

Lynchburg, VA 24506-0935 Phone: 434-832-3884 (work) 434-942-6375 (cell)

Fax: 434-382-3884 Russell.Wells@Areva.com

From: WELLS Russell (RS/NB)

Sent: Thursday, April 21, 2011 7:38 AM

To: 'Tesfaye, Getachew'

Cc: LENTZ Tony (External RS/NB); BENNETT Kathy (RS/NB); DELANO Karen (RS/NB); ROMINE Judy (RS/NB); RYAN Tom

(RS/NB)

Subject: Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 12

Getachew.

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, and Supplement 5 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, and September 22, 2010, respectively, to provide a revised schedule. Supplement 7 was submitted to NRC on November 10, 2010 which provided technically correct and complete responses to 9 of the 24 questions and provided a revised schedule for the remaining 15 questions. Supplement 8 was submitted to NRC on November 29, 2010 and Supplement 9 was submitted to NRC on January 21, 2011 to provide a revised schedule for the response to the remaining questions. Supplement 10 was submitted to NRC on February 9, 2011 which provided technically correct and complete response to 1 of the 15 questions and provided a revised schedule for the remaining 14 questions. Supplement 11 was submitted to NRC on March 22, 2011 to provide a revised schedule for the response to the remaining questions.

The schedule for technically correct and complete responses to the questions has been revised and is provided below:

Question #	Response Date
RAI 386 — 14.02-149	June 9, 2011
RAI 386 — 14.02-150	June 9, 2011
RAI 386 — 14.02-151	June 9, 2011
RAI 386 — 14.02-152	June 9, 2011

I DAL 000 44.00 450	l 0 0044
RAI 386 — 14.02-156	June 9, 2011
RAI 386 — 14.02-158	June 9, 2011
RAI 386 — 14.02-159	June 9, 2011
RAI 386 — 14.03.02-44	June 9, 2011
RAI 386 — 14.03.02-45	June 9, 2011
RAI 386 — 14.03.02-49	June 9, 2011
RAI 386 — 14.03.02-50	June 9, 2011
RAI 386 — 14.03.02-51	June 9, 2011
RAI 386 — 14.03.03-46	June 9, 2011
RAI 386 — 14.03.08-2	June 9, 2011

Russ Wells

U.S. EPR Design Certification Licensing Manager

AREVA NP, Inc.

3315 Old Forest Road, P.O. Box 10935

Mail Stop OF-57

Lynchburg, VA 24506-0935 Phone: 434-832-3884 (work)

434-942-6375 (cell)

Fax: 434-382-3884 Russell.Wells@Areva.com

From: WELLS Russell (RS/NB)

Sent: Tuesday, March 22, 2011 10:15 AM

To: 'Tesfaye, Getachew'

Cc: LENTZ Tony (External RS/NB); BENNETT Kathy (RS/NB); DELANO Karen (RS/NB); ROMINE Judy (RS/NB); RYAN Tom

(RS/NB)

Subject: Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 11

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, and Supplement 5 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, and September 22, 2010, respectively, to provide a revised schedule. Supplement 7 was submitted to NRC on November 10, 2010 which provided technically correct and complete responses to 9 of the 24 questions and provided a revised schedule for the remaining 15 questions. Supplement 8 was submitted to NRC on November 29, 2010 and Supplement 9 was submitted to NRC on January 21, 2011 to provide a revised schedule for the response to the remaining questions. Supplement 10 was submitted to NRC on February 9, 2011 which provided technically correct and complete response to 1 of the 15 questions and provided a revised schedule for the remaining 14 questions.

The schedule for technically correct and complete responses to the questions has been revised and is provided below:

Question #	Response Date
RAI 386 — 14.02-149	April 22, 2011
RAI 386 — 14.02-150	April 22, 2011
RAI 386 — 14.02-151	April 22, 2011

RAI 386 — 14.02-152	April 22, 2011
RAI 386 — 14.02-156	April 22, 2011
RAI 386 — 14.02-158	April 22, 2011
RAI 386 — 14.02-159	April 22, 2011
RAI 386 — 14.03.02-44	April 22, 2011
RAI 386 — 14.03.02-45	April 22, 2011
RAI 386 — 14.03.02-49	April 22, 2011
RAI 386 — 14.03.02-50	April 22, 2011
RAI 386 — 14.03.02-51	April 22, 2011
RAI 386 — 14.03.03-46	April 22, 2011
RAI 386 — 14.03.08-2	April 22, 2011

Russ Wells

U.S. EPR Design Certification Licensing Manager

AREVA NP, Inc.

3315 Old Forest Road, P.O. Box 10935

Mail Stop OF-57

Lynchburg, VA 24506-0935 Phone: 434-832-3884 (work)

434-942-6375 (cell)

Fax: 434-382-3884 Russell.Wells@Areva.com

From: BRYAN Martin (External RS/NB)

Sent: Wednesday, February 09, 2011 1:42 PM

To: Tesfaye, Getachew

Cc: DELANO Karen (RS/NB); ROMINE Judy (RS/NB); BENNETT Kathy (RS/NB); WELLS Russell (RS/NB) **Subject:** Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 10

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, and Supplement 5 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, and September 22, 2010, respectively, to provide a revised schedule. Supplement 7 was submitted to NRC on November 10, 2010 which provided technically correct and complete responses to 9 of the 24 questions and provided a revised schedule for the remaining 15 questions. Supplement 8 was submitted to NRC on November 29, 2010 and Supplement 9 was submitted to NRC on January 21, 2011 to provide a revised schedule for the response to the remaining questions.

The attached file, "RAI 386 Supplement 10 Response US EPR DC.pdf" provides technically correct and complete responses to 1 of the remaining 15 questions.

The following table indicates the respective pages in the response document, "RAI 386 Supplement 10 Response US EPR DC.pdf," that contain AREVA NP's response to the subject questions.

Question #	Start Page	End Page
RAI 386 — 14.03.03-37	2	2

The schedule for the remaining 14 questions has not changed and is provided below.

Question #	Response Date
RAI 386 — 14.02-149	March 25, 2011
RAI 386 — 14.02-150	March 25, 2011
RAI 386 — 14.02-151	March 25, 2011
RAI 386 — 14.02-152	March 25, 2011
RAI 386 — 14.02-156	March 25, 2011
RAI 386 — 14.02-158	March 25, 2011
RAI 386 — 14.02-159	March 25, 2011
RAI 386 — 14.03.02-44	March 25, 2011
RAI 386 — 14.03.02-45	March 25, 2011
RAI 386 — 14.03.02-49	March 25, 2011
RAI 386 — 14.03.02-50	March 25, 2011
RAI 386 — 14.03.02-51	March 25, 2011
RAI 386 — 14.03.03-46	March 25, 2011
RAI 386 — 14.03.08-2	March 25, 2011

Sincerely,

Martin (Marty) C. Bryan
U.S. EPR Design Certification Licensing Manager
AREVA NP Inc.
Tel: (434) 832-3016
702 561-3528 cell
Martin.Bryan.ext@areva.com

From: BRYAN Martin (External RS/NB) **Sent:** Friday, January 21, 2011 9:23 AM

To: 'Tesfaye, Getachew'

Cc: DELANO Karen (RS/NB); ROMINE Judy (RS/NB); BENNETT Kathy (RS/NB); WELLS Russell (RS/NB) **Subject:** Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 9

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, and Supplement 5 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, and September 22, 2010, respectively, to provide a revised schedule. Supplement 7 was submitted to NRC on November 10, 2010 which provided technically correct and complete responses to 9 of the 24 questions and provided a revised schedule for the remaining 15 questions. Supplement 8 was submitted to NRC on November 29, 2010 to provide a revised schedule for the response to the remaining questions. In order to allow time for interaction with the NRC, the schedule for a technically correct and complete FINAL response to the remaining questions has been revised and is provided below.

Question #	Response Date
RAI 386 — 14.02-149	March 25, 2011

RAI 386 — 14.02-150	March 25, 2011
RAI 386 — 14.02-151	March 25, 2011
RAI 386 — 14.02-152	March 25, 2011
RAI 386 — 14.02-156	March 25, 2011
RAI 386 — 14.02-158	March 25, 2011
RAI 386 — 14.02-159	March 25, 2011
RAI 386 — 14.03.02-44	March 25, 2011
RAI 386 — 14.03.02-45	March 25, 2011
RAI 386 — 14.03.02-49	March 25, 2011
RAI 386 — 14.03.02-50	March 25, 2011
RAI 386 — 14.03.02-51	March 25, 2011
RAI 386 — 14.03.03-37	March 25, 2011
RAI 386 — 14.03.03-46	March 25, 2011
RAI 386 — 14.03.08-2	March 25, 2011

Martin (Marty) C. Bryan
U.S. EPR Design Certification Licensing Manager
AREVA NP Inc.
Tel: (434) 832-3016
702 561-3528 cell
Martin.Bryan.ext@areva.com

From: BRYAN Martin (External RS/NB) **Sent:** Monday, November 29, 2010 6:55 PM

To: 'Tesfaye, Getachew'

Cc: DELANO Karen (RS/NB); ROMINE Judy (RS/NB); BENNETT Kathy (RS/NB); WELLS Russell (RS/NB) **Subject:** Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 8

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, and Supplement 5 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, and September 22, 2010, respectively, to provide a revised schedule. Supplement 7 was submitted to NRC on November 10, 2010 which provided technically correct and complete responses to 9 of the 24 questions and provided a revised schedule for the remaining 15 questions. To provide additional time to interact with the NRC, a revised schedule is provided in this e-mail for the response to the remaining questions.

The schedule for technically correct and complete responses to the questions has been revised and is provided below:

Question #	Response Date
RAI 386 — 14.02-149	January 27, 2011
RAI 386 — 14.02-150	January 27, 2011
RAI 386 — 14.02-151	January 27, 2011
RAI 386 — 14.02-152	January 27, 2011

RAI 386 — 14.02-156	January 27, 2011
RAI 386 — 14.02-158	January 27, 2011
RAI 386 — 14.02-159	January 27, 2011
RAI 386 — 14.03.02-44	January 27, 2011
RAI 386 — 14.03.02-45	January 27, 2011
RAI 386 — 14.03.02-49	January 27, 2011
RAI 386 — 14.03.02-50	January 27, 2011
RAI 386 — 14.03.02-51	January 27, 2011
RAI 386 — 14.03.03-37	January 27, 2011
RAI 386 — 14.03.03-46	January 27, 2011
RAI 386 — 14.03.08-2	January 27, 2011

Martin (Marty) C. Bryan
U.S. EPR Design Certification Licensing Manager
AREVA NP Inc.
Tel: (434) 832-3016
702 561-3528 cell
Martin.Bryan.ext@areva.com

From: BRYAN Martin (External RS/NB)

Sent: Wednesday, November 10, 2010 2:10 PM

To: 'Tesfaye, Getachew'

Cc: DELANO Karen (RS/NB); ROMINE Judy (RS/NB); BENNETT Kathy (RS/NB); LENTZ Tony (External RS/NB) **Subject:** Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 7

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, Supplement 5, and Supplement 6 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, September 22, 2010, and October 25, 2010, respectively, to provide a revised schedule.

The attached file, "RAI 386 Supplement 7 Response US EPR DC.pdf" provides technically correct and complete responses to nine questions.

Appended to this file are affected pages of the U.S. EPR Final Safety Analysis Report in redline-strikeout format which supports the response to RAI 345 Questions 14.02-157, 14.03.02-48, and 14.03.08-3.

The following table indicates the respective pages in the response document, "RAI 386 Supplement 7 Response US EPR DC.pdf," that contain AREVA NP's response to the subject questions.

Question #	Start Page	End Page
RAI 386 — 14.02-153	2	2
RAI 386 — 14.02-154	3	3
RAI 386 — 14.02-155	4	4

RAI 386 — 14.02-157	5	5
RAI 386 — 14.02-160	6	6
RAI 386 — 14.03.02-46	7	7
RAI 386 — 14.03.02-47	8	8
RAI 386 — 14.03.02-48	9	10
RAI 386 — 14.03.08-3	11	11

The schedule for the remaining 15 questions has not changed and is provided below.

Question #	Response Date
RAI 386 — 14.02-149	December 7, 2010
RAI 386 — 14.02-150	December 7, 2010
RAI 386 — 14.02-151	December 7, 2010
RAI 386 — 14.02-152	December 7, 2010
RAI 386 — 14.02-156	December 7, 2010
RAI 386 — 14.02-158	December 7, 2010
RAI 386 — 14.02-159	December 7, 2010
RAI 386 — 14.03.02-44	December 7, 2010
RAI 386 — 14.03.02-45	December 7, 2010
RAI 386 — 14.03.02-49	December 7, 2010
RAI 386 — 14.03.02-50	December 7, 2010
RAI 386 — 14.03.02-51	December 7, 2010
RAI 386 — 14.03.03-37	December 7, 2010
RAI 386 — 14.03.03-46	December 7, 2010
RAI 386 — 14.03.08-2	December 7, 2010

Sincerely,

Martin (Marty) C. Bryan U.S. EPR Design Certification Licensing Manager AREVA NP Inc.

Tel: (434) 832-3016 702 561-3528 cell

Martin.Bryan.ext@areva.com

From: BRYAN Martin (External RS/NB) **Sent:** Monday, October 25, 2010 1:22 PM

To: 'Getachew.Tesfaye@nrc.gov'

Cc: DELANO Karen (RS/NB); ROMINE Judy (RS/NB); BENNETT Kathy (RS/NB); LENTZ Tony (External RS/NB) **Subject:** Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 6

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, Supplement 4, and Supplement 5 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, September 9, 2010, and September 22, 2010, respectively, to provide a revised schedule.

To provide additional time to interact with the NRC, a revised schedule is provided in this e-mail for the response to the questions.

The schedule for technically correct and complete responses to the questions has been revised and is provided below:

Question #	Response Date
RAI 386 — 14.02-149	December 7, 2010
RAI 386 — 14.02-150	December 7, 2010
RAI 386 — 14.02-151	December 7, 2010
RAI 386 — 14.02-152	December 7, 2010
RAI 386 — 14.02-153	December 7, 2010
RAI 386 — 14.02-154	December 7, 2010
RAI 386 — 14.02-155	December 7, 2010
RAI 386 — 14.02-156	December 7, 2010
RAI 386 — 14.02-157	December 7, 2010
RAI 386 — 14.02-158	December 7, 2010
RAI 386 — 14.02-159	December 7, 2010
RAI 386 — 14.02-160	December 7, 2010
RAI 386 — 14.03.02-44	December 7, 2010
RAI 386 — 14.03.02-45	December 7, 2010
RAI 386 — 14.03.02-46	December 7, 2010
RAI 386 — 14.03.02-47	December 7, 2010
RAI 386 — 14.03.02-48	December 7, 2010
RAI 386 — 14.03.02-49	December 7, 2010
RAI 386 — 14.03.02-50	December 7, 2010
RAI 386 — 14.03.02-51	December 7, 2010
RAI 386 — 14.03.03-37	December 7, 2010
RAI 386 — 14.03.03-46	December 7, 2010
RAI 386 — 14.03.08-2	December 7, 2010
RAI 386 — 14.03.08-3	December 7, 2010

Sincerely,

Martin (Marty) C. Bryan
U.S. EPR Design Certification Licensing Manager
AREVA NP Inc.
Tel: (434) 832-3016
702 561-3528 cell
Martin.Bryan.ext@areva.com

From: BRYAN Martin (External RS/NB)

Sent: Wednesday, September 22, 2010 12:31 PM

To: Tesfaye, Getachew

Cc: DELANO Karen (RS/NB); ROMINE Judy (RS/NB); BENNETT Kathy (RS/NB); LENTZ Tony (External RS/NB) **Subject:** Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 5

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. Supplement 1, Supplement 2, Supplement 3, and Supplement 4 responses to RAI No. 386 were sent on July 15, 2010, August 12, 2010, August 26, 2010, and September 9, 2010, respectively, to provide a revised schedule.

To provide additional time to interact with the NRC, a revised schedule is provided in this e-mail for the response to the questions.

The schedule for technically correct and complete responses to the questions has been revised and is provided below:

Question #	Response Date	
RAI 386 — 14.02-149	October 28, 2010	
RAI 386 — 14.02-150	October 28, 2010	
RAI 386 — 14.02-151	October 28, 2010	
RAI 386 — 14.02-152	October 28, 2010	
RAI 386 — 14.02-153	October 28, 2010	
RAI 386 — 14.02-154	October 28, 2010	
RAI 386 — 14.02-155	October 28, 2010	
RAI 386 — 14.02-156	October 28, 2010	
RAI 386 — 14.02-157	October 28, 2010	
RAI 386 — 14.02-158	October 28, 2010	
RAI 386 — 14.02-159	October 28, 2010	
RAI 386 — 14.02-160	October 28, 2010	
RAI 386 — 14.03.02-44	October 28, 2010	
RAI 386 — 14.03.02-45	October 28, 2010	
RAI 386 — 14.03.02-46	October 28, 2010	
RAI 386 — 14.03.02-47	October 28, 2010	
RAI 386 — 14.03.02-48	October 28, 2010	
RAI 386 — 14.03.02-49	October 28, 2010	
RAI 386 — 14.03.02-50	October 28, 2010	
RAI 386 — 14.03.02-51	October 28, 2010	
RAI 386 — 14.03.03-37	October 28, 2010	
RAI 386 — 14.03.03-46	October 28, 2010	
RAI 386 — 14.03.08-2	October 28, 2010	
RAI 386 — 14.03.08-3	October 28, 2010	

Sincerely,

Martin (Marty) C. Bryan
U.S. EPR Design Certification Licensing Manager
AREVA NP Inc.

Tel: (434) 832-3016 702 561-3528 cell

Martin.Bryan.ext@areva.com

From: BRYAN Martin (External RS/NB)

Sent: Thursday, September 09, 2010 2:30 PM

To: 'Tesfaye, Getachew'

Cc: DELANO Karen (RS/NB); ROMINE Judy (RS/NB); BENNETT Kathy (RS/NB); LENTZ Tony (External RS/NB) **Subject:** Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 4

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010.

AREVA NP Inc. provided technically correct and complete draft responses to 11 of the 24 questions in "RAI 386 Supplement 1 Response – DRAFT.pdf" on July 8, 2010. A revised schedule was provided in Supplement 1 on July 15, 2010, in Supplement 2 on August 12, 2010, and in Supplement 3 on August 26, 2010. To allow time for interaction between AREVA and the NRC staff, a revised schedule for submittal of final responses is provided in this e-mail.

The schedule for technically correct and complete responses to the questions has been revised and is provided below:

Question #	Response Date	
RAI 386 — 14.02-149	October 28, 2010	
RAI 386 — 14.02-150	October 28, 2010	
RAI 386 — 14.02-151	October 14, 2010	
RAI 386 — 14.02-152	October 14, 2010	
RAI 386 — 14.02-153	October 28, 2010	
RAI 386 — 14.02-154	October 28, 2010	
RAI 386 — 14.02-155	October 28, 2010	
RAI 386 — 14.02-156	October 14, 2010	
RAI 386 — 14.02-157	October 28, 2010	
RAI 386 — 14.02-158	October 14, 2010	
RAI 386 — 14.02-159	October 14, 2010	
RAI 386 — 14.02-160	October 28, 2010	
RAI 386 — 14.03.02-44	September 23, 2010	
RAI 386 — 14.03.02-45	September 23, 2010	
RAI 386 — 14.03.02-46	October 28, 2010	
RAI 386 — 14.03.02-47	October 28, 2010	
RAI 386 — 14.03.02-48	October 28, 2010	
RAI 386 — 14.03.02-49	September 23, 2010	
RAI 386 — 14.03.02-50	September 23, 2010	
RAI 386 — 14.03.02-51	September 23, 2010	
RAI 386 — 14.03.03-37	September 23, 2010	
RAI 386 — 14.03.03-46	October 28, 2010	
RAI 386 — 14.03.08-2	September 23, 2010	
RAI 386 — 14.03.08-3	September 23, 2010	

Sincerely,

Martin (Marty) C. Bryan
U.S. EPR Design Certification Licensing Manager
AREVA NP Inc.
Tel: (434) 832-3016
702 561-3528 cell
Martin.Bryan.ext@areva.com

From: BRYAN Martin (External RS/NB) **Sent:** Thursday, August 26, 2010 8:27 PM

To: 'Tesfaye, Getachew'

Cc: DELANO Karen (RS/NB); ROMINE Judy (RS/NB); BENNETT Kathy (RS/NB); LENTZ Tony (External RS/NB) **Subject:** Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 3

Getachew.

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010.

AREVA NP Inc. provided technically correct and complete draft responses to 11 of the 24 questions in "RAI 386 Supplement 1 Response – DRAFT.pdf" on July 8, 2010. A revised schedule was provided in Supplement 1 on July 15, 2010 and in Supplement 2 on August 12, 2010. To allow time for interaction between AREVA and the NRC staff, a revised schedule for submittal of final responses is provided in this e-mail.

The schedule for technically correct and complete responses has been revised and is provided below:

Question #	Response Date	
RAI 386 — 14.02-149	September 9, 2010	
RAI 386 — 14.02-150	September 9, 2010	
RAI 386 — 14.02-151	October 14, 2010	
RAI 386 — 14.02-152	October 14, 2010	
RAI 386 — 14.02-153	September 9, 2010	
RAI 386 — 14.02-154	September 9, 2010	
RAI 386 — 14.02-155	September 9, 2010	
RAI 386 — 14.02-156	October 14, 2010	
RAI 386 — 14.02-157	September 9, 2010	
RAI 386 — 14.02-158	October 14, 2010	
RAI 386 — 14.02-159	October 14, 2010	
RAI 386 — 14.02-160	September 9, 2010	
RAI 386 — 14.03.02-44	September 23, 2010	
RAI 386 — 14.03.02-45	September 23, 2010	
RAI 386 — 14.03.02-46	September 9, 2010	
RAI 386 — 14.03.02-47	September 9, 2010	
RAI 386 — 14.03.02-48	September 9, 2010	
RAI 386 — 14.03.02-49	September 23, 2010	
RAI 386 — 14.03.02-50	September 23, 2010	
RAI 386 — 14.03.02-51	September 23, 2010	
RAI 386 — 14.03.03-37	September 23, 2010	
RAI 386 — 14.03.03-46	September 9, 2010	
RAI 386 — 14.03.08-2	September 23, 2010	
RAI 386 — 14.03.08-3	September 23, 2010	

Sincerely,

Martin (Marty) C. Bryan

U.S. EPR Design Certification Licensing Manager

AREVA NP Inc. Tel: (434) 832-3016 702 561-3528 cell

Martin.Bryan.ext@areva.com

From: BRYAN Martin (EXT)

Sent: Thursday, August 12, 2010 6:02 PM

To: 'Tesfaye, Getachew'

Cc: DELANO Karen (RS/NB); ROMINE Judy (RS/NB); BENNETT Kathy (RS/NB); LENTZ Tony F (EXT) **Subject:** Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 2

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010. A revised schedule was provided in Supplement 1 on July 15, 2010.

AREVA NP Inc. provided technically correct and complete DRAFT responses to 7 of the 24 questions in "RAI 386 Supplement 1 Response – DRAFT.pdf" on July 8, 2010. To allow time for interaction between AREVA and the NRC staff, a revised schedule for submittal of final responses for these 7 questions is provided in this e-mail.

The schedule for technically correct and complete responses to the questions has been revised and is provided below:

Question #	Response Date	
RAI 386 — 14.02-149	September 9, 2010	
RAI 386 — 14.02-150	September 9, 2010	
RAI 386 — 14.02-151	August 26, 2010	
RAI 386 — 14.02-152	August 26, 2010	
RAI 386 — 14.02-153	September 9, 2010	
RAI 386 — 14.02-154	September 9, 2010	
RAI 386 — 14.02-155	September 9, 2010	
RAI 386 — 14.02-156	August 26, 2010	
RAI 386 — 14.02-157	September 9, 2010	
RAI 386 — 14.02-158	August 26, 2010	
RAI 386 — 14.02-159	August 26, 2010	
RAI 386 — 14.02-160	September 9, 2010	
RAI 386 — 14.03.02-44	August 26, 2010	
RAI 386 — 14.03.02-45	August 26, 2010	
RAI 386 — 14.03.02-46	August 26, 2010	
RAI 386 — 14.03.02-47	August 26, 2010	
RAI 386 — 14.03.02-48	August 26, 2010	
RAI 386 — 14.03.02-49	August 26, 2010	
RAI 386 — 14.03.02-50	August 26, 2010	
RAI 386 — 14.03.02-51	August 26, 2010	
RAI 386 — 14.03.03-37	August 26, 2010	
RAI 386 — 14.03.03-46	August 26, 2010	
RAI 386 — 14.03.08-2	August 26, 2010	

Martin (Marty) C. Bryan U.S. EPR Design Certification Licensing Manager AREVA NP Inc.

Tel: (434) 832-3016 702 561-3528 cell

Martin.Bryan.ext@areva.com

From: BRYAN Martin (EXT)

Sent: Thursday, July 15, 2010 1:03 PM

To: 'Tesfaye, Getachew'

Cc: DELANO Karen V (AREVA NP INC); ROMINE Judy (AREVA NP INC); BENNETT Kathy A (OFR) (AREVA NP INC); LENTZ

Tony F (EXT)

Subject: Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch. 14, Supplement 1

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 24 questions in RAI No. 386 on June 3, 2010.

AREVA NP Inc. provided technically correct and complete DRAFT responses to 7 of the 24 questions in RAI No. 386 on July 8, 2010. To allow additional time for interaction between AREVA and the NRC staff, a revised schedule for submittal of final responses for these 7 questions is provided in this e-mail (386-14.02-149, 150, 153, 154, 155, 157 and 160).

The schedule for technically correct and complete responses to the questions has been revised and is provided below:

Question #	Response Date
RAI 386 — 14.02-149	August 12, 2010
RAI 386 — 14.02-150	August 12, 2010
RAI 386 — 14.02-151	August 26, 2010
RAI 386 — 14.02-152	August 26, 2010
RAI 386 — 14.02-153	August 12, 2010
RAI 386 — 14.02-154	August 12, 2010
RAI 386 — 14.02-155	August 12, 2010
RAI 386 — 14.02-156	August 26, 2010
RAI 386 — 14.02-157	August 12, 2010
RAI 386 — 14.02-158	August 26, 2010
RAI 386 — 14.02-159	August 26, 2010
RAI 386 — 14.02-160	August 12, 2010
RAI 386 — 14.03.02-44	August 26, 2010
RAI 386 — 14.03.02-45	August 26, 2010
RAI 386 — 14.03.02-46	August 26, 2010
RAI 386 — 14.03.02-47	August 26, 2010
RAI 386 — 14.03.02-48	August 26, 2010

RAI 386 — 14.03.02-49	August 26, 2010
RAI 386 — 14.03.02-50	August 26, 2010
RAI 386 — 14.03.02-51	August 26, 2010
RAI 386 — 14.03.03-37	August 26, 2010
RAI 386 — 14.03.03-46	August 26, 2010
RAI 386 — 14.03.08-2	August 26, 2010
RAI 386 — 14.03.08-3	August 26, 2010

Martin (Marty) C. Bryan U.S. EPR Design Certification Licensing Manager AREVA NP Inc.

Tel: (434) 832-3016 702 561-3528 cell

Martin.Bryan.ext@areva.com

From: BRYAN Martin (EXT)

Sent: Thursday, June 03, 2010 7:02 PM

To: 'Tesfaye, Getachew'

Cc: DELANO Karen V (AREVA NP INC); ROMINE Judy (AREVA NP INC); BENNETT Kathy A (OFR) (AREVA NP INC); LENTZ

Tony F (EXT); RYAN Tom (AREVA NP INC)

Subject: Response to U.S. EPR Design Certification Application RAI No. 386(4306,4418,4532,4349,2666,4512,4341),

FSAR Ch. 14

Getachew.

Attached please find AREVA NP Inc.'s response to the subject request for additional information (RAI). The attached file, "RAI 386 Response US EPR DC.pdf" provides a schedule since a technically correct and complete response to the 24 questions is not provided.

The following table indicates the respective pages in the response document, "RAI 386 Response US EPR DC.pdf," that contain AREVA NP's response to the subject questions.

Question #	Start Page	End Page
RAI 386 — 14.02-149	2	2
RAI 386 — 14.02-150	3	3
RAI 386 — 14.02-151	4	4
RAI 386 — 14.02-152	5	5
RAI 386 — 14.02-153	6	6
RAI 386 — 14.02-154	7	7
RAI 386 — 14.02-155	8	8
RAI 386 — 14.02-156	9	9
RAI 386 — 14.02-157	10	10
RAI 386 — 14.02-158	11	11
RAI 386 — 14.02-159	12	12
RAI 386 — 14.02-160	13	13
RAI 386 — 14.03.02-44	14	15

RAI 386 — 14.03.02-45	16	16
RAI 386 — 14.03.02-46	17	17
RAI 386 — 14.03.02-47	18	18
RAI 386 — 14.03.02-48	19	19
RAI 386 — 14.03.02-49	20	20
RAI 386 — 14.03.02-50	21	21
RAI 386 — 14.03.02-51	22	22
RAI 386 — 14.03.03-37	23	23
RAI 386 — 14.03.03-46	24	24
RAI 386 — 14.03.08-2	25	26
RAI 386 — 14.03.08-3	27	27

A complete answer is not provided for the 24 questions. The schedule for a technically correct and complete response to these questions is provided below.

Question #	Response Date		
RAI 386 — 14.02-149	July 15, 2010		
RAI 386 — 14.02-150	July 15, 2010		
RAI 386 — 14.02-151	August 26, 2010		
RAI 386 — 14.02-152	August 26, 2010		
RAI 386 — 14.02-153	July 15, 2010		
RAI 386 — 14.02-154	July 15, 2010		
RAI 386 — 14.02-155	July 15, 2010		
RAI 386 — 14.02-156	August 26, 2010		
RAI 386 — 14.02-157	July 15, 2010		
RAI 386 — 14.02-158	August 26, 2010		
RAI 386 — 14.02-159	August 26, 2010		
RAI 386 — 14.02-160	July 15, 2010		
RAI 386 — 14.03.02-44	August 26, 2010		
RAI 386 — 14.03.02-45	August 26, 2010		
RAI 386 — 14.03.02-46	August 26, 2010		
RAI 386 — 14.03.02-47	August 26, 2010		
RAI 386 — 14.03.02-48	August 26, 2010		
RAI 386 — 14.03.02-49	August 26, 2010		
RAI 386 — 14.03.02-50	August 26, 2010		
RAI 386 — 14.03.02-51	August 26, 2010		
RAI 386 — 14.03.03-37	August 26, 2010		
RAI 386 — 14.03.03-46	August 26, 2010		
RAI 386 — 14.03.08-2	August 26, 2010		
RAI 386 — 14.03.08-3	August 26, 2010		

Sincerely,

Martin (Marty) C. Bryan U.S. EPR Design Certification Licensing Manager AREVA NP Inc. Tel: (434) 832-3016 702 561-3528 cell

Martin.Bryan.ext@areva.com

From: Tesfaye, Getachew [mailto:Getachew.Tesfaye@nrc.gov]

Sent: Tuesday, May 04, 2010 1:52 PM

To: ZZ-DL-A-USEPR-DL

Cc: Keim, Andrea; Rasmussen, Richard; Dehmel, Jean-Claude; Bernal, Sara; Roach, Edward; Jeng, David; Hawkins, Kimberly; Ng, Ching; Dixon-Herrity, Jennifer; Miernicki, Michael; Colaccino, Joseph; ArevaEPRDCPEm Resource **Subject:** U.S. EPR Design Certification Application RAI No. 386(4306,4418,4532,4349,2666,4512,4341), FSAR Ch. 14

Attached please find the subject requests for additional information (RAI). A draft of the RAI was provided to you on April 6, 2010, and discussed with your staff on May 4, 2010. Drat RAI Question 14.03.02-47 was modified as a result of that discussion. The schedule we have established for review of your application assumes technically correct and complete responses within 30 days of receipt of RAIs. For any RAIs that cannot be answered within 30 days, it is expected that a date for receipt of this information will be provided to the staff within the 30 day period so that the staff can assess how this information will impact the published schedule.

Thanks, Getachew Tesfaye Sr. Project Manager NRO/DNRL/NARP (301) 415-3361 Hearing Identifier: AREVA_EPR_DC_RAIs

Email Number: 3345

Mail Envelope Properties (2FBE1051AEB2E748A0F98DF9EEE5A5D486CC6F)

Subject: Response to U.S. EPR Design Certification Application RAI No. 386, FSAR Ch.

14, Supplement 18

Sent Date: 8/22/2011 3:21:19 PM **Received Date:** 8/22/2011 3:21:27 PM

From: WILLIFORD Dennis (AREVA)

Created By: Dennis.Williford@areva.com

Recipients:

"BENNETT Kathy (AREVA)" < Kathy.Bennett@areva.com>

Tracking Status: None

"DELANO Karen (AREVA)" <Karen.Delano@areva.com>

Tracking Status: None

"ROMINE Judy (AREVA)" < Judy.Romine@areva.com>

Tracking Status: None

"RYAN Tom (AREVA)" <Tom.Ryan@areva.com>

Tracking Status: None

"LENTZ Tony (EXTERNAL AREVA)" < Tony.Lentz.ext@areva.com>

Tracking Status: None

"Tesfaye, Getachew" < Getachew. Tesfaye@nrc.gov>

Tracking Status: None

Post Office: auscharmx02.adom.ad.corp

Files Size Date & Time

MESSAGE 50614 8/22/2011 3:21:27 PM RAI 386 Supplement 18 Response US EPR DC.pdf 170218

Options

Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal

Expiration Date: Recipients Received:

Response to

Request for Additional Information No. 386, (4306, 4418, 4532, 4349, 2666, 4512, 4341), Revision 0, Supplement 18

5/4/2010

U. S. EPR Standard Design Certification AREVA NP Inc.

Docket No. 52-020

SRP Section: 14.02 - Initial Plant Test Program - Design Certification and New License Applicants

SRP Section: 14.03.02 - Structural and Systems Engineering - Inspections, Tests,
Analyses, and Acceptance Criteria

SRP Section: 14.03.03 - Piping Systems and Components - Inspections, Tests, Analyses, and Acceptance Criteria

SRP Section: 14.03.08 - Radiation Protection Inspections, Tests, Analyses, and Acceptance Criteria

Application Section: SRP 14.02 (NUREG 0800)

QUESTIONS for Quality and Vendor Branch 2 (ESBWR/ABWR) (CQVB)
QUESTIONS for Health Physics Branch (CHPB)
QUESTIONS for Structural Engineering Branch 2 (ESBWR/ABWR Projects) (SEB2)
QUESTIONS for Engineering Mechanics Branch 2 (ESBWR/ABWR Projects)
(EMB2)

Question 14.03.02-50:

Follow-up to RAI 132, Question 14.03.02-11(1)(h)

GDC 4 states in part that structures systems and components shall be appropriately protected against dynamic effects, including the effects of missiles, pipe whipping and discharging fluids. In its response to RAI 132, Question 14.03.02-11 (1), part h, the applicant stated that the U.S. EPR FSAR, Tier 1, Section 2.1 would be revised to provide additional details regarding the basis for protection against pressurization effects associated with postulated rupture of pipes. In the revised design description write-up of Section 2.1.1 and associated subsections, there are references to accident pressure loads and pipe break loads. However, there is nothing that specifically addresses cubicle pressurization loads and the basis for protection against pressurization effects. Also, in revised ITAAC Tables 2.1.1-4 and 2.1.1-8, cubicle pressurization effects have not been explicitly included. Table 2.1.1-4 provides ITAAC for the Nuclear Island which includes the Reactor Building. Item 3.4 in Table 2.1.1-4 under "Commitment Wording" states that a pipe break hazards analyses summary exists that concludes the plant can be safely shut down and maintained in a cold safe shutdown following a pipe break with loss of offsite power. Under "Inspection, Analysis or Test," it states that a pipe break hazards analysis will be performed. Under "Acceptance Criteria", it addresses pipe stresses in the penetration area, pipe whip restraints and jet impingement shields, environmental effects of postulated pipe rupture, and loads on safety-related SSCs. Cubicle pressurization is not mentioned. Under "Commitment Wording," it should state what the pipe break hazards analysis includes and address cubicle pressurization. Under "Inspection, Analysis or Test," a second activity should be added requiring that an inspection of as-installed features that provide protection against pipe break effects including the effects of cubicle pressurization will be performed and compared to the requirements identified in the pipe break hazards analysis. Under "Acceptance Criteria," cubicle pressurization should be addressed. Item 3.5 in Table 2.1.1-4 appears to address jet impingement shields and pipe whip restraints for certain rooms listed in Table 2.1.1-6. As a result, it is not clear if Item 3.4 addresses all other iet impingement shields and pipe whip restraints or is not supposed to address them at all. The applicant needs to revise the wording in the "Commitment Wording," "Inspection, Analysis or Test" and "Acceptance Criteria" columns for items 3.4 and 3.5 so it is clear as to which aspect of pipe hazards analysis each of these ITAAC items is to address.

Response to Question 14.03.02-50:

U.S. EPR FSAR Tier 1, Table 2.1.1-4, Item 3.5 and the associated Table 2.1.1-6 were deleted as noted in the Response to RAI 222, Question 03.06.02-31, Item 2 because the item was redundant with Table 2.1.1-4, Item 3.4. Table 2.1.1-4, Item 3.4 referenced in the RAI question remains as the pipe break hazards ITAAC item, however, it was moved to U.S. EPR FSAR Tier 1, Table 3.8-1 and revised per RAI 354, Question 03.06.02-42, Part a.

The intent of this ITAAC item is to address pipe break hazards effects, including the effects of cubicle pressurization. For clarification, wording that specifically addresses cubicle pressurization will be added to the "Acceptance Criteria" for this ITAAC item and to the "Commitment Wording" for U.S. EPR FSAR Tier 1, Table 2.1.1-8, Item 2.4, Table 2.1.1-10, Item 2.1, Table 2.1.1-11, Item 2.1, Table, 2.1.2-3, Item 3.4 and Table 2.1.5-3, Item 3.5. The revised pages are attached.

FSAR Impact:

U.S. EPR FSAR Tier 1, Tables 2.1.1-8, 2.1.1-10, 2.1.1-11, 2.1.2-3, 2.1.5-3, and 3.8-1 were revised as described in the response and indicated on the attached markup. AREVA NP recently submitted Revision 3 of the U.S. EPR FSAR. Because the work to process the associated U.S. EPR FSAR tables has already been accepted and completed prior to formal submittal of this response, the U.S. EPR FSAR changes associated with this response were already included in Revision 3. These changes are not denoted by "redline-strikeout" on the enclosed markup of U.S. EPR FSAR Interim Revision 4.

U.S. EPR Final Safety Analysis Report Markups



Table 2.1.1-8—Reactor Building ITAAC (6 Sheets)

	Commitment Wording	Inspections, Tests, Analyses	Acceptance Criteria
2.1	Six rib support structures are provided at the bottom of the reactor cavity as shown on Figure 2.1.1-9.	Inspection of the reactor vessel cavity will be performed.	Six rib support structures are provided at the bottom of the reactor cavity as shown on Figure 2.1.1-9.
2.2	As shown on Figure 2.1.1-4, a flooding barrier is provided to prevent ingress of water into the core melt spreading area.	Inspection of the core melt water ingression barrier will be performed.	The RCB provides a spreading area water ingression barrier as shown on Figure 2.1.1-4. Penetrations and doors within the core melt water ingression barrier are water tight.
2.3	Core melt cannot relocate to upper containment due to the existence of concrete barriers as shown on Figure 2.1.1-9.	Inspection of the RCB will be performed.	Concrete barriers are located within the RCB as shown on Figure 2.1.1-9.
2.4	The RB structures are Seismic Category I and are designed and constructed to withstand design basis loads, as specified below, without loss of structural integrity and safety related functions. Normal plant operation (including dead loads, live loads, lateral earth pressure loads, equipment loads, hydrostatic, hydrodynamic, and temperature loads). Internal events (including internal flood loads, accident pressure loads, accident thermal loads, accident pipe reactions, and pipe break loads, including reaction loads, jet impingement loads, cubicle pressurization	An analysis of the RB structures for the design basis loads will be performed. During construction, deviations from the approved design will be analyzed for design basis loads.	A report exists which reconciles deviations during construction and concludes that the as-built RB structures conform to the approved design and will withstand the design basis loads specified without loss of structural integrity or safety-related functions.
	loads, and missile impact loads).	14.03.02-5	0



Table 2.1.1-10—Safeguard Buildings ITAAC (3 Sheets)

	Commitment Wording	Inspections, Tests, Analyses	Acceptance Criteria
2.1	The SB structures are Seismic Category I and are designed and constructed to withstand design basis loads, as specified below, without loss of structural integrity and safety related functions. Normal plant operation (including dead loads, live loads, lateral earth pressure loads, equipment loads, hydrostatic, hydrodynamic, and temperature loads). Internal events (including internal flood loads, accident pressure loads, accident pressure loads, accident pipe reactions, and pipe break loads, including reaction loads, jet impingement loads, cubicle pressurization loads, and missile impact loads). External events (including rain, snow,	Analysis of the SB structures for the design basis loads will be performed. During construction, deviations from the approved design will be analyzed for design basis loads. 14.03.02-50	A report exists which reconciles deviations during construction and concludes that the as-built SB structures conform to the approved design and will withstand the design basis loads specified without loss of structural integrity or safety-related functions.
	flood, tornado, tornado- generated missiles and earthquake).		



Table 2.1.1-11—Fuel Building ITAAC (3 Sheets)

Commitment Wording		Inspections, Tests, Analyses	Acceptance Criteria
2.1	The FB structure is Seismic Category I and is designed and constructed to withstand design basis loads, as specified below, without loss of structural integrity and safety related functions. Normal plant operation (including dead loads, live loads, lateral earth pressure loads, equipment loads, hydrostatic, hydrodynamic, and temperature loads). Internal events (including internal flood loads, accident pressure loads, accident thermal loads, accident thermal loads, including reaction loads, jet impingement loads, cubicle pressurization loads, and missile impact loads). External events (including rain, snow, flood, tornado, tornadogenerated missiles and earthquake.	An analysis of the FB structure for the design basis loads will be performed. During construction, deviations from the approved design will be analyzed for design basis loads. 14.03.02-50	A report exists which reconciles deviations during construction and concludes that the as-built FB structures conform to the approved design and will withstand the design basis loads specified without loss of structural integrity or safety-related functions.



Table 2.1.2-3—Emergency Power Generating Building ITAAC (3 Sheets)

	Commitment Wording	Inspections, Tests, Analyses	Acceptance Criteria
3.4	The EPGB structures are Seismic Category I and are designed and constructed to withstand design basis loads, as specified below, without loss of structural integrity and safety-related functions. Normal plant operation (including dead loads, live loads, lateral earth pressure loads, hydrostatic loads, hydrodynamic loads, and temperature loads). Internal Events (including internal flood loads, accident pressure loads, accident thermal loads, accident thermal loads, accident pipe reactions, and pipe break loads – including reaction loads, jet impingement loads, cubicle pressurization loads, and missile impact loads). External events (including rain, snow, flood, tornado- generated missiles, and earthquake).	An analysis of the EPGB structures for the design basis loads will be performed. During construction, deviations from the approved design will be analyzed for design basis loads. 14.03.02-50	A report exists which reconciles deviations during construction and concludes that the as-built EPGB structures conform to the approved design and will withstand the design basis loads specified without loss of structural integrity or safety-related functions.
3.5	Deleted.	Deleted.	Deleted.
3.6	The EPGB structures have key dimensions that are confirmed after construction.	An inspection of key dimensions of the as-built EPGB structures will be performed. During construction, deviations from the approved design will be analyzed for design basis loads.	Deviations from the key dimensions and tolerances specified in Table 2.1.2-1 and Table 2.1.2-2 are reconciled and the as-built EPGB structures will withstand the design basis loads without loss of structural integrity and safety related functions.

Next File



Table 2.1.5-3—Essential Service Water Building ITAAC (3 Sheets)

Commitment Wording		Inspections, Tests, Analyses	Acceptance Criteria
	 Internal events (including internal flood loads, accident pressure loads, accident thermal loads, accident pipe reaction, and pipe break loads – including reaction loads, jet impingement loads, cubicle pressurization loads, and missile impact loads). External events (including rain, snow, flood, tornado, tornado- generated missiles, and earthquake). 	14.03.02-50	0
3.6	ESWB structural walls or floors having exterior penetrations located below grade elevation are protected against external flooding by watertight seals.	An inspection of ESWB exterior structural walls and floors located below grade will be performed.	Watertight seals exist for exterior penetrations of ESWB structural walls and floors located below grade elevation.
3.7	The ESWB structures have key dimensions that are confirmed after construction.	An inspection of key dimensions of the as-built ESWB structures will be performed. During construction, deviations from the approved design will be analyzed for design basis loads.	Deviations from the key dimensions and tolerances specified in Tables 2.1.5-1 and 2.1.5-2 are reconciled and the as-built ESWB structures will withstand the design basis loads without loss of structural integrity and safety related functions.

Next File



Table 3.8-1—Piping Hazard Analysis ITAAC (2 Sheets)

Commitment Wording	Inspections, Tests, Analyses	Acceptance Criteria
2.1 Systems, structures, and components that are required to be functional during and following an SSE are protected against or qualified to withstand the dynamic and environmental effects associated with postulated failures in Seismic Category 1 and non-safety-related piping systems.	Analyses a. An as-designed pipe break hazards analysis will be performed. {{DAC}}	a. A pipe break hazards analyses summary exists that concludes the plant can be shut down safely and maintained in cold safe shutdown following a pipe break with loss of offsite power. For postulated pipe breaks, the pipe break hazards analyses confirms that: - Piping stresses in the RCB penetration area are within allowable stress limits. - Pipe whip restraints and jet shield designs for protection of the essential systems and components can mitigate pipe break loads. - Loads on safety-related SSCs are within design load limits. - SSCs are protected or qualified to withstand the dynamic and environmental effects of postulated failures, including cubicle pressurization effects. - A summary of the dynamic analyses applicable to high-energy piping systems, including: - Sketches showing the location of the resulting postulated pipe ruptures,
		including identification of longitudinal and circumferential breaks; structural barriers, if