



R. Michael Glover
General Manager, Nuclear Plant Support
Nuclear Corporate

Duke Energy Corporation
526 South Church Street
Charlotte, NC 28202

Mailing Address:
P. O. Box 1006
EC07H
Charlotte, NC 28201-1006

704-382-6108

Mike.Glover@duke-energy.com

August 25, 2011

U. S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, DC 20555-0001

Subject: Duke Energy Carolinas, LLC (Duke Energy)
Oconee Nuclear Station, Docket Nos. 50-269, 50-270, 50-287
McGuire Nuclear Station, Docket Nos. 50-369, 50-370
Catawba Nuclear Station, Docket Nos. 50-413, 50-414
Oconee Independent Spent Fuel Storage Installation, Docket No. 72-004
William States Lee III, Nuclear Station, Docket Nos. 52-018, 52-019
Southern Ohio Clean Energy Park

Submittal of Service/Distribution Listings for Routine Information,
Official Use Only and Safeguards Information

In response to a request by the Nuclear Regulatory Commission (NRC) by letter dated July 20, 2011, Duke Energy is submitting current information on company individuals authorized to receive documents containing routine correspondence, Official Use Only (OUO), and Safeguards Information (SGI) on issues relating to all Duke Energy plants. This correspondence provides an update to the information for the OUO and SGI service/distribution list as submitted to the NRC on November 10, 2010.

The enclosure provides the listing of routine information, OUO and SGI contacts for all Duke Energy plants with current mailing addresses and email addresses.

Please suspend use of all previous listings and replace with the attached.

If you have any questions, please call L. B. Jones at 704-382-4753.

Sincerely,

R. Michael Glover

Enclosure

www.dukepower.com

M006
DO93
NM5526

NRC
NRD
NM55

xc:

V. M. McCree, Region II Administrator
U.S. Nuclear Regulatory Commission
Marquis One Tower
245 Peachtree Center Avenue NE, Suite 1200
Atlanta, Georgia 30303-1257

J. F. Stang, Jr., Senior Project Manager (ONS)
U.S. Nuclear Regulatory Commission
11555 Rockville Pike
Mail Stop 0-8 G9A
Rockville, MD 20852-2738

J. H. Thompson, Project Manager (CNS & MNS)
U. S. Nuclear Regulatory Commission
11555 Rockville Pike
Mail Stop 0-8 G9A
Rockville, MD 20852-2738

A. T. Sabisch
NRC Senior Resident Inspector
Oconee Nuclear Station

J. Zeiler
NRC Senior Resident Inspector
McGuire Nuclear Station

G. A. Hutto, III
NRC Senior Resident Inspector
Catawba Nuclear Station

Enclosure

Mailing Addresses

All addressees in this enclosure are Duke Energy Carolinas, LLC unless otherwise noted.

General Office
P. O. Box 1006
526 S. Church Street
Charlotte, NC 28201-1006

Oconee Nuclear Station
7800 Rochester Highway
Seneca, SC 29672-0752

McGuire Nuclear Station
12700 Hagers Ferry Road
Huntersville, NC 28078-9340

Catawba Nuclear Station
4800 Concord Road
York, SC 29745-9635

Enclosure

Oconee Routine Correspondence

T. Preston Gillespie, Jr., Site Vice President, Oconee Nuclear Station, T.Gillespie@duke-energy.com
Scott L. Batson, Station Manager, Oconee Nuclear Station, Scott.Batson@duke-energy.com
Thomas D. Ray, Engineering Manager, Oconee Nuclear Station, Tom.Ray@duke-energy.com
Terry L. Patterson, Safety Assurance Manager, Oconee Nuclear Station, Terry.Patterson@duke-energy.com
Kent R. Alter, Regulatory Compliance Manager, Oconee Nuclear Station, Kent.Alter@duke-energy.com
Judy E. Smith, Licensing Administrator, Oconee Nuclear Station, Judy.Smith@duke-energy.com
David A. Baxter, Vice President Nuclear Engineering, General Office, David.Baxter@duke-energy.com
M. Christopher Nolan, Fleet Safety Assurance Manager, General Office, Chris.Nolan@duke-energy.com
Charles J. Thomas, Fleet Licensing Manager, General Office, Jeff.Thomas@duke-energy.com
Luellen B. Jones, Fleet Licensing Engineer, General Office, Luellen.Jones@duke-energy.com
Lara S. Nichols, Vice President-Legal, Duke Energy Corporation, General Office
Lara.Nichols@duke-energy.com
David A. Cummings, Associate General Counsel, Duke Energy Corporation, General Office
David.Cummings@duke-energy.com

McGuire Routine Correspondence

Regis T. Repko, Site Vice President, McGuire Nuclear Station, Regis.Repko@duke-energy.com
Steven D. Capps, Station Manager, McGuire Nuclear Station, Steven.Capps@duke-energy.com
Clark E. Curry, Engineering Manager, McGuire Nuclear Station, Clark.Curry@duke-energy.com
H. Duncan Brewer, Safety Assurance Manager, McGuire Nuclear Station,
Duncan.Brewer@duke-energy.com
Ken L. Ashe, Regulatory Compliance Manager, McGuire Nuclear Station, Ken.Ashe@duke-energy.com
Kay L. Crane, Senior Licensing Specialist, McGuire Nuclear Station, Kay.Crane@duke-energy.com
David A. Baxter, Vice President Nuclear Engineering, General Office, David.Baxter@duke-energy.com
M. Christopher Nolan, Fleet Safety Assurance Manager, General Office, Chris.Nolan@duke-energy.com
Charles J. Thomas, Fleet Licensing Manager, General Office, Jeff.Thomas@duke-energy.com
Luellen B. Jones, Fleet Licensing Engineer, General Office, Luellen.Jones@duke-energy.com
Lara S. Nichols, Vice President-Legal, Duke Energy Corporation, General Office
Lara.Nichols@duke-energy.com
David A. Cummings, Associate General Counsel, Duke Energy Corporation, General Office
David.Cummings@duke-energy.com
Beth J. Horsley, Wholesale Customer Relations, Duke Energy Corporation, General Office
Beth.Horsley@duke-energy.com

Enclosure

Catawba Routine Correspondence

James R. Morris, Site Vice President, Catawba Nuclear Station, Jim.Morris@duke-energy.com
George T. Hamrick, Station Manager, Catawba Nuclear Station, George.Hamrick@duke-energy.com
Tanya M. Hamilton, Engineering Manager, Catawba Nuclear Station, Tanya.Hamilton@duke-energy.com
Steven B. Putnam, Safety Assurance Manager, Catawba Nuclear Station,
Steven.Putnam@duke-energy.com
Randall D. Hart, Regulatory Compliance Manager, Catawba Nuclear Station, Randy.Hart@duke-energy.com
David A. Baxter, Vice President Nuclear Engineering, General Office, David.Baxter@duke-energy.com
M. Christopher Nolan, Fleet Safety Assurance Manager, General Office, Chris.Nolan@duke-energy.com
Charles J. Thomas, Fleet Licensing Manager, General Office, Jeff.Thomas@duke-energy.com
Luellen B. Jones, Fleet Licensing Engineer, General Office, Luellen.Jones@duke-energy.com
Lara S. Nichols, Vice President-Legal, Duke Energy Corporation, General Office
Lara.Nichols@duke-energy.com
David A. Cummings, Associate General Counsel, Duke Energy Corporation, General Office
David.Cummings@duke-energy.com
Beth J. Horsley, Wholesale Customer Relations, Duke Energy Corporation, General Office
Beth.Horsley@duke-energy.com

Lee Nuclear and Southern Ohio Clean Energy Park Routine Correspondence

Ronald A. Jones, Vice President Nuclear Plant Development, General Office,
Ron.Jones@duke-energy.com
Peter S. Hastings, Licensing Manager, General Office, Peter.Hastings@duke-energy.com
Lara S. Nichols, Vice President-Legal, Duke Energy Corporation, General Office
Lara.Nichols@duke-energy.com
Kathryn B. Nolan, Associate General Counsel, Duke Energy Corporation, General Office
Kate.Nolan@duke-energy.com

Enclosure

Oconee Official Use Only (OUO) Contacts

T. Preston Gillespie, Jr., Site Vice President, Oconee Nuclear Station, T.Gillespie@duke-energy.com
Terry L. Patterson Safety Assurance Manager, Oconee Nuclear Station, Terry.Patterson@duke-energy.com
Kent R. Alter, Regulatory Compliance Manager, Oconee Nuclear Station, Kent.Alter@duke-energy.com
Terry W. King, Security Manager, Oconee Nuclear Station, Terry.King@duke-energy.com
Daniel C. Durham, Security Safeguards Administrator, Oconee Nuclear Station,
Danny.Durham@duke-energy.com
David G. Black, Fleet Security Manager, General Office, David.Black@duke-energy.com
Timothy J. Wadsworth, Security Specialist, General Office, Timothy.Wadsworth@duke-energy.com
David A. Cummings, Associate General Counsel, Duke Energy Corporation, General Office
David.Cummings@duke-energy.com

McGuire OUO Contacts

Regis T. Repko, Site Vice President, McGuire Nuclear Station, Regis.Repko@duke-energy.com
H. Duncan Brewer, Safety Assurance Manager, McGuire Nuclear Station,
Duncan.Brewer@duke-energy.com
Ken L. Ashe, Regulatory Compliance Manager, McGuire Nuclear Station, Ken.Ashe@duke-energy.com
Scotty R. Russ, Security Manager, McGuire Nuclear Station, Scotty.Russ@duke-energy.com
Ellis S. Sellers, Security Safeguards Administrator, McGuire Nuclear Station,
Steve.Sellers@duke-energy.com
David G. Black, Fleet Security Manager, General Office, David.Black@duke-energy.com
Timothy J. Wadsworth, Security Specialist, General Office, Timothy.Wadsworth@duke-energy.com
David A. Cummings, Associate General Counsel, Duke Energy Corporation, General Office
David.Cummings@duke-energy.com

Catawba OUO Contacts

James R. Morris, Site Vice President, Catawba Nuclear Station, Jim.Morris@duke-energy.com
Steven B. Putnam, Safety Assurance Manager, Catawba Nuclear Station,
Steven.Putnam@duke-energy.com
Randall D. Hart, Regulatory Compliance Manager, Catawba Nuclear Station,
Randy.Hart@duke-energy.com
William T. Byers, III, Security Manager, Catawba Nuclear Station, William.Byers@duke-energy.com
Betty F. Johnson, Security Safeguards Administrator, Catawba Nuclear Station,
Betty.Johnson@duke-energy.com
David G. Black, Fleet Security Manager, General Office, David.Black@duke-energy.com
Timothy J. Wadsworth, Security Specialist, General Office, Timothy.Wadsworth@duke-energy.com
David A. Cummings, Associate General Counsel, Duke Energy Corporation, General Office
David.Cummings@duke-energy.com

Enclosure

Lee Nuclear and Southern Ohio Clean Energy Park OUO Contacts

Ronald A. Jones, Vice President Nuclear Plant Development, General Office,
Ron.Jones@duke-energy.com

Richard L. Browder, Safeguards Administrator, General Office, Richard.Browder@duke-energy.com

David G. Black, Fleet Security Manager, General Office, David.Black@duke-energy.com

Timothy J. Wadsworth, Security Specialist, General Office, Timothy.Wadsworth@duke-energy.com

Kathryn B. Nolan, Associate General Counsel, Duke Energy Corporation, General Office
Kate.Nolan@duke-energy.com

Oconee Safeguards Contacts

Terry W. King, Security Manager, Oconee Nuclear Station, Terry.King@duke-energy.com

Daniel C. Durham, Security Safeguards Administrator, Oconee Nuclear Station
Danny.Durham@duke-energy.com

David G. Black, Fleet Security Manager, General Office, David.Black@duke-energy.com

Timothy J. Wadsworth, Security Specialist, General Office, Timothy.Wadsworth@duke-energy.com

McGuire Safeguards Contacts

Scotty R. Russ, Security Manager, McGuire Nuclear Station, Scotty.Russ@duke-energy.com

Ellis S. Sellers, Security Safeguards Administrator, McGuire Nuclear Station
Steve.Sellers@duke-energy.com

David G. Black, Fleet Security Manager, General Office, David.Black@duke-energy.com

Timothy J. Wadsworth, Security Specialist, General Office, Timothy.Wadsworth@duke-energy.com

Catawba Safeguards Contacts

William T. Byers, III, Security Manager, Catawba Nuclear Station, William.Byers@duke-energy.com

Betty F. Johnson, Security Safeguards Administrator, Catawba Nuclear Station,
Betty.Johnson@duke-energy.com

David G. Black, Fleet Security Manager, General Office, David.Black@duke-energy.com

Timothy J. Wadsworth, Security Specialist, General Office, Timothy.Wadsworth@duke-energy.com

Lee Nuclear Safeguards Contacts

Richard L. Browder, Safeguards Administrator, General Office, Richard.Browder@duke-energy.com

David G. Black, Fleet Security Manager, General Office, David.Black@duke-energy.com

Timothy J. Wadsworth, Security Specialist, General Office, Timothy.Wadsworth@duke-energy.com