

August 25, 2011

Mr. L. N. Hartz  
Vice President, Nuclear Support Services  
Virginia Electric and Power Company  
5000 Dominion Boulevard  
Glen Allen, VA 23060

SUBJECT: REQUEST FOR EXEMPTIONS FROM CERTAIN REQUIREMENTS IN 10 CFR  
PART 72 FOR THE NORTH ANNA POWER STATION INDEPENDENT SPENT  
FUEL STORAGE INSTALLATION – SUPPLEMENTAL INFORMATION NEEDED

Dear Mr. Hartz:

By letter dated July 21, 2011, Virginia Electric and Power Company (Dominion) requested exemptions from the requirements of 10 CFR 72.212(b)(3) and (b)(11). The exemptions were requested for NUHOMS ® HD Dry Shielded Canisters (DSC), Model Number HD-32PTH, with serial numbers DOM-32PTH-004-C, -005-C, -007-C, -010-C, -013-C, -019-C and GBC-32PTH-011-C due to non-compliance with the terms and conditions of the Transnuclear, Inc., Certificate of Compliance (CoC) 72-1030, Amendment No. 0. At the time of loading, the decay heat limit was exceeded for twelve fuel assemblies. The twelve fuel assemblies are distributed over the seven identified DSCs.

U.S. Nuclear Regulatory Commission staff performed an acceptance review of the exemption request, to determine if the request contains sufficient information to allow the staff to complete the detailed technical review. This letter is to advise you that based on our acceptance review, the request does not contain sufficient information. The information needed to continue our review is described in the enclosure to this letter as a Request for Supplemental Information. In order to schedule our technical review, this supplemental information should be provided by September 14, 2011. If the supplemental information is not received by this date, the review of this request may be delayed. The supplemental information requested and associated timeframe for the Dominion response were discussed with Mr. Thomas Szymanski of your staff on August 25, 2011.

L. Hartz

-2-

If you have any questions regarding this matter, please contact me at 301-492-3268.

Sincerely,

**/RA/**

Jennie Rankin, Project Manager  
Licensing Branch  
Division of Spent Fuel Storage and Transportation  
Office of Nuclear Material Safety  
and Safeguards

Docket Nos.: 50-338, 50-339, 72-56,  
72-1030

TAC No.: L24551

Enclosure: Request for Supplemental Information

cc w/encl: Distribution via Listserv

If you have any questions regarding this matter, please contact me at 301-492-3268.

Sincerely,

**/RA/**

Jennie Rankin, Project Manager  
Licensing Branch  
Division of Spent Fuel Storage and Transportation  
Office of Nuclear Material Safety  
and Safeguards

Docket Nos.: 50-338, 50-339, 72-56,  
72-1030

TAC No.: L24551

Enclosure: Request for Supplemental Information

cc w/encl: Distribution via Listserv

DISTRIBUTION:

SFST R/F    RMartin/NRR    GKolcum/RII    RClagg/RII

**ADAMS Accession No.: ML112430077**

G:\SFST\Rankin\Surry and North Anna Exemptions\NorthAnna RSI letter.docx

<b>OFC</b>	SFST	SFST	SFST	SFST	SFST
<b>NAME</b>	JRankin	JBorowsky	MSampson	WWheatley	MWaters
<b>DATE</b>	8/22/11	8/22/11	8/22/11	8/22/11	8/25/11

**OFFICIAL RECORD COPY**

VIRGINIA ELECTRIC AND POWER COMPANY  
DOCKET NOS. 50-338, 50-339, 72-56, AND 72-1030  
REQUEST FOR SUPPLEMENTAL INFORMATION  
RELATED TO THE REQUEST FOR EXEMPTIONS FROM CERTAIN REQUIREMENTS  
IN 10 CFR PART 72 FOR THE NORTH ANNA POWER STATION UNITS 1 AND 2  
INDEPENDENT SPENT FUEL STORAGE INSTALLATION

Request for Supplemental Information

General Information

Provide an environmental report.

The July 21, 2011, exemption request does not include an environmental report. To aid the staff in performing an environmental assessment, an environmental report should be submitted pursuant 10 CFR 51.60 which discusses the considerations of 10 CFR 51.45.

This information is needed for staff to complete an environmental assessment pursuant 10 CFR 51.30.

Thermal Evaluation

Provide the ANSYS files required to run the thermal analyses presented in Transnuclear, Inc. Calculation No. 10494-174, including the files listed in Section 6.0 of the calculation.

The staff needs the files to run the ANSYS thermal analyses, including those listed in Section 6.0, to verify the models presented in Transnuclear, Inc. Calculation No. 10494-174.

This information is needed to determine compliance with 10 CFR 72.122(h).