

8/30/2011
76 FR 53847

PUBLIC SUBMISSION

①

As of: September 06, 2011
Received: September 06, 2011
Status: Pending_Post
Tracking No. 80f11f41
Comments Due: October 31, 2011
Submission Type: Web

Docket: NRC-2009-0279

Potential Changes to Radiation Protection Regulations; Solicitation of Public Comment

Comment On: NRC-2009-0279-0044

New International Commission on Radiological Protection; Recommendations on the Annual Dose Limit to the Lens of the Eye

Document: NRC-2009-0279-DRAFT-0043

Comment on FR Doc # 2011-21900

Submitter Information

Name: Michael Dennis

Address:

3092 123rd Street
Toledo, 43611

Organization: Univ. of Toledo Medical Center

RECEIVED

SEP 06 2011 2:58

RULES OF PRACTICES

General Comment

Recommend caution on change. Uncertain of any safety/biological benefit to reduction. Primary medical eye exposure is in interventional fluoroscopic procedures. Eye dose estimated by external dosimeter and generally does not account for any additional eye shielding. It is rare to get exposures above this limit, however it does happen in busy labs, and results in ALARA followup. A 2 rem limit would initiate an ALARA followup on many individuals and dilute the intent and effectiveness of ALARA. Would not recommend any change under 5 rem.

*SUNSI Review Complete
Template = ADM-013*

*ERIDS = ADM-03
Cdr = J. Carl (DAC)
S. Sahle (SUSY)*