

Improving the health of the people in our communities by providing quality, compassionate care to everyone, every time

September 13, 2011

UNITED STATES NUCLEAR REGULATORY COMMISSION Region III, Medical Licensing Section 2443 Warrenville Road Lisle IL 60532-4352

Re: Amendment to License No. 21-01430-01

Please amend our license as follows.

- Please add the following as authorized users for non-medical uses for Cs-137 sealed source in a self-contained irradiator (training documentation attached).
  - a. Karen Beuerle
  - b. Dalane Thornton
  - c. Martin W. Johnson, M.S., D.A.B.R.
- 2. Remove the following authorized users that are no longer at this facility:
  - a. Michael V. Ouimette, M.D.
  - b. K.P. Gunaga, Ph.D.
  - c. Thomas K. Huard, Ph.D.
  - d. Anthony Koller, Ph.D.
  - e. Joseph P. Melvin, Jr., Ph.D.
- 2. Remove Chromium-51 and Phosphorus-32 use from our license. There has been no use of these materials in more than ten years and we are unable to find any records of use at all.
- 3. Please correct the spelling of the authorized user Dr. Mackersie. The name on the license should be Andrew B. Mackersie, M.D. His first name is listed as Andre on our current copy.
- 4. The formatting on the amendments changed between amendments 100 & 101. The original format in 100 had depleted Uranium in 6.G. with 6.j as Cs-137 and 6.K. as Ir-192.Once depleted Uranium was removed it shifted Cs-137 to 6.i and Ir-192 to 6.j.

Sparrow Hospital amendment request 2011\_09\_13

Page 1 of 3
RECEIVED SEP 1 9 2011

a. Could you adjust Brigitte M. Becker and Ronald Horowitz to be authorized users for non-medical use of Cs-137 sealed source in a self-contained irradiator?

Thank you for your assistance. If you have any questions, please feel free to contact me.

Sincerely,

Mark W. John

Martin W. Johnson, M.S. Radiation Safety Officer

**Sparrow Hospital** 

1215 E. Michigan Avenue

Lansing, MI 48909

517/364-2167

Marty.johnson@sparrow.org

Attached: Pharmalucence Blood Irradiatior proof of training

AT:

## E.W. Sparrow Hospital 1215 East Michigan Avenue Lansing, MI 48909

he following personel have been trained to operate the Pharmalucence IBL-437C Blood Irradiator by harmalucence's authorized representative:
Im McCo
Ron McCoy, Field Service Engineer
(Datě)

Name	Title
Karen Benerle Dalane Thornton Martin Johnson	Med. Tech. mt(nser) med Tech
Dalane Thornton	MT (MSEP) med Tech
Martin Johnson	Physicist /RSO

Sparrow Hospital amendment request 2011\_09\_13

Page 3 of 3



1215 E. Michigan Avenue P.O. Box 30480 La

CERTIFIED MAIL.



7011 0470 0000 3182 1285

09/13/2011

United States Nuclear Regulatory Commission Region III, Medical Licensing Section 2473 Warrenville Road Lisle, IL 10532-4352

60532\$4352