

One Dodd Lane
Bridgeport, WV. 26330
304-622-7083 PHONE
304-622-0665 FAX

Br. 3



To: NRC

Dodd General Contracting is requesting renewal of our NRC license that is expiring
September 30, 2011. Please reference the fax sent 9/16/11.

Gene T. Dodd / President

A handwritten signature in black ink, appearing to read "Gene T. Dodd", written over a horizontal line.


47-25575-01
03035814

APPENDIX B

ITEMS 5 & 6: MATERIALS TO BE POSSESSED AND PROPOSED USES

YES	NO	RADIOISOTOPE	MANUFACTURER	QUANTITY	MOST	SPECIFY
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cesium-137	Sealed sources in	Not to exceed	Measure	<input checked="" type="checkbox"/> Not Lic # 86
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Americium-241	Sealed neutron	Not to exceed	Measure	<input checked="" type="checkbox"/> Not Lic # 88
<input type="checkbox"/>	<input type="checkbox"/>	Californium-252	Sealed neutron	Not to exceed	Measure	<input type="checkbox"/> Not
<input type="checkbox"/>	<input type="checkbox"/>	Other (specify)				
<u>FINANCIAL ASSURANCE REQUIRED AND EVIDENCE OF FINANCIAL ASSURANCE</u>						

STORAGE FOR Gauge 3440
 ONE DODD LANE
 BPT, WV. 26330



Appendix C

ITEMS 7 THROUGH 11: TRAINING AND EXPERIENCE, FACILITIES AND EQUIPMENT, RADIATION SAFETY PROGRAM, AND WASTE DISPOSAL

ITEM NO. AND TITLE	SUGGESTED RESPONSE	YES	ALTERNATIVE PROCEDURES ATTACHED
7. INDIVIDUAL(S)	Before obtaining licensed materials, the proposed <i>RSO</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/> <i>Susan Gray</i>
8. TRAINING FOR	Before using licensed materials, authorized users will	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9. FACILITIES AND	No information needs to be submitted in response to this	Separate Item 9	
10. RADIATION	The applicant is <u>not</u> required to, and should not, submit	Need Not Be	
10. RADIATION	The applicant is <u>not</u> required to submit a response to the	Need Not Be	
10. RADIATION	We will either possess and use, or have access to and use,	<input checked="" type="checkbox"/>	<input type="checkbox"/> <i>Survey meter</i>
10. RADIATION	Physical inventories will be conducted at intervals not to	<input checked="" type="checkbox"/>	<input type="checkbox"/> <i>6 months</i>
10. RADIATION	Either we will maintain, for inspection by <i>NRC</i> ,	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. RADIATION	The applicant is <u>not</u> required to submit a response to the	Need Not Be	

ITEM NO. AND TITLE	SUGGESTED RESPONSE	YES	ALTERNATIVE PROCEDURES ATTACHED
10. RADIATION	We will implement and maintain the operating and	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. RADIATION	Leak tests will be performed at intervals approved by the	<input checked="" type="checkbox"/>	<input type="checkbox"/> <i>6 months</i>
10. RADIATION	<u>ROUTINE CLEANING & LUBRICATION</u>		
10. RADIATION	The applicant is <u>not</u> required to submit its response to	Need Not Be	
11. WASTE	The applicant is <u>not</u> required to submit a response to	Need Not Be	

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	In accordance with the letter dated July 17, 2009,
1. Dodd General Contracting Corp.	3. License number 47-25575-01 is amended in its entirety to read as follows:
2. One Dodd Lane Bridgeport, West Virginia 26330-9237	4. Expiration date September 30, 2011
	5. Docket No. 030-35814 Reference No.

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Americium 241	A. Sealed Sources (Amersham Model Nos. AMNV.340 or AMNV,339)	A. 300 millicuries per source and 300 millicuries total
B. Americium 241	B. Sealed Sources (Troxler Dwg. Nos. A-102451 or C-106580)	B. 44.0 millicuries per source and 88.0 millicuries total
C. Cesium 137	C. Sealed Sources (Troxler Dwg. Nos. A-102112)	C. 9.0 millicuries per source and 18.0 millicuries total

9. Authorized use:

- A. In Troxler Electronic Laboratories, Inc., Model No. 3241-C Asphalt Content Gauges for measuring physical properties of materials.
- B. and C. In Troxler Electronic Laboratories, Inc., Model Nos. 3400 Series and 3411 portable gauging devices for measuring physical properties of materials.

CONDITIONS

10. Licensed material may be used or stored at the licensee's facilities located at One Dodd Lane, Bridgeport, West Virginia and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
47-25575-01Docket or Reference Number
030-35814

Amendment No. 04

If the jurisdiction status of a Federal facility within an Agreement State is unknown, the licensee should contact the Federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive Federal jurisdiction. Authorization for use of radioactive materials at job sites in Agreement States not under exclusive Federal jurisdiction shall be obtained from the appropriate state regulatory agency.

11. Licensed material shall be used by, or under the supervision and in the physical presence of, individuals who have received the training described in the application dated September 1, 2001.
12. The Radiation Safety Officer for this license is Susan Gay.
13.
 - A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
 - B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
 - C. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
 - D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
47-25575-01Docket or Reference Number
030-35814

Amendment No. 04

- E. Tests for leakage and/or contamination, limited to leak test sample collection, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is not authorized to perform the analysis; analysis of leak test samples must be performed by persons specifically licensed by U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
14. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
15. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
16. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
17. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
18. A. If the licensee uses unshielded sealed sources extended more than 3 feet below the surface, the licensee shall use surface casing that extends from the lowest depth to 12 inches above the surface and other appropriate procedures to reduce the probability of the source or probe becoming lodged below the surface. If it is not feasible to extend the casing 12 inches above the surface, the licensee shall implement procedures to ensure that the cased hole is free of obstruction before making measurements.
- B. If a sealed source or a probe containing sealed sources becomes lodged below the surface and it becomes apparent that efforts to recover the sealed source or probe may not be successful, the licensee shall notify the U.S. Nuclear Regulatory Commission and submit the report required by 10 CFR 30.50(b)(2) and (c). The licensee shall not abandon the sealed source or probe without obtaining the Commission's prior written consent.
19. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
47-25575-01Docket or Reference Number
030-35814

Amendment No. 04

20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated September 1, 2001 (ML012480206)
 - B. Letter dated September 6, 2001 (ML012680049)
 - C. Letter dated July 10, 2002 (ML021990395)
 - D. Letter dated September 17, 2002 (ML022690658)
 - E. Letter dated April 7, 2003 (ML030990380)
 - F. Letter dated November 21, 2003 (ML033440178)
 - G. Letter dated February 9, 2004 (ML040700906)
 - H. Letter dated July 17, 2009 (ML092010545)

For the U.S. Nuclear Regulatory Commission

Original signed by Jenny JohansenDate August 6, 2009

By _____

Jenny Johansen
Materials Security and Industrial Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406

This is to acknowledge the receipt of your ~~letter/application dated~~ ^{fax received}

9/16/2011, and to inform you that the initial processing which includes an administrative review has been performed.

Renew (47-25575-01) There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 576011.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.

NRC FORM 532 (RI)
(6-96)

Sincerely,
Licensing Assistance Team Leader