

## Baxter, Pixie

---

**From:** Miguel De La Cruz [mdelacruz@lovington.org]  
**Sent:** Tuesday, June 28, 2011 1:26 PM  
**To:** Baxter, Pixie  
**Subject:** RE: Permission to use data

I confirm the accuracy of the permitted capacity and average daily production and hereby do give permission to use the information which I provided.

Miguel De La Cruz  
Utilities Director  
City of Lovington  
920 E. Avenue K  
P.O. Box 1268  
Lovington, New Mexico 88260  
phone: 575-396-2758  
fax: 575-396-6328  
cell: 575-704-9173

---

**From:** Baxter, Pixie [<mailto:Pixie.Baxter@tetrattech.com>]  
**Sent:** Tuesday, June 28, 2011 11:22 AM  
**To:** [mdelacruz@lovington.org](mailto:mdelacruz@lovington.org)  
**Subject:** Permission to use data

Dear Mr De La Cruz,

Please confirm that the attached "Phone Log" representing the conversation we had on September 30 2010 captured our conversation, specially the permitted capacity (2.7 MGD) and the average daily capacity (0.8 MGD) of the Lovington Wastewater Treatment Facility. Please also confirm that this information, citing our telephone conversation on September 30 2010 as the reference , may be used in the **ENVIRONMENTAL IMPACT STATEMENT FOR THE PROPOSED FLUORINE EXTRACTION PROCESS AND DEPLETED URANIUM DECONVERSION PLANT IN LEA COUNTY, NEW MEXICO.**

To confirm 1) the accuracy of the permitted capacity and average daily production and 2) confirm permission to use the information you provided, please "reply" to this mail and so state. Thank you very much for helping us tidy the administrative record.

Pixie Baxter,  
Analyst