

NRC FORM 313A (AUD) (3-2009)	U.S. NUCLEAR REGULATORY COMMISSION								
AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (for uses defined under 35.100, 35.200, and 35.500) [10 CFR 35.190, 35.290, and 35.590]									
APPROVED BY OMB: NO. 3150-0120 EXPIRES: 3/31/2012									
Name of Proposed Authorized User Azamuddin Khaja, MD	State or Territory Where Licensed Missouri								
Requested Authorization(s) (check all that apply)									
<input type="checkbox"/> 35.100 Uptake, dilution, and excretion studies <input checked="" type="checkbox"/> 35.200 Imaging and localization studies <input type="checkbox"/> 35.500 Sealed sources for diagnosis (specify device _____)									
PART I – TRAINING AND EXPERIENCE (Select one of the three methods below)									
* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.									
<input checked="" type="checkbox"/> 1. Board Certification									
a. Provide a copy of the board certification. b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.									
<input type="checkbox"/> 2. Current 35.390 Authorized User Seeking Additional 35.290 Authorization									
a. Authorized user on Materials License _____ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290. b. Supervised Work Experience. (If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:35%;">Description of Experience</th> <th style="width:35%;">Location of Experience/License or Permit Number of Facility</th> <th style="width:10%;">Clock Hours</th> <th style="width:20%;">Dates of Experience*</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs</td> <td style="height: 100px;"></td> <td></td> <td></td> </tr> </tbody> </table>	Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*	Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs				
Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*						
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs									
Total Hours of Experience:									
Supervising Individual	License/Permit Number listing supervising individual as an authorized user								
Supervisor meets the requirements below, or equivalent Agreement State requirements (check all that apply). <input type="checkbox"/> 35.290 <input type="checkbox"/> 35.390 + generator experience in 32.290(c)(1)(ii)(G)									

NRC FORM 313A (AUD)
(3-2009)

U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User

a. Classroom and Laboratory Training.

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use (not required for 35.590)			
Radiation biology			
Total Hours of Training:			

b. Supervised Work Experience (completion of this table is not required for 35.590).
(if more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Supervised Work Experience		Total Hours of Experience:	
Description of Experience Must include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		<input type="checkbox"/> Yes <input type="checkbox"/> No	

NRC FORM 313A (AUD)
(3-2009)

U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

b. Supervised Work Experience. (continued)

Description of Experience Must include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Administering dosages of radioactive drugs to patients or human research subjects		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs		<input type="checkbox"/> Yes <input type="checkbox"/> No	

Supervising Individual _____ License/Permit Number listing supervising individual as an authorized user _____

Supervisor meets the requirements below, or equivalent Agreement State requirements (check one).

- 35.190 35.290 35.390 35.390 + generator experience in 35.290(c)(1)(ii)(G)

c. For 35.590 only, provide documentation of training on use of the device.

Device	Type of Training	Location and Dates

d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.

NRC FORM 313A (AUD)
(3-2009)

U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

First Section

Check one of the following for each use requested:

For 35.190

Board Certification

I attest that _____ has satisfactorily completed the requirements in

Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

Training and Experience

I attest that _____ has satisfactorily completed the 60 hours of training and

Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

I attest that _____ has satisfactorily completed the requirements in

Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

Training and Experience

I attest that _____ has satisfactorily completed the 700 hours of training

Name of Proposed Authorized User

and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

Second Section

Complete the following for preceptor attestation and signature:

I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

- 35.190
- 35.290
- 35.390
- 35.390 + generator experience

Name of Preceptor	Signature	Telephone Number	Date
-------------------	-----------	------------------	------

License/Permit Number/Facility Name

From:MRMC ER TRIAGE

16602693273

09/21/2000 21:26

#282 P.006/006

NOV-03-2011 THU 08:57 AM 589A4 Nuc Medicine

FAX NO. 5738148424

P. 02

From:MRMC Radiology

16602692991

11/01/2011 14:47

#278 P.002/002

NRC FORM 313A (AUD) U.S. NUCLEAR REGULATORY COMMISSION AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

PART II - PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

First Section

Check one of the following for each use requested:

For 35.190

Board Certification

I attest that [] has satisfactorily completed the requirements in

Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

Training and Experience

I attest that [] has satisfactorily completed the 60 hours of training and

Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

I attest that [X] ARAMUDDIN KHATA has satisfactorily completed the requirements in

Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

Training and Experience

I attest that [] has satisfactorily completed the 700 hours of training

Name of Proposed Authorized User

and experience, including a minimum of 60 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

Second Section

Complete the following for preceptor attestation and signature:

I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

- [X] 35.190 [X] 35.290 [X] 35.390 [X] 35.390 + generator experience

Table with 4 columns: Name of Preceptor, Signature, Telephone Number, Date. Row 1: THOMAS P. DRESSER M.D., Thomas P. Dresser, 573-814-6418, 11-2-2011. Row 2: License/Permit Number/Facility Name: VHA MASTER MATERIAL LICENSE #03-23853-01 VA, PERMIT #24-15235-03

HARRY S TRUMAN MEMORIAL VETERANS HOSPITAL, COLUMBIA, MD 65201

MOBERLY REGIONAL

M E D I C A L C E N T E R

RADIOLOGY

Fax Transmittal Form

To

Name: DENNIS O'BOUL

Organization: NRC

Phone # 630 829 9573

Fax # 630-515-1078

Date sent: 11/03/2011

Time sent: 10:45

Number of pages including cover page: 5

From

Name: CONTROL #575817

Message:

	MOBERLY REGIONAL MEDICAL CENTER JOHN S. HARKNESS, RT (R) CNMT <i>Nuclear Medicine, RSQ</i>	
	1515 Union Ave. Moberly, Missouri 65270	Office: (660) 269-3164 Fax: (660) 269-3093 Email: john_harkness@chs.net

This information has been disclosed to you from records whose confidentiality is protected by Federal Law. Federal Regulation (42 CFR, Part 2) prohibits you from making any further disclosure of it without the specific written consent of the person to whom it pertains, or as otherwise permitted by such regulations. A general authorization for the release of medical or other information is NOT sufficient for this purpose. The general rules restrict any use of the information to criminally investigate or prosecute the patient. If you have received this transmission in error, please notify us immediately.

1515 Union Avenue
 Moberly, MO 65270
 Phone: 660.269.3169
 Fax: 660.269.2991
 moberlyhospital.com