



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION IV
612 EAST LAMAR BLVD, SUITE 400
ARLINGTON, TEXAS 76011-4125

November 17, 2011

F. Robert Bell & Associates
ATTN: Kathleen Stone
Corporate Secretary/Director
801 West Fireweed Lane
Anchorage, Alaska 99503

SUBJECT: CORRECTED COPY

Dear Ms. Stone:

Please find enclosed a Corrected Copy to NRC License Number 50-29426-01. **During a recent inspection it was noted that you possess a different portable gauge model. This error happened because on your original application you stated one model and in your reply for request for additional information you stated another model. The model written on the license was the one stated in the original application.** An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14)(viii). You should review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or if you have any questions, contact me at 817-276-6596.

An electronic version of the NRC's regulations is available on the NRC Web site at www.nrc.gov. Additional information regarding use of radioactive materials may be obtained on the NRC Web site at <http://www.nrc.gov/materials/miau/mat-toolkits.html>. This site also provides the link to the toolbox for updated information on the revised regulations for naturally-occurring and accelerator-produced radioactive materials (NARM).

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Thank you for your cooperation.

Sincerely,

/RA/

Lizette Roldán-Otero, Ph.D., Health Physicist
Nuclear Materials Safety Branch B

Docket: 030-38467
License: 50-29426-01
Control:

Enclosures: As stated