

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Pavía Hospital</p> <p>2. P.O. Box 11137 Santurce, Puerto Rico 00909-2137</p>	<p>In accordance with the letter dated August 31, 2011,</p> <p>3. License number 52-15139-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date April 30, 2013</p> <hr/> <p>5. Docket No. 030-08181 Reference No.</p>
--	---

- | | | |
|---|--|--|
| <p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p> <p>C. Any byproduct material permitted by 10 CFR 35.300</p> <p>D. Any byproduct material permitted by 10 CFR 31.11</p> | <p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p> <p>D. Prepackaged Kits</p> | <p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p> <p>C. 1.5 curies</p> <p>D. 5 millicuries</p> |
|---|--|--|

9. Authorized use:
- A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
- B. Any imaging and localization study permitted by 10 CFR 35.200.
- C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300.
- D. In vitro studies.

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 1462 Profesor Augusto Rodríguez Street, Santurce, Puerto Rico.
11. The Radiation Safety Officer for this license is María M. Palacios, M.S.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
52-15139-01

Docket or Reference Number
030-08181

Amendment No. 31

12. Licensed material is only authorized for use by, or under the supervision of:
- A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.
- B. The following individuals are authorized users for medical use as indicated:

<u>Authorized Users</u>	<u>Material and Use</u>
Lourdes García Alonso, M.D.	35.100; 35.200; 35.300; 31.11
José O. Morales, M.D.	35.100; 35.200; 35.300; 31.11
Carlos D. García Rodríguez, M.D.	35.100; 35.200; 35.300; 31.11
José E. Meléndez, M.D.	35.100; 35.200; 35.300; 31.11

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
52-15139-01

Docket or Reference Number
030-08181

Amendment No. 31

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated November 22, 2002, except facility diagrams [ML023290534]
 - B. Letter dated April 3, 2003 [ML031000645]
 - C. Letter dated October 10, 2006 [ML062850192]
 - D. Letter dated March 24, 2011 [ML110900451]
 - E. Letter dated August 31, 2011 [ML112550066]



For the U.S. Nuclear Regulatory Commission

Date November 18, 2011

By ***Original signed by Sandra Gabriel
for***

Héctor Bermúdez
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406