

## ArevaEPRDCPEm Resource

---

**From:** WILLIFORD Dennis (AREVA) [Dennis.Williford@areva.com]  
**Sent:** Thursday, December 01, 2011 3:07 PM  
**To:** Tesfaye, Getachew  
**Cc:** BENNETT Kathy (AREVA); DELANO Karen (AREVA); ROMINE Judy (AREVA); RYAN Tom (AREVA); LENTZ Tony (EXTERNAL AREVA)  
**Subject:** Response to U.S. EPR Design Certification Application RAI No. 506 (5456), FSAR Ch. 14, Supplement 3

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 18 questions in RAI No. 506 on September 28, 2011. Supplement 1 response was submitted on November 8, 2011 to provide technically correct and complete responses to 12 of the 18 questions. Supplement 2 response was submitted on November 17, 2011 to provide a revised response to Question 14.03.05-29.

The schedule for providing a response to Questions 14.03.05-27, 14.03.05-28 and 14.03.05-35 has been revised as provided below. The schedule for a response to the other 3 questions remains unchanged.

Question #	Response Date
RAI 506 — 14.03.05-27	<b>January 19, 2012</b>
RAI 506 — 14.03.05-28	<b>January 19, 2012</b>
RAI 506 — 14.03.05-30	January 19, 2012
RAI 506 — 14.03.05-35	<b>January 19, 2012</b>
RAI 506 — 14.03.05-39	January 19, 2012
RAI 506 — 14.03.05-41	January 19, 2012

Sincerely,

***Dennis Williford, P.E.***  
***U.S. EPR Design Certification Licensing Manager***  
***AREVA NP Inc.***

7207 IBM Drive, Mail Code CLT 2B  
Charlotte, NC 28262  
Phone: 704-805-2223  
Email: [Dennis.Williford@areva.com](mailto:Dennis.Williford@areva.com)

---

**From:** WILLIFORD Dennis (RS/NB)  
**Sent:** Thursday, November 17, 2011 12:11 PM  
**To:** Getachew.Tesfaye@nrc.gov  
**Cc:** BENNETT Kathy (RS/NB); DELANO Karen (RS/NB); ROMINE Judy (RS/NB); RYAN Tom (RS/NB); LENTZ Tony (External RS/NB)  
**Subject:** Response to U.S. EPR Design Certification Application RAI No. 506 (5456), FSAR Ch. 14, Supplement 2

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 18 questions in RAI No. 506 on September 28, 2011. Supplement 1 response to RAI 506 was submitted on November 8, 2011 to provide technically correct and complete responses to 12 of the 18 questions.

The attached file, "RAI 506 Supplement 2 Response US EPR DC.pdf" provides a technically correct and complete revised final response to Question 14.03.05-29. The response has not changed from that provided in Supplement 1, however two additional affected pages from the U.S. EPR Final Safety Analysis Report were omitted from the earlier transmittal.

Appended to this file are affected pages of the U.S. EPR Final Safety Analysis Report in redline-strikeout format which support the response to Question 14.03.05-29.

The following table indicates the respective pages in the response document, "RAI 506 Supplement 2 Response US EPR DC.pdf," that contain AREVA NP's revised response to the subject question.

Question #	Start Page	End Page
RAI 506 — 14.03.05-29	2	2

The schedule for a technically correct and complete response to the remaining 6 questions is unchanged as provided below.

Question #	Response Date
RAI 506 — 14.03.05-27	December 9, 2011
RAI 506 — 14.03.05-28	December 9, 2011
RAI 506 — 14.03.05-30	January 19, 2012
RAI 506 — 14.03.05-35	December 9, 2011
RAI 506 — 14.03.05-39	January 19, 2012
RAI 506 — 14.03.05-41	January 19, 2012

Sincerely,

***Dennis Williford, P.E.***  
***U.S. EPR Design Certification Licensing Manager***  
***AREVA NP Inc.***

7207 IBM Drive, Mail Code CLT 2B  
Charlotte, NC 28262  
Phone: 704-805-2223  
Email: [Dennis.Williford@areva.com](mailto:Dennis.Williford@areva.com)

---

**From:** WILLIFORD Dennis (RS/NB)  
**Sent:** Tuesday, November 08, 2011 4:24 PM  
**To:** [Getachew.Tesfaye@nrc.gov](mailto:Getachew.Tesfaye@nrc.gov)  
**Cc:** BENNETT Kathy (RS/NB); DELANO Karen (RS/NB); ROMINE Judy (RS/NB); RYAN Tom (RS/NB); LENTZ Tony (External RS/NB)  
**Subject:** Response to U.S. EPR Design Certification Application RAI No. 506 (5456), FSAR Ch. 14, Supplement 1

Getachew,

AREVA NP Inc. provided a schedule for technically correct and complete responses to the 18 questions in RAI No. 506 on September 28, 2011.

The attached file, "RAI 506 Supplement 1 Response US EPR DC.pdf" provides a technically correct and complete final response to 12 of the 18 questions.

Appended to this file are affected pages of the U.S. EPR Final Safety Analysis Report in redline-strikeout format which support the response to Questions 14.03.05-25, 14.03.05-26, 14.03.05-29, 14.03.05-31, 14.03.05-32, 14.03.05-33, 14.03.05-34, 14.03.05-36, 14.03.05-37, 14.03.05-38, 14.03.05-40 and 14.03.05-42.

The following table indicates the respective pages in the response document, "RAI 506 Supplement 1 Response US EPR DC.pdf," that contain AREVA NP's response to the subject questions.

<b>Question #</b>	<b>Start Page</b>	<b>End Page</b>
RAI 506 — 14.03.05-25	2	2
RAI 506 — 14.03.05-26	3	3
RAI 506 — 14.03.05-29	4	4
RAI 506 — 14.03.05-31	5	5
RAI 506 — 14.03.05-32	6	6
RAI 506 — 14.03.05-33	7	7
RAI 506 — 14.03.05-34	8	8
RAI 506 — 14.03.05-36	9	9
RAI 506 — 14.03.05-37	10	10
RAI 506 — 14.03.05-38	11	11
RAI 506 — 14.03.05-40	12	12
RAI 506 — 14.03.05-42	13	13

The schedule for a technically correct and complete response to the remaining 6 questions has been revised as provided below.

<b>Question #</b>	<b>Response Date</b>
RAI 506 — 14.03.05-27	December 9, 2011
RAI 506 — 14.03.05-28	December 9, 2011
RAI 506 — 14.03.05-30	January 19, 2012
RAI 506 — 14.03.05-35	December 9, 2011
RAI 506 — 14.03.05-39	January 19, 2012
RAI 506 — 14.03.05-41	January 19, 2012

Sincerely,

**Dennis Williford, P.E.**  
**U.S. EPR Design Certification Licensing Manager**  
**AREVA NP Inc.**

7207 IBM Drive, Mail Code CLT 2B

---

**From:** WILLIFORD Dennis (RS/NB)  
**Sent:** Wednesday, September 28, 2011 5:19 PM  
**To:** [Getachew.Tesfaye@nrc.gov](mailto:Getachew.Tesfaye@nrc.gov)  
**Cc:** BENNETT Kathy (RS/NB); DELANO Karen (RS/NB); ROMINE Judy (RS/NB); RYAN Tom (RS/NB); LENTZ Tony (External RS/NB)  
**Subject:** Response to U.S. EPR Design Certification Application RAI No. 506 (5456), FSAR Ch. 14

Getachew,

Attached please find AREVA NP Inc.'s response to the subject request for additional information (RAI). The attached file, "RAI 506 Response US EPR DC.pdf," provides a schedule since a technically correct and complete response to the 18 questions cannot be provided at this time.

The following table indicates the respective pages in the response document, "RAI 506 Response US EPR DC.pdf," that contain AREVA NP's response to the subject questions.

Question #	Start Page	End Page
RAI 506 — 14.03.05-25	2	2
RAI 506 — 14.03.05-26	3	3
RAI 506 — 14.03.05-27	4	4
RAI 506 — 14.03.05-28	5	5
RAI 506 — 14.03.05-29	6	6
RAI 506 — 14.03.05-30	7	7
RAI 506 — 14.03.05-31	8	8
RAI 506 — 14.03.05-32	9	9
RAI 506 — 14.03.05-33	10	10
RAI 506 — 14.03.05-34	11	11
RAI 506 — 14.03.05-35	12	12
RAI 506 — 14.03.05-36	13	13
RAI 506 — 14.03.05-37	14	14
RAI 506 — 14.03.05-38	15	15
RAI 506 — 14.03.05-39	16	16
RAI 506 — 14.03.05-40	17	17
RAI 506 — 14.03.05-41	18	18
RAI 506 — 14.03.05-42	19	19

A complete answer is not provided for the 18 questions. The schedule for a technically correct and complete response to these questions is provided below.

Question #	Response Date
RAI 506 — 14.03.05-25	November 8, 2011
RAI 506 — 14.03.05-26	November 8, 2011
RAI 506 — 14.03.05-27	November 8, 2011

RAI 506 — 14.03.05-28	November 8, 2011
RAI 506 — 14.03.05-29	November 8, 2011
RAI 506 — 14.03.05-30	November 8, 2011
RAI 506 — 14.03.05-31	November 8, 2011
RAI 506 — 14.03.05-32	November 8, 2011
RAI 506 — 14.03.05-33	November 8, 2011
RAI 506 — 14.03.05-34	November 8, 2011
RAI 506 — 14.03.05-35	November 8, 2011
RAI 506 — 14.03.05-36	November 8, 2011
RAI 506 — 14.03.05-37	November 8, 2011
RAI 506 — 14.03.05-38	November 8, 2011
RAI 506 — 14.03.05-39	November 8, 2011
RAI 506 — 14.03.05-40	November 8, 2011
RAI 506 — 14.03.05-41	November 8, 2011
RAI 506 — 14.03.05-42	November 8, 2011

Sincerely,

***Dennis Williford, P.E.***  
***U.S. EPR Design Certification Licensing Manager***  
***AREVA NP Inc.***

7207 IBM Drive, Mail Code CLT 2B  
Charlotte, NC 28262  
Phone: 704-805-2223  
Email: [Dennis.Williford@areva.com](mailto:Dennis.Williford@areva.com)

---

**From:** Tesfaye, Getachew [<mailto:Getachew.Tesfaye@nrc.gov>]  
**Sent:** Tuesday, August 30, 2011 1:31 PM  
**To:** ZZ-DL-A-USEPR-DL  
**Cc:** Mills, Daniel; Zhang, Deanna; Morton, Wendell; Spaulding, Deirdre; Mott, Kenneth; Truong, Tung; Zhao, Jack; Jackson, Terry; Jaffe, David; Canova, Michael; Colaccino, Joseph; ArevaEPRDCPEm Resource  
**Subject:** U.S. EPR Design Certification Application RAI No. 506 (5456), FSAR Ch. 14

Attached please find the subject requests for additional information (RAI). A draft of the RAI was provided to you on August 12, 2011, and discussed with your staff on August 25 and 29, 2011. Draft RAI Question 14.03.05-38 has been modified as a result of those discussions. The schedule we have established for review of your application assumes technically correct and complete responses within 30 days of receipt of RAIs. For any RAIs that cannot be answered within 30 days, it is expected that a date for receipt of this information will be provided to the staff within the 30 day period so that the staff can assess how this information will impact the published schedule.

Thanks,  
Getachew Tesfaye  
Sr. Project Manager  
NRO/DNRL/NARP  
(301) 415-3361

**Hearing Identifier:** AREVA\_EPR\_DC\_RAIs  
**Email Number:** 3597

**Mail Envelope Properties** (2FBE1051AEB2E748A0F98DF9EEE5A5D49B612C)

**Subject:** Response to U.S. EPR Design Certification Application RAI No. 506 (5456),  
FSAR Ch. 14, Supplement 3  
**Sent Date:** 12/1/2011 3:06:32 PM  
**Received Date:** 12/1/2011 3:07:36 PM  
**From:** WILLIFORD Dennis (AREVA)

**Created By:** Dennis.Williford@areva.com

**Recipients:**

"BENNETT Kathy (AREVA)" <Kathy.Bennett@areva.com>  
Tracking Status: None  
"DELANO Karen (AREVA)" <Karen.Delano@areva.com>  
Tracking Status: None  
"ROMINE Judy (AREVA)" <Judy.Romine@areva.com>  
Tracking Status: None  
"RYAN Tom (AREVA)" <Tom.Ryan@areva.com>  
Tracking Status: None  
"LENTZ Tony (EXTERNAL AREVA)" <Tony.Lentz.ext@areva.com>  
Tracking Status: None  
"Tsfaye, Getachew" <Getachew.Tsfaye@nrc.gov>  
Tracking Status: None

**Post Office:** auscharm02.adom.ad.corp

<b>Files</b>	<b>Size</b>	<b>Date &amp; Time</b>
MESSAGE	9900	12/1/2011 3:07:36 PM

**Options**

**Priority:** Standard  
**Return Notification:** No  
**Reply Requested:** No  
**Sensitivity:** Normal  
**Expiration Date:**  
**Recipients Received:**