

December 8, 2011

Mr. Thomas Vitalis, M.S.
Chief Medical Physicist
Spectrum Health Hospitals
100 Michigan N.E.
Grand Rapids, MI 49503

SUBJECT: TELEPHONE INTERVIEW – SPECTRUM HEALTH HOSPITALS

Dear Mr. Vitalis:

On November 10, 2011, the U.S. Nuclear Regulatory Commission (NRC) conducted a telephone interview with your staff, concerning licensed activities at Spectrum Health Hospitals. The interview was an examination of activities conducted under your license as they relate to radiation safety and to compliance with NRC rules and regulations and with the conditions of your license. No regulatory concerns were identified. During this interview, we discussed the recent loss of the Radiation Safety Officer (RSO) named on your license, and that an amendment request will be submitted to name a new RSO. The NRC inspector held a telephone exit meeting on November 17, 2011.

In accordance with Title 10 Code of Federal Regulations 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Website at <http://www.nrc.gov/reading-rm/adams.html>.

If you have any questions regarding this telephone interview, please feel free to contact me. You can reach me at (630) 829-9627.

Sincerely,

/RA/

Tamara E. Bloomer, Chief
Materials Inspection Branch
Division of Nuclear Materials Safety

Docket Number 070-01486
License Number: SNM-1432

cc: Joseph W. Kettner, M.S., RSO
State of Michigan

Mr. Thomas Vitalis, M.S.
Chief Medical Physicist
Spectrum Health Hospitals
100 Michigan N.E.
Grand Rapids, MI 49503

SUBJECT: TELEPHONE INTERVIEW – SPECTRUM HEALTH HOSPITALS

Dear Mr. Vitalis:

On November 10, 2011, the U.S. Nuclear Regulatory Commission (NRC) conducted a telephone interview with your staff, concerning licensed activities at Spectrum Health Hospitals. The interview was an examination of activities conducted under your license as they relate to radiation safety and to compliance with NRC rules and regulations and with the conditions of your license. No regulatory concerns were identified. During this interview, we discussed the recent loss of the Radiation Safety Officer (RSO) named on your license, and that an amendment request will be submitted to name a new RSO. The NRC inspector held a telephone exit meeting on November 17, 2011.

In accordance with Title 10 Code of Federal Regulations 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Website at <http://www.nrc.gov/reading-rm/adams.html>.

If you have any questions regarding this telephone interview, please feel free to contact me. You can reach me at (630) 829-9627.

Sincerely,

/RA/

Tamara E. Bloomer, Chief
Materials Inspection Branch
Division of Nuclear Materials Safety

Docket Number 070-01486
License Number: SNM-1432

cc: Joseph W. Kettner, M.S., RSO
State of Michigan

DISTRIBUTION:

Jennifer Uhle
Anne Boland
Patrick Loudon

Steven Orth
Carole Ariano
Paul Pelke

Patricia Buckley
Tammy Tomczak
MIB Inspectors

DOCUMENT NAME: G:\DNMS\III\Work in progress\LTR - Spectrum Health Hospitals.docx

Publicly Available Non-Publicly Available Sensitive Non-Sensitive

To receive a copy of this document, indicate in the concurrence box "C" = Copy without attach/encl "E" = Copy with attach/encl "N" = No copy

OFFICE	RIII DNMS		RIII DNMS		RIII		RIII	
NAME	BCLin:jc BCL		TEBloomer TEB					
DATE	12/08/11		12/08/11					

OFFICIAL RECORD COPY