


MITSUBISHI HEAVY INDUSTRIES, LTD.
16-5, KONAN 2-CHOME, MINATO-KU
TOKYO, JAPAN

December 9, 2011

Document Control Desk
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attention: Mr. Jeffery A. Ciocco

Docket No. 52-021
MHI Ref: UAP-HF-11425

Subject: Additional Update of Table 1.6-1 and 1.6-2 on the US-APWR DCD Tier 2, Chapter 1

Reference: 1) "Submittal of the US-APWR DCD Revision 3 Tracking Report Revision 0," UAP-HF-11260, dated August 12, 2011.

With this letter, Mitsubishi Heavy Industries, Ltd. ("MHI") transmits to the U.S. Nuclear Regulatory Commission ("NRC") a document entitled "Additional Update of Table 1.6-1 and 1.6-2 on the US-APWR DCD Tier 2, Chapter 1."

Enclosed is the additional update of Table 1.6-1 and 1.6-2 which was previously updated on US-APWR DCD Revision 3 Tracking Report, Revision 0 in Reference 1. This additional update is requested by the NRC in order to clarify the related section in DCD Chapters for each Topical and Technical Reports, and will be incorporated into the next Tracking Report.

Please contact Dr. C. Keith Paulson, Senior Technical Manager, Mitsubishi Nuclear Energy Systems, Inc. if the NRC has questions concerning any aspect of this submittal. His contact information is provided below.

Sincerely,



Yoshiki Ogata,
General Manager- APWR Promoting Department
Mitsubishi Heavy Industries, LTD.

Enclosure:

1. Additional Update of Table 1.6-1 and 1.6-2 on the US-APWR DCD Tier 2, Chapter 1

DOB1
MRO

CC: J. A. Ciocco
C. K. Paulson

Contact Information

C. Keith Paulson, Senior Technical Manager
Mitsubishi Nuclear Energy Systems, Inc.
300 Oxford Drive, Suite 301
Monroeville, PA 15146
E-mail: ck_paulson@mnes-us.com
Telephone: (412) 373-6466

Docket No. 52-021
MHI Ref: UAP-HF-11425

Enclosure 1

UAP-HF-11425
Docket No. 52-021

Additional Update of Table 1.6-1 and 1.6-2
on the US-APWR DCD Tier 2, Chapter 1

December 2011

1.6 Material Referenced

A list of topical reports incorporated by reference as part of the US-APWR DC application is shown in Table 1.6-1. A list of technical reports incorporated by reference as part of the US-APWR DC application is shown in Table 1.6-2.

MIC-03-01-0
0002

1. INTRODUCTION AND GENERAL DESCRIPTION OF THE PLANT

US-APWR Design Control Document

Table 1.6-1 Material Referenced as Topical Reports

Report Number ⁽¹⁾	Title	DCD Section Number ⁽²⁾
MUAP-07001-P MUAP-07001-NP	The Advanced Accumulator, Revision 34 , March August 2011	4.5.4, 6.3.7 1.5.1, 6.3.2
MUAP-07006-P MUAP-07006-P	Defense-in-Depth and Diversity, Revision 2, June 2008	4.5.4, 7.1.5, 7.3.5, 7.8.5, 7.9.5 1.5.2, 7.1, 7.1.3, 7.1.4, 7.3.1, 7.5.1, 7.8, 7.8.1, 7.8.2, 7.8.3, 7.9.2, 16(B 3.3.6)
MUAP-07007-P MUAP-07007-NP	HSI System Description and HFE Process, Revision 34 , October 2009 July 2011	4.5.4, 7.1.5, 7.5.5, 7.6.5, 18.1.7, 18.2.5, 18.3.5, 18.4.5, 18.7.5, 18.8.5, 18.9.5, 18.10.5 1.5.2, 7.1, 7.1.1, 7.1.3, 7.5.1, 7.6.1, 7.8, 18.1.1, 18.1.5, 18.2.2, 18.3.2, 18.3.3, 18.4.2, 18.7.2, 18.7.3, 18.8.2, 18.9.2, 18.10.2
MUAP-07008-P MUAP-07008-NP	Mitsubishi Fuel Design Criteria and Methodology, Revision 2, July 2010	4.2.6, 4.3.6, 4.4.8, 15.0.5, 15.4.11, 4.2.1, 4.2.2, 4.2.3, 4.3.1, 4.3.2, 4.4.1, 4.4.2, 4.4.4, 15.0.2, 15.4.8
MUAP-07009-P MUAP-07009-NP	Thermal Design Methodology, May 2007	4.4.8, 15.0.5, 15.1.7, 15.2.10, 15.3.6, 15.4.11, 15.6.7 4.4.1, 4.4.2, 4.4.4, 15.0.2, 15.3.1, 15.3.3, 15.4.1, 15.4.3, 15.4.8
MUAP-07010-P MUAP-07010-NP	Non-LOCA Methodology, Revision 42 , October 2010 August 2011	6.2.9, 15.0.5, 15.1.7, 15.2.10, 15.3.6, 15.4.11, 15.5.4, 15.6.7 6.2.1, 15.0.2, 15.1.1, 15.1.2, 15.1.3, 15.1.4, 15.1.5, 15.2.1, 15.2.6, 15.2.7, 15.2.8, 15.3.1, 15.3.3, 15.4.1, 15.4.2, 15.4.3, 15.4.8, 15.5.2, 15.6.1, 15.6.3
MUAP-07011-P MUAP-07011-NP	Large Break LOCA Code Applicability Report for US-APWR, Revision 1, March 2011	4.5.4, 6.3.7, 15.0.5, 15.6.7 1.5.2, 15.0.2, 15.6.5
MUAP-07012-P-A MUAP-07012-NP-A	LOCA Mass and Energy Release Analysis Code Applicability Report for US-APWR, Revision 2, June 2009	6.2.9 6.2.1
MUAP-07013-P MUAP-07013-NP	Small Break LOCA Methodology for US-APWR, Revision 2, October 2010	6.2.9, 15.0.5, 15.6.7 6.2.1, 15.0.2, 15.6.5
MUAP-07034-P MUAP-07034-NP	FINDS: Mitsubishi PWR Fuel Assemblies Seismic Analysis Code, Revision 3, July 2010	4.2.3
PQD-DHHD-19005	Quality Assurance Program (QAP) Description For Design Certification of the US-APWR, Revision 34 , September 2009 April 2011	17.5.5, 18.1.7, 18.10.5 4.2, 17.3, 17.4.4, 17.5, 18.1.1, 18.1.2, 18.1.3, 18.1.4, 18.1.5, 18.10.1

MIC-03-01-0
0002
MIC-03-01-0
0002 S1

NOTE(1): -P(proprietary) , -NP(non-proprietary)

(2): If actual section number is indicated as x.y.z.a.b, a x.y.z level is used for the DCD Section Number. (ex. When actual section number is 6.3.2.1.2, only 6.3.2 is used in Table.)

Table 1.6-2 Material Referenced as Technical Reports (Sheet 1 of 5)

<u>Report Number</u> ⁽¹⁾	<u>Title</u>	<u>DCD Section Number</u> ⁽²⁾
<u>MUAP-07004-P</u> <u>MUAP-07004-NP</u>	<u>Safety I&C System Description and Design Process, Revision 7, May 2011.</u>	<u>1.5.2, 7.1, 7.1.1, 7.1.2, 7.1.3, 7.1.4, 7.2.1, 7.2.2, 7.2.3, 7.3.1, 7.3.3, 7.4.1, 7.4.2, 7.4.3, 7.5.1, 7.5.3, 7.6.3, 7.7.1, 7.7.2, 7.8.1, 7.8.2, 7.9.1, 7.9.2, 7.9.3, 14.2.12, 16(1.1), 16(B 3.3.1), 16(B 3.3.2), 16(B 3.3.3), 16(B3.3.4), 16(B3.3.5)</u>
<u>MUAP-07005-P</u> <u>MUAP-07005-NP</u>	<u>Safety System Digital Platform -MELTAC-, Revision 8, July 2011.</u>	<u>1.5.2, 7.1, 7.1.3, 7.2.1, 7.3.1, 7.7.2, 7.8.1, 7.9, 7.9.1, 7.9.2, 7.9.3, 16(1.1), 16(B3.3.1), 16(B3.3.2), 16(B3.3.4), 16(B3.3.5)</u>
<u>MUAP-07014-P</u> <u>MUAP-07014- NP</u>	<u>Defense-in-Depth and Diversity Coping Analysis, Revision 5, September 2011.</u>	<u>7.5.1, 7.8, 7.8.1, 7.8.3, 7.9.2, 16 (B 3.3.6)</u>
<u>MUAP-07015</u>	<u>FMEA of Control Rod Drive Mechanism Control System, Revision 0, December 2007.</u>	<u>4.6.2</u>
<u>MUAP-07016-P</u> <u>MUAP-07016-NP</u>	<u>US-APWR Fuel System Design Evaluation, Revision 3, August 2010.</u>	<u>4.2.1, 4.2.3</u>
<u>MUAP-07017</u>	<u>Software Program Manual, Revision 4, May 2011.</u>	<u>7.1.3, 7.1.4</u>
<u>MUAP-07018-P</u> <u>MUAP-07018-NP</u>	<u>US-APWR Fuel System Design Parameters List, Revision 0, December 2007.</u>	<u>4.2.2</u>
<u>MUAP-07019-P</u> <u>MUAP-07019-NP</u>	<u>Qualification of Nuclear Design Methodology using PARAGON/ANC, Revision 0, December 2007.</u>	<u>4.3.2, 4.3.3</u>
<u>MUAP-07020</u>	<u>Validation of the MHI Criticality Safety Methodology, Revision 0, December 2007.</u>	<u>4.3.3</u>
<u>MUAP-07021-P</u> <u>MUAP-07021-NP</u>	<u>US-APWR Incore Power Distribution Evaluation Methodology, Revision 0, December 2007.</u>	<u>4.3.2</u>
<u>MUAP-07022-P</u> <u>MUAP-07022-NP</u>	<u>US-APWR Reactor Vessel Lower Plenum 1/7 Scale Model Flow Test Report, Revision 0, June 2008.</u>	<u>1.5.2</u>
<u>MUAP-07023-P</u> <u>MUAP-07023-NP</u>	<u>APWR Reactor Internals 1/5 Scale Model Flow Test Report, Revision 2, August 2011.</u>	<u>1.5.2, 3.9.2</u>
<u>MUAP-07025-P</u> <u>MUAP-07025-NP</u>	<u>Small Break LOCA Sensitivity Analyses for US-APWR, Revision 3, March 2011.</u>	<u>15.6.5</u>
<u>MUAP-07026-P</u> <u>MUAP-07026-NP</u>	<u>Mitsubishi Reload Evaluation Methodology, Revision 1, August 2011.</u>	<u>15.0.0, 16 (5.6.3, B3.1.3, B3.1.8, B3.1.9)</u>
<u>MUAP-07027-P</u> <u>MUAP-07027-NP</u>	<u>Comprehensive Vibration Assessment Program for US-APWR Reactor Internals, Revision 2, August 2011.</u>	<u>3.9.2, 3.9.5</u>
<u>MUAP-07028-P</u> <u>MUAP-07028-NP</u>	<u>Probability of Missile Generation From Low Pressure Turbines, Revision 1, January 2011.</u>	<u>3.5.1, 10.2.3</u>

MIC-03-01-0
0002
MIC-03-01-0
0002 S1

1. INTRODUCTION AND GENERAL
DESCRIPTION OF THE PLANT

US-APWR Design Control Document

Table 1.6-2 **Material Referenced as Technical Reports (Sheet 2 of 5)**

<u>Report Number⁽¹⁾</u>	<u>Title</u>	<u>DCD Section Number⁽²⁾</u>
<u>MUAP-07029-P</u> <u>MUAP-07029-NP</u>	<u>Probabilistic Evaluation of Turbine Valve Test Frequency, Revision 2, January 2011.</u>	<u>3.5.1, 10.2.3</u>
<u>MUAP-07030</u>	<u>US-APWR Probabilistic Risk Assessment, Revision 3, June 2011.</u>	<u>6.2.5, 7.1.3, 7.5.1, 17.4.7, 18.6.3, 19.0, 19.1.4, 19.2.3, 16 (B3.3.1), 16 (B3.3.2), 16 (B3.3.5)</u>
<u>MUAP-07031-P</u> <u>MUAP-07031-NP</u>	<u>Subcompartment Analysis for US-APWR Design Confirmation, Revision 1, October 2009.</u>	<u>6.2.1</u>
<u>MUAP-07032-P</u> <u>MUAP-07032-NP</u>	<u>Criticality Analysis for US-APWR New and Spent Fuel Storage Racks, Revision 1, December, 2009.</u>	<u>9.1.1</u>
<u>MUAP-07033-P</u> <u>MUAP-07033-NP</u>	<u>Mechanical Analysis for US-APWR New and Spent Fuel Racks, Revision 0, March, 2009.</u>	<u>9.1.2</u>
<u>MUAP-07035</u>	<u>Structural Analysis for US-APWR Reactor Coolant Pump Motor Flywheel, Revision 0, December 2007.</u>	<u>5.4.1</u>
<u>MUAP-07036</u>	<u>Justification for Deviations Between NUREG-1431, Revision 3.1 and US-APWR Technical Specifications, Revision 2, November 2009.</u>	<u>16</u>
<u>MUAP-08001-P</u> <u>MUAP-08001-NP</u>	<u>US-APWR Sump Strainer Performance, Revision 5, August 2011</u>	<u>5.2.3, 6.2.2, 6.3.2</u>
<u>MUAP-08002</u>	<u>Enhanced Information for PS/B Design, Revision 1, January 2011.</u>	<u>3.7.2</u>
<u>MUAP-08007-P</u> <u>MUAP-08007-NP</u>	<u>Evaluation Results of US-APWR Fuel System Structural Response to Seismic and LOCA Loads, Revision 2, December 2010.</u>	<u>4.2.3</u>
<u>MUAP-08009</u>	<u>US-APWR Test Program Description, Revision 1, October 2009.</u>	<u>14.2.1, 14.2.2, 14.2.3, 14.2.4, 14.2.5, 14.2.6, 14.2.13, 14.3.4</u>
<u>MUAP-08011-P</u> <u>MUAP-08011-NP</u>	<u>US-APWR Sump Debris Chemical Effects Test Results, Revision 0, November 2008.</u>	<u>6.2.2</u>
<u>MUAP-08012-P</u> <u>MUAP-08012-NP</u>	<u>US-APWR Sump Strainer Stress Report, Revision 1, March 2011.</u>	<u>3.9</u>
<u>MUAP-08013-P</u> <u>MUAP-08013-NP</u>	<u>US-APWR Sump Strainer Downstream Effects, Revision 2, August 2011.</u>	<u>6.2.2, 6.3.2</u>
<u>MUAP-08014-P</u> <u>MUAP-08014-NP</u>	<u>Human System Interface Verification and Validation (Phase 1a), Revision 1, May 2011.</u>	<u>1.5.2, 18.1.1, 18.1.5, 18.2.3</u>
<u>MUAP-08015</u>	<u>US-APWR Equipment Qualification Program, Revision 1, November 2009.</u>	<u>3.11, 3.11.4, 3.11.5, 3.11.6, 3.11.7, 3D.1.7, 7.1.3, 7.5.1</u>
<u>MUAP-09001-P</u> <u>MUAP-09001-NP</u>	<u>Summary of Design Transient, Revision 0, January 2009.</u>	<u>3.9.1</u>
<u>MUAP-09002-P</u> <u>MUAP-09002-NP</u>	<u>Summary of Seismic and Accident Load Conditions for Primary Components and Piping, Revision 2, December 2010.</u>	<u>3.7.2, 3.8.5, 3.9.2, 3.9.3</u>
<u>MUAP-09004-P</u> <u>MUAP-09004-NP</u>	<u>Summary of Stress Analysis Results for Core Support Structures, Revision 1, January 2011.</u>	<u>3.9.3, 3.9.4</u>

MIC-03-01-0
0002
MIC-03-01-0
0002 S1

MIC-03-01-0
0006

MIC-03-01-0
0006

MIC-03-01-0
0006

MIC-03-01-0
0006

1. INTRODUCTION AND GENERAL
DESCRIPTION OF THE PLANT

US-APWR Design Control Document

Table 1.6-2 **Material Referenced as Technical Reports (Sheet 3 of 5)**

<u>Report Number</u> ⁽¹⁾	<u>Title</u>	<u>DCD Section Number</u> ⁽²⁾
<u>MUAP-09005-P</u> <u>MUAP-09005-NP</u>	<u>Summary of Stress Analysis Results for Reactor Vessel, Revision 2, March 2011.</u>	<u>3.9.3, 3.9.4</u>
<u>MUAP-09006-P</u> <u>MUAP-09006-NP</u>	<u>Summary of Stress Analysis Results for Steam Generator, Revision 1, March 2011.</u>	<u>3.9.3, 3.9.4</u>
<u>MUAP-09007-P</u> <u>MUAP-09007-NP</u>	<u>Summary of Stress Analysis Results for Pressurizer, Revision 1, March 2011.</u>	<u>3.9.3, 3.9.4</u>
<u>MUAP-09008-P</u> <u>MUAP-09008-NP</u>	<u>Summary of Stress Analysis Results for Reactor Coolant Pump, Revision 2, March 2011.</u>	<u>3.9.3, 3.9.4</u>
<u>MUAP-09009-P</u> <u>MUAP-09009-NP</u>	<u>Summary of Stress Analysis Results for Control Rod Drive Mechanism, Revision 1, February 2011.</u>	<u>3.9.3, 3.9.4</u>
<u>MUAP-09010-P</u> <u>MUAP-09010-NP</u>	<u>Summary of Stress Analysis Results for Reactor Coolant Loop Piping, Revision 3, March 2011.</u>	<u>3.6.3, 3.9.3, 3.9.4</u>
<u>MUAP-09011-P</u> <u>MUAP-09011-NP</u>	<u>Summary of Stress Analysis Results for Reactor Coolant Loop Branch Piping, Revision 2, December 2010.</u>	<u>3.9.3, 3.9.4</u>
<u>MUAP-09012-P</u> <u>MUAP-09012-NP</u>	<u>Summary of Stress Analysis Results for Accumulator, Revision 1, January 2011.</u>	<u>3.9.3, 3.9.4</u>
<u>MUAP-09013-P</u> <u>MUAP-09013-NP</u>	<u>Summary of Stress Analysis Results for Main Steam Piping inside Containment, Revision 2, March 2011.</u>	<u>3.6.3, 3.9.3, 3.9.4</u>
<u>MUAP-09014-P</u> <u>MUAP-09014-NP</u>	<u>Thermal-Hydraulic Analysis for US-APWR Spent Fuel Racks, Revision 0, June 2009.</u>	<u>9.1.2</u>
<u>MUAP-09016</u>	<u>US-APWR Reactor Vessel Pressure and Temperature Limits Report, Revision 2, June 2011.</u>	<u>5.3.2, 16 (5.6.4)</u>
<u>MUAP-09017-P</u> <u>MUAP-09017-NP</u>	<u>Justification for 20 Years Inspection Interval for Reactor Coolant Pump Flywheel, Revision 0, July 2009.</u>	<u>5.4.1</u>
<u>MUAP-09018-P</u> <u>MUAP-09018-NP</u>	<u>Calculation Methodology for Reactor Vessel Neutron Flux and Fluence, Revision 1, October 2009.</u>	<u>4.3.2</u>
<u>MUAP-09019-P</u> <u>MUAP-09019-NP</u>	<u>HSI Design, Revision 0, June 2009.</u>	<u>18.1.1, 18.1.2, 18.1.3, 18.1.4, 18.1.5, 18.3.3, 18.4.3, 18.6.1, 18.6.3, 18.7.2, 18.7.3</u>
<u>MUAP-09020-P</u> <u>MUAP-09020-NP</u>	<u>Function Assignment Analysis for Safety Logic System, Revision 2, May 2011.</u>	<u>7.3.1</u>
<u>MUAP-09021-P</u> <u>MUAP-09021-NP</u>	<u>Response Time of Safety I&C System, Revision 2, April 2011.</u>	<u>7.9.2, 16(B3.3.1), 16(B3.3.2)</u>
<u>MUAP-09022-P</u> <u>MUAP-09022-NP</u>	<u>US-APWR Instrument Setpoint Methodology, Revision 2, May 2011.</u>	<u>7.2.1, 7.2.2, 7.3.2, 7.5.1</u>
<u>MUAP-09023-P</u> <u>MUAP-09023-NP</u>	<u>Onsite AC Power System Calculation, Revision 0, March 2010.</u>	<u>8.3.1</u>
<u>MUAP-09025-P</u> <u>MUAP-09025-NP</u>	<u>CFD Analysis for Advanced Accumulator, Revision 2, August 2011.</u>	<u>6.3.2</u>

MIC-03-01-0
0002
MIC-03-01-0
0002 S1

1. INTRODUCTION AND GENERAL
DESCRIPTION OF THE PLANT

US-APWR Design Control Document

Table 1.6-2 **Material Referenced as Technical Reports (Sheet 4 of 5)**

Report Number⁽¹⁾	Title	DCD Section Number⁽²⁾
MUAP-10001	<u>Seismic Design Bases of the US-APWR Standard Plant, Revision 3, June 2011.</u>	<u>3.7.1, 3.7.2, 3.8.3, 3.8.5 Appendix 3H.(3H.3)</u>
MUAP-10002-P MUAP-10002-NP	<u>Damping Ratio of SC Structure, Revision 0, March 2011.</u>	<u>3.7.1, 3.7.2, 3.7.3</u>
MUAP-10003	<u>US-APWR Physical Security Hardware ITAAC Abstracts, Revision 1, March 2011.</u>	<u>14.3.4</u>
MUAP-10006	<u>Soil-Structure Interaction Analyses and Results for the US-APWR Standard Plant, Revision 1, January 2011.</u>	<u>3.7.2, Appendix 3H (3H.2.3.1) Appendix 3I (3I.1)</u>
MUAP-10008	<u>Staffing and Qualifications Implementation Plan, Revision 0, April 2010.</u>	<u>18.5.1</u>
MUAP-10009	<u>HSI Design Implementation Plan, Revision 0, April 2010.</u>	<u>18.1.1, 18.1.5, 18.6.3</u>
MUAP-10010	<u>Procedure Development Implementation Plan, Revision 0, April 2010.</u>	<u>18.1.1, 18.1.5, 18.6.3</u>
MUAP-10011	<u>Training Program Development Plan, Revision 0, April 2010.</u>	<u>18.1.1, 18.1.5, 18.6.3</u>
MUAP-10012	<u>Verification and Validation Implementation Plan, Revision 0, April 2010.</u>	<u>18.1.1, 18.1.5, 18.6.3</u>
MUAP-10013	<u>Design Implementation Plan, Revision 1, April 2010.</u>	<u>18.1.1, 18.1.5, 18.6.3, 18.11.2</u>
MUAP-10014	<u>Human Performance Monitoring Implementation Plan, Revision 0, April 2010.</u>	<u>18.1.1, 18.1.5, 18.6.3, 18.12.2</u>
MUAP-10015-P MUAP-10015-NP	<u>Summary of Environmental Fatigue Analysis Results for the US-APWR Class 1 Components, Revision 1, October 2011</u>	<u>3.9</u>
MUAP-10016-P MUAP-10016-NP	<u>Summary of Environmental Fatigue Analysis Results for the US-APWR Reactor Coolant Loop Branch Piping, Revision 0, July 2010.</u>	<u>3.9</u>
MUAP-10017-P MUAP-10017-NP	<u>US-APWR Methodology of Pipe Break Hazard Analysis, Revision 2, September 2011.</u>	<u>3.6.2</u>
MUAP-10018-P MUAP-10018-NP	<u>US-APWR Containment Performance for Pressure Loads, Revision 0, June 2010.</u>	<u>3.8.1</u>
MUAP-10019-P MUAP-10019-NP	<u>Calculation Methodology for Radiological Consequences in Normal Operation and Tank Failure Analysis, Revision 1, March 2011.</u>	<u>11.2.3, 11.3.3</u>
MUAP-10020	<u>Safety-Related Air Conditioning, Heating, Cooling, and Ventilation Systems Calculations, Revision 1, April 2011.</u>	<u>9.4.8</u>
MUAP-10022	<u>Evaluation on Jet Impingement Issues Associated with Postulated Pipe Rupture, Revision 1, September 2011.</u>	<u>3.6.2</u>
MUAP-10023-P MUAP-10023-NP	<u>Initial Type Test Results of Class 1 E Gas Turbine Generator System, Revision 3, September 2011</u>	<u>1.5.2</u>

MIC-03-01-0
0002
MIC-03-01-0
0002 S1

Table 1.6-2 **Material Referenced as Technical Reports (Sheet 5 of 5)**

<u>Report Number⁽¹⁾</u>	<u>Title</u>	<u>DCD Section Number⁽²⁾</u>
<u>MUAP-10024</u>	<u>Structural Design Criteria for US-APWR Access Building, Revision 1, Novmber 2011.</u>	<u>3.7.2</u>
<u>MUAP-11001</u>	<u>Auxiliary Building Model Properties, SSI Analyses, and Structural Integrity Evaluation for the US-APWR Standard Plant, Revision 1, June 2011.</u>	<u>3.7.2</u>
<u>MUAP-11002</u>	<u>Turbine Building Model Properties, SSI Analyses, and Structural Integrity Evaluation, Revision 0, January 2011.</u>	<u>3.7.2</u>
<u>MUAP-11003-P</u> <u>MUAP-11003-NP</u>	<u>Summary of Stress Analysis Results for Pressurizer Surge Line, Revision 1, March 2011.</u>	<u>3.6.3</u>
<u>MUAP-11005</u>	<u>Research Achievement of SC Structure and Strength Evaluation of US-APWR SC Structure based on 1/10th Scale Test Results, Revision 0, February 2011.</u>	<u>3.8.3</u>
<u>MUAP-11006</u>	<u>FE Model Development and Verification, Revision 0, June 2011.</u>	<u>3.7.2, 3H.1, 3H.2.1, 3H.2.3, 3H.2.4, 3H4.1, 3H.4.2, 3H.4.3</u>
<u>MUAP-11007</u>	<u>Results of Evaluation Using LSM for R/B Complex, Revision 0, June 2011.</u>	<u>3.7.2, 3.8.5</u>
<u>MUAP-11011</u>	<u>Effects of Structure-Soil-Structure Interaction (SSSI) on Standard Seismic Design of US-APWR Plant, Revision 0, June 2011.</u>	<u>3.7.2</u>
<u>MUAP-11012-P</u> <u>MUAP-11012-NP</u>	<u>US-APWR RCCA Insertion Limit Load Test Report, Revision 0, March 2011.</u>	<u>3.9.5</u>
<u>MUAP-11013</u>	<u>Design Criteria for SC Modules, Revision 1, August 2011.</u>	<u>3.8.3</u>
<u>MUAP-11014-P</u> <u>MUAP-11014-NP</u>	<u>Over Temperature ΔT and Over Power ΔT Trip Function and Setpoint Determination Process, Revision 0, June 2011.</u>	<u>7.2.1</u>
<u>MUAP-11017-P</u> <u>MUAP-11017-NP</u>	<u>Hydraulic Test of the Full Scale US-APWR Fuel Assembly, Revision 0, May 2011</u>	<u>4.2</u>

NOTE(1): -P(proprietary), -NP(non-proprietary)

(2): If actual section number is indicated as x.y.z.a.b, a x.y.z level is used for the DCD Section Number. (ex. When actual section number is 6.3.2.1.2, only 6.3.2 is used in Table.

MIC-03-01-0
0002
MIC-03-01-0
0002 S1