


FINAL STATUS SURVEY REPORT

SUBMITTAL NUMBER 4


**CE WINDSOR SITE
WINDSOR, CONNECTICUT**

APPENDIX H

**SURVEY UNIT CE-FSS-06-05
RESULTS AND DATA EVALUATION**



CT State Plane NAD 83 Feet



Legend

- Sample Location
- ▭ CE-FSS-06-05
- - - Former Building
- Building
- Road
- Open
- Water




Prepared/Date: BRP 11/08/11

Checked/Date: GSM 11/08/11


**Sample Locations
Survey Unit CE-FSS-06-05**

**Final Status Survey
CE Windsor Site
Windsor, Connecticut**





CT State Plane NAD 83 Feet



Legend

- Co-60 (pCi/g)
- Total U (pCi/g)
- Sample Location
- Former Building
- ▭ CE-FSS-06-05
- ▭ Building
- ▭ Road
- ▭ Open
- ▭ Water

Prepared/Date: BRP 11/08/11 | Checked/Date: GSM 11/08/11

Sample Results
Survey Unit CE-FSS-06-05
Final Status Survey
CE Windsor Site
Windsor, Connecticut



Survey Unit CE-FSS-06-05

Final Status Survey Volumetric Soil Sample Results

| Sample ID | Co-60 (pCi/g) | | | | U-235 (pCi/g) | | | | Total U (pCi/g) | Sum of Fraction |
|------------------|---------------|----------|----------|-----------|---------------|----------|----------|-----------|-----------------|-----------------|
| | Activity | Uncert. | MDC | Qualifier | Activity | Uncert. | MDC | Qualifier | | |
| FSS-06-05-001 | 6.07E-02 | 6.81E-02 | 1.21E-01 | U | 9.57E-02 | 1.22E-02 | 7.82E-02 | | 3.0 | 0.017 |
| FSS-06-05-002 | 3.01E-02 | 6.16E-02 | 9.93E-02 | U | 1.04E-01 | 6.98E-02 | 1.14E-01 | UI | 3.2 | 0.012 |
| FSS-06-05-003 | 3.16E-02 | 3.55E-02 | 5.75E-02 | | 7.53E-02 | 6.11E-02 | 9.65E-02 | | 2.3 | 0.011 |
| FSS-06-05-003LR | -3.08E-02 | 6.60E-02 | 8.59E-02 | U | 2.72E-02 | 6.96E-02 | 9.95E-02 | U | 0.8 | -0.005 |
| FSS-06-05-003AVE | 3.70E-04 | | | | 5.12E-02 | | | | 1.6 | 0.003 |
| FSS-06-05-004 | -4.94E-02 | 6.61E-02 | 7.53E-02 | U | 7.17E-02 | 6.85E-02 | 1.10E-01 | | 2.2 | -0.006 |
| FSS-06-05-005 | 2.76E-02 | 5.19E-02 | 8.86E-02 | U | 3.18E-01 | 7.52E-02 | 1.02E-01 | | 9.9 | 0.023 |
| FSS-06-05-006 | 1.55E-02 | 6.45E-02 | 9.74E-02 | U | 7.80E-02 | 6.71E-02 | 1.07E-01 | | 2.4 | 0.007 |
| FSS-06-05-007 | -1.37E-02 | 6.69E-02 | 9.32E-02 | U | 7.30E-02 | 2.80E-02 | 6.91E-02 | | 2.3 | 0.001 |
| FSS-06-05-008 | 2.30E-02 | 5.07E-02 | 8.59E-02 | U | 5.84E-02 | 6.08E-02 | 9.77E-02 | | 1.8 | 0.008 |
| FSS-06-05-008LR | 3.78E-02 | 5.80E-02 | 9.89E-02 | U | 5.93E-02 | 5.20E-02 | 8.12E-02 | | 1.8 | 0.011 |
| FSS-06-05-008AVE | 3.04E-02 | | | | 5.89E-02 | | | | 1.8 | 0.009 |
| FSS-06-05-009 | 1.87E-03 | 6.32E-02 | 9.10E-02 | U | 1.02E-01 | 5.68E-02 | 8.67E-02 | | 3.1 | 0.006 |
| FSS-06-05-010 | -1.00E-02 | 7.03E-02 | 1.00E-01 | U | 1.24E-01 | 1.18E-01 | 1.94E-01 | | 3.9 | 0.005 |
| FSS-06-05-011 | 1.19E-02 | 4.88E-02 | 7.62E-02 | U | 5.23E-02 | 5.17E-02 | 8.58E-02 | UI | 1.6 | 0.005 |
| FSS-06-05-012 | 3.70E-02 | 5.57E-02 | 1.01E-01 | U | 3.47E-02 | 3.92E-02 | 6.53E-02 | UI | 1.1 | 0.009 |
| FSS-06-05-013 | 8.64E-03 | 6.65E-02 | 1.01E-01 | U | 1.30E-01 | 1.52E-01 | 2.55E-01 | UI | 4.0 | 0.009 |
| FSS-06-05-014 | 4.09E-02 | 6.54E-02 | 1.09E-01 | U | 6.03E-02 | 4.63E-02 | 7.00E-02 | UI | 1.9 | 0.012 |
| FSS-06-05-015 | -1.73E-03 | 6.91E-02 | 1.02E-01 | U | 5.39E-02 | 7.12E-02 | 1.04E-01 | U | 1.7 | 0.003 |
| FSS-06-05-016 | 9.14E-03 | 8.33E-02 | 1.13E-01 | U | 6.01E-02 | 6.88E-02 | 1.11E-01 | | 1.9 | 0.005 |
| FSS-06-05-017 | 2.95E-02 | 5.59E-02 | 9.00E-02 | U | 1.38E-01 | 6.61E-02 | 1.01E-01 | | 4.3 | 0.014 |
| FSS-06-05-018 | -6.93E-03 | 5.69E-02 | 7.97E-02 | U | 5.45E-01 | 1.48E-01 | 7.35E-02 | | 16.9 | 0.029 |
| FSS-06-05-019 | -2.93E-02 | 6.39E-02 | 8.43E-02 | U | 1.84E-01 | 1.10E-01 | 1.78E-01 | | 5.7 | 0.004 |
| FSS-06-05-020 | 3.35E-02 | 6.83E-02 | 1.11E-01 | U | 1.65E-01 | 7.17E-02 | 1.07E-01 | | 5.1 | 0.016 |
| FSS-06-05-021 | -1.12E-02 | 6.19E-02 | 8.37E-02 | U | 9.25E-02 | 6.55E-02 | 1.03E-01 | | 2.9 | 0.003 |
| FSS-06-05-022 | -2.33E-02 | 6.64E-02 | 8.86E-02 | U | 1.15E-01 | 1.06E-01 | 1.76E-01 | UI | 3.6 | 0.002 |
| FSS-06-05-022S | -4.67E-02 | 7.00E-02 | 9.01E-02 | U | 7.89E-02 | 6.12E-02 | 9.31E-02 | U | 2.4 | -0.005 |
| FSS-06-05-022AVE | -3.50E-02 | | | | 9.69E-02 | | | | 3.0 | -0.002 |
| FSS-06-05-023 | 9.75E-03 | 5.24E-02 | 8.31E-02 | U | 8.67E-02 | 6.55E-02 | 1.07E-01 | UI | 2.7 | 0.007 |
| FSS-06-05-024 | -2.27E-02 | 6.76E-02 | 8.79E-02 | U | 1.20E-01 | 6.72E-02 | 1.04E-01 | | 3.7 | 0.002 |
| FSS-06-05-025 | -2.75E-02 | 6.85E-02 | 9.07E-02 | U | 9.02E-02 | 6.62E-02 | 1.05E-01 | | 2.8 | 0.000 |
| FSS-06-05-026 | -1.71E-02 | 6.16E-02 | 7.61E-02 | U | 8.81E-02 | 6.53E-02 | 9.84E-02 | U | 2.7 | 0.001 |
| FSS-06-05-027 | -1.75E-02 | 5.60E-02 | 7.82E-02 | U | 1.80E-01 | 1.01E-01 | 1.63E-01 | | 5.6 | 0.007 |
| FSS-06-05-028 | -1.98E-02 | 4.90E-02 | 6.51E-02 | U | 9.36E-02 | 5.40E-02 | 8.30E-02 | | 2.9 | 0.001 |
| FSS-06-05-028S | 4.16E-02 | 4.80E-02 | 8.88E-02 | U | 5.03E-02 | 5.53E-02 | 9.24E-02 | UI | 1.6 | 0.011 |
| FSS-06-05-028AVE | 1.09E-02 | | | | 7.20E-02 | | | | 2.2 | 0.006 |
| FSS-06-05-029 | 3.64E-02 | 3.21E-02 | 4.86E-02 | | 5.83E-02 | 4.95E-02 | 8.14E-02 | UI | 1.8 | 0.011 |

Survey Unit CE-FSS-06-05

One-Minute Static Field Measurement Results

| Sample ID | Static Count Rate (cpm) | Ambient Background (cpm) | Net (cpm) | pCi/g |
|------------------|-------------------------|--------------------------|-----------|-------|
| CE-FSS-06-05-001 | 3301 | 2800 | 501 | 1.7 |
| CE-FSS-06-05-002 | 3185 | 2800 | 385 | 1.3 |
| CE-FSS-06-05-003 | 3138 | 2800 | 338 | 1.1 |
| CE-FSS-06-05-004 | 3128 | 2800 | 328 | 1.1 |
| CE-FSS-06-05-005 | 3458 | 2800 | 658 | 2.2 |
| CE-FSS-06-05-006 | 2918 | 2800 | 118 | 0.4 |
| CE-FSS-06-05-007 | 3414 | 2800 | 614 | 2.0 |
| CE-FSS-06-05-008 | 2581 | 2800 | -219 | -0.7 |
| CE-FSS-06-05-009 | 3034 | 2800 | 234 | 0.8 |
| CE-FSS-06-05-010 | 3542 | 2800 | 742 | 2.5 |
| CE-FSS-06-05-011 | 1813 | 2800 | -987 | -3.3 |
| CE-FSS-06-05-012 | 2288 | 2800 | -512 | -1.7 |
| CE-FSS-06-05-013 | 2660 | 2800 | -140 | -0.5 |
| CE-FSS-06-05-014 | 2931 | 2800 | 131 | 0.4 |
| CE-FSS-06-05-015 | 2471 | 2800 | -329 | -1.1 |
| CE-FSS-06-05-016 | 2548 | 2800 | -252 | -0.8 |
| CE-FSS-06-05-017 | 2431 | 2800 | -369 | -1.2 |
| CE-FSS-06-05-018 | 2599 | 2800 | -201 | -0.7 |
| CE-FSS-06-05-019 | 2283 | 2800 | -517 | -1.7 |
| CE-FSS-06-05-020 | 3252 | 2800 | 452 | 1.5 |
| CE-FSS-06-05-021 | 2783 | 2800 | -17 | -0.1 |
| CE-FSS-06-05-022 | 2842 | 2800 | 42 | 0.1 |
| CE-FSS-06-05-023 | 2995 | 2800 | 195 | 0.6 |
| CE-FSS-06-05-024 | 2789 | 2800 | -11 | 0.0 |
| CE-FSS-06-05-025 | 2972 | 2800 | 172 | 0.6 |
| CE-FSS-06-05-026 | 2791 | 2800 | -9 | 0.0 |
| CE-FSS-06-05-027 | 3056 | 2800 | 256 | 0.9 |
| CE-FSS-06-05-028 | 3053 | 2800 | 253 | 0.8 |
| CE-FSS-06-05-029 | 2919 | 2800 | 119 | 0.4 |

Survey Unit CE-FSS-06-05

Final Status Survey Sample GPS Coordinates

| Sample ID | X_Coordinate | Y_Coordinate |
|------------------|--------------|--------------|
| CE-FSS-06-05-001 | 1009047.59 | 881706.82 |
| CE-FSS-06-05-002 | 1009060.72 | 881729.56 |
| CE-FSS-06-05-003 | 1009047.59 | 881752.29 |
| CE-FSS-06-05-004 | 1009034.47 | 881775.02 |
| CE-FSS-06-05-005 | 1009060.72 | 881775.02 |
| CE-FSS-06-05-006 | 1009021.34 | 881797.76 |
| CE-FSS-06-05-007 | 1009047.59 | 881797.76 |
| CE-FSS-06-05-008 | 1008981.97 | 881820.49 |
| CE-FSS-06-05-009 | 1009008.22 | 881820.49 |
| CE-FSS-06-05-010 | 1009034.47 | 881820.49 |
| CE-FSS-06-05-011 | 1008968.84 | 881843.22 |
| CE-FSS-06-05-012 | 1008995.09 | 881843.22 |
| CE-FSS-06-05-013 | 1009021.34 | 881843.22 |
| CE-FSS-06-05-014 | 1008981.97 | 881865.96 |
| CE-FSS-06-05-015 | 1009008.22 | 881865.96 |
| CE-FSS-06-05-016 | 1008968.84 | 881888.69 |
| CE-FSS-06-05-017 | 1008995.09 | 881888.69 |
| CE-FSS-06-05-018 | 1009021.34 | 881888.69 |
| CE-FSS-06-05-019 | 1009047.59 | 881888.69 |
| CE-FSS-06-05-020 | 1009034.47 | 881911.42 |
| CE-FSS-06-05-021 | 1009060.72 | 881911.42 |
| CE-FSS-06-05-022 | 1009086.97 | 881911.42 |
| CE-FSS-06-05-023 | 1009073.84 | 881934.16 |
| CE-FSS-06-05-024 | 1009100.09 | 881934.16 |
| CE-FSS-06-05-025 | 1009126.34 | 881934.16 |
| CE-FSS-06-05-026 | 1009152.59 | 881934.16 |
| CE-FSS-06-05-027 | 1009086.97 | 881956.89 |
| CE-FSS-06-05-028 | 1009113.22 | 881956.89 |
| CE-FSS-06-05-029 | 1009139.47 | 881956.89 |

Descriptive Statistics Report

Summary Section of SU_0605_CO60

| Count | Mean | Standard Deviation | Standard Error | Minimum | Maximum | Range |
|-------|--------------|--------------------|----------------|---------|---------|--------|
| 29 | 5.245172E-03 | 2.635852E-02 | 4.894654E-03 | -0.0494 | 0.0607 | 0.1101 |

Counts Section of SU_0605_CO60

| Rows | Sum of Frequencies | Missing Values | Distinct Values | Sum | Total Sum Squares | Adjusted Sum Squares |
|------|--------------------|----------------|-----------------|---------|-------------------|----------------------|
| 29 | 29 | 0 | 29 | 0.15211 | 2.025144E-02 | 0.0194536 |

Means Section of SU_0605_CO60

| Parameter | Mean | Median | Geometric Mean | Harmonic Mean | Sum | Mode |
|------------|---------------|---------|----------------|---------------|------------|------|
| Value | 5.245172E-03 | 0.00864 | 1.491429E-02 | 0.0103446 | 0.15211 | |
| Std Error | 4.894654E-03 | | | | 0.141945 | |
| 95% LCL | -4.781072E-03 | -0.0112 | | | -0.1386511 | |
| 95% UCL | 1.527142E-02 | 0.0155 | | | 0.4428711 | |
| T-Value | 1.0716 | | | | | |
| Prob Level | 0.293044 | | | | | |
| Count | 29 | | 17 | 29 | | |

Variation Section of SU_0605_CO60

| Parameter | Variance | Standard Deviation | Unbiased Std Dev | Std Error of Mean | Interquartile Range | Range |
|-----------|--------------|--------------------|------------------|-------------------|---------------------|--------|
| Value | 6.947714E-04 | 2.635852E-02 | 2.659486E-02 | 4.894654E-03 | 0.0452 | 0.1101 |
| Std Error | 1.495493E-04 | 4.011885E-03 | | 7.449884E-04 | | |
| 95% LCL | 4.375451E-04 | 2.091758E-02 | | 3.884297E-03 | | |
| 95% UCL | 1.270824E-03 | 3.564862E-02 | | 6.619783E-03 | | |

Skewness and Kurtosis Section of SU_0605_CO60

| Parameter | Skewness | Kurtosis | Fisher's g1 | Fisher's g2 | Coefficient of Variation | Coefficient of Dispersion |
|-----------|---------------|-----------|---------------|-------------|--------------------------|---------------------------|
| Value | -1.467878E-02 | 2.34364 | -1.549188E-02 | -0.5460714 | 5.025291 | 2.486869 |
| Std Error | 0.312103 | 0.3525035 | | | 4.646333 | |

Trimmed Section of SU_0605_CO60

| Parameter | 5% Trimmed | 10% Trimmed | 15% Trimmed | 25% Trimmed | 35% Trimmed | 45% Trimmed |
|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Trim-Mean | 5.293295E-03 | 5.516379E-03 | 5.641872E-03 | 5.355862E-03 | 4.961437E-03 | 6.586034E-03 |
| Trim-Std Dev | 2.194822E-02 | 1.958816E-02 | 1.718654E-02 | 1.268797E-02 | 6.503946E-03 | 4.074588E-03 |
| Count | 26.1 | 23.2 | 20.3 | 14.5 | 8.7 | 2.9 |

Mean-Deviation Section of SU_0605_CO60

| Parameter | X-Mean | X-Median | (X-Mean)^2 | (X-Mean)^3 | (X-Mean)^4 |
|-----------|--------------|--------------|--------------|--------------|--------------|
| Average | 2.160361E-02 | 2.148655E-02 | 6.708138E-04 | -2.55031E-07 | 1.054617E-06 |
| Std Error | 2.944236E-03 | | 1.443925E-04 | 5.421629E-06 | 4.263408E-07 |

Descriptive Statistics Report



Quartile Section of SU_0605_CO60

| Parameter | 10th Percentile | 25th Percentile | 50th Percentile | 75th Percentile | 90th Percentile |
|-----------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Value | -0.0293 | -0.0154 | 0.00864 | 0.0298 | 0.037 |
| 95% LCL | -0.0494 | -0.0293 | -0.0112 | 0.00975 | 0.0276 |
| 95% UCL | -0.0112 | 0.00037 | 0.0155 | 0.037 | 0.0607 |

Normality Test Section of SU_0605_CO60

| Test Name | Test Value | Prob Level | 10% Critical Value | 5% Critical Value | Decision (5%) |
|---------------------|--------------|------------|--------------------|-------------------|------------------|
| Shapiro-Wilk W | 0.9834303 | 0.915441 | | | Accept Normality |
| Anderson-Darling | 0.2303739 | 0.806012 | | | Accept Normality |
| Martinez-Iglewicz | 0.9837024 | | 1.153174 | 1.236092 | Accept Normality |
| Kolmogorov-Smirnov | 7.767271E-02 | | 0.148 | 0.162 | Accept Normality |
| D'Agostino Skewness | -0.0379 | 0.969740 | 1.645 | 1.960 | Accept Normality |
| D'Agostino Kurtosis | -0.6097 | 0.542059 | 1.645 | 1.960 | Accept Normality |
| D'Agostino Omnibus | 0.3732 | 0.829785 | 4.605 | 5.991 | Accept Normality |

Plots Section of SU_0605_CO60



Descriptive Statistics Report

Percentile Section of SU_0605_CO60

| Percentile | Value | 95% LCL | 95% UCL | Exact Conf. Level |
|------------|-----------|----------|----------|-------------------|
| 99.0 | 0.0607 | | | |
| 95.0 | 0.0508 | | | |
| 90.0 | 0.037 | 0.0276 | 0.0607 | 95.1349 |
| 85.0 | 0.03495 | 0.0276 | 0.0607 | 96.8681 |
| 80.0 | 0.0304 | 0.0119 | 0.0409 | 96.7529 |
| 75.0 | 0.0298 | 0.00975 | 0.037 | 97.0938 |
| 70.0 | 0.0276 | 0.00914 | 0.0364 | 95.8640 |
| 65.0 | 0.0137 | 0.00037 | 0.0304 | 96.1771 |
| 60.0 | 0.0109 | -0.00173 | 0.0301 | 96.3194 |
| 55.0 | 0.009445 | -0.01 | 0.0295 | 97.4848 |
| 50.0 | 0.00864 | -0.0112 | 0.0155 | 95.7226 |
| 45.0 | 0.00112 | -0.0137 | 0.0119 | 96.1776 |
| 40.0 | -0.00173 | -0.0175 | 0.00975 | 95.9152 |
| 35.0 | -0.008465 | -0.0227 | 0.00914 | 96.9227 |
| 30.0 | -0.0112 | -0.0275 | 0.00187 | 95.8640 |
| 25.0 | -0.0154 | -0.0293 | 0.00037 | 97.0938 |
| 20.0 | -0.0175 | -0.0494 | -0.00693 | 97.8748 |
| 15.0 | -0.0251 | -0.0494 | -0.0112 | 96.8681 |
| 10.0 | -0.0293 | -0.0494 | -0.0112 | 95.1349 |
| 5.0 | -0.0422 | | | |
| 1.0 | -0.0494 | | | |

Percentile Formula: Ave X(p[n+1])

Stem-Leaf Plot Section of SU_0605_CO60

| Depth | Stem | Leaves |
|-------|------|--------|
| 1 | -4 | 9 |
| 2 | -3 | 5 |
| 5 | -2 | 972 |
| 10 | -1 | 77310 |
| 12 | -0 | 61 |
| (5) | 0 | 01899 |
| 12 | 1 | 015 |
| 9 | 2 | 79 |
| 7 | 3 | 00367 |
| 2 | 4 | 0 |
| 1 | 5 | |
| 1 | 6 | 0 |

Unit = .001 Example: 1 |2 Represents 0.012

Descriptive Statistics Report

Summary Section of SU_0605_TOTAL_U

| Count | Mean | Standard Deviation | Standard Error | Minimum | Maximum | Range |
|-------|---------|--------------------|----------------|---------|---------|-------|
| 29 | 3.62069 | 3.099698 | 0.5755995 | 1.1 | 16.9 | 15.8 |

Counts Section of SU_0605_TOTAL_U

| Rows | Sum of Frequencies | Missing Values | Distinct Values | Sum | Total Sum Squares | Adjusted Sum Squares |
|------|--------------------|----------------|-----------------|-----|-------------------|----------------------|
| 29 | 29 | 0 | 23 | 105 | 649.2 | 269.0276 |

Means Section of SU_0605_TOTAL_U

| Parameter | Mean | Median | Geometric Mean | Harmonic Mean | Sum | Mode |
|------------|-----------|--------|----------------|---------------|----------|------|
| Value | 3.62069 | 2.8 | 2.97424 | 2.604266 | 105 | |
| Std Error | 0.5755995 | | | | 16.69238 | |
| 95% LCL | 2.441628 | 2.2 | | | 70.8072 | |
| 95% UCL | 4.799752 | 3.2 | | | 139.1928 | |
| T-Value | 6.2903 | | | | | |
| Prob Level | 0.000001 | | | | | |
| Count | 29 | | 29 | 29 | | |

Variation Section of SU_0605_TOTAL_U

| Parameter | Variance | Standard Deviation | Unbiased Std Dev | Std Error of Mean | Interquartile Range | Range |
|-----------|----------|--------------------|------------------|-------------------|---------------------|-------|
| Value | 9.608129 | 3.099698 | 3.127492 | 0.5755995 | 2.05 | 15.8 |
| Std Error | 6.220511 | 1.41903 | | 0.2635073 | | |
| 95% LCL | 6.050895 | 2.459857 | | 0.4567839 | | |
| 95% UCL | 17.57447 | 4.192192 | | 0.7784705 | | |

Skewness and Kurtosis Section of SU_0605_TOTAL_U

| Parameter | Skewness | Kurtosis | Fisher's g1 | Fisher's g2 | Coefficient of Variation | Coefficient of Dispersion |
|-----------|-----------|----------|-------------|-------------|--------------------------|---------------------------|
| Value | 3.093402 | 13.15549 | 3.264755 | 12.39119 | 0.8561071 | 0.5714286 |
| Std Error | 0.8463694 | 7.508892 | | | 0.1700585 | |

Trimmed Section of SU_0605_TOTAL_U

| Parameter | 5% Trimmed | 10% Trimmed | 15% Trimmed | 25% Trimmed | 35% Trimmed | 45% Trimmed |
|--------------|------------|-------------|-------------|-------------|-------------|-------------|
| Trim-Mean | 3.135057 | 2.971121 | 2.881034 | 2.796552 | 2.768965 | 2.8 |
| Trim-Std Dev | 1.553782 | 1.071028 | 0.8448318 | 0.5315824 | 0.267412 | 0.1 |
| Count | 26.1 | 23.2 | 20.3 | 14.5 | 8.7 | 2.9 |

Mean-Deviation Section of SU_0605_TOTAL_U

| Parameter | X-Mean | X-Median | (X-Mean)^2 | (X-Mean)^3 | (X-Mean)^4 |
|-----------|----------|----------|------------|------------|------------|
| Average | 1.828537 | 1.6 | 9.276814 | 87.40467 | 1132.152 |
| Std Error | 0.346235 | | 6.006011 | 66.37219 | 892.3422 |

Descriptive Statistics Report



Quartile Section of SU_0605_TOTAL_U

| Parameter | 10th Percentile | 25th Percentile | 50th Percentile | 75th Percentile | 90th Percentile |
|-----------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Value | 1.6 | 1.9 | 2.8 | 3.95 | 5.7 |
| 95% LCL | 1.1 | 1.6 | 2.2 | 3 | 3.7 |
| 95% UCL | 2.2 | 2.7 | 3.2 | 5.7 | 16.9 |

Normality Test Section of SU_0605_TOTAL_U

| Test Name | Test Value | Prob Level | 10% Critical Value | 5% Critical Value | Decision (5%) |
|---------------------|------------|------------|--------------------|-------------------|------------------|
| Shapiro-Wilk W | 0.6216632 | 0.000000 | | | Reject Normality |
| Anderson-Darling | 3.401578 | 0.000000 | | | Reject Normality |
| Martinez-Iglewicz | 6.30309 | | 1.153174 | 1.236092 | Reject Normality |
| Kolmogorov-Smirnov | 0.2444064 | | 0.148 | 0.162 | Reject Normality |
| D'Agostino Skewness | 5.0575 | 0.000000 | 1.645 | 1.960 | Reject Normality |
| D'Agostino Kurtosis | 4.2864 | 0.000018 | 1.645 | 1.960 | Reject Normality |
| D'Agostino Omnibus | 43.9514 | 0.000000 | 4.605 | 5.991 | Reject Normality |

Plots Section of SU_0605_TOTAL_U



Descriptive Statistics Report

Percentile Section of SU_0605_TOTAL_U

| Percentile | Value | 95% LCL | 95% UCL | Exact Conf. Level |
|------------|-------|---------|---------|-------------------|
| 99.0 | 16.9 | | | |
| 95.0 | 13.4 | | | |
| 90.0 | 5.7 | 3.7 | 16.9 | 95.1349 |
| 85.0 | 5.35 | 3.7 | 16.9 | 96.8681 |
| 80.0 | 4.3 | 3.1 | 9.9 | 96.7529 |
| 75.0 | 3.95 | 3 | 5.7 | 97.0938 |
| 70.0 | 3.7 | 2.9 | 5.6 | 95.8640 |
| 65.0 | 3.15 | 2.7 | 4.3 | 96.1771 |
| 60.0 | 3 | 2.4 | 4 | 96.3194 |
| 55.0 | 2.95 | 2.2 | 3.9 | 97.4848 |
| 50.0 | 2.8 | 2.2 | 3.2 | 95.7226 |
| 45.0 | 2.7 | 1.9 | 3.1 | 96.1776 |
| 40.0 | 2.4 | 1.8 | 3 | 95.9152 |
| 35.0 | 2.25 | 1.8 | 2.9 | 96.9227 |
| 30.0 | 2.2 | 1.7 | 2.7 | 95.8640 |
| 25.0 | 1.9 | 1.6 | 2.7 | 97.0938 |
| 20.0 | 1.8 | 1.1 | 2.3 | 97.8748 |
| 15.0 | 1.75 | 1.1 | 2.2 | 96.8681 |
| 10.0 | 1.6 | 1.1 | 2.2 | 95.1349 |
| 5.0 | 1.35 | | | |
| 1.0 | 1.1 | | | |

Percentile Formula: Ave X(p[n+1])

Stem-Leaf Plot Section of SU_0605_TOTAL_U

| Depth | Stem | Leaves |
|-------|------|---------|
| 1 | 1* | 1 |
| 8 | . | 6678899 |
| 12 | 2* | 2234 |
| (4) | . | 7789 |
| 13 | 3* | 0012 |
| 9 | . | 79 |
| 7 | 4* | 03 |
| 5 | . | |
| 5 | 5* | 1 |
| 4 | . | 67 |
| High | | 99, 169 |

Unit = .1 Example: 1 |2 Represents 1.2

Descriptive Statistics Report

Summary Section of SU_0605_SOF

| Count | Mean | Standard Deviation | Standard Error | Minimum | Maximum | Range |
|-------|--------------|--------------------|----------------|---------|---------|-------|
| 29 | 7.517241E-03 | 7.336896E-03 | 1.362427E-03 | -0.006 | 0.029 | 0.035 |

Counts Section of SU_0605_SOF

| Rows | Sum of Frequencies | Missing Values | Distinct Values | Sum | Total Sum Squares | Adjusted Sum Squares |
|------|--------------------|----------------|-----------------|-------|-------------------|----------------------|
| 29 | 29 | 0 | 18 | 0.218 | 0.003146 | 1.507241E-03 |

Means Section of SU_0605_SOF

| Parameter | Mean | Median | Geometric Mean | Harmonic Mean | Sum | Mode |
|------------|--------------|--------|----------------|---------------|-----------|------|
| Value | 7.517241E-03 | 0.006 | 6.416791E-03 | 5.276189E-03 | 0.218 | |
| Std Error | 1.362427E-03 | | | | 0.0395104 | |
| 95% LCL | 4.726435E-03 | 0.003 | | | 0.1370666 | |
| 95% UCL | 1.030805E-02 | 0.009 | | | 0.2989334 | |
| T-Value | 5.5175 | | | | | |
| Prob Level | 0.000007 | | | | | |
| Count | 29 | | 26 | 28 | | |

Variation Section of SU_0605_SOF

| Parameter | Variance | Standard Deviation | Unbiased Std Dev | Std Error of Mean | Interquartile Range | Range |
|-----------|--------------|--------------------|------------------|-------------------|---------------------|-------|
| Value | 5.383005E-05 | 7.336896E-03 | 7.402684E-03 | 1.362427E-03 | 0.0085 | 0.035 |
| Std Error | 1.817458E-05 | 1.751609E-03 | | 3.252655E-04 | | |
| 95% LCL | 3.390046E-05 | 5.82241E-03 | | 1.081194E-03 | | |
| 95% UCL | 9.846193E-05 | 9.922798E-03 | | 1.842617E-03 | | |

Skewness and Kurtosis Section of SU_0605_SOF

| Parameter | Skewness | Kurtosis | Fisher's g1 | Fisher's g2 | Coefficient of Variation | Coefficient of Dispersion |
|-----------|-----------|----------|-------------|-------------|--------------------------|---------------------------|
| Value | 0.9884068 | 4.305806 | 1.043158 | 1.801819 | 0.9760091 | 0.8735632 |
| Std Error | 0.3918516 | 1.173028 | | | 0.1619321 | |

Trimmed Section of SU_0605_SOF

| Parameter | 5% Trimmed | 10% Trimmed | 15% Trimmed | 25% Trimmed | 35% Trimmed | 45% Trimmed |
|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Trim-Mean | 7.109195E-03 | 6.840517E-03 | 6.637931E-03 | 6.379311E-03 | 6.310345E-03 | 6.327586E-03 |
| Trim-Std Dev | 5.318684E-03 | 4.193033E-03 | 3.42642E-03 | 2.267546E-03 | 1.282351E-03 | 5.798335E-04 |
| Count | 26.1 | 23.2 | 20.3 | 14.5 | 8.7 | 2.9 |

Mean-Deviation Section of SU_0605_SOF

| Parameter | X-Mean | X-Median | (X-Mean)^2 | (X-Mean)^3 | (X-Mean)^4 |
|-----------|--------------|--------------|--------------|--------------|--------------|
| Average | 5.400714E-03 | 5.241379E-03 | 5.197384E-05 | 3.703505E-07 | 1.163119E-08 |
| Std Error | 8.195284E-04 | | 1.754787E-05 | 2.388458E-07 | 6.404377E-09 |

Descriptive Statistics Report



Quartile Section of SU_0605_SOF

| | 10th | 25th | 50th | 75th | 90th |
|-----------|------------|------------|------------|------------|------------|
| Parameter | Percentile | Percentile | Percentile | Percentile | Percentile |
| Value | 0 | 0.003 | 0.006 | 0.0115 | 0.017 |
| 95% LCL | -0.006 | 0 | 0.003 | 0.007 | 0.009 |
| 95% UCL | 0.003 | 0.005 | 0.009 | 0.017 | 0.029 |

Normality Test Section of SU_0605_SOF

| Test Name | Test Value | Prob Level | 10% Critical Value | 5% Critical Value | Decision (5%) |
|---------------------|------------|------------|--------------------|-------------------|------------------|
| Shapiro-Wilk W | 0.9370822 | 0.084102 | | | Accept Normality |
| Anderson-Darling | 0.6403517 | 0.094947 | | | Accept Normality |
| Martinez-Iglewicz | 1.45902 | | 1.153174 | 1.236092 | Reject Normality |
| Kolmogorov-Smirnov | 0.1487913 | | 0.148 | 0.162 | Accept Normality |
| D'Agostino Skewness | 2.3068 | 0.021067 | 1.645 | 1.960 | Reject Normality |
| D'Agostino Kurtosis | 1.7832 | 0.074556 | 1.645 | 1.960 | Accept Normality |
| D'Agostino Omnibus | 8.5010 | 0.014257 | 4.605 | 5.991 | Reject Normality |

Plots Section of SU_0605_SOF



Descriptive Statistics Report

Percentile Section of SU_0605_SOF



| Percentile | Value | 95% LCL | 95% UCL | Exact Conf. Level |
|------------|--------|---------|---------|-------------------|
| 99.0 | 0.029 | | | |
| 95.0 | 0.026 | | | |
| 90.0 | 0.017 | 0.009 | 0.029 | 95.1349 |
| 85.0 | 0.015 | 0.009 | 0.029 | 96.8681 |
| 80.0 | 0.012 | 0.009 | 0.023 | 96.7529 |
| 75.0 | 0.0115 | 0.007 | 0.017 | 97.0938 |
| 70.0 | 0.009 | 0.007 | 0.016 | 95.8640 |
| 65.0 | 0.009 | 0.005 | 0.012 | 96.1771 |
| 60.0 | 0.007 | 0.005 | 0.012 | 96.3194 |
| 55.0 | 0.007 | 0.004 | 0.011 | 97.4848 |
| 50.0 | 0.006 | 0.003 | 0.009 | 95.7226 |
| 45.0 | 0.0055 | 0.003 | 0.009 | 96.1776 |
| 40.0 | 0.005 | 0.002 | 0.007 | 95.9152 |
| 35.0 | 0.0045 | 0.001 | 0.007 | 96.9227 |
| 30.0 | 0.003 | 0.001 | 0.006 | 95.8640 |
| 25.0 | 0.003 | 0 | 0.005 | 97.0938 |
| 20.0 | 0.002 | -0.006 | 0.005 | 97.8748 |
| 15.0 | 0.001 | -0.006 | 0.003 | 96.8681 |
| 10.0 | 0 | -0.006 | 0.003 | 95.1349 |
| 5.0 | -0.004 | | | |
| 1.0 | -0.006 | | | |

Percentile Formula: Ave X(p[n+1])

Stem-Leaf Plot Section of SU_0605_SOF


| Depth | Stem | Leaves |
|-------|------|-------------|
| 1 | . | 6 |
| 2 | -0* | 2 |
| 10 | 0* | 01123334 |
| (11) | . | 55566777999 |
| 8 | 1* | 1224 |
| 4 | . | 67 |
| 2 | 2* | 3 |
| High | | 29 |

Unit = .001 Example: 1 |2 Represents 0.012



Descriptive Statistics

Variable: SU_0605_SOF



Anderson-Darling Normality Test

A-Squared: 0.639
P-Value: 0.086

Mean 7.52E-03
StDev 7.34E-03
Variance 5.38E-05
Skewness 1.04316
Kurtosis 1.80182
N 29

Minimum -6.0E-03
1st Quartile 3.00E-03
Median 6.00E-03
3rd Quartile 1.15E-02
Maximum 2.90E-02

95% Confidence Interval for Mu

4.73E-03 1.03E-02

95% Confidence Interval for Sigma

5.82E-03 9.92E-03

95% Confidence Interval for Median

3.83E-03 9.00E-03

One-Sample T-Test Report

Variable SU_0605_SOF

Descriptive Statistics Section

| Variable | Count | Mean | Standard Deviation | Standard Error | 95% LCL of Mean | 95% UCL of Mean |
|-------------|-------|--------------|--------------------|----------------|-----------------|-----------------|
| SU_0605_SOF | 29 | 7.517241E-03 | 7.336896E-03 | 1.362427E-03 | 4.726435E-03 | 1.030805E-02 |

T for Confidence Limits = 2.0484

Tests of Assumptions Section

| Assumption | Value | Probability | Decision(5%) |
|-------------------------|--------|-------------|-------------------------|
| Skewness Normality | 2.3068 | 0.021067 | Reject normality |
| Kurtosis Normality | 1.7832 | 0.074556 | Cannot reject normality |
| Omnibus Normality | 8.5010 | 0.014257 | Reject normality |
| Correlation Coefficient | | | |

T-Test For Difference Between Mean and Value Section

| Alternative Hypothesis | T-Value | Prob Level | Decision (5%) | Power (Alpha=.05) | Power (Alpha=.01) |
|------------------------|-----------|------------|---------------|-------------------|-------------------|
| SU_0605_SOF<>1 | -728.4665 | 0.000000 | Reject Ho | 1.000000 | 1.000000 |
| SU_0605_SOF<1 | -728.4665 | 0.000000 | Reject Ho | 1.000000 | 1.000000 |
| SU_0605_SOF>1 | -728.4665 | 1.000000 | Accept Ho | 0.000000 | 0.000000 |

Nonparametric Tests Section

Quantile (Sign) Test

| Hypothesized Value | Quantile | Number Lower | Number Higher | Prob Lower | Prob Higher | Prob Both |
|--------------------|----------|--------------|---------------|------------|-------------|-----------|
| 1 | 0.5 | 29 | 0 | 1.000000 | 0.000000 | 0.000000 |

Wilcoxon Signed-Rank Test for Difference in Medians


| W Sum Ranks | Mean of W | Std Dev of W | Number of Zeros | Number Sets of Ties | Multiplicity Factor |
|-------------|-----------|--------------|-----------------|---------------------|---------------------|
| 0 | 217.5 | 46.22094 | 0 | 7 | 114 |

| Alternative Hypothesis | Exact Probability | | Approximation Without Continuity Correction | | Approximation With Continuity Correction | | | |
|------------------------|-------------------|---------------|---|------------|--|---------|------------|---------------|
| | Prob Level | Decision (5%) | Z-Value | Prob Level | Decision (5%) | Z-Value | Prob Level | Decision (5%) |
| Median<>1 | | | 4.7057 | 0.000003 | Reject Ho | 4.6948 | 0.000003 | Reject Ho |
| Median<1 | | | -4.7057 | 0.000001 | Reject Ho | -4.6948 | 0.000001 | Reject Ho |
| Median>1 | | | -4.7057 | 0.999999 | Accept Ho | -4.7165 | 0.999999 | Accept Ho |

Retrospective Power of the Sign Test

Surface Soil Volumetric Measurements SOF Values

Survey Unit CE-FSS-06-05




Survey Cover Sheet

(Revision 10/7/11)


Page 1 of 1

Surveyor L Fitzsimmons
Print


Sign

02/24/11
Survey Date Count date

Reviewer C Seckinger
Print


Sign

2/24/11
Review Date


SURVEY METERS

| | Inst. No. 1 | Inst. No. 2 | Inst. No. 3 | Inst. No. 4 |
|---------------------|---------------|-------------|-------------|-------------|
| Instrument ID | Gamma 10 | | | |
| Meter Serial # | 172705 | | | |
| Probe Serial # | 277925 | | | |
| Cal Due | 11/30/11 | | | |
| Efficiency | n/a | | | |
| Type (α, β, γ) | γ | | | |
| Sample Duration | n/a | | | |
| Background Duration | n/a | | | |
| BKG | 2.8 Kcpm | | | |
| LLD | n/a | | | |
| Guideline | n/a | | | |
| Action level | 1504 ncpm | | | |

| | |
|---|-------------|
| LOCATION: Gamma scan | RWP: 11-001 |
| PURPOSE: CE-FSS-06-05 | |
| <p>Performed a 100 % gamma scan walkover of survey unit # CE-FSS-06-05 using gamma meter 10 on the date of 2-24-11</p> <p>- Review scan data file for results</p> | |


| Smear # | dpm/100cm ² | |
|---------|------------------------|-----|
| | α | βγ |
| --- | see attached | --- |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Note: This survey unit was 100% scan surveyed; however, due to GPS coverage gaps, there are portions of this survey unit that do not appear to have been included.



Legend

| | | |
|--------------------------|--|-----------------|
| CE-FSS-06-05 | ≥ 3300 (max. = 4200) | Former Building |
| ≥ 2820 and < 3300 | Building | Road |
| ≥ 2400 and < 2820 | Open | Water |
| < 2400 | All values in the legend above are in units of gross cpm | |



Scan Results
 Survey Unit
 CE-FSS-06-05
 Final Status Survey
 CE Windsor Site
 Windsor, Connecticut

Prepared/Date: BRP 12/19/11 Checked/Date: HTD 12/19/11



Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009136.063 | 881983.534 | 2160 |
| 1009136.063 | 881983.534 | 3240 |
| 1009136.063 | 881983.534 | 2580 |
| 1009136.061 | 881983.521 | 1800 |
| 1009136.048 | 881983.526 | 2400 |
| 1009136.037 | 881983.5 | 2220 |
| 1009136.028 | 881983.499 | 2820 |
| 1009136.014 | 881983.537 | 2460 |
| 1009136.007 | 881983.559 | 2340 |
| 1009136.012 | 881983.558 | 2160 |
| 1009136.024 | 881983.559 | 2940 |
| 1009136.024 | 881983.623 | 2640 |
| 1009136.013 | 881983.687 | 2160 |
| 1009136.03 | 881983.75 | 2340 |
| 1009136.019 | 881983.779 | 2100 |
| 1009136.023 | 881983.784 | 1620 |
| 1009136.022 | 881983.779 | 1500 |
| 1009136.032 | 881983.736 | 2220 |
| 1009136.037 | 881983.693 | 2220 |
| 1009136.045 | 881983.677 | 2280 |
| 1009136.039 | 881983.728 | 2340 |
| 1009135.999 | 881983.757 | 2340 |
| 1009135.948 | 881983.748 | 2040 |
| 1009135.808 | 881983.692 | 2100 |
| 1009135.7 | 881983.552 | 2580 |
| 1009136.072 | 881983.71 | 1980 |
| 1009136.713 | 881984.305 | 2220 |
| 1009136.746 | 881984.315 | 1860 |
| 1009136.8 | 881984.301 | 2400 |
| 1009136.845 | 881984.293 | 2580 |
| 1009136.848 | 881984.286 | 2100 |
| 1009136.889 | 881984.287 | 2160 |
| 1009136.893 | 881984.291 | 2340 |
| 1009136.877 | 881984.319 | 2400 |
| 1009136.834 | 881984.37 | 3240 |
| 1009136.834 | 881984.467 | 3060 |
| 1009136.848 | 881984.489 | 2580 |
| 1009136.842 | 881984.497 | 1980 |
| 1009136.828 | 881984.345 | 2400 |
| 1009136.715 | 881983.921 | 2460 |
| 1009137.068 | 881983.881 | 2280 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009084.071 | 881904.118 | 2580 |
| 1009083.269 | 881904.255 | 1860 |
| 1009083.299 | 881904.036 | 1860 |
| 1009083.269 | 881903.624 | 2040 |
| 1009083.014 | 881903.154 | 2220 |
| 1009082.781 | 881902.723 | 2340 |
| 1009082.306 | 881901.852 | 2160 |
| 1009081.959 | 881901.638 | 2100 |
| 1009080.768 | 881901.596 | 1800 |
| 1009079.642 | 881901.305 | 1560 |
| 1009077.974 | 881900.124 | 2340 |
| 1009075.51 | 881898.825 | 2100 |
| 1009074.029 | 881898.142 | 3060 |
| 1009072.076 | 881897.447 | 2760 |
| 1009070.285 | 881896.745 | 2280 |
| 1009068.133 | 881896.085 | 2340 |
| 1009066.229 | 881895.379 | 2100 |
| 1009064.154 | 881894.644 | 2280 |
| 1009062.184 | 881894.045 | 2580 |
| 1009059.91 | 881892.821 | 2220 |
| 1009057.867 | 881891.942 | 2280 |
| 1009055.93 | 881890.998 | 2460 |
| 1009054.046 | 881890.299 | 2460 |
| 1009052.233 | 881889.195 | 2580 |
| 1009050.468 | 881888.285 | 1800 |
| 1009048.599 | 881887.552 | 2280 |
| 1009046.017 | 881886.29 | 1920 |
| 1009044.559 | 881885.984 | 2280 |
| 1009042.802 | 881885.409 | 2400 |
| 1009040.54 | 881884.895 | 2100 |
| 1009038.438 | 881884.026 | 2100 |
| 1009036.741 | 881883.247 | 2580 |
| 1009035.078 | 881882.335 | 2160 |
| 1009033.399 | 881881.802 | 2220 |
| 1009031.788 | 881881.418 | 2400 |
| 1009030.13 | 881881.167 | 2580 |
| 1009028.13 | 881881.08 | 1980 |
| 1009027.523 | 881880.573 | 2160 |
| 1009027.392 | 881880.085 | 2040 |
| 1009027.39 | 881880.219 | 2040 |
| 1009027.406 | 881880.701 | 1920 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009137.946 | 881984.027 | 2520 |
| 1009138.006 | 881983.532 | 2880 |
| 1009138.013 | 881983.332 | 2760 |
| 1009138.056 | 881983.233 | 2700 |
| 1009138.07 | 881983.527 | 3000 |
| 1009138.049 | 881983.8 | 2700 |
| 1009138.36 | 881983.826 | 3000 |
| 1009138.477 | 881983.667 | 2520 |
| 1009138.56 | 881983.383 | 2700 |
| 1009139.06 | 881983.343 | 2460 |
| 1009139.348 | 881983.276 | 2700 |
| 1009139.561 | 881983.278 | 2640 |
| 1009139.43 | 881983.435 | 3300 |
| 1009138.874 | 881983.451 | 2700 |
| 1009139.005 | 881982.71 | 2400 |
| 1009139.684 | 881981.701 | 2580 |
| 1009139.352 | 881980.791 | 2640 |
| 1009139.139 | 881979.641 | 2460 |
| 1009138.865 | 881979.592 | 2460 |
| 1009138.502 | 881979.746 | 2760 |
| 1009138.797 | 881979.612 | 2940 |
| 1009138.864 | 881979.541 | 2880 |
| 1009138.768 | 881978.921 | 2580 |
| 1009138.629 | 881978.846 | 2640 |
| 1009138.494 | 881979.135 | 2700 |
| 1009138.377 | 881979.485 | 3120 |
| 1009138.356 | 881979.494 | 2160 |
| 1009138.059 | 881979.535 | 2220 |
| 1009137.566 | 881979.693 | 2640 |
| 1009136.998 | 881980.202 | 2880 |
| 1009136.36 | 881980.582 | 3480 |
| 1009135.557 | 881980.414 | 2580 |
| 1009134.747 | 881980.3 | 2580 |
| 1009133.991 | 881979.868 | 2880 |
| 1009133.148 | 881979.695 | 2640 |
| 1009132.243 | 881979.244 | 3060 |
| 1009131.39 | 881979.12 | 2880 |
| 1009130.757 | 881978.508 | 2820 |
| 1009129.6 | 881978.609 | 3300 |
| 1009128.899 | 881978.163 | 2940 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009027.215 | 881880.889 | 1800 |
| 1009027.586 | 881880.707 | 1920 |
| 1009028.294 | 881881.136 | 2100 |
| 1009028.587 | 881881.364 | 2280 |
| 1009028.816 | 881881.123 | 2340 |
| 1009028.779 | 881881.09 | 2520 |
| 1009028.664 | 881881.21 | 2760 |
| 1009028.821 | 881881.206 | 2340 |
| 1009029.024 | 881881.167 | 2280 |
| 1009029.05 | 881881.171 | 2220 |
| 1009028.932 | 881881.218 | 2160 |
| 1009028.993 | 881881.023 | 2520 |
| 1009029.366 | 881880.995 | 2400 |
| 1009028.614 | 881881.902 | 2340 |
| 1009027.744 | 881881.792 | 2880 |
| 1009027.664 | 881880.434 | 2700 |
| 1009027.586 | 881879.103 | 2700 |
| 1009027.488 | 881878.416 | 2760 |
| 1009027.351 | 881878.04 | 3060 |
| 1009027.39 | 881877.995 | 2700 |
| 1009027.242 | 881878.257 | 2460 |
| 1009027.09 | 881878.589 | 2280 |
| 1009027.143 | 881878.769 | 1740 |
| 1009028.82 | 881845.872 | 2220 |
| 1009028.334 | 881847.161 | 2220 |
| 1009027.585 | 881848.29 | 2760 |
| 1009026.715 | 881849.562 | 2880 |
| 1009026.335 | 881849.92 | 2400 |
| 1009026.352 | 881850.733 | 2100 |
| 1009025.764 | 881852.151 | 3060 |
| 1009025 | 881853.823 | 2160 |
| 1009024.121 | 881855.313 | 2760 |
| 1009023.16 | 881856.813 | 2820 |
| 1009022.612 | 881858.646 | 2520 |
| 1009022 | 881860.284 | 2040 |
| 1009021.508 | 881862.117 | 2640 |
| 1009021.007 | 881864.047 | 2580 |
| 1009020.652 | 881866.001 | 2820 |
| 1009020.081 | 881867.545 | 2820 |
| 1009019.103 | 881869.358 | 2940 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009128.111 | 881977.443 | 3180 |
| 1009127.374 | 881976.896 | 2820 |
| 1009125.888 | 881976.815 | 2640 |
| 1009125.04 | 881976.765 | 2220 |
| 1009124.238 | 881976.314 | 2760 |
| 1009123.363 | 881975.787 | 3240 |
| 1009122.694 | 881975.692 | 3480 |
| 1009122.148 | 881975.445 | 3300 |
| 1009121.227 | 881975.381 | 3420 |
| 1009120.413 | 881974.982 | 2820 |
| 1009119.461 | 881974.797 | 3240 |
| 1009118.738 | 881974.428 | 3120 |
| 1009117.693 | 881974.014 | 2880 |
| 1009116.846 | 881973.646 | 3000 |
| 1009115.86 | 881972.958 | 3000 |
| 1009114.818 | 881972.705 | 2880 |
| 1009114.239 | 881972.509 | 2940 |
| 1009113.159 | 881972.143 | 2580 |
| 1009112.813 | 881971.623 | 3300 |
| 1009111.62 | 881971.585 | 3360 |
| 1009110.643 | 881971.072 | 2940 |
| 1009109.311 | 881970.852 | 3120 |
| 1009108.581 | 881970.177 | 3720 |
| 1009107.462 | 881969.475 | 3000 |
| 1009106.339 | 881969.066 | 2760 |
| 1009105.957 | 881968.857 | 2820 |
| 1009106.344 | 881968.897 | 2640 |
| 1009106.33 | 881968.923 | 2040 |
| 1009106.247 | 881968.973 | 2100 |
| 1009106.276 | 881968.947 | 2640 |
| 1009106.439 | 881968.86 | 3000 |
| 1009106.557 | 881968.722 | 3300 |
| 1009106.565 | 881968.743 | 3240 |
| 1009106.581 | 881968.77 | 3480 |
| 1009106.599 | 881968.802 | 3420 |
| 1009106.445 | 881968.805 | 3120 |
| 1009105.717 | 881968.774 | 2520 |
| 1009104.92 | 881968.725 | 2820 |
| 1009105.678 | 881968.856 | 2940 |
| 1009106.644 | 881968.947 | 2820 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009018.804 | 881871.049 | 3300 |
| 1009018.324 | 881872.394 | 2580 |
| 1009017.636 | 881873.608 | 2880 |
| 1009017.051 | 881874.466 | 2700 |
| 1009016.796 | 881874.915 | 2940 |
| 1009016.814 | 881875.168 | 2280 |
| 1009016.694 | 881874.962 | 2880 |
| 1009016.716 | 881874.835 | 3600 |
| 1009016.854 | 881874.987 | 3660 |
| 1009016.764 | 881875.073 | 3000 |
| 1009016.58 | 881875.144 | 3120 |
| 1009016.446 | 881875.23 | 3060 |
| 1009016.432 | 881875.283 | 3120 |
| 1009016.409 | 881875.202 | 3360 |
| 1009016.112 | 881875.446 | 2760 |
| 1009015.715 | 881875.945 | 3300 |
| 1009015.589 | 881876.137 | 3660 |
| 1009015.617 | 881876.349 | 3060 |
| 1009015.645 | 881876.491 | 2880 |
| 1009015.749 | 881876.608 | 3000 |
| 1009015.83 | 881876.71 | 3360 |
| 1009016.225 | 881875.922 | 3120 |
| 1009015.84 | 881875.89 | 2640 |
| 1009015.449 | 881876.678 | 3600 |
| 1009015.524 | 881877.008 | 3120 |
| 1009015.218 | 881877.636 | 3300 |
| 1009014.739 | 881878.661 | 2880 |
| 1009013.918 | 881879.235 | 3000 |
| 1009013.527 | 881880.253 | 2280 |
| 1009013.205 | 881882.051 | 2520 |
| 1009013.144 | 881883.066 | 2940 |
| 1009014.107 | 881883.816 | 3000 |
| 1009015.121 | 881884.174 | 2400 |
| 1009016.01 | 881884.304 | 2580 |
| 1009016.288 | 881884.165 | 2940 |
| 1009016.257 | 881884.113 | 3360 |
| 1009016.302 | 881884.409 | 3300 |
| 1009016.355 | 881884.41 | 3120 |
| 1009016.32 | 881884.386 | 2760 |
| 1009016.342 | 881884.466 | 2460 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009106.774 | 881968.934 | 2400 |
| 1009106.586 | 881968.965 | 2460 |
| 1009105.728 | 881969.014 | 3120 |
| 1009104.789 | 881968.87 | 2640 |
| 1009104.269 | 881968.55 | 2040 |
| 1009103.826 | 881968.335 | 3000 |
| 1009103.09 | 881967.959 | 2940 |
| 1009102.173 | 881967.687 | 3120 |
| 1009101.331 | 881967.068 | 3120 |
| 1009100.492 | 881966.874 | 3060 |
| 1009099.851 | 881966.437 | 2880 |
| 1009098.956 | 881966.43 | 2820 |
| 1009098.075 | 881966.139 | 2700 |
| 1009096.939 | 881965.786 | 2460 |
| 1009096.403 | 881965.279 | 3000 |
| 1009095.482 | 881964.822 | 2820 |
| 1009094.549 | 881964.425 | 2520 |
| 1009093.519 | 881963.828 | 2940 |
| 1009092.447 | 881963.562 | 2400 |
| 1009092.025 | 881962.935 | 3120 |
| 1009091.174 | 881962.695 | 3420 |
| 1009090.12 | 881962.288 | 2820 |
| 1009089.247 | 881962.005 | 3120 |
| 1009088.536 | 881961.707 | 3120 |
| 1009087.67 | 881961.528 | 2820 |
| 1009086.758 | 881961.363 | 2820 |
| 1009085.595 | 881960.742 | 2940 |
| 1009084.837 | 881960.256 | 2400 |
| 1009084.268 | 881959.453 | 2640 |
| 1009083.345 | 881959.31 | 2640 |
| 1009082.855 | 881958.856 | 2880 |
| 1009082.011 | 881958.729 | 2820 |
| 1009081.153 | 881958.162 | 3060 |
| 1009080.319 | 881957.56 | 3600 |
| 1009079.506 | 881957.224 | 3240 |
| 1009078.861 | 881956.613 | 2580 |
| 1009077.844 | 881956.233 | 2340 |
| 1009077.266 | 881955.64 | 2400 |
| 1009076.278 | 881955.426 | 3420 |
| 1009075.565 | 881954.884 | 3000 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009016.582 | 881884.485 | 2880 |
| 1009016.978 | 881884.871 | 3000 |
| 1009017.007 | 881884.869 | 2520 |
| 1009016.413 | 881884.668 | 2640 |
| 1009016.63 | 881885.497 | 3000 |
| 1009016.986 | 881886.865 | 2400 |
| 1009017.598 | 881888.115 | 2700 |
| 1009017.595 | 881888.581 | 2880 |
| 1009016.904 | 881889.566 | 2760 |
| 1009016.291 | 881889.584 | 2700 |
| 1009014.333 | 881888.81 | 3300 |
| 1009012.6 | 881888.014 | 3540 |
| 1009011.391 | 881886.71 | 3120 |
| 1009010.285 | 881885.551 | 2880 |
| 1009010.383 | 881884.188 | 3180 |
| 1009010.975 | 881882.406 | 3120 |
| 1009011.309 | 881880.725 | 3120 |
| 1009012.191 | 881879.393 | 2940 |
| 1009013.004 | 881878.024 | 2460 |
| 1009013.033 | 881876.735 | 2640 |
| 1009013.289 | 881875.714 | 2880 |
| 1009013.588 | 881874.276 | 2760 |
| 1009014.304 | 881873.057 | 2700 |
| 1009015.103 | 881871.972 | 2640 |
| 1009027.226 | 881878.589 | 2520 |
| 1009027.189 | 881878.475 | 3300 |
| 1009027.136 | 881878.427 | 3120 |
| 1009027.131 | 881878.381 | 2400 |
| 1009027.11 | 881878.358 | 2400 |
| 1009027.076 | 881878.313 | 2760 |
| 1009027.036 | 881878.241 | 2400 |
| 1009027.103 | 881878.212 | 1920 |
| 1009027.22 | 881878.248 | 2100 |
| 1009027.208 | 881878.229 | 2160 |
| 1009027.144 | 881878.169 | 2640 |
| 1009027.104 | 881878.153 | 2940 |
| 1009026.99 | 881878.188 | 2100 |
| 1009026.948 | 881878.264 | 1920 |
| 1009026.909 | 881878.411 | 2220 |
| 1009026.753 | 881878.398 | 2400 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009074.587 | 881954.282 | 3060 |
| 1009073.318 | 881953.784 | 3240 |
| 1009072.353 | 881953.012 | 3000 |
| 1009071.278 | 881952.833 | 2880 |
| 1009070.498 | 881952.271 | 2760 |
| 1009069.233 | 881951.712 | 3300 |
| 1009068.538 | 881950.996 | 3780 |
| 1009067.31 | 881950.663 | 3480 |
| 1009066.494 | 881949.959 | 3720 |
| 1009065.284 | 881949.232 | 3240 |
| 1009064.274 | 881949.158 | 2940 |
| 1009063.204 | 881948.465 | 3420 |
| 1009062.605 | 881948.515 | 2880 |
| 1009062.034 | 881948.396 | 3180 |
| 1009061.935 | 881947.952 | 2520 |
| 1009061.799 | 881947.828 | 2580 |
| 1009061.894 | 881947.475 | 2460 |
| 1009062.304 | 881947.174 | 3000 |
| 1009062.645 | 881947.189 | 2580 |
| 1009063.017 | 881947.206 | 2880 |
| 1009063.414 | 881947.224 | 2940 |
| 1009064.264 | 881946.756 | 3000 |
| 1009064.907 | 881947.266 | 2700 |
| 1009065.599 | 881947.721 | 3180 |
| 1009066.417 | 881947.744 | 2820 |
| 1009067.181 | 881948.27 | 2820 |
| 1009068.323 | 881948.672 | 3180 |
| 1009069.254 | 881949.352 | 3000 |
| 1009070.049 | 881949.659 | 2640 |
| 1009070.76 | 881950.023 | 2340 |
| 1009071.693 | 881950.438 | 2880 |
| 1009072.43 | 881950.866 | 3060 |
| 1009073.564 | 881951.536 | 3540 |
| 1009074.61 | 881951.798 | 2880 |
| 1009075.615 | 881952.543 | 2640 |
| 1009076.814 | 881952.634 | 3240 |
| 1009077.939 | 881953.473 | 3420 |
| 1009079.08 | 881953.666 | 2820 |
| 1009079.961 | 881954.327 | 3180 |
| 1009081.048 | 881955.083 | 3120 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009026.668 | 881878.211 | 2220 |
| 1009026.654 | 881878.076 | 1860 |
| 1009026.755 | 881878.159 | 1860 |
| 1009026.929 | 881878.258 | 2280 |
| 1009026.876 | 881878.213 | 1980 |
| 1009026.706 | 881878.232 | 1860 |
| 1009026.872 | 881878.398 | 1980 |
| 1009026.932 | 881878.496 | 2340 |
| 1009026.855 | 881878.307 | 2220 |
| 1009026.818 | 881878.233 | 2760 |
| 1009026.538 | 881878.748 | 1980 |
| 1009026.897 | 881878.915 | 2160 |
| 1009027.424 | 881878.61 | 2040 |
| 1009027.835 | 881877.931 | 2100 |
| 1009028.368 | 881876.759 | 1920 |
| 1009029.179 | 881875.798 | 2220 |
| 1009029.407 | 881874.879 | 2220 |
| 1009029.769 | 881874.141 | 2040 |
| 1009030.098 | 881873.225 | 1500 |
| 1009030.08 | 881872.506 | 1800 |
| 1009030.079 | 881872.451 | 2280 |
| 1009029.979 | 881872.416 | 1680 |
| 1009029.846 | 881872.508 | 1560 |
| 1009030.372 | 881872.001 | 2100 |
| 1009030.487 | 881870.767 | 1980 |
| 1009030.69 | 881869.3 | 2340 |
| 1009030.792 | 881867.686 | 2460 |
| 1009031.284 | 881866.044 | 2160 |
| 1009031.605 | 881864.812 | 2460 |
| 1009031.753 | 881863.624 | 1980 |
| 1009032.216 | 881862.333 | 2520 |
| 1009032.398 | 881861.19 | 1980 |
| 1009032.671 | 881859.842 | 2340 |
| 1009033.141 | 881858.327 | 2520 |
| 1009033.074 | 881857.334 | 2400 |
| 1009032.736 | 881856.405 | 3180 |
| 1009032.852 | 881855.102 | 2760 |
| 1009033.01 | 881853.61 | 2460 |
| 1009032.799 | 881852.379 | 2100 |
| 1009032.524 | 881851.176 | 2220 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009082.041 | 881955.468 | 3000 |
| 1009082.892 | 881956.261 | 2520 |
| 1009083.999 | 881956.574 | 2460 |
| 1009084.433 | 881956.973 | 2100 |
| 1009085.022 | 881957.27 | 2760 |
| 1009085.947 | 881957.626 | 2820 |
| 1009086.943 | 881958.119 | 2400 |
| 1009088.493 | 881958.24 | 2700 |
| 1009089.826 | 881958.797 | 2460 |
| 1009091.076 | 881958.726 | 2820 |
| 1009092.424 | 881959.53 | 2040 |
| 1009093.645 | 881959.958 | 2880 |
| 1009094.686 | 881960.538 | 2940 |
| 1009095.614 | 881960.83 | 2880 |
| 1009096.058 | 881960.872 | 2520 |
| 1009095.956 | 881960.994 | 2700 |
| 1009095.876 | 881960.982 | 2760 |
| 1009095.843 | 881960.952 | 3180 |
| 1009095.94 | 881960.969 | 3060 |
| 1009095.965 | 881960.958 | 3540 |
| 1009096.288 | 881961.148 | 3360 |
| 1009097.177 | 881961.774 | 3060 |
| 1009097.966 | 881961.975 | 2760 |
| 1009098.701 | 881962.281 | 2940 |
| 1009099.076 | 881962.245 | 3180 |
| 1009099.468 | 881962.596 | 3180 |
| 1009100.144 | 881962.668 | 3060 |
| 1009100.768 | 881963.13 | 3360 |
| 1009101.65 | 881963.301 | 2880 |
| 1009102.302 | 881963.675 | 3360 |
| 1009103.331 | 881964.209 | 2820 |
| 1009104.096 | 881964.436 | 3060 |
| 1009105.75 | 881965.074 | 3120 |
| 1009106.994 | 881965.71 | 3360 |
| 1009107.92 | 881966.175 | 3000 |
| 1009108.657 | 881966.846 | 3180 |
| 1009109.802 | 881967.501 | 2520 |
| 1009110.857 | 881967.985 | 2580 |
| 1009112.117 | 881968.775 | 3120 |
| 1009113.819 | 881969.104 | 3180 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009032.699 | 881850.049 | 2400 |
| 1009032.844 | 881848.83 | 2940 |
| 1009033.528 | 881847.526 | 2460 |
| 1009033.461 | 881846.714 | 3000 |
| 1009033.825 | 881845.442 | 2580 |
| 1009034.257 | 881843.925 | 2580 |
| 1009034.292 | 881842.962 | 2640 |
| 1009034.503 | 881842.925 | 2880 |
| 1009034.86 | 881843.16 | 3000 |
| 1009035.102 | 881842.839 | 2460 |
| 1009035.131 | 881842.674 | 2460 |
| 1009035.16 | 881842.585 | 3060 |
| 1009035.166 | 881842.412 | 2580 |
| 1009035.111 | 881842.471 | 2820 |
| 1009035.087 | 881842.677 | 2580 |
| 1009035.131 | 881842.823 | 2880 |
| 1009035.16 | 881842.793 | 2040 |
| 1009035.125 | 881842.725 | 2040 |
| 1009035.153 | 881842.796 | 3180 |
| 1009035.248 | 881842.907 | 3360 |
| 1009035.309 | 881843.057 | 2940 |
| 1009035.334 | 881843.236 | 2340 |
| 1009035.343 | 881843.373 | 2340 |
| 1009035.335 | 881843.432 | 2760 |
| 1009035.358 | 881843.452 | 2700 |
| 1009035.409 | 881843.467 | 2760 |
| 1009035.425 | 881843.483 | 2880 |
| 1009035.388 | 881843.508 | 2640 |
| 1009035.37 | 881843.527 | 2160 |
| 1009035.381 | 881843.536 | 2940 |
| 1009035.332 | 881843.516 | 2340 |
| 1009035.297 | 881843.491 | 2460 |
| 1009035.314 | 881843.476 | 2400 |
| 1009035.3 | 881843.475 | 2520 |
| 1009035.281 | 881843.45 | 2820 |
| 1009035.045 | 881843.55 | 2760 |
| 1009034.788 | 881843.579 | 2580 |
| 1009034.746 | 881843.413 | 2340 |
| 1009034.704 | 881843.249 | 2760 |
| 1009034.663 | 881843.085 | 2460 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009115.228 | 881969.922 | 3360 |
| 1009116.196 | 881970.191 | 2580 |
| 1009116.623 | 881970.586 | 3420 |
| 1009116.794 | 881970.434 | 3120 |
| 1009117.443 | 881971.002 | 2820 |
| 1009118.824 | 881971.732 | 2940 |
| 1009120.277 | 881972.082 | 3180 |
| 1009121.74 | 881972.837 | 2820 |
| 1009123.02 | 881972.812 | 3300 |
| 1009124.074 | 881972.785 | 2940 |
| 1009125.553 | 881973.4 | 3120 |
| 1009127.004 | 881973.508 | 3360 |
| 1009128.089 | 881974.306 | 3060 |
| 1009129.358 | 881974.571 | 2640 |
| 1009130.501 | 881975.174 | 2760 |
| 1009131.512 | 881975.448 | 2700 |
| 1009132.165 | 881975.873 | 3000 |
| 1009132.988 | 881976.549 | 2460 |
| 1009134.051 | 881976.9 | 2100 |
| 1009134.932 | 881977.286 | 2220 |
| 1009136.17 | 881977.313 | 2880 |
| 1009136.678 | 881977.816 | 2760 |
| 1009137.563 | 881977.744 | 2760 |
| 1009137.982 | 881978.46 | 2760 |
| 1009138.058 | 881978.364 | 2400 |
| 1009139.043 | 881978.602 | 2580 |
| 1009138.895 | 881978.725 | 2100 |
| 1009139.095 | 881978.507 | 2160 |
| 1009139.227 | 881978.597 | 2460 |
| 1009139.417 | 881978.666 | 2460 |
| 1009139.42 | 881978.573 | 2640 |
| 1009139.539 | 881978.442 | 2580 |
| 1009139.509 | 881978.472 | 2700 |
| 1009139.476 | 881978.503 | 2280 |
| 1009139.444 | 881978.535 | 2460 |
| 1009139.411 | 881978.567 | 2580 |
| 1009139.38 | 881978.598 | 3060 |
| 1009139.343 | 881978.634 | 2280 |
| 1009139.314 | 881978.663 | 2880 |
| 1009139.281 | 881978.695 | 2460 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009034.621 | 881842.922 | 2100 |
| 1009035.005 | 881842.998 | 2760 |
| 1009035.371 | 881842.847 | 2400 |
| 1009035.134 | 881842.911 | 2640 |
| 1009034.305 | 881844.141 | 2580 |
| 1009033.163 | 881845.521 | 2640 |
| 1009032.697 | 881845.825 | 2700 |
| 1009032.348 | 881845.236 | 2700 |
| 1009032.311 | 881845.247 | 2640 |
| 1009033.059 | 881845.801 | 2340 |
| 1009033.055 | 881846.538 | 2460 |
| 1009033.018 | 881847.43 | 3060 |
| 1009032.927 | 881847.393 | 2700 |
| 1009032.911 | 881847.27 | 3000 |
| 1009032.859 | 881847.388 | 2460 |
| 1009032.692 | 881847.85 | 2880 |
| 1009032.358 | 881849.098 | 2940 |
| 1009032.125 | 881850.773 | 3060 |
| 1009031.831 | 881851.75 | 3060 |
| 1009031.665 | 881852.45 | 3000 |
| 1009031.748 | 881853.418 | 2700 |
| 1009031.11 | 881854.097 | 2700 |
| 1009029.988 | 881854.533 | 2700 |
| 1009029.157 | 881854.458 | 2760 |
| 1009028.784 | 881854.97 | 2760 |
| 1009028.944 | 881855.547 | 2340 |
| 1009029.149 | 881855.478 | 2880 |
| 1009029.213 | 881855.931 | 2280 |
| 1009028.681 | 881857.243 | 2160 |
| 1009028.921 | 881857.802 | 2820 |
| 1009029.408 | 881857.625 | 2400 |
| 1009029.566 | 881857.683 | 3480 |
| 1009029.605 | 881857.886 | 3360 |
| 1009029.608 | 881857.675 | 2760 |
| 1009029.614 | 881857.53 | 2580 |
| 1009029.595 | 881857.589 | 2280 |
| 1009029.563 | 881857.72 | 2460 |
| 1009029.477 | 881857.842 | 2460 |
| 1009029.451 | 881857.899 | 2880 |
| 1009029.462 | 881857.808 | 2460 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009139.249 | 881978.726 | 3060 |
| 1009139.215 | 881978.759 | 2460 |
| 1009139.186 | 881978.788 | 2460 |
| 1009139.153 | 881978.821 | 2460 |
| 1009139.384 | 881980.236 | 1980 |
| 1009139.593 | 881980.269 | 2460 |
| 1009139.591 | 881979.109 | 3060 |
| 1009139.629 | 881979.016 | 2880 |
| 1009139.57 | 881978.961 | 2700 |
| 1009139.384 | 881978.857 | 2520 |
| 1009139.017 | 881978.715 | 2700 |
| 1009138.902 | 881978.666 | 2760 |
| 1009139.358 | 881978.613 | 3060 |
| 1009139.048 | 881978.399 | 2700 |
| 1009139.763 | 881978.516 | 3060 |
| 1009139.686 | 881978.165 | 3420 |
| 1009139.429 | 881978.485 | 2760 |
| 1009139.386 | 881978.492 | 3000 |
| 1009139.3 | 881978.765 | 2220 |
| 1009139.461 | 881978.806 | 2220 |
| 1009139.432 | 881978.942 | 2760 |
| 1009139.477 | 881979.008 | 2700 |
| 1009139.514 | 881978.991 | 2460 |
| 1009139.508 | 881978.92 | 2760 |
| 1009139.462 | 881978.881 | 2940 |
| 1009139.425 | 881978.895 | 3000 |
| 1009139.427 | 881978.937 | 2700 |
| 1009139.441 | 881978.968 | 2160 |
| 1009139.424 | 881978.934 | 2400 |
| 1009139.441 | 881978.945 | 2340 |
| 1009139.42 | 881978.938 | 2460 |
| 1009139.401 | 881978.923 | 2520 |
| 1009139.419 | 881978.916 | 3000 |
| 1009139.399 | 881978.929 | 3000 |
| 1009139.386 | 881978.953 | 3000 |
| 1009139.399 | 881978.988 | 2580 |
| 1009139.412 | 881979.022 | 2880 |
| 1009139.401 | 881979.006 | 3000 |
| 1009139.356 | 881978.923 | 2640 |
| 1009139.347 | 881978.912 | 2700 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009029.389 | 881857.708 | 2700 |
| 1009029.471 | 881857.96 | 2940 |
| 1009029.999 | 881858.763 | 2640 |
| 1009029.679 | 881859.47 | 3000 |
| 1009029.364 | 881860.22 | 2640 |
| 1009029.317 | 881861.16 | 2580 |
| 1009029.082 | 881862.357 | 2100 |
| 1009028.951 | 881863.163 | 2280 |
| 1009028.262 | 881863.465 | 2340 |
| 1009028.059 | 881864.646 | 2700 |
| 1009027.987 | 881865.949 | 2760 |
| 1009027.992 | 881867.251 | 2640 |
| 1009027.739 | 881868.038 | 2820 |
| 1009027.454 | 881868.956 | 2820 |
| 1009027.354 | 881869.947 | 2460 |
| 1009027.063 | 881870.861 | 2280 |
| 1009027.169 | 881872.177 | 2760 |
| 1009027.033 | 881873.595 | 2640 |
| 1009027.027 | 881875.269 | 2100 |
| 1009026.567 | 881876.607 | 2040 |
| 1009026.021 | 881878.237 | 2340 |
| 1009025.373 | 881879.07 | 2700 |
| 1009023.943 | 881879.413 | 2340 |
| 1009023.396 | 881879.143 | 2460 |
| 1009022.882 | 881878.268 | 2400 |
| 1009022.503 | 881877.849 | 2760 |
| 1009021.612 | 881877.637 | 2940 |
| 1009020.958 | 881876.568 | 2700 |
| 1009021.262 | 881875.291 | 2460 |
| 1009021.988 | 881874.238 | 2760 |
| 1009022.536 | 881873.284 | 2400 |
| 1009023.243 | 881872.455 | 2460 |
| 1009024.032 | 881871.331 | 2700 |
| 1009024.681 | 881870.39 | 2880 |
| 1009024.831 | 881870.214 | 2460 |
| 1009024.726 | 881870.197 | 2520 |
| 1009024.788 | 881870.167 | 2340 |
| 1009025.089 | 881869.585 | 2880 |
| 1009025.315 | 881868.55 | 3060 |
| 1009025.361 | 881867.848 | 2700 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009139.32 | 881978.88 | 2460 |
| 1009139.287 | 881978.873 | 2520 |
| 1009139.33 | 881978.89 | 2460 |
| 1009139.36 | 881979.009 | 2100 |
| 1009139.393 | 881979.099 | 2220 |
| 1009139.406 | 881979.053 | 2100 |
| 1009139.413 | 881978.926 | 2580 |
| 1009139.424 | 881979.006 | 2520 |
| 1009139.432 | 881979.04 | 2460 |
| 1009139.396 | 881978.986 | 2700 |
| 1009139.415 | 881979.011 | 3360 |
| 1009139.436 | 881979.011 | 3240 |
| 1009139.399 | 881978.979 | 3180 |
| 1009139.376 | 881978.97 | 2820 |
| 1009139.381 | 881978.977 | 3540 |
| 1009139.394 | 881979.01 | 2580 |
| 1009139.427 | 881979.006 | 2520 |
| 1009139.435 | 881979.007 | 2520 |
| 1009139.417 | 881979.017 | 2100 |
| 1009139.427 | 881979.005 | 2760 |
| 1009139.389 | 881978.955 | 2460 |
| 1009139.276 | 881978.892 | 2340 |
| 1009139.349 | 881978.975 | 2700 |
| 1009139.377 | 881978.924 | 3120 |
| 1009139.359 | 881978.905 | 2340 |
| 1009139.412 | 881978.895 | 2640 |
| 1009139.479 | 881978.924 | 2640 |
| 1009139.45 | 881978.929 | 2400 |
| 1009139.459 | 881978.943 | 2700 |
| 1009139.469 | 881978.928 | 2700 |
| 1009139.451 | 881978.893 | 3120 |
| 1009139.437 | 881978.891 | 2340 |
| 1009139.425 | 881978.919 | 2400 |
| 1009139.433 | 881978.921 | 2760 |
| 1009139.438 | 881978.932 | 3060 |
| 1009139.437 | 881978.923 | 1920 |
| 1009139.435 | 881978.898 | 2340 |
| 1009139.458 | 881978.87 | 2520 |
| 1009139.465 | 881978.854 | 2160 |
| 1009139.467 | 881978.864 | 2100 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009025.575 | 881867.442 | 2880 |
| 1009025.357 | 881867.492 | 3420 |
| 1009025.473 | 881867.515 | 2880 |
| 1009025.692 | 881867.414 | 2760 |
| 1009025.719 | 881867.298 | 2280 |
| 1009025.625 | 881867.261 | 2160 |
| 1009025.573 | 881867.281 | 2400 |
| 1009025.935 | 881867.126 | 2580 |
| 1009026.7 | 881866.349 | 2340 |
| 1009026.573 | 881865.8 | 2820 |
| 1009026.584 | 881865.243 | 2340 |
| 1009026.896 | 881864.294 | 2820 |
| 1009027.581 | 881862.857 | 2580 |
| 1009028.107 | 881861.483 | 2040 |
| 1009027.859 | 881860.397 | 2400 |
| 1009027.89 | 881859.428 | 2460 |
| 1009028.204 | 881857.775 | 2280 |
| 1009028.577 | 881856.004 | 2520 |
| 1009029.113 | 881854.979 | 3000 |
| 1009029.517 | 881853.749 | 3360 |
| 1009029.165 | 881852.538 | 3180 |
| 1009028.755 | 881852.085 | 2700 |
| 1009029.108 | 881851.263 | 2520 |
| 1009029.175 | 881850.303 | 2880 |
| 1009029.638 | 881848.98 | 2880 |
| 1009029.917 | 881847.419 | 2820 |
| 1009029.836 | 881846.37 | 3180 |
| 1009030.423 | 881844.655 | 2940 |
| 1009030.905 | 881842.947 | 3420 |
| 1009031.294 | 881842.071 | 3060 |
| 1009031.35 | 881840.684 | 2760 |
| 1009031.609 | 881839.33 | 2580 |
| 1009031.519 | 881838.314 | 3000 |
| 1009031.102 | 881837.609 | 2520 |
| 1009030.879 | 881837.484 | 3180 |
| 1009030.86 | 881837.552 | 2220 |
| 1009030.959 | 881838.231 | 2280 |
| 1009030.581 | 881839.688 | 3000 |
| 1009029.98 | 881841.669 | 2940 |
| 1009029.224 | 881843.832 | 2520 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009139.473 | 881978.876 | 2760 |
| 1009139.459 | 881978.883 | 2400 |
| 1009139.473 | 881978.881 | 2820 |
| 1009139.537 | 881978.79 | 2700 |
| 1009139.597 | 881978.576 | 2640 |
| 1009139.68 | 881978.58 | 2760 |
| 1009139.545 | 881978.604 | 2760 |
| 1009139.448 | 881978.581 | 2460 |
| 1009139.724 | 881978.576 | 3600 |
| 1009139.986 | 881978.577 | 2760 |
| 1009140.025 | 881978.53 | 2760 |
| 1009140.234 | 881978.533 | 2940 |
| 1009140.38 | 881978.547 | 2880 |
| 1009140.352 | 881978.528 | 3240 |
| 1009140.14 | 881978.484 | 2880 |
| 1009139.688 | 881978.303 | 2460 |
| 1009138.921 | 881977.888 | 2520 |
| 1009137.834 | 881977.607 | 2700 |
| 1009137.304 | 881976.807 | 2340 |
| 1009136.193 | 881976.451 | 3000 |
| 1009135.465 | 881976.084 | 2340 |
| 1009134.457 | 881975.786 | 2580 |
| 1009133.593 | 881975.286 | 2280 |
| 1009132.589 | 881975.14 | 2400 |
| 1009132.386 | 881974.092 | 3000 |
| 1009131.871 | 881973.24 | 2160 |
| 1009131.138 | 881972.662 | 2940 |
| 1009130.719 | 881972.314 | 2760 |
| 1009129.596 | 881972.515 | 3240 |
| 1009128.578 | 881972.572 | 3060 |
| 1009127.367 | 881972.57 | 3120 |
| 1009126.212 | 881972.27 | 3120 |
| 1009124.853 | 881972.058 | 3120 |
| 1009124.317 | 881971.623 | 3000 |
| 1009123.866 | 881971.22 | 3060 |
| 1009123.256 | 881970.415 | 3060 |
| 1009121.931 | 881969.322 | 3360 |
| 1009121.321 | 881968.622 | 3300 |
| 1009120.828 | 881968.443 | 3480 |
| 1009120.999 | 881968.138 | 3600 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009015.702 | 881870.8 | 2460 |
| 1009016.275 | 881869.784 | 2760 |
| 1009016.584 | 881868.542 | 2760 |
| 1009017.385 | 881867.405 | 2340 |
| 1009017.904 | 881865.818 | 2640 |
| 1009018.724 | 881864.448 | 2340 |
| 1009019.247 | 881863.163 | 2640 |
| 1009019.566 | 881861.89 | 2940 |
| 1009020.352 | 881860.682 | 2400 |
| 1009020.636 | 881859.096 | 2760 |
| 1009021.28 | 881857.842 | 2400 |
| 1009021.721 | 881856.418 | 2880 |
| 1009022.486 | 881854.876 | 2640 |
| 1009023.123 | 881853.471 | 2640 |
| 1009023.717 | 881852.235 | 3000 |
| 1009024.636 | 881851.4 | 2940 |
| 1009024.87 | 881849.887 | 2940 |
| 1009025.75 | 881848.547 | 2520 |
| 1009026.36 | 881846.925 | 2760 |
| 1009026.97 | 881845.796 | 2280 |
| 1009027.526 | 881844.95 | 2460 |
| 1009028.222 | 881843.82 | 2100 |
| 1009028.634 | 881842.232 | 2400 |
| 1009029.237 | 881840.689 | 2640 |
| 1009029.703 | 881839.16 | 2700 |
| 1009030.292 | 881837.976 | 3180 |
| 1009030.584 | 881836.913 | 2400 |
| 1009030.134 | 881836.436 | 2880 |
| 1009030.134 | 881836.747 | 2820 |
| 1009029.825 | 881836.697 | 2520 |
| 1009029.831 | 881836.496 | 2400 |
| 1009030.111 | 881836.516 | 2340 |
| 1009030.076 | 881836.498 | 2820 |
| 1009029.988 | 881836.441 | 2700 |
| 1009029.645 | 881836.452 | 2460 |
| 1009029.376 | 881837.128 | 2160 |
| 1009028.501 | 881838.011 | 2460 |
| 1009027.999 | 881839.497 | 2640 |
| 1009027.741 | 881840.866 | 2520 |
| 1009027.021 | 881842.197 | 2160 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009121.3 | 881967.901 | 3300 |
| 1009121.461 | 881968.138 | 3360 |
| 1009120.708 | 881967.743 | 2880 |
| 1009119.857 | 881968.175 | 2880 |
| 1009119.126 | 881968.13 | 2880 |
| 1009118.466 | 881967.63 | 2400 |
| 1009117.712 | 881967.432 | 2400 |
| 1009116.909 | 881966.736 | 3120 |
| 1009115.947 | 881965.824 | 2700 |
| 1009115.253 | 881965.345 | 3000 |
| 1009114.517 | 881965.354 | 2580 |
| 1009114.056 | 881965.101 | 3060 |
| 1009113.592 | 881964.363 | 2940 |
| 1009112.845 | 881964.417 | 3180 |
| 1009112.168 | 881964.224 | 2940 |
| 1009110.915 | 881963.711 | 2820 |
| 1009109.865 | 881962.977 | 2760 |
| 1009109.254 | 881962.907 | 2940 |
| 1009108.732 | 881961.962 | 2520 |
| 1009107.437 | 881961.816 | 2700 |
| 1009106.591 | 881960.486 | 3240 |
| 1009105.322 | 881960.381 | 2340 |
| 1009104.024 | 881959.873 | 2460 |
| 1009102.528 | 881959.316 | 2220 |
| 1009101.732 | 881958.746 | 2640 |
| 1009100.378 | 881958.076 | 2640 |
| 1009099.169 | 881957.987 | 2640 |
| 1009099.002 | 881957.275 | 2580 |
| 1009099.124 | 881957.266 | 2400 |
| 1009099.122 | 881957.241 | 2880 |
| 1009099.058 | 881957.271 | 2700 |
| 1009098.91 | 881957.315 | 2160 |
| 1009098.134 | 881957.384 | 2160 |
| 1009097.502 | 881957.256 | 2460 |
| 1009096.9 | 881956.713 | 2880 |
| 1009095.791 | 881956.659 | 3060 |
| 1009095.903 | 881956.509 | 3120 |
| 1009096.227 | 881956.485 | 2820 |
| 1009095.851 | 881956.393 | 2880 |
| 1009094.871 | 881955.702 | 2640 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009026.205 | 881843.538 | 2220 |
| 1009025.199 | 881844.616 | 2520 |
| 1009024.674 | 881845.929 | 2220 |
| 1009023.958 | 881847.389 | 2460 |
| 1009023.601 | 881848.906 | 2880 |
| 1009022.951 | 881850.237 | 2400 |
| 1009022.545 | 881851.177 | 2400 |
| 1009022.537 | 881852.322 | 2460 |
| 1009022.075 | 881853.3 | 2820 |
| 1009021.902 | 881854.482 | 2160 |
| 1009021.127 | 881855.833 | 2640 |
| 1009021.054 | 881856.839 | 2700 |
| 1009021.084 | 881858.097 | 3300 |
| 1009020.306 | 881858.846 | 2400 |
| 1009019.911 | 881859.726 | 2820 |
| 1009019.122 | 881860.867 | 2880 |
| 1009018.828 | 881861.541 | 2640 |
| 1009018.499 | 881862.61 | 2520 |
| 1009017.887 | 881863.661 | 2820 |
| 1009017.578 | 881865.018 | 2700 |
| 1009016.886 | 881866.202 | 2400 |
| 1009016.611 | 881867.398 | 2460 |
| 1009016.158 | 881868.442 | 2340 |
| 1009015.643 | 881869.581 | 3060 |
| 1009015.266 | 881870.915 | 2640 |
| 1009014.388 | 881872.172 | 2700 |
| 1009014.131 | 881873.523 | 2400 |
| 1009013.653 | 881874.787 | 2760 |
| 1009013.482 | 881875.509 | 3000 |
| 1009013.354 | 881876.647 | 3060 |
| 1009012.771 | 881878.227 | 3300 |
| 1009012.343 | 881879.446 | 3120 |
| 1009011.978 | 881880.606 | 3360 |
| 1009011.483 | 881881.461 | 2580 |
| 1009010.967 | 881882.095 | 3000 |
| 1009010.162 | 881883.021 | 2640 |
| 1009008.6 | 881883.234 | 2700 |
| 1009008.074 | 881882.272 | 3120 |
| 1009007.88 | 881881.163 | 3240 |
| 1009007.873 | 881880.047 | 3240 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009093.365 | 881954.898 | 3180 |
| 1009092.27 | 881954.171 | 3300 |
| 1009091.02 | 881953.732 | 2820 |
| 1009090.13 | 881953.464 | 2760 |
| 1009088.784 | 881953.258 | 3120 |
| 1009087.879 | 881952.965 | 3000 |
| 1009086.46 | 881952.091 | 3420 |
| 1009085.565 | 881951.772 | 3300 |
| 1009084.848 | 881951.025 | 3000 |
| 1009084.813 | 881951.382 | 2580 |
| 1009084.721 | 881951.358 | 2520 |
| 1009084.216 | 881951.001 | 2640 |
| 1009083.414 | 881950.825 | 3360 |
| 1009082.464 | 881950.111 | 2820 |
| 1009081.147 | 881949.456 | 3180 |
| 1009080.388 | 881949.175 | 3600 |
| 1009079.808 | 881948.617 | 3480 |
| 1009079.107 | 881948.652 | 3000 |
| 1009079.066 | 881948.264 | 3060 |
| 1009078.582 | 881948.162 | 2700 |
| 1009077.139 | 881948.205 | 2580 |
| 1009076.193 | 881947.726 | 2580 |
| 1009075.733 | 881947.466 | 2880 |
| 1009074.563 | 881946.713 | 2940 |
| 1009073.713 | 881946.365 | 2640 |
| 1009072.6 | 881945.73 | 2820 |
| 1009071.154 | 881945.606 | 3900 |
| 1009070.078 | 881944.752 | 3120 |
| 1009068.976 | 881944.7 | 3120 |
| 1009067.9 | 881944.115 | 3300 |
| 1009066.621 | 881943.73 | 2820 |
| 1009065.893 | 881943.286 | 2880 |
| 1009065.261 | 881943.021 | 3120 |
| 1009065.22 | 881942.851 | 3420 |
| 1009064.884 | 881942.462 | 3120 |
| 1009064.422 | 881941.714 | 2880 |
| 1009064.731 | 881941.633 | 3180 |
| 1009065.056 | 881941.547 | 2820 |
| 1009065.391 | 881941.458 | 3240 |
| 1009065.725 | 881941.37 | 2940 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009008.023 | 881878.419 | 3120 |
| 1009008.649 | 881876.75 | 2820 |
| 1009009.025 | 881875.041 | 2880 |
| 1009009.803 | 881873.433 | 2460 |
| 1009010.125 | 881871.635 | 2580 |
| 1009010.709 | 881870.097 | 2160 |
| 1009011.237 | 881868.485 | 2100 |
| 1009011.64 | 881866.855 | 2640 |
| 1009012.257 | 881865.39 | 2220 |
| 1009012.596 | 881863.626 | 2280 |
| 1009013.361 | 881862.532 | 2940 |
| 1009013.747 | 881861.443 | 2700 |
| 1009014.58 | 881860.381 | 2820 |
| 1009014.986 | 881859.192 | 2700 |
| 1009015.381 | 881857.957 | 3060 |
| 1009015.919 | 881856.799 | 2520 |
| 1009016.238 | 881855.523 | 2280 |
| 1009016.924 | 881854.419 | 2520 |
| 1009017.199 | 881852.947 | 2700 |
| 1009017.996 | 881851.709 | 3120 |
| 1009018.503 | 881850.136 | 2460 |
| 1009019.232 | 881848.632 | 2700 |
| 1009019.679 | 881847.173 | 2580 |
| 1009020.324 | 881845.799 | 2400 |
| 1009020.786 | 881844.251 | 2400 |
| 1009021.349 | 881842.805 | 2400 |
| 1009022.01 | 881841.377 | 2400 |
| 1009022.35 | 881839.889 | 2400 |
| 1009022.951 | 881838.255 | 2700 |
| 1009023.342 | 881836.852 | 2760 |
| 1009023.989 | 881835.752 | 2760 |
| 1009023.812 | 881834.62 | 3120 |
| 1009023.094 | 881832.614 | 2700 |
| 1009022.624 | 881831.251 | 2580 |
| 1009022.316 | 881832.148 | 2760 |
| 1009021.203 | 881833.242 | 2520 |
| 1009020.677 | 881834.762 | 2580 |
| 1009020.11 | 881836.446 | 2640 |
| 1009019.442 | 881838.244 | 2580 |
| 1009018.771 | 881839.855 | 2220 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009066.08 | 881941.277 | 3300 |
| 1009066.416 | 881941.188 | 3240 |
| 1009066.775 | 881941.093 | 2880 |
| 1009067.076 | 881941.013 | 2640 |
| 1009067.959 | 881940.916 | 3060 |
| 1009069.336 | 881941.439 | 3120 |
| 1009070.586 | 881941.935 | 3120 |
| 1009071.834 | 881942.337 | 2700 |
| 1009072.639 | 881942.936 | 2880 |
| 1009073.445 | 881942.886 | 2580 |
| 1009074.546 | 881943.572 | 2580 |
| 1009075.587 | 881944.096 | 3360 |
| 1009076.63 | 881944.225 | 3120 |
| 1009076.82 | 881944.364 | 2520 |
| 1009076.972 | 881944.09 | 3000 |
| 1009077.041 | 881944.282 | 2760 |
| 1009077.065 | 881944.457 | 2700 |
| 1009077.128 | 881944.563 | 2640 |
| 1009077.209 | 881944.891 | 2700 |
| 1009077.353 | 881945.144 | 2760 |
| 1009077.364 | 881945.022 | 2940 |
| 1009077.225 | 881944.859 | 2940 |
| 1009076.848 | 881944.557 | 2820 |
| 1009076.528 | 881944.174 | 3420 |
| 1009076.431 | 881944.054 | 2880 |
| 1009076.757 | 881944.328 | 3600 |
| 1009077.907 | 881944.689 | 3300 |
| 1009079.115 | 881944.854 | 2760 |
| 1009080.502 | 881945.221 | 3120 |
| 1009081.992 | 881945.904 | 3480 |
| 1009083.41 | 881946.584 | 3300 |
| 1009084.278 | 881946.877 | 2640 |
| 1009085.121 | 881947.329 | 2940 |
| 1009086.001 | 881947.613 | 3120 |
| 1009087.252 | 881948.07 | 2760 |
| 1009088.274 | 881948.365 | 2460 |
| 1009089.388 | 881948.828 | 2280 |
| 1009090.621 | 881949.344 | 2340 |
| 1009091.706 | 881949.657 | 3060 |
| 1009092.803 | 881949.824 | 2400 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009018.114 | 881841.584 | 2520 |
| 1009017.564 | 881843.166 | 2220 |
| 1009016.902 | 881844.46 | 2400 |
| 1009016.603 | 881845.861 | 2580 |
| 1009015.755 | 881847.051 | 2640 |
| 1009015.273 | 881848.782 | 2700 |
| 1009014.535 | 881850.496 | 2160 |
| 1009013.993 | 881852.184 | 2580 |
| 1009013.483 | 881853.57 | 2460 |
| 1009012.849 | 881855.043 | 2460 |
| 1009012.717 | 881856.916 | 2640 |
| 1009012.237 | 881858.411 | 2640 |
| 1009011.966 | 881859.985 | 2460 |
| 1009011.301 | 881861.103 | 2940 |
| 1009010.927 | 881862.553 | 2640 |
| 1009010.268 | 881863.869 | 2760 |
| 1009009.827 | 881865.422 | 2280 |
| 1009009.449 | 881866.803 | 2640 |
| 1009008.655 | 881868.017 | 2340 |
| 1009008.409 | 881869.334 | 2940 |
| 1009007.771 | 881870.343 | 2460 |
| 1009007.687 | 881871.462 | 2580 |
| 1009007.086 | 881872.638 | 2760 |
| 1009006.871 | 881873.539 | 2520 |
| 1009007.05 | 881874.618 | 3000 |
| 1009007.091 | 881876.141 | 2700 |
| 1009006.688 | 881877.311 | 2820 |
| 1009006.002 | 881878.497 | 3240 |
| 1009005.538 | 881879.419 | 2520 |
| 1009004.627 | 881879.006 | 2520 |
| 1009003.66 | 881879.166 | 2820 |
| 1009003.187 | 881879.807 | 2580 |
| 1009003.036 | 881879.51 | 2640 |
| 1009002.442 | 881878.37 | 2400 |
| 1009002.499 | 881877.162 | 2160 |
| 1009002.758 | 881875.517 | 2760 |
| 1009003.521 | 881874.162 | 2400 |
| 1009003.99 | 881872.596 | 2760 |
| 1009004.726 | 881871.06 | 2460 |
| 1009005.393 | 881869.571 | 2580 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009093.463 | 881950.543 | 2940 |
| 1009094.557 | 881950.67 | 2820 |
| 1009095.538 | 881951.387 | 3060 |
| 1009096.303 | 881951.704 | 2760 |
| 1009096.969 | 881952.559 | 3180 |
| 1009097.832 | 881952.852 | 2640 |
| 1009099.054 | 881953.241 | 2640 |
| 1009100.294 | 881953.378 | 2640 |
| 1009101.445 | 881954.153 | 2820 |
| 1009102.897 | 881955.173 | 3180 |
| 1009103.908 | 881955.71 | 3180 |
| 1009104.986 | 881956.1 | 3300 |
| 1009106.328 | 881956.373 | 2640 |
| 1009107.373 | 881956.516 | 3060 |
| 1009108.726 | 881956.652 | 2520 |
| 1009110.467 | 881956.977 | 2520 |
| 1009112.244 | 881957.643 | 2580 |
| 1009113.409 | 881958.294 | 2700 |
| 1009114.3 | 881959.072 | 2520 |
| 1009115.308 | 881959.636 | 2400 |
| 1009116.18 | 881960.46 | 2460 |
| 1009117.614 | 881960.649 | 2880 |
| 1009118.494 | 881961.768 | 3120 |
| 1009119.77 | 881962.074 | 2820 |
| 1009121.266 | 881962.81 | 2340 |
| 1009122.635 | 881963.384 | 2820 |
| 1009124.335 | 881963.593 | 2400 |
| 1009125.835 | 881963.806 | 2520 |
| 1009127.395 | 881964.567 | 2280 |
| 1009128.876 | 881964.986 | 2340 |
| 1009129.907 | 881965.59 | 2760 |
| 1009131.309 | 881965.981 | 2880 |
| 1009132.895 | 881966.544 | 3360 |
| 1009134.334 | 881967.192 | 3000 |
| 1009135.353 | 881967.296 | 2580 |
| 1009136.269 | 881967.648 | 3060 |
| 1009137.129 | 881968.5 | 3060 |
| 1009138.438 | 881968.855 | 2760 |
| 1009139.175 | 881969.242 | 2940 |
| 1009139.638 | 881969.009 | 2700 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009005.867 | 881868.119 | 2100 |
| 1009006.559 | 881867.051 | 2640 |
| 1009006.914 | 881865.81 | 2700 |
| 1009006.933 | 881865.648 | 2280 |
| 1009006.611 | 881866.479 | 2100 |
| 1009005.995 | 881866.762 | 3000 |
| 1009005.815 | 881866.676 | 2640 |
| 1009006.198 | 881866.537 | 1920 |
| 1009006.744 | 881865.76 | 2160 |
| 1009007.341 | 881864.514 | 2640 |
| 1009008.106 | 881863.515 | 2400 |
| 1009008.355 | 881862.354 | 2820 |
| 1009008.867 | 881861.45 | 2580 |
| 1009009.246 | 881860.532 | 2760 |
| 1009009.676 | 881859.645 | 2220 |
| 1009010.105 | 881858.576 | 2520 |
| 1009010.67 | 881857.455 | 2460 |
| 1009011.351 | 881856.237 | 2520 |
| 1009011.704 | 881854.869 | 2400 |
| 1009012.438 | 881853.695 | 2880 |
| 1009012.748 | 881852.388 | 2460 |
| 1009013.308 | 881851.237 | 2040 |
| 1009013.576 | 881849.769 | 2700 |
| 1009014.263 | 881848.406 | 2040 |
| 1009014.76 | 881846.997 | 1980 |
| 1009015.135 | 881845.606 | 2580 |
| 1009015.829 | 881844.418 | 3000 |
| 1009016.327 | 881842.971 | 2460 |
| 1009017.167 | 881841.73 | 2340 |
| 1008992.43 | 881856.529 | 2280 |
| 1008992.003 | 881857.963 | 2220 |
| 1008991.273 | 881859.239 | 2340 |
| 1008990.487 | 881860.829 | 2580 |
| 1008989.733 | 881862.353 | 3000 |
| 1008989.581 | 881863.969 | 2640 |
| 1008988.997 | 881865.305 | 2700 |
| 1008988.569 | 881866.637 | 3240 |
| 1008988.034 | 881867.859 | 3000 |
| 1008987.757 | 881868.871 | 2580 |
| 1008987.611 | 881869.9 | 2400 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009140.116 | 881969.589 | 2760 |
| 1009140.591 | 881970.078 | 3240 |
| 1009141.721 | 881969.579 | 2820 |
| 1009142.303 | 881970.143 | 2580 |
| 1009143.348 | 881970.009 | 2460 |
| 1009143.892 | 881970.548 | 2400 |
| 1009144.442 | 881970.427 | 2700 |
| 1009145.387 | 881970.456 | 2760 |
| 1009145.775 | 881970.198 | 2340 |
| 1009146.208 | 881969.74 | 2580 |
| 1009146.198 | 881969.79 | 2040 |
| 1009146.202 | 881969.817 | 2040 |
| 1009146.216 | 881969.818 | 2700 |
| 1009146.284 | 881969.847 | 2460 |
| 1009146.322 | 881969.859 | 2700 |
| 1009146.345 | 881969.842 | 2580 |
| 1009146.172 | 881969.806 | 2580 |
| 1009145.669 | 881969.669 | 2580 |
| 1009145.038 | 881969.294 | 2460 |
| 1009144.429 | 881968.904 | 2400 |
| 1009143.245 | 881968.713 | 2340 |
| 1009142.65 | 881968.268 | 2760 |
| 1009141.663 | 881968.357 | 2700 |
| 1009141.368 | 881967.355 | 2880 |
| 1009140.405 | 881967.331 | 2340 |
| 1009139.88 | 881966.873 | 2820 |
| 1009139.114 | 881966.96 | 2520 |
| 1009138.714 | 881966.874 | 2580 |
| 1009138.427 | 881966.883 | 2160 |
| 1009137.793 | 881967.361 | 2460 |
| 1009137.242 | 881966.68 | 2580 |
| 1009136.694 | 881966.386 | 2520 |
| 1009136.568 | 881965.996 | 2640 |
| 1009135.897 | 881965.917 | 2820 |
| 1009135.15 | 881965.593 | 2400 |
| 1009134.312 | 881965.216 | 3000 |
| 1009132.82 | 881965.154 | 2580 |
| 1009132.064 | 881964.742 | 3120 |
| 1009130.58 | 881964.735 | 3120 |
| 1009129.896 | 881964 | 2760 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008987.073 | 881870.866 | 2940 |
| 1008987.334 | 881871.948 | 3060 |
| 1008987.419 | 881873.383 | 2340 |
| 1008986.64 | 881874.507 | 3180 |
| 1008985.437 | 881875.846 | 2760 |
| 1008984.277 | 881875.868 | 2580 |
| 1008983.182 | 881874.343 | 2640 |
| 1008982.163 | 881872.785 | 2700 |
| 1008981.588 | 881871.805 | 2760 |
| 1008982.417 | 881870.995 | 2580 |
| 1008983.19 | 881869.629 | 3240 |
| 1008983.719 | 881868.709 | 3600 |
| 1008983.895 | 881868.374 | 3300 |
| 1008984.636 | 881867.622 | 2940 |
| 1008985.091 | 881866.504 | 2700 |
| 1008985.093 | 881866.181 | 2760 |
| 1009017.518 | 881840.313 | 2460 |
| 1009018.183 | 881839.015 | 2760 |
| 1009018.531 | 881837.868 | 2520 |
| 1009018.889 | 881836.771 | 2760 |
| 1009018.947 | 881835.377 | 2580 |
| 1009019.182 | 881834.093 | 2400 |
| 1009019.517 | 881832.828 | 2220 |
| 1009019.493 | 881831.332 | 2460 |
| 1009019.302 | 881830.277 | 1920 |
| 1009018.469 | 881830.249 | 2460 |
| 1009017.875 | 881831.718 | 2640 |
| 1009017.098 | 881833.206 | 3060 |
| 1009016.43 | 881834.9 | 2700 |
| 1009015.595 | 881836.457 | 2820 |
| 1009014.905 | 881837.962 | 2520 |
| 1009014.033 | 881839.369 | 2760 |
| 1009013.512 | 881841.16 | 2760 |
| 1009012.689 | 881842.755 | 2880 |
| 1009011.987 | 881844.319 | 2220 |
| 1009011.424 | 881845.867 | 2520 |
| 1009010.806 | 881847.346 | 2100 |
| 1009010.319 | 881848.805 | 3000 |
| 1009009.36 | 881850.103 | 2520 |
| 1009008.641 | 881851.767 | 2160 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009128.191 | 881964.034 | 3000 |
| 1009127.852 | 881963.186 | 2580 |
| 1009127.078 | 881963.055 | 2700 |
| 1009125.95 | 881963.041 | 2460 |
| 1009124.968 | 881962.535 | 3120 |
| 1009124.396 | 881962.127 | 2820 |
| 1009123.183 | 881962.255 | 2460 |
| 1009122.834 | 881961.444 | 2880 |
| 1009120.906 | 881961.188 | 2520 |
| 1009119.472 | 881960.76 | 3300 |
| 1009118.226 | 881960.767 | 2880 |
| 1009117.51 | 881960.427 | 2520 |
| 1009116.356 | 881959.69 | 3120 |
| 1009115.183 | 881959.219 | 2640 |
| 1009113.843 | 881958.366 | 3060 |
| 1009112.647 | 881957.773 | 3240 |
| 1009111.632 | 881956.99 | 2640 |
| 1009110.289 | 881956.429 | 2580 |
| 1009109.521 | 881955.979 | 3240 |
| 1009108.404 | 881955.177 | 3060 |
| 1009107.358 | 881954.81 | 2940 |
| 1009107.073 | 881954.017 | 3120 |
| 1009106.586 | 881953.956 | 2280 |
| 1009106.574 | 881954.021 | 2640 |
| 1009106.166 | 881954.067 | 2760 |
| 1009105.199 | 881953.865 | 2700 |
| 1009104.349 | 881952.999 | 3000 |
| 1009103.312 | 881952.51 | 2760 |
| 1009102.795 | 881952.2 | 2760 |
| 1009102.213 | 881951.829 | 3000 |
| 1009100.917 | 881951.786 | 2400 |
| 1009099.734 | 881951.482 | 2640 |
| 1009099.019 | 881951.134 | 2700 |
| 1009098.459 | 881950.997 | 3300 |
| 1009098.346 | 881950.642 | 2700 |
| 1009098.253 | 881950.697 | 3120 |
| 1009097.799 | 881950.618 | 2760 |
| 1009096.761 | 881950.354 | 2820 |
| 1009095.88 | 881950.002 | 3240 |
| 1009095.069 | 881950.117 | 2580 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009007.615 | 881853.463 | 2340 |
| 1009007.042 | 881855.241 | 2160 |
| 1009006.419 | 881856.69 | 2160 |
| 1009006.071 | 881858.447 | 1980 |
| 1009005.5 | 881860.245 | 1860 |
| 1009004.662 | 881862.239 | 2940 |
| 1009003.94 | 881863.782 | 2220 |
| 1009003.204 | 881864.962 | 2820 |
| 1009003.259 | 881866.238 | 2460 |
| 1009002.819 | 881867.218 | 2340 |
| 1009002.525 | 881868.7 | 1860 |
| 1009001.846 | 881870.766 | 1980 |
| 1009001.308 | 881872.72 | 2400 |
| 1009000.709 | 881874.471 | 2520 |
| 1009000.378 | 881876.421 | 2580 |
| 1008999.923 | 881878.01 | 2340 |
| 1008998.854 | 881879.208 | 2220 |
| 1008997.602 | 881879.793 | 2760 |
| 1008996.395 | 881879.278 | 2580 |
| 1008996.08 | 881878.489 | 2700 |
| 1008995.836 | 881877.025 | 2520 |
| 1008995.73 | 881875.404 | 2460 |
| 1008996.141 | 881874.126 | 2700 |
| 1008996.401 | 881872.974 | 1920 |
| 1008996.759 | 881871.953 | 2640 |
| 1008997.235 | 881870.339 | 3000 |
| 1008997.653 | 881869.17 | 2640 |
| 1008998.416 | 881868.425 | 2760 |
| 1008998.712 | 881866.12 | 2580 |
| 1008999.473 | 881864.973 | 2340 |
| 1009000.102 | 881863.871 | 2340 |
| 1009000.195 | 881861.877 | 2280 |
| 1009000.832 | 881860.569 | 2460 |
| 1009001.783 | 881860.458 | 2760 |
| 1009001.99 | 881859.954 | 2460 |
| 1009002.67 | 881858.589 | 2340 |
| 1009003.255 | 881857.12 | 2700 |
| 1009003.604 | 881855.949 | 2640 |
| 1009004.042 | 881854.497 | 2640 |
| 1009004.684 | 881852.742 | 2520 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009094.224 | 881949.953 | 2520 |
| 1009093.098 | 881949.165 | 3000 |
| 1009092.334 | 881948.99 | 2820 |
| 1009092.295 | 881948.356 | 2460 |
| 1009091.291 | 881948.287 | 2940 |
| 1009090.625 | 881947.588 | 3000 |
| 1009089.209 | 881947.499 | 3660 |
| 1009087.979 | 881947.136 | 3660 |
| 1009087.577 | 881946.614 | 3180 |
| 1009087.571 | 881946.661 | 3480 |
| 1009087.582 | 881946.65 | 3180 |
| 1009087.532 | 881946.621 | 2580 |
| 1009087.611 | 881946.636 | 3000 |
| 1009087.526 | 881946.724 | 2760 |
| 1009086.876 | 881946.769 | 2940 |
| 1009085.987 | 881946.147 | 3060 |
| 1009084.641 | 881945.345 | 3060 |
| 1009083.456 | 881945.496 | 2340 |
| 1009083.133 | 881944.669 | 2220 |
| 1009081.848 | 881944.33 | 2880 |
| 1009080.801 | 881943.556 | 3240 |
| 1009079.463 | 881943.23 | 2940 |
| 1009078.58 | 881942.871 | 3000 |
| 1009077.814 | 881942.166 | 3120 |
| 1009076.567 | 881941.891 | 2880 |
| 1009075.771 | 881941.229 | 2880 |
| 1009074.813 | 881940.968 | 3000 |
| 1009073.785 | 881940.442 | 2700 |
| 1009072.631 | 881939.747 | 3000 |
| 1009071.02 | 881939.609 | 2940 |
| 1009070.004 | 881938.977 | 2640 |
| 1009069.034 | 881938.83 | 2940 |
| 1009068.376 | 881938.494 | 2640 |
| 1009067.727 | 881938.196 | 3180 |
| 1009067.154 | 881938.294 | 2940 |
| 1009067.189 | 881937.998 | 2940 |
| 1009067.221 | 881937.729 | 2940 |
| 1009067.259 | 881937.406 | 2400 |
| 1009067.287 | 881937.164 | 3120 |
| 1009067.322 | 881936.866 | 3360 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009005.37 | 881851.488 | 2460 |
| 1009005.992 | 881850.271 | 2340 |
| 1009006.617 | 881849.295 | 2400 |
| 1009007.492 | 881848.219 | 2400 |
| 1009007.796 | 881847.089 | 1620 |
| 1009007.977 | 881845.971 | 2400 |
| 1009008.084 | 881844.372 | 2580 |
| 1009008.469 | 881843.091 | 2640 |
| 1009008.815 | 881841.999 | 2700 |
| 1009009.076 | 881840.944 | 2700 |
| 1009009.663 | 881840.385 | 3060 |
| 1009009.764 | 881839.613 | 2700 |
| 1009010.067 | 881838.653 | 3000 |
| 1009010.359 | 881837.566 | 2460 |
| 1009010.982 | 881836.599 | 2400 |
| 1009011.449 | 881834.945 | 2640 |
| 1009012.201 | 881833.785 | 2400 |
| 1009012.556 | 881831.834 | 2400 |
| 1009013.51 | 881830.818 | 2760 |
| 1009013.954 | 881829.553 | 2880 |
| 1009014.313 | 881828.03 | 2580 |
| 1009014.623 | 881827.188 | 2820 |
| 1009014.109 | 881826.422 | 3120 |
| 1009013.403 | 881825.759 | 2640 |
| 1009012.641 | 881825.981 | 2520 |
| 1009011.699 | 881827.243 | 2940 |
| 1009010.874 | 881828.625 | 2760 |
| 1009010.184 | 881830.362 | 2400 |
| 1009009.432 | 881832.273 | 2700 |
| 1009008.645 | 881834.047 | 2280 |
| 1009007.837 | 881835.408 | 2280 |
| 1009007.054 | 881836.869 | 2760 |
| 1009006.837 | 881838.426 | 2400 |
| 1009006.674 | 881839.448 | 2280 |
| 1009006.422 | 881839.831 | 2280 |
| 1009006.533 | 881840.132 | 2460 |
| 1009005.744 | 881841.126 | 2460 |
| 1009004.865 | 881843.008 | 2580 |
| 1009004.53 | 881843.872 | 2700 |
| 1009004.046 | 881844.723 | 2580 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009067.359 | 881936.553 | 3960 |
| 1009067.392 | 881936.276 | 3420 |
| 1009067.426 | 881935.988 | 3120 |
| 1009067.459 | 881935.708 | 3420 |
| 1009067.493 | 881935.417 | 3900 |
| 1009067.529 | 881935.112 | 3120 |
| 1009067.563 | 881934.825 | 3120 |
| 1009067.633 | 881934.723 | 2520 |
| 1009067.765 | 881934.965 | 2820 |
| 1009068.023 | 881935.108 | 3060 |
| 1009068.248 | 881934.454 | 2580 |
| 1009067.79 | 881933.341 | 2820 |
| 1009067.234 | 881933.075 | 3540 |
| 1009067.597 | 881933.044 | 2760 |
| 1009067.726 | 881933.044 | 2880 |
| 1009067.673 | 881932.991 | 2940 |
| 1009067.847 | 881933.178 | 3000 |
| 1009068.852 | 881933.758 | 2760 |
| 1009069.935 | 881933.707 | 2640 |
| 1009071.278 | 881934.353 | 2520 |
| 1009072.565 | 881934.825 | 2880 |
| 1009073.648 | 881935.216 | 2700 |
| 1009074.555 | 881935.153 | 3360 |
| 1009074.966 | 881935.686 | 3060 |
| 1009075.312 | 881935.882 | 3300 |
| 1009076.073 | 881935.824 | 3600 |
| 1009076.784 | 881935.877 | 3300 |
| 1009076.785 | 881936.273 | 2820 |
| 1009077.193 | 881936.325 | 3000 |
| 1009078.605 | 881936.918 | 3000 |
| 1009079.59 | 881936.817 | 3060 |
| 1009080.605 | 881937.199 | 3240 |
| 1009082.085 | 881937.532 | 3060 |
| 1009083.146 | 881938.15 | 3120 |
| 1009084.687 | 881938.714 | 2820 |
| 1009085.44 | 881939.422 | 2820 |
| 1009087.366 | 881939.746 | 2760 |
| 1009088.598 | 881940.169 | 2580 |
| 1009089.437 | 881940.776 | 2700 |
| 1009090.786 | 881941.219 | 2640 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009003.788 | 881845.685 | 2340 |
| 1009003.343 | 881846.891 | 2340 |
| 1009003.168 | 881848.259 | 2640 |
| 1009002.814 | 881849.333 | 2940 |
| 1009002.013 | 881850.338 | 2580 |
| 1009001.293 | 881851.814 | 2280 |
| 1009000.447 | 881853.176 | 2400 |
| 1009000.191 | 881854.43 | 2460 |
| 1008999.541 | 881855.563 | 2640 |
| 1008999.075 | 881856.737 | 2640 |
| 1008998.591 | 881858.03 | 2640 |
| 1008997.78 | 881859.429 | 2340 |
| 1008997.332 | 881860.872 | 2820 |
| 1008996.837 | 881862.114 | 2580 |
| 1008996.457 | 881863.507 | 2820 |
| 1008995.799 | 881864.567 | 2700 |
| 1008995.761 | 881865.445 | 2640 |
| 1008995.23 | 881866.444 | 2760 |
| 1008995.363 | 881867.608 | 2280 |
| 1008995.766 | 881868.553 | 2040 |
| 1008995.917 | 881869.724 | 2280 |
| 1008995.696 | 881870.739 | 1740 |
| 1008994.718 | 881871.767 | 1680 |
| 1008993.649 | 881873.917 | 1980 |
| 1008993.465 | 881875.551 | 1980 |
| 1008992.74 | 881876.854 | 2520 |
| 1008992.453 | 881878.659 | 2700 |
| 1008992.063 | 881880.066 | 2700 |
| 1008990.545 | 881881.241 | 2220 |
| 1008988.931 | 881881.626 | 2760 |
| 1008987.62 | 881880.954 | 2700 |
| 1008986.949 | 881879.843 | 2880 |
| 1008987.166 | 881878.523 | 2580 |
| 1008987.236 | 881876.978 | 2460 |
| 1008987.661 | 881875.398 | 2400 |
| 1008988.228 | 881873.381 | 2520 |
| 1008988.869 | 881872.136 | 1860 |
| 1008988.994 | 881871.359 | 2280 |
| 1008988.668 | 881870.207 | 2520 |
| 1008988.981 | 881869.318 | 2460 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009091.733 | 881941.714 | 3000 |
| 1009092.948 | 881942.267 | 2760 |
| 1009094.53 | 881942.958 | 3120 |
| 1009095.767 | 881943.484 | 3060 |
| 1009096.724 | 881944.322 | 3300 |
| 1009098.444 | 881944.77 | 3180 |
| 1009099.427 | 881945.579 | 2700 |
| 1009100.88 | 881946.156 | 2580 |
| 1009101.728 | 881946.9 | 2940 |
| 1009102.811 | 881947.421 | 3180 |
| 1009104.202 | 881947.913 | 3240 |
| 1009104.913 | 881948.951 | 3180 |
| 1009106.02 | 881949.523 | 3420 |
| 1009107.218 | 881950.042 | 3060 |
| 1009108.285 | 881950.617 | 2940 |
| 1009109.297 | 881951.408 | 3180 |
| 1009110.274 | 881952.028 | 3360 |
| 1009111.173 | 881952.36 | 2940 |
| 1009112.232 | 881952.46 | 3000 |
| 1009113.73 | 881952.644 | 3120 |
| 1009115.325 | 881953.053 | 3180 |
| 1009116.264 | 881953.191 | 2700 |
| 1009116.712 | 881953.628 | 2700 |
| 1009117.582 | 881953.998 | 3120 |
| 1009118.531 | 881954.236 | 2880 |
| 1009118.426 | 881954.386 | 3000 |
| 1009118.199 | 881954.306 | 2700 |
| 1009118.491 | 881954.348 | 3120 |
| 1009119.279 | 881954.744 | 3060 |
| 1009120.249 | 881955.648 | 3180 |
| 1009120.788 | 881956.412 | 3540 |
| 1009121.228 | 881957.004 | 3480 |
| 1009121.933 | 881957.401 | 2880 |
| 1009122.617 | 881957.874 | 2580 |
| 1009124.128 | 881958.037 | 2820 |
| 1009125.085 | 881958.636 | 2940 |
| 1009126.582 | 881958.434 | 3360 |
| 1009128.152 | 881958.97 | 3720 |
| 1009129.474 | 881959.071 | 3240 |
| 1009130.001 | 881959.374 | 2940 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008989.244 | 881868.142 | 2280 |
| 1008989.661 | 881866.845 | 2700 |
| 1008989.706 | 881865.515 | 2460 |
| 1008990.166 | 881864.645 | 2460 |
| 1008990.774 | 881863.315 | 2460 |
| 1008991.346 | 881861.858 | 2640 |
| 1008991.552 | 881860.551 | 2640 |
| 1008992.07 | 881859.254 | 3420 |
| 1008992.739 | 881857.777 | 3000 |
| 1008993.161 | 881856.614 | 2460 |
| 1008993.69 | 881855.921 | 2460 |
| 1008994.012 | 881854.648 | 2400 |
| 1008994.704 | 881853.211 | 2100 |
| 1008995.428 | 881851.362 | 1680 |
| 1008996.405 | 881849.846 | 2100 |
| 1008997.342 | 881848.575 | 2040 |
| 1008998.277 | 881847.331 | 1800 |
| 1008998.656 | 881846.019 | 2040 |
| 1008998.959 | 881845.204 | 2100 |
| 1008999.064 | 881845.135 | 1860 |
| 1008999.079 | 881845.169 | 2520 |
| 1008999.52 | 881844.246 | 2700 |
| 1009000.675 | 881842.911 | 2280 |
| 1009001.38 | 881841.142 | 2160 |
| 1009002.084 | 881839.451 | 2100 |
| 1009002.494 | 881837.928 | 2160 |
| 1009002.291 | 881836.528 | 2280 |
| 1009003.443 | 881835.939 | 1980 |
| 1009003.885 | 881834.997 | 2220 |
| 1009003.94 | 881834.058 | 2640 |
| 1009004.4 | 881833.078 | 3120 |
| 1009004.759 | 881832.014 | 3420 |
| 1009005.156 | 881831.512 | 3180 |
| 1009005.121 | 881831.378 | 2700 |
| 1009005.628 | 881831.056 | 3120 |
| 1009006.514 | 881829.726 | 2880 |
| 1009007.635 | 881828.3 | 2760 |
| 1009008.392 | 881826.8 | 3240 |
| 1009009.478 | 881825.472 | 3120 |
| 1009010.42 | 881823.917 | 3180 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009130.497 | 881959.139 | 2760 |
| 1009130.464 | 881959.088 | 2760 |
| 1009130.691 | 881959.107 | 2340 |
| 1009131.131 | 881959.178 | 2460 |
| 1009131.228 | 881959.242 | 2520 |
| 1009131.188 | 881959.393 | 3000 |
| 1009131.349 | 881959.562 | 2820 |
| 1009131.739 | 881959.697 | 2700 |
| 1009131.515 | 881959.497 | 3120 |
| 1009131.107 | 881959.198 | 3420 |
| 1009130.941 | 881959.14 | 2940 |
| 1009131.056 | 881959.162 | 2580 |
| 1009131.135 | 881959.436 | 2820 |
| 1009130.945 | 881960.162 | 2940 |
| 1009130.921 | 881960.194 | 3060 |
| 1009130.774 | 881960.105 | 2700 |
| 1009130.901 | 881960.082 | 2880 |
| 1009130.978 | 881960.081 | 4020 |
| 1009131.219 | 881960.156 | 3180 |
| 1009132.029 | 881960.457 | 2580 |
| 1009132.715 | 881960.9 | 3000 |
| 1009133.272 | 881961.073 | 2520 |
| 1009133.889 | 881961.617 | 2520 |
| 1009134.63 | 881962.236 | 2760 |
| 1009135.828 | 881962.664 | 3120 |
| 1009136.613 | 881963.34 | 3180 |
| 1009137.663 | 881963.383 | 3660 |
| 1009138.317 | 881963.957 | 3000 |
| 1009139.192 | 881963.844 | 2760 |
| 1009139.839 | 881964.017 | 3000 |
| 1009140.487 | 881963.679 | 2640 |
| 1009141.027 | 881963.798 | 2880 |
| 1009141.74 | 881964.741 | 2580 |
| 1009142.743 | 881965.633 | 2460 |
| 1009143.673 | 881966.522 | 2460 |
| 1009144.971 | 881966.928 | 2160 |
| 1009145.76 | 881967.992 | 2460 |
| 1009146.956 | 881967.824 | 3300 |
| 1009147.932 | 881968.298 | 3000 |
| 1009148.513 | 881968.836 | 2220 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009011.186 | 881822.643 | 3000 |
| 1009011.183 | 881822.298 | 3060 |
| 1009009.744 | 881822.243 | 2880 |
| 1009008.159 | 881822.571 | 2580 |
| 1009006.527 | 881823.222 | 2580 |
| 1009004.901 | 881824.024 | 2760 |
| 1009003.694 | 881825.305 | 2700 |
| 1009002.925 | 881826.292 | 3000 |
| 1009002.297 | 881826.998 | 1860 |
| 1009001.918 | 881828.864 | 2640 |
| 1009000.657 | 881830.31 | 2400 |
| 1009000.778 | 881831.948 | 2340 |
| 1009000.429 | 881833.854 | 1860 |
| 1009000.147 | 881835.061 | 1860 |
| 1008999.83 | 881836.219 | 2100 |
| 1008999.44 | 881837.438 | 2220 |
| 1008999.008 | 881838.712 | 1980 |
| 1008999.047 | 881839.387 | 2340 |
| 1008999.03 | 881839.559 | 2160 |
| 1008998.94 | 881840.187 | 2520 |
| 1008998.958 | 881841.268 | 2880 |
| 1008998.523 | 881842.188 | 2580 |
| 1008997.857 | 881843.565 | 2220 |
| 1008997.28 | 881844.324 | 1860 |
| 1008996.547 | 881845.457 | 2520 |
| 1008996.242 | 881847.073 | 2580 |
| 1008995.384 | 881848.538 | 2760 |
| 1008994.685 | 881850.5 | 2460 |
| 1008993.768 | 881851.953 | 2760 |
| 1008993.717 | 881853.033 | 2580 |
| 1008993.486 | 881853.872 | 2700 |
| 1008993.126 | 881855.216 | 2640 |
| 1008985.542 | 881865.864 | 2820 |
| 1008986.375 | 881864.59 | 2700 |
| 1008986.909 | 881863.563 | 2340 |
| 1008987.579 | 881862.275 | 2760 |
| 1008987.93 | 881860.696 | 2700 |
| 1008988.458 | 881859.123 | 2820 |
| 1008988.749 | 881857.387 | 3000 |
| 1008988.985 | 881855.55 | 2880 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009148.402 | 881968.485 | 2460 |
| 1009148.98 | 881968.026 | 2340 |
| 1009149.22 | 881968.01 | 2760 |
| 1009149.151 | 881967.833 | 2940 |
| 1009148.44 | 881968.218 | 2820 |
| 1009148.172 | 881968.118 | 2520 |
| 1009148.232 | 881967.927 | 2280 |
| 1009148.396 | 881968.168 | 2460 |
| 1009148.698 | 881968.328 | 2880 |
| 1009148.641 | 881968.204 | 2820 |
| 1009148.965 | 881968.508 | 2880 |
| 1009149.093 | 881968.421 | 2880 |
| 1009149.3 | 881968.251 | 2700 |
| 1009149.212 | 881968.204 | 2880 |
| 1009149.205 | 881968.199 | 3060 |
| 1009148.915 | 881968.075 | 2340 |
| 1009148.417 | 881967.57 | 2940 |
| 1009148.227 | 881967.854 | 2580 |
| 1009147.96 | 881968.203 | 3000 |
| 1009148.54 | 881968.084 | 2760 |
| 1009148.757 | 881968.003 | 3300 |
| 1009148.711 | 881967.952 | 3120 |
| 1009148.75 | 881967.928 | 3180 |
| 1009148.81 | 881967.955 | 3420 |
| 1009148.765 | 881967.951 | 3000 |
| 1009148.773 | 881967.958 | 3120 |
| 1009148.779 | 881967.933 | 3000 |
| 1009148.766 | 881967.915 | 3780 |
| 1009148.89 | 881968.045 | 2820 |
| 1009149.028 | 881968.248 | 2460 |
| 1009148.924 | 881968.148 | 3120 |
| 1009148.914 | 881968.103 | 2760 |
| 1009148.834 | 881967.984 | 3180 |
| 1009148.581 | 881967.891 | 2760 |
| 1009148.283 | 881967.775 | 3120 |
| 1009148.208 | 881967.694 | 3360 |
| 1009148.573 | 881967.924 | 3120 |
| 1009148.189 | 881967.675 | 3600 |
| 1009148.033 | 881967.833 | 3180 |
| 1009148.053 | 881967.91 | 2460 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008989.308 | 881853.492 | 3120 |
| 1008990.121 | 881852.329 | 2880 |
| 1008990.905 | 881850.623 | 2340 |
| 1008992.276 | 881848.652 | 2160 |
| 1008993.225 | 881846.783 | 2040 |
| 1008993.69 | 881844.768 | 2340 |
| 1008994.522 | 881842.827 | 2520 |
| 1008995.244 | 881840.972 | 2700 |
| 1008995.65 | 881839.502 | 2340 |
| 1008996.009 | 881837.863 | 2400 |
| 1008997.185 | 881836.4 | 1680 |
| 1008997.913 | 881835.033 | 2220 |
| 1008998.734 | 881833.877 | 2340 |
| 1008999.492 | 881832.429 | 2100 |
| 1008999.899 | 881830.91 | 2220 |
| 1009000.805 | 881828.779 | 2100 |
| 1009001.466 | 881827.564 | 1980 |
| 1009002.081 | 881825.797 | 1920 |
| 1009002.618 | 881823.825 | 1980 |
| 1009002.982 | 881822.123 | 2460 |
| 1009002.335 | 881821.222 | 2640 |
| 1009001.551 | 881820.776 | 3120 |
| 1009000.655 | 881821.119 | 2880 |
| 1009000.192 | 881822.513 | 3000 |
| 1008999.315 | 881824.13 | 2640 |
| 1008998.76 | 881825.821 | 2940 |
| 1008997.986 | 881827.656 | 2400 |
| 1008997.339 | 881829.525 | 2280 |
| 1008996.459 | 881831.171 | 2280 |
| 1008995.704 | 881832.689 | 2640 |
| 1008994.554 | 881834.801 | 2520 |
| 1008994.157 | 881835.645 | 2760 |
| 1008993.189 | 881836.994 | 2880 |
| 1008992.892 | 881838.275 | 2880 |
| 1008992.431 | 881839.385 | 2220 |
| 1008991.646 | 881840.688 | 2040 |
| 1008991.506 | 881841.551 | 2400 |
| 1008990.803 | 881842.225 | 2760 |
| 1008990.223 | 881843.022 | 2580 |
| 1008989.672 | 881844.27 | 2880 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009148.174 | 881967.926 | 2880 |
| 1009148.378 | 881967.899 | 3120 |
| 1009148.353 | 881967.755 | 2340 |
| 1009148.202 | 881967.668 | 3120 |
| 1009148.205 | 881967.7 | 2940 |
| 1009148.362 | 881967.719 | 2580 |
| 1009148.299 | 881967.883 | 2700 |
| 1009148.356 | 881967.938 | 2640 |
| 1009148.139 | 881967.906 | 2160 |
| 1009147.987 | 881967.912 | 3060 |
| 1009147.978 | 881967.951 | 3060 |
| 1009148.09 | 881968.011 | 3180 |
| 1009148.214 | 881968.126 | 2700 |
| 1009148.124 | 881968.357 | 2760 |
| 1009148.124 | 881968.31 | 3300 |
| 1009148.764 | 881968.011 | 3060 |
| 1009149.503 | 881968.065 | 2400 |
| 1009149.279 | 881968.368 | 3000 |
| 1009149.257 | 881968.661 | 3360 |
| 1009149.197 | 881968.938 | 3540 |
| 1009148.857 | 881968.847 | 3000 |
| 1009148.331 | 881969.01 | 2700 |
| 1009147.801 | 881969.711 | 3660 |
| 1009147.542 | 881969.945 | 2940 |
| 1009147.628 | 881970.1 | 2760 |
| 1009147.711 | 881970.038 | 2880 |
| 1009147.496 | 881970.05 | 2220 |
| 1009147.51 | 881969.658 | 2760 |
| 1009147.346 | 881969.918 | 3180 |
| 1009147.448 | 881970.231 | 3120 |
| 1009147.433 | 881970.315 | 2820 |
| 1009147.279 | 881970.402 | 2880 |
| 1009147.36 | 881970.406 | 2880 |
| 1009147.195 | 881970.132 | 2280 |
| 1009147.079 | 881970.13 | 2400 |
| 1009147.404 | 881970.479 | 2160 |
| 1009147.254 | 881970.391 | 3120 |
| 1009147.203 | 881970.196 | 3300 |
| 1009147.185 | 881970.003 | 3540 |
| 1009147.147 | 881969.951 | 2700 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008988.778 | 881845.38 | 2580 |
| 1008988.617 | 881846.388 | 2940 |
| 1008987.799 | 881847.108 | 2700 |
| 1008987.486 | 881848.185 | 2820 |
| 1008987.782 | 881848.847 | 2700 |
| 1008986.836 | 881849.831 | 2700 |
| 1008986.614 | 881851.1 | 2640 |
| 1008986.771 | 881851.736 | 3120 |
| 1008986.519 | 881852.625 | 2940 |
| 1008985.769 | 881853.71 | 2880 |
| 1008985.232 | 881855.06 | 2160 |
| 1008984.687 | 881856.768 | 2880 |
| 1008984.26 | 881858.242 | 3060 |
| 1008983.959 | 881859.481 | 2580 |
| 1008983.478 | 881860.609 | 2640 |
| 1008982.897 | 881861.829 | 2520 |
| 1008982.011 | 881863.013 | 2580 |
| 1008981.982 | 881864.106 | 3060 |
| 1008981.736 | 881865.155 | 2400 |
| 1008981.573 | 881866.168 | 2880 |
| 1008981.615 | 881867.033 | 2880 |
| 1008981.376 | 881867.954 | 3120 |
| 1008981.13 | 881869.131 | 2400 |
| 1008980.731 | 881870.232 | 2280 |
| 1008980.141 | 881871.743 | 2940 |
| 1008978.945 | 881872.96 | 2400 |
| 1008977.111 | 881873.963 | 2820 |
| 1008975.003 | 881873.73 | 2520 |
| 1008974.171 | 881872.607 | 2400 |
| 1008974.218 | 881871.334 | 2580 |
| 1008975.598 | 881869.749 | 2160 |
| 1008975.894 | 881868.486 | 2220 |
| 1008976.074 | 881867.468 | 2640 |
| 1008976.247 | 881867.482 | 2640 |
| 1008976.206 | 881867.432 | 2460 |
| 1008976.693 | 881867.258 | 1800 |
| 1008977.056 | 881866.14 | 2340 |
| 1008977.79 | 881864.769 | 3060 |
| 1008978.428 | 881863.887 | 2220 |
| 1008978.667 | 881862.843 | 2580 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009147.249 | 881969.983 | 2340 |
| 1009147.32 | 881969.981 | 2580 |
| 1009147.297 | 881970.126 | 2400 |
| 1009147.201 | 881970.257 | 2820 |
| 1009147.186 | 881970.433 | 3000 |
| 1009147.227 | 881970.401 | 2880 |
| 1009147.212 | 881970.332 | 2940 |
| 1009147.272 | 881970.35 | 3180 |
| 1009147.286 | 881970.354 | 3360 |
| 1009147.265 | 881970.425 | 3240 |
| 1009147.285 | 881970.425 | 2940 |
| 1009147.432 | 881970.539 | 2640 |
| 1009147.596 | 881970.842 | 2520 |
| 1009147.274 | 881970.957 | 2700 |
| 1009147.37 | 881970.789 | 2700 |
| 1009147.184 | 881970.341 | 2760 |
| 1009147.212 | 881970.251 | 2820 |
| 1009147.156 | 881970.321 | 2760 |
| 1009147.084 | 881970.349 | 2760 |
| 1009147.067 | 881970.43 | 2760 |
| 1009147.048 | 881970.476 | 2700 |
| 1009147.009 | 881970.478 | 2460 |
| 1009146.948 | 881970.427 | 2760 |
| 1009146.85 | 881970.241 | 2880 |
| 1009146.875 | 881970.127 | 2580 |
| 1009146.88 | 881970.143 | 2700 |
| 1009146.846 | 881970.196 | 2400 |
| 1009146.85 | 881970.299 | 2400 |
| 1009146.856 | 881970.298 | 3000 |
| 1009146.828 | 881970.277 | 2520 |
| 1009146.828 | 881970.292 | 3180 |
| 1009146.819 | 881970.295 | 3060 |
| 1009146.837 | 881970.277 | 2760 |
| 1009146.865 | 881970.242 | 2820 |
| 1009146.872 | 881970.185 | 2760 |
| 1009146.849 | 881970.142 | 2700 |
| 1009146.786 | 881970.213 | 2820 |
| 1009146.794 | 881970.382 | 2400 |
| 1009146.778 | 881970.445 | 2940 |
| 1009146.74 | 881970.424 | 3060 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008979.31 | 881861.639 | 2400 |
| 1008979.517 | 881860.29 | 2940 |
| 1008980.079 | 881858.838 | 2700 |
| 1008980.3 | 881857.008 | 3000 |
| 1008981.036 | 881855.697 | 2760 |
| 1008981.805 | 881854.215 | 3420 |
| 1008982.527 | 881852.591 | 2640 |
| 1008983.008 | 881851.265 | 2640 |
| 1008983.67 | 881849.631 | 2760 |
| 1008984.253 | 881847.892 | 2760 |
| 1008984.651 | 881846.533 | 2400 |
| 1008985.57 | 881845.489 | 2340 |
| 1008985.942 | 881844.012 | 2160 |
| 1008986.39 | 881843.06 | 2340 |
| 1008987.545 | 881841.928 | 2220 |
| 1008988.313 | 881840.045 | 2460 |
| 1008988.633 | 881838.705 | 2460 |
| 1008989.514 | 881837.664 | 2340 |
| 1008989.974 | 881836.084 | 1920 |
| 1008990.668 | 881834.11 | 2820 |
| 1008991.128 | 881832.354 | 2460 |
| 1008991.659 | 881830.578 | 2760 |
| 1008991.967 | 881829.048 | 2880 |
| 1008992.91 | 881827.291 | 2340 |
| 1008993.295 | 881825.558 | 2280 |
| 1008993.717 | 881823.798 | 2520 |
| 1008994.316 | 881822.186 | 2520 |
| 1008995.294 | 881820.844 | 2160 |
| 1008996.123 | 881819.792 | 2220 |
| 1008996.445 | 881818.952 | 2340 |
| 1008996.31 | 881818.8 | 2700 |
| 1008995.021 | 881819.263 | 2640 |
| 1008993.884 | 881820.624 | 2640 |
| 1008992.882 | 881822.102 | 2700 |
| 1008992.011 | 881823.468 | 3240 |
| 1008990.799 | 881825.057 | 2760 |
| 1008990.292 | 881826.339 | 2640 |
| 1008989.206 | 881827.811 | 2400 |
| 1008988.245 | 881829.768 | 2580 |
| 1008987.127 | 881831.362 | 2520 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009146.77 | 881970.289 | 2400 |
| 1009146.757 | 881970.228 | 2940 |
| 1009146.769 | 881970.334 | 2760 |
| 1009146.891 | 881970.392 | 3480 |
| 1009147.079 | 881970.495 | 3120 |
| 1009147.297 | 881970.556 | 2760 |
| 1009147.053 | 881970.325 | 2940 |
| 1009146.791 | 881970.172 | 2880 |
| 1009146.825 | 881970.397 | 2700 |
| 1009146.914 | 881970.81 | 2820 |
| 1009146.996 | 881970.603 | 3000 |
| 1009147.157 | 881970.56 | 2520 |
| 1009147.13 | 881970.705 | 2820 |
| 1009147.439 | 881970.83 | 2640 |
| 1009147.333 | 881970.74 | 2940 |
| 1009147.248 | 881970.821 | 2460 |
| 1009147.151 | 881970.913 | 3000 |
| 1009147.175 | 881970.883 | 3000 |
| 1009147.416 | 881970.84 | 2820 |
| 1009147.411 | 881970.87 | 2760 |
| 1009146.684 | 881970.466 | 3060 |
| 1009146.492 | 881970.361 | 2940 |
| 1009146.386 | 881970.443 | 2520 |
| 1009146.41 | 881970.555 | 2940 |
| 1009146.872 | 881970.447 | 2400 |
| 1009148.44 | 881970.158 | 2700 |
| 1009148.75 | 881970.653 | 2700 |
| 1009148.223 | 881970.465 | 2520 |
| 1009147.455 | 881970.894 | 2640 |
| 1009147.044 | 881971.744 | 2400 |
| 1009145.84 | 881972.524 | 2040 |
| 1009145.519 | 881972.473 | 3060 |
| 1009145.178 | 881972.184 | 2820 |
| 1009144.282 | 881972.387 | 2580 |
| 1009143.843 | 881972.241 | 2460 |
| 1009143.335 | 881971.427 | 2880 |
| 1009142.467 | 881971.448 | 2940 |
| 1009141.709 | 881970.889 | 2700 |
| 1009141.08 | 881970.427 | 2760 |
| 1009141.92 | 881970.006 | 2100 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008986.464 | 881833.094 | 2280 |
| 1008986.109 | 881834.898 | 2760 |
| 1008985.484 | 881836.38 | 2580 |
| 1008985.028 | 881838.025 | 2700 |
| 1008984.17 | 881839.203 | 2400 |
| 1008983.87 | 881840.501 | 2280 |
| 1008982.994 | 881841.904 | 2460 |
| 1008981.913 | 881843.523 | 2520 |
| 1008981.28 | 881844.927 | 2700 |
| 1008980.564 | 881845.948 | 2520 |
| 1008980.68 | 881846.972 | 2640 |
| 1008980.2 | 881848.031 | 2940 |
| 1008980.049 | 881849.458 | 2820 |
| 1008979.569 | 881851.026 | 2880 |
| 1008978.686 | 881852.641 | 2940 |
| 1008977.821 | 881854.443 | 2640 |
| 1008977.408 | 881856.328 | 2700 |
| 1008976.725 | 881857.767 | 2580 |
| 1008975.899 | 881859.426 | 2760 |
| 1008975.385 | 881861.038 | 2700 |
| 1008974.823 | 881862.622 | 2280 |
| 1008974.224 | 881864.346 | 3120 |
| 1008973.494 | 881865.745 | 2580 |
| 1008972.926 | 881866.865 | 2580 |
| 1008972.311 | 881867.904 | 2940 |
| 1008971.421 | 881868.374 | 2760 |
| 1008969.716 | 881868.512 | 2580 |
| 1008968.826 | 881867.944 | 2640 |
| 1008968.869 | 881867.229 | 2760 |
| 1008968.641 | 881867.044 | 2520 |
| 1008968.504 | 881866.277 | 2460 |
| 1008968.713 | 881865.223 | 2520 |
| 1008968.711 | 881864.507 | 2760 |
| 1008968.89 | 881863.73 | 2400 |
| 1008968.96 | 881862.793 | 2580 |
| 1008969.021 | 881861.565 | 2820 |
| 1008969.592 | 881860.389 | 3000 |
| 1008969.862 | 881859.232 | 2940 |
| 1008969.934 | 881858.032 | 2760 |
| 1008969.994 | 881856.883 | 2580 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009143.105 | 881969.493 | 2520 |
| 1009144.15 | 881969.117 | 2340 |
| 1009145.886 | 881968.725 | 3060 |
| 1009146.549 | 881968.128 | 2640 |
| 1009146.547 | 881968.426 | 2460 |
| 1009147.112 | 881967.799 | 2460 |
| 1009147.199 | 881968.175 | 2280 |
| 1009146.604 | 881967.885 | 2160 |
| 1009145.722 | 881968.098 | 2400 |
| 1009145.158 | 881967.327 | 2520 |
| 1009144.111 | 881967.375 | 2700 |
| 1009143.693 | 881967.436 | 2700 |
| 1009142.988 | 881967.122 | 2220 |
| 1009142.263 | 881966.664 | 3120 |
| 1009141.324 | 881966.541 | 2520 |
| 1009140.89 | 881965.861 | 2580 |
| 1009140.199 | 881965.411 | 2460 |
| 1009139.548 | 881964.615 | 2340 |
| 1009138.882 | 881964.722 | 2400 |
| 1009137.994 | 881963.925 | 2940 |
| 1009137.238 | 881964.038 | 2580 |
| 1009136.893 | 881964.011 | 3180 |
| 1009136.203 | 881963.285 | 2520 |
| 1009135.532 | 881962.939 | 2880 |
| 1009134.653 | 881961.833 | 3240 |
| 1009133.722 | 881961.725 | 3060 |
| 1009133.14 | 881961.275 | 2760 |
| 1009131.803 | 881961.247 | 2760 |
| 1009131.535 | 881960.917 | 3480 |
| 1009130.524 | 881960.618 | 3180 |
| 1009129.762 | 881960.42 | 2880 |
| 1009128.546 | 881960.397 | 3120 |
| 1009128.29 | 881960.34 | 2880 |
| 1009127.663 | 881959.701 | 2760 |
| 1009127.394 | 881959.157 | 2820 |
| 1009126.705 | 881958.329 | 2700 |
| 1009126.013 | 881958.24 | 2700 |
| 1009125.085 | 881957.963 | 3120 |
| 1009124.203 | 881957.956 | 3240 |
| 1009121.339 | 881952.874 | 3120 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008970.224 | 881856.282 | 2460 |
| 1008970.262 | 881855.549 | 2880 |
| 1008970.609 | 881854.367 | 2640 |
| 1008970.97 | 881853.23 | 3060 |
| 1008970.679 | 881852.04 | 2880 |
| 1008970.692 | 881850.991 | 3000 |
| 1008970.789 | 881850.35 | 3120 |
| 1008970.473 | 881849.604 | 2760 |
| 1008971.373 | 881848.922 | 2160 |
| 1008971.764 | 881848.804 | 1740 |
| 1008971.856 | 881847.424 | 2100 |
| 1008971.944 | 881846.347 | 1920 |
| 1008972.15 | 881845.208 | 1800 |
| 1008972.346 | 881844.477 | 2160 |
| 1008972.761 | 881844.225 | 1860 |
| 1008973.078 | 881843.03 | 1680 |
| 1008973.71 | 881841.545 | 2160 |
| 1008973.768 | 881840.609 | 1800 |
| 1008974.131 | 881839.791 | 1920 |
| 1008974.87 | 881838.525 | 2220 |
| 1008975.797 | 881836.671 | 1800 |
| 1008975.897 | 881835.594 | 1500 |
| 1008976.443 | 881834.047 | 1680 |
| 1008977.44 | 881833.129 | 1980 |
| 1008977.633 | 881832.115 | 2100 |
| 1008978.195 | 881831.094 | 2220 |
| 1008978.746 | 881830.218 | 2100 |
| 1008979.046 | 881829.084 | 2220 |
| 1008979.692 | 881828.146 | 2280 |
| 1008980.269 | 881827.391 | 2100 |
| 1008980.886 | 881826.43 | 2220 |
| 1008980.695 | 881825.641 | 2100 |
| 1008981.213 | 881824.718 | 2340 |
| 1008981.897 | 881823.17 | 2520 |
| 1008982.548 | 881821.996 | 3120 |
| 1008983.092 | 881820.315 | 2400 |
| 1008983.666 | 881819.217 | 2280 |
| 1008984.776 | 881817.63 | 2700 |
| 1008985.51 | 881816.329 | 2580 |
| 1008986.336 | 881815.191 | 2220 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009122.497 | 881952.947 | 2460 |
| 1009123.148 | 881953.749 | 2880 |
| 1009123.978 | 881953.794 | 2580 |
| 1009124.479 | 881954.225 | 2400 |
| 1009125.18 | 881955.026 | 2700 |
| 1009125.883 | 881955.152 | 2580 |
| 1009126.552 | 881955.575 | 2520 |
| 1009127.563 | 881955.77 | 2820 |
| 1009128.509 | 881956.99 | 2880 |
| 1009130.039 | 881956.835 | 2880 |
| 1009130.489 | 881958.025 | 3060 |
| 1009131.441 | 881958.049 | 2520 |
| 1009132.122 | 881958.442 | 3420 |
| 1009132.953 | 881958.862 | 3420 |
| 1009133.691 | 881958.863 | 3360 |
| 1009134.011 | 881959.371 | 3360 |
| 1009134.641 | 881959.622 | 3060 |
| 1009135.518 | 881959.86 | 3120 |
| 1009136.215 | 881960.815 | 2700 |
| 1009137.191 | 881961.342 | 2880 |
| 1009137.806 | 881962.156 | 2640 |
| 1009138.941 | 881962.512 | 2580 |
| 1009139.985 | 881962.924 | 2640 |
| 1009141.035 | 881963.427 | 2940 |
| 1009141.776 | 881964.205 | 3000 |
| 1009142.298 | 881965.399 | 2940 |
| 1009143.373 | 881966.207 | 3120 |
| 1009144.225 | 881966.458 | 2520 |
| 1009145.537 | 881966.438 | 2520 |
| 1009146.654 | 881966.631 | 3240 |
| 1009147.756 | 881966.41 | 2640 |
| 1009148.524 | 881966.883 | 2880 |
| 1009148.707 | 881966.86 | 2640 |
| 1009148.599 | 881966.689 | 2760 |
| 1009148.157 | 881965.851 | 2220 |
| 1009147.476 | 881965.573 | 2700 |
| 1009147.535 | 881964.841 | 2520 |
| 1009146.764 | 881963.91 | 2880 |
| 1009145.979 | 881963.747 | 2160 |
| 1009145.544 | 881962.785 | 2820 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008986.778 | 881813.543 | 2760 |
| 1008987.35 | 881812.498 | 1860 |
| 1008987.787 | 881811.987 | 2160 |
| 1008988.488 | 881812.231 | 2400 |
| 1008989.751 | 881812.83 | 2160 |
| 1008991.078 | 881813.796 | 2340 |
| 1008992.083 | 881815.137 | 2820 |
| 1008993.388 | 881816.46 | 2580 |
| 1008995.859 | 881817.921 | 2760 |
| 1008998.057 | 881819.549 | 2160 |
| 1009000.351 | 881822.334 | 2460 |
| 1009002.222 | 881823.418 | 2460 |
| 1009005.13 | 881824.424 | 2280 |
| 1009007.628 | 881825.353 | 2220 |
| 1009009.999 | 881826.284 | 2280 |
| 1009012.05 | 881826.614 | 3300 |
| 1009014.189 | 881826.726 | 2340 |
| 1009015.201 | 881826.904 | 2460 |
| 1009014.792 | 881826.92 | 3360 |
| 1009014.868 | 881826.763 | 3240 |
| 1009015.123 | 881826.635 | 2580 |
| 1009015.249 | 881826.538 | 2880 |
| 1009015.392 | 881826.512 | 2760 |
| 1009015.498 | 881826.536 | 3060 |
| 1009015.391 | 881826.787 | 3240 |
| 1009015.005 | 881827.026 | 3300 |
| 1009014.883 | 881826.993 | 3120 |
| 1009014.786 | 881826.944 | 2700 |
| 1009015.251 | 881827.143 | 3000 |
| 1009015.966 | 881827.403 | 2520 |
| 1009016.101 | 881827.393 | 2640 |
| 1009016.091 | 881827.395 | 2460 |
| 1009016.097 | 881827.378 | 2280 |
| 1009016.127 | 881827.367 | 2760 |
| 1009015.83 | 881827.868 | 2460 |
| 1009015.937 | 881828.294 | 2460 |
| 1009016.155 | 881828.301 | 2100 |
| 1009016.096 | 881828.202 | 2580 |
| 1009016.201 | 881828.144 | 2520 |
| 1009016.19 | 881828.143 | 2460 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009144.778 | 881962.644 | 3180 |
| 1009144.487 | 881962.292 | 3000 |
| 1009143.471 | 881962.41 | 3180 |
| 1009142.692 | 881962.367 | 2520 |
| 1009141.753 | 881962.051 | 2640 |
| 1009141.509 | 881961.454 | 2820 |
| 1009141.457 | 881961.29 | 2640 |
| 1009141.203 | 881961.083 | 2460 |
| 1009140.644 | 881960.108 | 3180 |
| 1009139.532 | 881960.344 | 2520 |
| 1009138.721 | 881959.916 | 3060 |
| 1009137.598 | 881959.904 | 2820 |
| 1009136.884 | 881959.11 | 2520 |
| 1009123.572 | 881957.769 | 2640 |
| 1009122.826 | 881957.015 | 2280 |
| 1009122.072 | 881956.732 | 2520 |
| 1009121.343 | 881956.111 | 2880 |
| 1009120.621 | 881956.132 | 3060 |
| 1009119.988 | 881955.626 | 2760 |
| 1009119.123 | 881955.51 | 3180 |
| 1009118.783 | 881954.914 | 2880 |
| 1009118.365 | 881954.466 | 3120 |
| 1009117.81 | 881954.375 | 3240 |
| 1009117.138 | 881953.849 | 3180 |
| 1009116.565 | 881953.654 | 2880 |
| 1009116.339 | 881952.892 | 3060 |
| 1009116.194 | 881952.685 | 2700 |
| 1009115.338 | 881952.532 | 2520 |
| 1009114.613 | 881952.1 | 2340 |
| 1009114.295 | 881951.729 | 2820 |
| 1009114.125 | 881951.342 | 2640 |
| 1009113.825 | 881951.195 | 2520 |
| 1009112.896 | 881951.25 | 2760 |
| 1009112.446 | 881950.625 | 3120 |
| 1009111.88 | 881950.296 | 2640 |
| 1009111.483 | 881950.092 | 3300 |
| 1009111.11 | 881949.594 | 2400 |
| 1009110.544 | 881949.61 | 2940 |
| 1009110.059 | 881949.093 | 2820 |
| 1009109.201 | 881949.473 | 3300 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009016.179 | 881828.088 | 2340 |
| 1009016.273 | 881828.278 | 1980 |
| 1009016.296 | 881828.518 | 2820 |
| 1009016.336 | 881828.447 | 2460 |
| 1009016.248 | 881828.281 | 2460 |
| 1009016.13 | 881828.287 | 2880 |
| 1009015.998 | 881828.445 | 2520 |
| 1009015.95 | 881828.541 | 2700 |
| 1009016.15 | 881828.335 | 2880 |
| 1009016.352 | 881828.1 | 3240 |
| 1009015.996 | 881827.801 | 2940 |
| 1009015.994 | 881827.994 | 2700 |
| 1009015.697 | 881827.907 | 2940 |
| 1009015.322 | 881827.713 | 2580 |
| 1009015.508 | 881827.718 | 2460 |
| 1009015.704 | 881827.566 | 2940 |
| 1009015.739 | 881827.553 | 2940 |
| 1009015.785 | 881827.615 | 2760 |
| 1009015.681 | 881827.801 | 2580 |
| 1009015.618 | 881827.898 | 2520 |
| 1009015.646 | 881827.851 | 2460 |
| 1009015.565 | 881827.874 | 2220 |
| 1009002.267 | 881891.684 | 2820 |
| 1009001.89 | 881892.911 | 2700 |
| 1009001.362 | 881894.489 | 2580 |
| 1009000.902 | 881896.004 | 2880 |
| 1009000.055 | 881897.407 | 2700 |
| 1008999.751 | 881899.134 | 2460 |
| 1008998.887 | 881899.911 | 3000 |
| 1008999.353 | 881900.936 | 2760 |
| 1008999.088 | 881903.465 | 3000 |
| 1008998.387 | 881904.735 | 3120 |
| 1008997.677 | 881905.813 | 3120 |
| 1008997.341 | 881906.772 | 2820 |
| 1008996.667 | 881907.678 | 3720 |
| 1008995.752 | 881908.383 | 2700 |
| 1008994.973 | 881908.531 | 2640 |
| 1008993.858 | 881908.113 | 2520 |
| 1008993.216 | 881907.338 | 3540 |
| 1008992.801 | 881906.648 | 3420 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009108.942 | 881949.628 | 2820 |
| 1009108.873 | 881949.558 | 2520 |
| 1009108.855 | 881948.966 | 2940 |
| 1009108.216 | 881948.499 | 3060 |
| 1009107.609 | 881948.387 | 3000 |
| 1009107.213 | 881947.836 | 3180 |
| 1009106.511 | 881947.825 | 2580 |
| 1009106.1 | 881947.682 | 2940 |
| 1009105.588 | 881947.286 | 3180 |
| 1009104.883 | 881947.304 | 3720 |
| 1009104.506 | 881946.828 | 3300 |
| 1009103.787 | 881946.769 | 3660 |
| 1009103.218 | 881946.638 | 2820 |
| 1009102.762 | 881946.258 | 3000 |
| 1009102.064 | 881946.365 | 2340 |
| 1009101.61 | 881945.837 | 2580 |
| 1009100.879 | 881945.683 | 2700 |
| 1009100.345 | 881945.446 | 2820 |
| 1009099.819 | 881945.025 | 3300 |
| 1009099.267 | 881945.097 | 3240 |
| 1009098.953 | 881944.387 | 3060 |
| 1009098.292 | 881944.376 | 3000 |
| 1009097.678 | 881944.387 | 2700 |
| 1009097.23 | 881943.633 | 2940 |
| 1009096.624 | 881943.721 | 3480 |
| 1009096.211 | 881943.407 | 3060 |
| 1009095.595 | 881943.231 | 3000 |
| 1009095.126 | 881943.255 | 3240 |
| 1009094.752 | 881942.659 | 3060 |
| 1009094.408 | 881942.581 | 2760 |
| 1009094.066 | 881942.476 | 3000 |
| 1009093.606 | 881941.915 | 2820 |
| 1009093.023 | 881942.027 | 3300 |
| 1009092.569 | 881941.779 | 2940 |
| 1009091.939 | 881941.428 | 3000 |
| 1009091.343 | 881941.606 | 2820 |
| 1009091.011 | 881941.135 | 2340 |
| 1009090.759 | 881940.731 | 2640 |
| 1009091.013 | 881941.352 | 3900 |
| 1009091.082 | 881941.404 | 3120 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008992.633 | 881905.742 | 3060 |
| 1008992.977 | 881904.721 | 2580 |
| 1008993.544 | 881903.716 | 2580 |
| 1008993.828 | 881902.723 | 2700 |
| 1008994.149 | 881901.625 | 2220 |
| 1008994.534 | 881900.492 | 2400 |
| 1008995.209 | 881899.484 | 2580 |
| 1008995.65 | 881898.491 | 2700 |
| 1008996.136 | 881897.575 | 3000 |
| 1008996.755 | 881896.529 | 2760 |
| 1008997.319 | 881895.564 | 2760 |
| 1008997.536 | 881894.895 | 2700 |
| 1008997.767 | 881893.518 | 2820 |
| 1008997.812 | 881892.374 | 2940 |
| 1008998.134 | 881891.336 | 2760 |
| 1008998.386 | 881890.37 | 2520 |
| 1008998.126 | 881889.217 | 3000 |
| 1008999.199 | 881888.044 | 2640 |
| 1008999.222 | 881886.39 | 2580 |
| 1009000.036 | 881885.107 | 2460 |
| 1009000.395 | 881882.857 | 2520 |
| 1009000.478 | 881881.79 | 2640 |
| 1009000.846 | 881880.533 | 3120 |
| 1009001.047 | 881879.522 | 2340 |
| 1009000.973 | 881878.361 | 2340 |
| 1009000.988 | 881877.441 | 2880 |
| 1009000.918 | 881876.586 | 2640 |
| 1009000.7 | 881876.209 | 2580 |
| 1009000.209 | 881877.049 | 2220 |
| 1008999.411 | 881878.179 | 2160 |
| 1008998.628 | 881879.555 | 2220 |
| 1008997.832 | 881881.042 | 2700 |
| 1008996.748 | 881882.367 | 3000 |
| 1008996.002 | 881883.757 | 2880 |
| 1008995.327 | 881885.06 | 2280 |
| 1008994.75 | 881886.431 | 2640 |
| 1008994.371 | 881888.432 | 2580 |
| 1008994.154 | 881889.979 | 3000 |
| 1008994.153 | 881891.234 | 3000 |
| 1008994.329 | 881892.747 | 3120 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009090.855 | 881940.878 | 2940 |
| 1009090.537 | 881940.449 | 2940 |
| 1009090.052 | 881940.848 | 3420 |
| 1009089.704 | 881940.532 | 3240 |
| 1009089.026 | 881940.268 | 3180 |
| 1009088.475 | 881940.298 | 3180 |
| 1009088.075 | 881939.654 | 2640 |
| 1009087.456 | 881939.762 | 2820 |
| 1009086.955 | 881939.182 | 2640 |
| 1009086.525 | 881939.283 | 3060 |
| 1009086.215 | 881938.881 | 3060 |
| 1009085.749 | 881938.599 | 3180 |
| 1009085.274 | 881938.313 | 3120 |
| 1009084.806 | 881937.959 | 3060 |
| 1009084.341 | 881937.875 | 2760 |
| 1009084.189 | 881937.46 | 2760 |
| 1009083.993 | 881937.536 | 2580 |
| 1009083.318 | 881937.042 | 2580 |
| 1009082.76 | 881936.822 | 2700 |
| 1009082.301 | 881936.37 | 3180 |
| 1009081.77 | 881935.619 | 2880 |
| 1009081.411 | 881935.788 | 3120 |
| 1009081.362 | 881935.999 | 2760 |
| 1009081.217 | 881936.331 | 3300 |
| 1009081.089 | 881936.565 | 3300 |
| 1009081.239 | 881936.362 | 3360 |
| 1009081.007 | 881935.5 | 2760 |
| 1009080.57 | 881934.797 | 2940 |
| 1009079.96 | 881935.093 | 3120 |
| 1009079.64 | 881935.508 | 3180 |
| 1009079.79 | 881935.223 | 2700 |
| 1009079.469 | 881934.614 | 3060 |
| 1009078.606 | 881934.832 | 2580 |
| 1009078.208 | 881934.569 | 2760 |
| 1009077.942 | 881934.32 | 3240 |
| 1009077.409 | 881934.3 | 2520 |
| 1009077.169 | 881933.61 | 2640 |
| 1009076.803 | 881933.352 | 2580 |
| 1009076.494 | 881933.364 | 2880 |
| 1009076.371 | 881932.496 | 2940 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008994.259 | 881894.6 | 3000 |
| 1008993.409 | 881895.537 | 2400 |
| 1008992.222 | 881896.78 | 2220 |
| 1008991.3 | 881897.527 | 2400 |
| 1008990.726 | 881898.667 | 2700 |
| 1008990.209 | 881900.074 | 2880 |
| 1008990.197 | 881901.305 | 2760 |
| 1008990.431 | 881902.241 | 2880 |
| 1008990.519 | 881902.073 | 3000 |
| 1008990.838 | 881902.606 | 3480 |
| 1008991.546 | 881904.13 | 3120 |
| 1008991.681 | 881904.932 | 3000 |
| 1008990.981 | 881905.478 | 2940 |
| 1008990.542 | 881906.224 | 2700 |
| 1008989.838 | 881906.805 | 3480 |
| 1008988.586 | 881906.838 | 3300 |
| 1008988.592 | 881906.81 | 2520 |
| 1008988.518 | 881906.713 | 2640 |
| 1008988.556 | 881906.557 | 2580 |
| 1008988.987 | 881906.522 | 3300 |
| 1008989.246 | 881906.502 | 3180 |
| 1008988.594 | 881906.538 | 2700 |
| 1008988.153 | 881906.514 | 2460 |
| 1008987.818 | 881906.039 | 2820 |
| 1008987.832 | 881905.177 | 2700 |
| 1008987.798 | 881904.227 | 2400 |
| 1008987.954 | 881903.1 | 2580 |
| 1008988.136 | 881901.918 | 2580 |
| 1008987.886 | 881900.79 | 2400 |
| 1008987.933 | 881899.78 | 2520 |
| 1008987.883 | 881898.585 | 3000 |
| 1008987.968 | 881897.962 | 3000 |
| 1008988.2 | 881897.167 | 3180 |
| 1008988.002 | 881896.547 | 2640 |
| 1008987.938 | 881895.744 | 2460 |
| 1008988.679 | 881894.587 | 2460 |
| 1008989.16 | 881893.683 | 2640 |
| 1008989.678 | 881892.648 | 2580 |
| 1008989.608 | 881892.088 | 3000 |
| 1008989.806 | 881891.456 | 2760 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009075.957 | 881932.594 | 2520 |
| 1009075.493 | 881932.806 | 2880 |
| 1009075.132 | 881932.301 | 3480 |
| 1009074.566 | 881932.288 | 3480 |
| 1009074.211 | 881931.605 | 3300 |
| 1009073.493 | 881931.715 | 2880 |
| 1009072.444 | 881932.154 | 3180 |
| 1009071.722 | 881931.602 | 3060 |
| 1009071.53 | 881931.509 | 3240 |
| 1009071.62 | 881931.71 | 2760 |
| 1009071.302 | 881931.576 | 2340 |
| 1009070.542 | 881931.676 | 2820 |
| 1009069.976 | 881931.829 | 3000 |
| 1009070.211 | 881931.204 | 3480 |
| 1009070.278 | 881930.114 | 3480 |
| 1009069.508 | 881929.968 | 3600 |
| 1009068.891 | 881929.232 | 3360 |
| 1009069.088 | 881928.62 | 2580 |
| 1009068.557 | 881929.39 | 2940 |
| 1009068.049 | 881929.397 | 2700 |
| 1009067.684 | 881929.027 | 3480 |
| 1009067.688 | 881927.489 | 2760 |
| 1009067.518 | 881926.875 | 2820 |
| 1009067.582 | 881927.291 | 3360 |
| 1009067.859 | 881927.025 | 3060 |
| 1009068.323 | 881927.002 | 2940 |
| 1009068.621 | 881927.601 | 2820 |
| 1009069.14 | 881927.728 | 3600 |
| 1009069.721 | 881928.347 | 2880 |
| 1009070.415 | 881928.454 | 2760 |
| 1009070.608 | 881928.82 | 3060 |
| 1009070.648 | 881929.496 | 2700 |
| 1009071.171 | 881929.426 | 2640 |
| 1009072.31 | 881929.469 | 2940 |
| 1009072.994 | 881929.58 | 2520 |
| 1009073.043 | 881929.994 | 2400 |
| 1009073.526 | 881930.609 | 2940 |
| 1009073.978 | 881930.612 | 3480 |
| 1009074.406 | 881931.008 | 3240 |
| 1009075.154 | 881931.394 | 2820 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008990.701 | 881889.902 | 2940 |
| 1008991.069 | 881889.05 | 3120 |
| 1008991.215 | 881887.681 | 2760 |
| 1008991.353 | 881886.124 | 3540 |
| 1008991.598 | 881884.786 | 2520 |
| 1008991.822 | 881882.691 | 2700 |
| 1008992.391 | 881881.926 | 2640 |
| 1008992.781 | 881880.635 | 2520 |
| 1008993.344 | 881879.209 | 2760 |
| 1008993.724 | 881877.987 | 2340 |
| 1008993.531 | 881876.489 | 2580 |
| 1008993.833 | 881875.697 | 2460 |
| 1008993.85 | 881875.671 | 2040 |
| 1008993.83 | 881875.684 | 2280 |
| 1008993.409 | 881875.915 | 2520 |
| 1008992.684 | 881875.787 | 2400 |
| 1008992.2 | 881875.852 | 2100 |
| 1008991.551 | 881876.075 | 2460 |
| 1008991.021 | 881876.891 | 2520 |
| 1008990.359 | 881878.387 | 2700 |
| 1008989.733 | 881879.814 | 2280 |
| 1008990.027 | 881880.297 | 2820 |
| 1008989.695 | 881880.942 | 2760 |
| 1008989.232 | 881882.766 | 2880 |
| 1008988.885 | 881884.493 | 3060 |
| 1008988.558 | 881886.283 | 3180 |
| 1008988.571 | 881888.252 | 2640 |
| 1008988.283 | 881889.944 | 2700 |
| 1008988.052 | 881891.989 | 1980 |
| 1008987.813 | 881893.797 | 1920 |
| 1008987.785 | 881895.196 | 2700 |
| 1008987.412 | 881896.883 | 2100 |
| 1008987.086 | 881898.405 | 2940 |
| 1008986.637 | 881899.749 | 2940 |
| 1008986.354 | 881901.185 | 2820 |
| 1008986.688 | 881902.278 | 2400 |
| 1008986.145 | 881903.083 | 2580 |
| 1008985.096 | 881904.006 | 2820 |
| 1008984.405 | 881904.017 | 2940 |
| 1008983.541 | 881903.134 | 3060 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009075.783 | 881931.431 | 3000 |
| 1009076.416 | 881931.704 | 2760 |
| 1009077.102 | 881931.626 | 2760 |
| 1009077.382 | 881932.127 | 2940 |
| 1009077.983 | 881932.383 | 2520 |
| 1009078.461 | 881932.789 | 3120 |
| 1009079.229 | 881932.89 | 3420 |
| 1009080.138 | 881933.071 | 3540 |
| 1009080.773 | 881934.113 | 3180 |
| 1009081.607 | 881934.54 | 2760 |
| 1009082.106 | 881935.153 | 3000 |
| 1009082.545 | 881934.87 | 2700 |
| 1009082.317 | 881934.65 | 3600 |
| 1009082.293 | 881934.897 | 2760 |
| 1009082.5 | 881935.679 | 2820 |
| 1009083.196 | 881935.758 | 2760 |
| 1009083.586 | 881936.139 | 3480 |
| 1009084.352 | 881936.507 | 2940 |
| 1009084.956 | 881936.823 | 3120 |
| 1009085.617 | 881937.216 | 3060 |
| 1009086.301 | 881937.291 | 3240 |
| 1009086.983 | 881937.76 | 2700 |
| 1009087.684 | 881937.831 | 2880 |
| 1009088.072 | 881938.353 | 2940 |
| 1009088.857 | 881938.346 | 2460 |
| 1009089.272 | 881938.789 | 3120 |
| 1009090.091 | 881939.086 | 2880 |
| 1009090.691 | 881939.015 | 2940 |
| 1009091.327 | 881939.65 | 2880 |
| 1009092.106 | 881939.566 | 2880 |
| 1009092.848 | 881940.297 | 2880 |
| 1009093.69 | 881940.5 | 3060 |
| 1009094.284 | 881941.092 | 3240 |
| 1009095.307 | 881941.183 | 3180 |
| 1009095.877 | 881941.826 | 3360 |
| 1009096.728 | 881942.013 | 2700 |
| 1009097.397 | 881942.278 | 3480 |
| 1009098.237 | 881942.773 | 3000 |
| 1009098.998 | 881943.019 | 2640 |
| 1009099.683 | 881943.54 | 3000 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008982.967 | 881901.89 | 3180 |
| 1008982.824 | 881900.94 | 2340 |
| 1008982.93 | 881899.779 | 2340 |
| 1008983.197 | 881899.2 | 2580 |
| 1008983.316 | 881899.013 | 2580 |
| 1008982.865 | 881898.466 | 2700 |
| 1008983.178 | 881897.474 | 2580 |
| 1008983.614 | 881896.373 | 2580 |
| 1008983.986 | 881895.295 | 2640 |
| 1008984.229 | 881894.468 | 2220 |
| 1008984.758 | 881892.704 | 2340 |
| 1008985.11 | 881891.972 | 3060 |
| 1008985.007 | 881891.072 | 2640 |
| 1008985.025 | 881890.045 | 3120 |
| 1008985.121 | 881888.817 | 3000 |
| 1008985.417 | 881887.587 | 2100 |
| 1008986.145 | 881886.279 | 2520 |
| 1008986.469 | 881884.999 | 2640 |
| 1008986.64 | 881883.822 | 2520 |
| 1008987.264 | 881882.689 | 2640 |
| 1008987.906 | 881881.23 | 2820 |
| 1008988.243 | 881879.484 | 3060 |
| 1008988.786 | 881877.898 | 2940 |
| 1008988.945 | 881876.53 | 2700 |
| 1009015.5 | 881827.955 | 2520 |
| 1009015.504 | 881827.935 | 2400 |
| 1009015.487 | 881827.82 | 1980 |
| 1009015.343 | 881827.713 | 2460 |
| 1009015.749 | 881827.687 | 2880 |
| 1009016.588 | 881828.044 | 2700 |
| 1009016.948 | 881828.28 | 2820 |
| 1009016.771 | 881827.92 | 2580 |
| 1009016.908 | 881827.073 | 2820 |
| 1009016.398 | 881827.53 | 2940 |
| 1009016.043 | 881828.624 | 2880 |
| 1009016.331 | 881829.02 | 3120 |
| 1009016.672 | 881829.488 | 2940 |
| 1009017.02 | 881829.967 | 3240 |
| 1009017.361 | 881830.435 | 2760 |
| 1009017.695 | 881830.895 | 2760 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009100.802 | 881943.647 | 3120 |
| 1009101.716 | 881944.244 | 2880 |
| 1009102.824 | 881944.268 | 3000 |
| 1009103.626 | 881944.938 | 3240 |
| 1009104.905 | 881944.836 | 2760 |
| 1009105.657 | 881945.331 | 2700 |
| 1009106.456 | 881945.538 | 3120 |
| 1009107.048 | 881946.02 | 3000 |
| 1009107.956 | 881946.707 | 2760 |
| 1009108.766 | 881946.978 | 2820 |
| 1009109.56 | 881947.529 | 2520 |
| 1009110.576 | 881947.647 | 2940 |
| 1009111.511 | 881948.293 | 3060 |
| 1009112.507 | 881948.453 | 3540 |
| 1009112.841 | 881949.34 | 3180 |
| 1009112.848 | 881949.694 | 2400 |
| 1009112.533 | 881949.423 | 2760 |
| 1009112.917 | 881949.131 | 3060 |
| 1009113.465 | 881949.902 | 2580 |
| 1009114.284 | 881950.675 | 2640 |
| 1009114.455 | 881951.096 | 3420 |
| 1009114.488 | 881950.626 | 2940 |
| 1009114.945 | 881950.34 | 3060 |
| 1009115.677 | 881950.589 | 3000 |
| 1009116.301 | 881950.964 | 3000 |
| 1009117.319 | 881951.597 | 2940 |
| 1009118.02 | 881951.617 | 2760 |
| 1009119.059 | 881952.118 | 2760 |
| 1009120.267 | 881952.054 | 2580 |
| 1009135.903 | 881959.079 | 2760 |
| 1009135.15 | 881958.205 | 2820 |
| 1009133.763 | 881958.337 | 3120 |
| 1009133.164 | 881958.377 | 3000 |
| 1009132.585 | 881957.366 | 2640 |
| 1009131.501 | 881957.358 | 2460 |
| 1009131.143 | 881956.022 | 2160 |
| 1009130.004 | 881955.737 | 2820 |
| 1009129.165 | 881954.86 | 2940 |
| 1009128.129 | 881954.596 | 3180 |
| 1009127.964 | 881953.661 | 3240 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009018.067 | 881831.407 | 2760 |
| 1009018.383 | 881831.841 | 2520 |
| 1009018.745 | 881832.339 | 2520 |
| 1009019.081 | 881832.801 | 2820 |
| 1009019.419 | 881833.266 | 2460 |
| 1009019.772 | 881833.751 | 2580 |
| 1009020.109 | 881834.215 | 2580 |
| 1009020.456 | 881834.692 | 2640 |
| 1009020.791 | 881835.153 | 2640 |
| 1009020.48 | 881832.194 | 2700 |
| 1009020.146 | 881830.572 | 2640 |
| 1009019.968 | 881830.577 | 2820 |
| 1009019.795 | 881830.581 | 2580 |
| 1009019.657 | 881830.585 | 2340 |
| 1009019.481 | 881830.589 | 2820 |
| 1009019.296 | 881830.594 | 3120 |
| 1009019.122 | 881830.599 | 2760 |
| 1009018.883 | 881830.605 | 2520 |
| 1009018.731 | 881830.609 | 2700 |
| 1009018.547 | 881830.614 | 2280 |
| 1009018.374 | 881830.618 | 2220 |
| 1009018.195 | 881830.623 | 2460 |
| 1009018.013 | 881830.627 | 3060 |
| 1009017.83 | 881830.632 | 3060 |
| 1009017.661 | 881830.637 | 2940 |
| 1009017.478 | 881830.641 | 2280 |
| 1009017.296 | 881830.646 | 2160 |
| 1009017.125 | 881830.651 | 2280 |
| 1009016.947 | 881830.655 | 2760 |
| 1009016.756 | 881830.66 | 3120 |
| 1009016.591 | 881830.664 | 2520 |
| 1009016.408 | 881830.669 | 2520 |
| 1009016.239 | 881830.674 | 3000 |
| 1009016.287 | 881830.171 | 2580 |
| 1009016.874 | 881829.509 | 2640 |
| 1009016.865 | 881829.517 | 2220 |
| 1009004.778 | 881834.888 | 2580 |
| 1008990.378 | 881842.373 | 2700 |
| 1008991.924 | 881843.187 | 2760 |
| 1009003.723 | 881839.757 | 2700 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009127.632 | 881953.519 | 2820 |
| 1009126.911 | 881953.274 | 2580 |
| 1009125.753 | 881952.197 | 2640 |
| 1009124.723 | 881952.37 | 2580 |
| 1009124.094 | 881952.403 | 2760 |
| 1009122.932 | 881951.877 | 2700 |
| 1009121.844 | 881951.644 | 2640 |
| 1009120.848 | 881950.58 | 2820 |
| 1009119.627 | 881950.601 | 3300 |
| 1009118.349 | 881950.383 | 2520 |
| 1009117.383 | 881949.863 | 2880 |
| 1009116.417 | 881949.405 | 2940 |
| 1009115.428 | 881948.664 | 2760 |
| 1009114.256 | 881948.252 | 3480 |
| 1009113.194 | 881947.94 | 2520 |
| 1009112.147 | 881947.484 | 3000 |
| 1009111.104 | 881947.22 | 2760 |
| 1009109.999 | 881946.965 | 2940 |
| 1009109.063 | 881946.027 | 3360 |
| 1009108.065 | 881945.733 | 2820 |
| 1009107.292 | 881945.223 | 3540 |
| 1009106.191 | 881945.226 | 2700 |
| 1009105.428 | 881944.632 | 2880 |
| 1009104.193 | 881944.607 | 2880 |
| 1009103.334 | 881943.859 | 2520 |
| 1009102.274 | 881943.917 | 2460 |
| 1009101.841 | 881943.429 | 2640 |
| 1009101.078 | 881943.371 | 3240 |
| 1009100.383 | 881944.244 | 3060 |
| 1009100.33 | 881944.445 | 2700 |
| 1009100.283 | 881944.462 | 2400 |
| 1009100.229 | 881944.458 | 2640 |
| 1009100.11 | 881944.015 | 2460 |
| 1009099.628 | 881942.658 | 2640 |
| 1009098.915 | 881942.277 | 2940 |
| 1009098.126 | 881942.138 | 2940 |
| 1009097.342 | 881941.713 | 2640 |
| 1009096.421 | 881941.683 | 3540 |
| 1009095.851 | 881940.919 | 3420 |
| 1009095.341 | 881940.747 | 2760 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009014.524 | 881836.773 | 2340 |
| 1009016.928 | 881838.84 | 2460 |
| 1009016.981 | 881832.193 | 2820 |
| 1009016.202 | 881824.01 | 2460 |
| 1009016.689 | 881824.823 | 2100 |
| 1009017.173 | 881825.63 | 2340 |
| 1009017.664 | 881826.449 | 1860 |
| 1009018.205 | 881827.352 | 2820 |
| 1009018.632 | 881828.064 | 2340 |
| 1009018.857 | 881828.481 | 2400 |
| 1009018.813 | 881828.34 | 3240 |
| 1009018.846 | 881828.165 | 2520 |
| 1009018.706 | 881828.258 | 2820 |
| 1009018.497 | 881828.375 | 3000 |
| 1009018.507 | 881828.369 | 2520 |
| 1009018.628 | 881828.356 | 2700 |
| 1009018.613 | 881828.233 | 2640 |
| 1009018.403 | 881827.995 | 2280 |
| 1009018.291 | 881827.882 | 2820 |
| 1009018.322 | 881828.122 | 2580 |
| 1009018.326 | 881828.359 | 2160 |
| 1009018.311 | 881828.37 | 2520 |
| 1009018.318 | 881828.358 | 2520 |
| 1009018.337 | 881828.375 | 2340 |
| 1009018.341 | 881828.424 | 2640 |
| 1009018.348 | 881828.446 | 2580 |
| 1009018.365 | 881828.405 | 2280 |
| 1009018.405 | 881828.367 | 2520 |
| 1009018.413 | 881828.353 | 2640 |
| 1009018.412 | 881828.355 | 3180 |
| 1009018.398 | 881828.398 | 2460 |
| 1009018.347 | 881828.431 | 2820 |
| 1009018.266 | 881828.446 | 2940 |
| 1009018.247 | 881828.455 | 2400 |
| 1009018.256 | 881828.45 | 2760 |
| 1009018.271 | 881828.424 | 3180 |
| 1009018.317 | 881828.368 | 2460 |
| 1009018.386 | 881828.342 | 2460 |
| 1009018.519 | 881828.272 | 2460 |
| 1009018.539 | 881828.305 | 2700 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009094.753 | 881940.434 | 3000 |
| 1009093.65 | 881940.192 | 3000 |
| 1009092.928 | 881939.624 | 3300 |
| 1009091.933 | 881939.388 | 3420 |
| 1009091.34 | 881938.982 | 2880 |
| 1009090.319 | 881938.854 | 2760 |
| 1009089.485 | 881938.381 | 3600 |
| 1009088.323 | 881938.312 | 3300 |
| 1009087.55 | 881937.698 | 2940 |
| 1009086.544 | 881937.442 | 2640 |
| 1009086.214 | 881936.892 | 3000 |
| 1009085.529 | 881936.502 | 2880 |
| 1009084.769 | 881936.101 | 3000 |
| 1009083.979 | 881935.6 | 3240 |
| 1009083.333 | 881935.28 | 2940 |
| 1009082.701 | 881934.803 | 2880 |
| 1009081.915 | 881934.383 | 3240 |
| 1009081.479 | 881933.675 | 3720 |
| 1009080.696 | 881933.597 | 3840 |
| 1009080.283 | 881932.728 | 3120 |
| 1009079.596 | 881932.631 | 3300 |
| 1009078.722 | 881932.225 | 3480 |
| 1009078.046 | 881931.821 | 3480 |
| 1009077.331 | 881931.269 | 2820 |
| 1009076.674 | 881930.938 | 3000 |
| 1009075.529 | 881930.535 | 2820 |
| 1009074.561 | 881930.26 | 3060 |
| 1009073.897 | 881929.928 | 2940 |
| 1009073.317 | 881929.506 | 3180 |
| 1009072.313 | 881929.321 | 2520 |
| 1009071.66 | 881928.807 | 3000 |
| 1009070.717 | 881928.242 | 2880 |
| 1009070.014 | 881927.642 | 2940 |
| 1009069.598 | 881926.508 | 3420 |
| 1009069.39 | 881925.365 | 2520 |
| 1009069.721 | 881924.787 | 2520 |
| 1009069.998 | 881924.902 | 3000 |
| 1009070.098 | 881925.072 | 2700 |
| 1009070.089 | 881924.942 | 3180 |
| 1009070.174 | 881925.411 | 3420 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009018.487 | 881828.422 | 2760 |
| 1009018.507 | 881828.264 | 2700 |
| 1009018.47 | 881828.148 | 2640 |
| 1009018.55 | 881828.272 | 2640 |
| 1009018.64 | 881828.366 | 2820 |
| 1009018.639 | 881828.396 | 2640 |
| 1009018.625 | 881828.401 | 3120 |
| 1009018.581 | 881828.397 | 3060 |
| 1009018.6 | 881828.325 | 3420 |
| 1009018.664 | 881828.241 | 2760 |
| 1009018.681 | 881828.309 | 2880 |
| 1009018.658 | 881828.388 | 2940 |
| 1009018.598 | 881828.374 | 2760 |
| 1009018.473 | 881828.313 | 2940 |
| 1009018.394 | 881828.271 | 2460 |
| 1009018.432 | 881828.292 | 2640 |
| 1009018.457 | 881828.355 | 2280 |
| 1009018.193 | 881828.585 | 2640 |
| 1009017.787 | 881828.807 | 2520 |
| 1009017.26 | 881829.59 | 2340 |
| 1009017.195 | 881830.275 | 2100 |
| 1009017.473 | 881830.656 | 2520 |
| 1009017.652 | 881832.736 | 2940 |
| 1009017.682 | 881835.825 | 2700 |
| 1009017.535 | 881839.476 | 2340 |
| 1009017.312 | 881842.939 | 2280 |
| 1009017.269 | 881846.506 | 2280 |
| 1009017.536 | 881850.733 | 2640 |
| 1009017.212 | 881853.25 | 2580 |
| 1009016.363 | 881856.325 | 2400 |
| 1009015.386 | 881859.558 | 2040 |
| 1009014.896 | 881863.234 | 2640 |
| 1009014.63 | 881867.024 | 2340 |
| 1009014.932 | 881869.061 | 2160 |
| 1009015.253 | 881871.39 | 2460 |
| 1009015.287 | 881872.827 | 2640 |
| 1009014.766 | 881873.601 | 2580 |
| 1009013.937 | 881874.288 | 2820 |
| 1009013.325 | 881875.137 | 3120 |
| 1009012.829 | 881876.081 | 3000 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009070.685 | 881926.091 | 3360 |
| 1009071.999 | 881926.105 | 2700 |
| 1009072.998 | 881926.341 | 2640 |
| 1009072.483 | 881926.787 | 3120 |
| 1009072.006 | 881926.966 | 2640 |
| 1009072.525 | 881926.569 | 2520 |
| 1009072.281 | 881926.64 | 3060 |
| 1009072.622 | 881926.56 | 2340 |
| 1009072.729 | 881926.481 | 2520 |
| 1009072.928 | 881926.706 | 2820 |
| 1009073.131 | 881927.431 | 3660 |
| 1009073.65 | 881927.576 | 3420 |
| 1009074.443 | 881927.936 | 2580 |
| 1009075.448 | 881927.977 | 2940 |
| 1009076.169 | 881928.435 | 2880 |
| 1009077.16 | 881928.753 | 3480 |
| 1009077.671 | 881929.069 | 3840 |
| 1009078.544 | 881930.266 | 3300 |
| 1009079.434 | 881930.807 | 3420 |
| 1009080.454 | 881931.184 | 3420 |
| 1009081.05 | 881931.481 | 3120 |
| 1009081.455 | 881932.834 | 3240 |
| 1009082.122 | 881933.356 | 3360 |
| 1009082.907 | 881933.808 | 2940 |
| 1009083.547 | 881934.268 | 2760 |
| 1009084.554 | 881934.88 | 3240 |
| 1009085.849 | 881934.744 | 3000 |
| 1009086.469 | 881934.679 | 3300 |
| 1009086.679 | 881935.222 | 3240 |
| 1009086.684 | 881935.543 | 3120 |
| 1009086.972 | 881935.3 | 2820 |
| 1009087.693 | 881935.567 | 2580 |
| 1009088.729 | 881936.673 | 3060 |
| 1009089.736 | 881937.099 | 2580 |
| 1009090.892 | 881937.404 | 3240 |
| 1009091.746 | 881937.852 | 3120 |
| 1009093.179 | 881938.359 | 3060 |
| 1009094.288 | 881939.155 | 3120 |
| 1009095.704 | 881939.334 | 3360 |
| 1009096.694 | 881939.607 | 3480 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009012.412 | 881877.299 | 2880 |
| 1009011.448 | 881878.717 | 2160 |
| 1009011.117 | 881880.516 | 2520 |
| 1009011.157 | 881882.019 | 2700 |
| 1009010.578 | 881882.772 | 2160 |
| 1009010.073 | 881883.852 | 2580 |
| 1009009.713 | 881884.963 | 2400 |
| 1009009.246 | 881886.076 | 2520 |
| 1009008.507 | 881887.337 | 2760 |
| 1009008.4 | 881888.385 | 2700 |
| 1009008.429 | 881889.637 | 2640 |
| 1009008.816 | 881891.277 | 2580 |
| 1009008.719 | 881892.038 | 3060 |
| 1009008.385 | 881892.889 | 2880 |
| 1009008.871 | 881894.177 | 2820 |
| 1009007.887 | 881895.34 | 2340 |
| 1009007.771 | 881896.614 | 2160 |
| 1009006.777 | 881898.241 | 2940 |
| 1009006.847 | 881899.696 | 2400 |
| 1009006.548 | 881900.834 | 2400 |
| 1009005.732 | 881901.659 | 3000 |
| 1009005.239 | 881901.675 | 2700 |
| 1009005.668 | 881901.743 | 2520 |
| 1009005.705 | 881902.109 | 3000 |
| 1009005.063 | 881903.722 | 3060 |
| 1009004.395 | 881904.837 | 2460 |
| 1009003.314 | 881905.898 | 2820 |
| 1009002.957 | 881906.958 | 2640 |
| 1009002.484 | 881907.441 | 2940 |
| 1009002.259 | 881908.649 | 3120 |
| 1009002.475 | 881909.607 | 3060 |
| 1009002.336 | 881909.653 | 2880 |
| 1009002.179 | 881909.705 | 3240 |
| 1009002.098 | 881909.733 | 2700 |
| 1009001.966 | 881909.777 | 2820 |
| 1009001.837 | 881909.82 | 2940 |
| 1009001.705 | 881909.864 | 2820 |
| 1009001.531 | 881909.922 | 3120 |
| 1009001.431 | 881909.955 | 3300 |
| 1009001.306 | 881909.997 | 2820 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009097.343 | 881940.052 | 3660 |
| 1009098.16 | 881940.369 | 3000 |
| 1009098.944 | 881941.005 | 3000 |
| 1009100.331 | 881940.803 | 3120 |
| 1009100.865 | 881940.988 | 2820 |
| 1009101.205 | 881941.143 | 2700 |
| 1009101.275 | 881940.874 | 3540 |
| 1009100.972 | 881940.633 | 3120 |
| 1009100.912 | 881940.895 | 3360 |
| 1009101.818 | 881941.846 | 2940 |
| 1009102.645 | 881942.083 | 3300 |
| 1009103.793 | 881942.296 | 3420 |
| 1009104.487 | 881943.102 | 2820 |
| 1009105.627 | 881943.352 | 2580 |
| 1009106.899 | 881943.698 | 3300 |
| 1009108.008 | 881944.234 | 2940 |
| 1009109.15 | 881944.53 | 2880 |
| 1009110.819 | 881945.231 | 3000 |
| 1009112.654 | 881945.278 | 2820 |
| 1009114.093 | 881945.766 | 2280 |
| 1009114.563 | 881945.819 | 2220 |
| 1009116.332 | 881946.042 | 3120 |
| 1009117.247 | 881947.141 | 3000 |
| 1009117.518 | 881947.488 | 3600 |
| 1009118.458 | 881948.139 | 3180 |
| 1009119.059 | 881948.891 | 2940 |
| 1009119.692 | 881948.989 | 3540 |
| 1009120.26 | 881949.659 | 3120 |
| 1009121.414 | 881949.853 | 3240 |
| 1009122.189 | 881950.088 | 2700 |
| 1009122.913 | 881950.472 | 2820 |
| 1009124.4 | 881950.884 | 2700 |
| 1009126.337 | 881951.13 | 2700 |
| 1009127.965 | 881952.022 | 2580 |
| 1009128.515 | 881952.478 | 2820 |
| 1009128.904 | 881953.508 | 2340 |
| 1009129.629 | 881953.584 | 2640 |
| 1009130.023 | 881954.188 | 2880 |
| 1009130.356 | 881954.498 | 2700 |
| 1009131.55 | 881954.27 | 2460 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009001.177 | 881910.04 | 2880 |
| 1009001.04 | 881910.086 | 2640 |
| 1009001.735 | 881908.846 | 2640 |
| 1009001.918 | 881908.495 | 3600 |
| 1009002.102 | 881907.537 | 2940 |
| 1009002.397 | 881906.404 | 3120 |
| 1009002.478 | 881905.549 | 2580 |
| 1009002.045 | 881904.221 | 3120 |
| 1009002.31 | 881903.026 | 2400 |
| 1009001.85 | 881901.411 | 2220 |
| 1009001.559 | 881899.824 | 1860 |
| 1009001.954 | 881898.309 | 2580 |
| 1009002.244 | 881896.546 | 2640 |
| 1009002.616 | 881895.799 | 2760 |
| 1009002.855 | 881895.648 | 2940 |
| 1009002.865 | 881895.672 | 3000 |
| 1009002.648 | 881895.638 | 2580 |
| 1009002.371 | 881895.5 | 3060 |
| 1009002.288 | 881895.41 | 3060 |
| 1009002.375 | 881895.17 | 3060 |
| 1009002.402 | 881895.047 | 3000 |
| 1009002.962 | 881894.911 | 2700 |
| 1009003.316 | 881893.759 | 2820 |
| 1009003.688 | 881891.948 | 2640 |
| 1009004.108 | 881890.343 | 1920 |
| 1009004.554 | 881888.749 | 2520 |
| 1009005.086 | 881887.161 | 2760 |
| 1009005.341 | 881885.077 | 2820 |
| 1009005.497 | 881883.795 | 2880 |
| 1009005.802 | 881882.443 | 2940 |
| 1009005.721 | 881881.409 | 2400 |
| 1009004.959 | 881880.46 | 2640 |
| 1009004.378 | 881879.913 | 2820 |
| 1009004.277 | 881880.717 | 3120 |
| 1009003.87 | 881882.182 | 2880 |
| 1009003.684 | 881883.912 | 3360 |
| 1009003.234 | 881885.562 | 3360 |
| 1009002.838 | 881886.481 | 2400 |
| 1009003.184 | 881886.843 | 2520 |
| 1009003.17 | 881886.913 | 2520 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009132.263 | 881954.758 | 2460 |
| 1009133.068 | 881954.928 | 2520 |
| 1009134.245 | 881955.113 | 2640 |
| 1009134.765 | 881956.185 | 3600 |
| 1009134.968 | 881956.223 | 3180 |
| 1009135.2 | 881955.847 | 2340 |
| 1009135.436 | 881955.925 | 2760 |
| 1009135.426 | 881955.905 | 2520 |
| 1009135.39 | 881955.83 | 2760 |
| 1009135.344 | 881955.789 | 2760 |
| 1009135.4 | 881955.811 | 3360 |
| 1009135.439 | 881955.84 | 3120 |
| 1009135.392 | 881955.861 | 2760 |
| 1009135.328 | 881955.875 | 2760 |
| 1009135.331 | 881955.826 | 2820 |
| 1009135.298 | 881955.922 | 2700 |
| 1009135.261 | 881956.185 | 2880 |
| 1009135.424 | 881956.223 | 2460 |
| 1009135.473 | 881956.195 | 2700 |
| 1009135.718 | 881956.168 | 2580 |
| 1009136.726 | 881956.121 | 2460 |
| 1009137.717 | 881956.266 | 2580 |
| 1009138.455 | 881955.841 | 3000 |
| 1009139.333 | 881955.939 | 3000 |
| 1009140.025 | 881956.455 | 3060 |
| 1009141.012 | 881957.492 | 2580 |
| 1009141.781 | 881957.837 | 2880 |
| 1009143.253 | 881957.707 | 2880 |
| 1009143.795 | 881957.903 | 2880 |
| 1009143.859 | 881958.141 | 2460 |
| 1009144.29 | 881957.881 | 2220 |
| 1009145.428 | 881957.935 | 2760 |
| 1009146.129 | 881958.938 | 2520 |
| 1009146.637 | 881959.54 | 2400 |
| 1009146.6 | 881960.256 | 2580 |
| 1009146.296 | 881960.574 | 2820 |
| 1009146.537 | 881959.582 | 2400 |
| 1009147.153 | 881959.531 | 2640 |
| 1009147.435 | 881959.151 | 2880 |
| 1009147.282 | 881959.138 | 2460 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009003.402 | 881886.925 | 3120 |
| 1009003.145 | 881887.684 | 2940 |
| 1009002.963 | 881889.048 | 3120 |
| 1009002.589 | 881890.476 | 2700 |
| 1008988.45 | 881875.538 | 2460 |
| 1008988.724 | 881874.37 | 2280 |
| 1008988.81 | 881873.852 | 1980 |
| 1008988.422 | 881873.976 | 2040 |
| 1008987.698 | 881874.354 | 2100 |
| 1008987.581 | 881874.584 | 2460 |
| 1008987.416 | 881875.281 | 2580 |
| 1008986.987 | 881876.54 | 2940 |
| 1008986.568 | 881878.011 | 2700 |
| 1008985.888 | 881879.548 | 2880 |
| 1008985.369 | 881881.126 | 2940 |
| 1008984.804 | 881882.704 | 3120 |
| 1008984.338 | 881884.663 | 2940 |
| 1008983.814 | 881886.424 | 2580 |
| 1008983.048 | 881888.224 | 2820 |
| 1008982.237 | 881889.904 | 2820 |
| 1008981.609 | 881891.74 | 2940 |
| 1008980.864 | 881893.488 | 2640 |
| 1008980.209 | 881895.398 | 2460 |
| 1008979.866 | 881897.316 | 2880 |
| 1008979.497 | 881898.69 | 2880 |
| 1008978.812 | 881898.78 | 2700 |
| 1008977.894 | 881898.379 | 3000 |
| 1008977.607 | 881898.49 | 2640 |
| 1008977.13 | 881898.01 | 2160 |
| 1008976.834 | 881897.229 | 2160 |
| 1008977.445 | 881896.993 | 2220 |
| 1008976.814 | 881895.763 | 2280 |
| 1008977.042 | 881894.48 | 2880 |
| 1008977.267 | 881893.388 | 2280 |
| 1008977.597 | 881892.391 | 1860 |
| 1008977.986 | 881891.382 | 2520 |
| 1008978.187 | 881890.326 | 2220 |
| 1008978.557 | 881889.26 | 2820 |
| 1008978.943 | 881888.017 | 3000 |
| 1008979.44 | 881886.989 | 2460 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009147.257 | 881958.805 | 3000 |
| 1009147.116 | 881957.634 | 2940 |
| 1009146.209 | 881957.721 | 2100 |
| 1009145.18 | 881956.783 | 2160 |
| 1009144.299 | 881956.475 | 1980 |
| 1009143.386 | 881956.07 | 2580 |
| 1009142.75 | 881955.817 | 2940 |
| 1009142.276 | 881954.951 | 3360 |
| 1009142.079 | 881954.359 | 2340 |
| 1009141.094 | 881953.416 | 2460 |
| 1009140.421 | 881953.241 | 2640 |
| 1009139.719 | 881952.093 | 2940 |
| 1009138.675 | 881952.312 | 2580 |
| 1009137.602 | 881951.904 | 2880 |
| 1009136.83 | 881952.032 | 2520 |
| 1009136.068 | 881951.539 | 2760 |
| 1009135.312 | 881951.587 | 2640 |
| 1009135.42 | 881951.379 | 3480 |
| 1009135.133 | 881951.039 | 2820 |
| 1009134.411 | 881950.245 | 2340 |
| 1009133.416 | 881949.566 | 2460 |
| 1009132.788 | 881948.49 | 2880 |
| 1009131.487 | 881948.254 | 2880 |
| 1009130.232 | 881947.431 | 2820 |
| 1009129.1 | 881947.16 | 3000 |
| 1009128.251 | 881946.36 | 3120 |
| 1009127.211 | 881946.363 | 3120 |
| 1009126.027 | 881945.456 | 2640 |
| 1009125.304 | 881945.095 | 2640 |
| 1009123.831 | 881944.732 | 3060 |
| 1009122.85 | 881944.262 | 2820 |
| 1009121.57 | 881944.6 | 2700 |
| 1009127.145 | 881942.604 | 2820 |
| 1009126.737 | 881942.508 | 3480 |
| 1009125.844 | 881942.563 | 2640 |
| 1009124.854 | 881941.779 | 3360 |
| 1009124.377 | 881941.256 | 3240 |
| 1009123.977 | 881941.197 | 2640 |
| 1009123.261 | 881941.001 | 2940 |
| 1009122.39 | 881940.455 | 3060 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008979.726 | 881886 | 2880 |
| 1008980.291 | 881884.975 | 2700 |
| 1008980.776 | 881883.862 | 2820 |
| 1008981.316 | 881882.554 | 2820 |
| 1008981.734 | 881881.016 | 2520 |
| 1008982.181 | 881879.249 | 2880 |
| 1008982.495 | 881877.149 | 2460 |
| 1008983.182 | 881875.426 | 2760 |
| 1008983.537 | 881874.038 | 2760 |
| 1008983.64 | 881873.127 | 1860 |
| 1008983.445 | 881872.468 | 1980 |
| 1008983.24 | 881871.715 | 2220 |
| 1008983.403 | 881871.501 | 2160 |
| 1008983.01 | 881871.728 | 2520 |
| 1008982.69 | 881872.275 | 2280 |
| 1008981.951 | 881873.316 | 3060 |
| 1008981.442 | 881874.679 | 2760 |
| 1008981.015 | 881876.481 | 2940 |
| 1008980.473 | 881878.197 | 3060 |
| 1008979.937 | 881880.029 | 2940 |
| 1008979.738 | 881881.761 | 2640 |
| 1008979.359 | 881883.194 | 2700 |
| 1008978.816 | 881884.625 | 3360 |
| 1008978.328 | 881886.202 | 2700 |
| 1008977.498 | 881887.101 | 2880 |
| 1008976.735 | 881888.914 | 2940 |
| 1008975.928 | 881889.832 | 2640 |
| 1008974.937 | 881891.436 | 2460 |
| 1008974.711 | 881892.86 | 3360 |
| 1008974.254 | 881894.141 | 2460 |
| 1008973.081 | 881894.48 | 2100 |
| 1008971.629 | 881893.75 | 2640 |
| 1008970.818 | 881893.675 | 2880 |
| 1008970.76 | 881893.723 | 2880 |
| 1008970.747 | 881893.687 | 2580 |
| 1008970.759 | 881893.675 | 1980 |
| 1008971.361 | 881893.441 | 2460 |
| 1008971.426 | 881892.28 | 2100 |
| 1008971.897 | 881890.936 | 2280 |
| 1008972.3 | 881889.55 | 2160 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009121.394 | 881940.401 | 2760 |
| 1009120.436 | 881939.935 | 3000 |
| 1009119.469 | 881939.748 | 2820 |
| 1009118.407 | 881939.067 | 2580 |
| 1009117.443 | 881938.71 | 2820 |
| 1009116.387 | 881938.046 | 2580 |
| 1009115.143 | 881937.949 | 2580 |
| 1009113.946 | 881937.283 | 2340 |
| 1009112.866 | 881936.707 | 2940 |
| 1009111.975 | 881936.347 | 3060 |
| 1009111.03 | 881936.19 | 2820 |
| 1009110.062 | 881935.661 | 2820 |
| 1009109.055 | 881935.27 | 2640 |
| 1009107.989 | 881934.685 | 3180 |
| 1009106.977 | 881934.62 | 2580 |
| 1009105.981 | 881934.222 | 2220 |
| 1009105.002 | 881933.956 | 3360 |
| 1009104.031 | 881933.642 | 3000 |
| 1009103.283 | 881933.136 | 3240 |
| 1009102.465 | 881932.919 | 3060 |
| 1009101.615 | 881932.727 | 2940 |
| 1009100.611 | 881932.296 | 2820 |
| 1009099.637 | 881932.032 | 2760 |
| 1009098.574 | 881931.522 | 2340 |
| 1009097.562 | 881930.912 | 2460 |
| 1009096.56 | 881930.469 | 2280 |
| 1009095.423 | 881929.927 | 2460 |
| 1009094.296 | 881929.674 | 2220 |
| 1009093.48 | 881928.994 | 2520 |
| 1009092.458 | 881929.204 | 2940 |
| 1009091.301 | 881928.41 | 2820 |
| 1009090.084 | 881928.316 | 2820 |
| 1009089.207 | 881927.59 | 2400 |
| 1009088.24 | 881927.611 | 3000 |
| 1009087.213 | 881926.925 | 2820 |
| 1009085.999 | 881926.769 | 2640 |
| 1009085.293 | 881925.906 | 2520 |
| 1009084.246 | 881925.617 | 2820 |
| 1009083.058 | 881925.167 | 2400 |
| 1009081.842 | 881925.044 | 2040 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008973.381 | 881887.868 | 2400 |
| 1008973.692 | 881887.199 | 2460 |
| 1008974.023 | 881886.199 | 2520 |
| 1008974.11 | 881885.268 | 1920 |
| 1008974.686 | 881884.522 | 2220 |
| 1008975.5 | 881883.64 | 2580 |
| 1008975.742 | 881882.42 | 2700 |
| 1008975.971 | 881881.407 | 3000 |
| 1008976.063 | 881880.376 | 2520 |
| 1008976.31 | 881878.845 | 2820 |
| 1008976.793 | 881877.131 | 2760 |
| 1008977.202 | 881875.386 | 2280 |
| 1008977.615 | 881873.7 | 2580 |
| 1008978.097 | 881872.028 | 2940 |
| 1008978.553 | 881870.196 | 2700 |
| 1008979.242 | 881868.958 | 3240 |
| 1008979.156 | 881868.588 | 2880 |
| 1008979.035 | 881868.416 | 2280 |
| 1008979.014 | 881868.167 | 2040 |
| 1008978.992 | 881868.035 | 2280 |
| 1008978.534 | 881868.051 | 2160 |
| 1008978.154 | 881867.945 | 3240 |
| 1008978.171 | 881867.852 | 2640 |
| 1008978.19 | 881868.108 | 2640 |
| 1008977.594 | 881868.829 | 2580 |
| 1008977.238 | 881870.38 | 2220 |
| 1008976.752 | 881871.933 | 2520 |
| 1008976.338 | 881873.605 | 2940 |
| 1008975.548 | 881875.3 | 2700 |
| 1008974.92 | 881876.965 | 2400 |
| 1008974.324 | 881878.4 | 3060 |
| 1008973.844 | 881879.615 | 2700 |
| 1009002.176 | 881811.68 | 2640 |
| 1009002.402 | 881811.281 | 2160 |
| 1009002.65 | 881810.846 | 2340 |
| 1009002.88 | 881810.44 | 2040 |
| 1009003.109 | 881810.037 | 2280 |
| 1009003.349 | 881809.615 | 2580 |
| 1009003.578 | 881809.212 | 2280 |
| 1009003.815 | 881808.794 | 2940 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009080.748 | 881924.233 | 2520 |
| 1009079.539 | 881924.065 | 2700 |
| 1009078.226 | 881923.161 | 2880 |
| 1009076.83 | 881923.048 | 3060 |
| 1009075.797 | 881922.335 | 2880 |
| 1009074.756 | 881922.185 | 2820 |
| 1009074.618 | 881921.426 | 2520 |
| 1009074.246 | 881921.286 | 2580 |
| 1009073.425 | 881921.098 | 2400 |
| 1009072.771 | 881920.526 | 2520 |
| 1009071.8 | 881920.423 | 2280 |
| 1009071.208 | 881919.733 | 2460 |
| 1009070.005 | 881919.658 | 2520 |
| 1009069.668 | 881918.378 | 2460 |
| 1009069.894 | 881916.932 | 2580 |
| 1009070.712 | 881916.26 | 2460 |
| 1009070.682 | 881916.322 | 2880 |
| 1009070.785 | 881916.277 | 2460 |
| 1009071.393 | 881916.211 | 2580 |
| 1009072.069 | 881916.839 | 2940 |
| 1009072.945 | 881916.867 | 3120 |
| 1009073.804 | 881917.719 | 3360 |
| 1009075.047 | 881917.668 | 3120 |
| 1009076.212 | 881918.425 | 1920 |
| 1009077.495 | 881918.671 | 2520 |
| 1009078.495 | 881919.489 | 2760 |
| 1009079.77 | 881919.786 | 2220 |
| 1009080.688 | 881920.688 | 2280 |
| 1009081.741 | 881921.029 | 2340 |
| 1009082.752 | 881921.894 | 2520 |
| 1009083.898 | 881922.102 | 2160 |
| 1009084.644 | 881922.833 | 2400 |
| 1009085.791 | 881922.715 | 2340 |
| 1009086.824 | 881923.557 | 2640 |
| 1009087.947 | 881923.464 | 2760 |
| 1009088.923 | 881924.253 | 2220 |
| 1009090.208 | 881924.264 | 2640 |
| 1009091.136 | 881925.218 | 2700 |
| 1009092.22 | 881925.36 | 2940 |
| 1009093.101 | 881926.189 | 2700 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009004.053 | 881808.374 | 2820 |
| 1009004.289 | 881807.96 | 2880 |
| 1009004.532 | 881807.531 | 2700 |
| 1009004.759 | 881807.133 | 2520 |
| 1009005.008 | 881806.694 | 2400 |
| 1009005.238 | 881806.289 | 2400 |
| 1009005.474 | 881805.872 | 2520 |
| 1009005.489 | 881805.122 | 2580 |
| 1009006.459 | 881804.098 | 2100 |
| 1009009.106 | 881801.885 | 1800 |
| 1009009.725 | 881801.329 | 2640 |
| 1009009.629 | 881801.335 | 2400 |
| 1009009.531 | 881801.342 | 2580 |
| 1009009.43 | 881801.349 | 2280 |
| 1009009.322 | 881801.357 | 2760 |
| 1009009.236 | 881801.363 | 2700 |
| 1009009.137 | 881801.37 | 2340 |
| 1009009.04 | 881801.377 | 1980 |
| 1009008.94 | 881801.383 | 2040 |
| 1009008.841 | 881801.39 | 2460 |
| 1009008.742 | 881801.397 | 2400 |
| 1009008.644 | 881801.404 | 2520 |
| 1009008.546 | 881801.411 | 2520 |
| 1009008.451 | 881801.418 | 3120 |
| 1009008.352 | 881801.424 | 2700 |
| 1009008.256 | 881801.431 | 2340 |
| 1009008.153 | 881801.438 | 2280 |
| 1009008.057 | 881801.445 | 2280 |
| 1009007.956 | 881801.452 | 2460 |
| 1009007.86 | 881801.459 | 2220 |
| 1009007.762 | 881801.466 | 2580 |
| 1009007.661 | 881801.473 | 2160 |
| 1009007.565 | 881801.479 | 2040 |
| 1009007.464 | 881801.486 | 2400 |
| 1009007.368 | 881801.493 | 2580 |
| 1009007.268 | 881801.5 | 2220 |
| 1009007.169 | 881801.507 | 2040 |
| 1009007.073 | 881801.514 | 2580 |
| 1009006.974 | 881801.52 | 2520 |
| 1009006.875 | 881801.527 | 2340 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009094.252 | 881926.366 | 2160 |
| 1009095.151 | 881927.104 | 2220 |
| 1009096.232 | 881927.219 | 2220 |
| 1009097.198 | 881927.625 | 2400 |
| 1009098.181 | 881927.674 | 3180 |
| 1009098.871 | 881928.222 | 2460 |
| 1009099.795 | 881928.183 | 3000 |
| 1009100.539 | 881929.055 | 2880 |
| 1009101.631 | 881929.177 | 2400 |
| 1009102.591 | 881929.988 | 2700 |
| 1009103.729 | 881930.088 | 2640 |
| 1009104.515 | 881930.842 | 2580 |
| 1009105.726 | 881931.014 | 2700 |
| 1009106.834 | 881931.676 | 2820 |
| 1009108.05 | 881931.769 | 2760 |
| 1009108.993 | 881932.47 | 2340 |
| 1009110.192 | 881932.486 | 2640 |
| 1009111.081 | 881933.314 | 2580 |
| 1009112.26 | 881933.407 | 2760 |
| 1009113.142 | 881934.19 | 2640 |
| 1009114.288 | 881934.526 | 2520 |
| 1009115.167 | 881935.322 | 2520 |
| 1009116.504 | 881935.204 | 3240 |
| 1009117.672 | 881935.662 | 2700 |
| 1009118.985 | 881935.563 | 3120 |
| 1009120.256 | 881936.06 | 2460 |
| 1009121.499 | 881936.264 | 3060 |
| 1009122.797 | 881936.896 | 3000 |
| 1009124.128 | 881937.23 | 2580 |
| 1009125.454 | 881937.791 | 2940 |
| 1009126.751 | 881938.339 | 2520 |
| 1009128.358 | 881938.775 | 2640 |
| 1009129.579 | 881939.392 | 2880 |
| 1009130.713 | 881939.809 | 2580 |
| 1009131.596 | 881940.623 | 2760 |
| 1009132.692 | 881941.298 | 2940 |
| 1009133.73 | 881941.974 | 2580 |
| 1009134.706 | 881942.305 | 2640 |
| 1009135.839 | 881942.289 | 3060 |
| 1009136.865 | 881942.707 | 3060 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009006.777 | 881801.534 | 2640 |
| 1009006.674 | 881801.541 | 2520 |
| 1009006.579 | 881801.548 | 2280 |
| 1009006.481 | 881801.555 | 2760 |
| 1009006.38 | 881801.562 | 2520 |
| 1009006.284 | 881801.569 | 2460 |
| 1009006.183 | 881801.576 | 3120 |
| 1009006.087 | 881801.582 | 2400 |
| 1009005.984 | 881801.589 | 2340 |
| 1009005.884 | 881801.596 | 2640 |
| 1009005.787 | 881801.603 | 2460 |
| 1009005.691 | 881801.61 | 2760 |
| 1009005.59 | 881801.617 | 3060 |
| 1009005.491 | 881801.624 | 2820 |
| 1009005.4 | 881801.63 | 2940 |
| 1009005.299 | 881801.637 | 2580 |
| 1009005.203 | 881801.644 | 2460 |
| 1009005.103 | 881801.651 | 2220 |
| 1009005.007 | 881801.658 | 3000 |
| 1009004.885 | 881801.666 | 3000 |
| 1009004.804 | 881801.672 | 2220 |
| 1009004.706 | 881801.679 | 2280 |
| 1009004.609 | 881801.685 | 2160 |
| 1009004.511 | 881801.692 | 2580 |
| 1009004.418 | 881801.699 | 2520 |
| 1009004.334 | 881801.704 | 2580 |
| 1009004.234 | 881801.711 | 2640 |
| 1009004.134 | 881801.718 | 2280 |
| 1009004.036 | 881801.725 | 2340 |
| 1009003.916 | 881801.734 | 2160 |
| 1009003.821 | 881801.74 | 2640 |
| 1009003.723 | 881801.747 | 2340 |
| 1009003.62 | 881801.754 | 2220 |
| 1009003.844 | 881803.061 | 2520 |
| 1009004.199 | 881804.777 | 2340 |
| 1009004.628 | 881806.846 | 2760 |
| 1009005.049 | 881808.881 | 2640 |
| 1009005.453 | 881810.833 | 2160 |
| 1009005.88 | 881812.897 | 2220 |
| 1009006.259 | 881813.909 | 3060 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009138.073 | 881943.216 | 3360 |
| 1009139.707 | 881943.657 | 2700 |
| 1009140.842 | 881944.387 | 2340 |
| 1009141.95 | 881944.928 | 2040 |
| 1009143.268 | 881945.647 | 2520 |
| 1009144.342 | 881945.942 | 2340 |
| 1009145.459 | 881946.4 | 2640 |
| 1009146.317 | 881946.8 | 3060 |
| 1009146.774 | 881947.096 | 2940 |
| 1009147.218 | 881947.3 | 2700 |
| 1009147.731 | 881947.288 | 2400 |
| 1009148.197 | 881946.824 | 2640 |
| 1009149.052 | 881946.513 | 2580 |
| 1009149.018 | 881945.592 | 2760 |
| 1009148.245 | 881945.485 | 2580 |
| 1009147.519 | 881944.607 | 2280 |
| 1009146.257 | 881944.461 | 2040 |
| 1009145.442 | 881944.081 | 3060 |
| 1009144.239 | 881944.076 | 3180 |
| 1009143.094 | 881942.792 | 2880 |
| 1009141.392 | 881942.709 | 2160 |
| 1009140.189 | 881941.839 | 2220 |
| 1009138.668 | 881942.02 | 2400 |
| 1009137.344 | 881941.145 | 2340 |
| 1009135.944 | 881941.059 | 2580 |
| 1009134.855 | 881940.073 | 2700 |
| 1009133.188 | 881939.907 | 2400 |
| 1009131.712 | 881938.907 | 2280 |
| 1009130.213 | 881938.484 | 2280 |
| 1009128.967 | 881937.322 | 2520 |
| 1009127.413 | 881937.165 | 2760 |
| 1009126.428 | 881936.016 | 2820 |
| 1009125.338 | 881934.926 | 2700 |
| 1009124.348 | 881933.936 | 2400 |
| 1009123.196 | 881932.784 | 2340 |
| 1009122.166 | 881931.754 | 1560 |
| 1009121.055 | 881930.642 | 1920 |
| 1009119.955 | 881929.543 | 2520 |
| 1009119.68 | 881927.972 | 2580 |
| 1009118.756 | 881928.103 | 3000 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009006.531 | 881813.911 | 2580 |
| 1009006.832 | 881813.913 | 2280 |
| 1009007.142 | 881813.915 | 2400 |
| 1009007.436 | 881813.917 | 2280 |
| 1009007.762 | 881813.919 | 2340 |
| 1009008.038 | 881813.921 | 2820 |
| 1009008.348 | 881813.923 | 3000 |
| 1009008.641 | 881813.925 | 2700 |
| 1009008.939 | 881813.927 | 2940 |
| 1009009.271 | 881813.929 | 2760 |
| 1009009.544 | 881813.931 | 2700 |
| 1009009.841 | 881813.933 | 2040 |
| 1009010.147 | 881813.935 | 1980 |
| 1009010.456 | 881813.937 | 1980 |
| 1009010.751 | 881813.939 | 2460 |
| 1009011.047 | 881813.94 | 2160 |
| 1009011.361 | 881813.943 | 2280 |
| 1009011.649 | 881813.944 | 2280 |
| 1009011.949 | 881813.946 | 2280 |
| 1009012.265 | 881813.948 | 1740 |
| 1009012.565 | 881813.95 | 1800 |
| 1009012.863 | 881813.952 | 2580 |
| 1009013.162 | 881813.954 | 3060 |
| 1009013.476 | 881813.956 | 2520 |
| 1009013.784 | 881813.958 | 2760 |
| 1009014.1 | 881813.961 | 2400 |
| 1009014.385 | 881813.962 | 2460 |
| 1009014.687 | 881813.964 | 2100 |
| 1008973.387 | 881880.512 | 2340 |
| 1008972.838 | 881881.568 | 2040 |
| 1008972.667 | 881882.879 | 3060 |
| 1008971.881 | 881883.62 | 1920 |
| 1008971.739 | 881884.637 | 2400 |
| 1008971.618 | 881885.848 | 2760 |
| 1008971.309 | 881887.213 | 2160 |
| 1008970.831 | 881888.349 | 2820 |
| 1008969.743 | 881889.831 | 2460 |
| 1008968.276 | 881891.134 | 2580 |
| 1008966.931 | 881891.039 | 2100 |
| 1008966.295 | 881890.643 | 2160 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009116.002 | 881929.383 | 2820 |
| 1009116.446 | 881930.033 | 2880 |
| 1009119.072 | 881933.357 | 2760 |
| 1009119.063 | 881933.691 | 2580 |
| 1009119.055 | 881933.981 | 2640 |
| 1009119.047 | 881934.257 | 2700 |
| 1009119.037 | 881934.616 | 2640 |
| 1009119.03 | 881934.867 | 2640 |
| 1009119.022 | 881935.165 | 3300 |
| 1009119.014 | 881935.464 | 2700 |
| 1009119 | 881935.708 | 2580 |
| 1009119.066 | 881935.813 | 2580 |
| 1009119.222 | 881935.729 | 2460 |
| 1009118.824 | 881935.047 | 2340 |
| 1009117.691 | 881934.346 | 2580 |
| 1009116.501 | 881933.449 | 2700 |
| 1009115.074 | 881933.234 | 2280 |
| 1009113.969 | 881932.37 | 2520 |
| 1009112.57 | 881932.015 | 2580 |
| 1009111.492 | 881930.975 | 2460 |
| 1009110.443 | 881930.953 | 2640 |
| 1009109.477 | 881930.455 | 2280 |
| 1009121.779 | 881944.541 | 2640 |
| 1009122.199 | 881944.657 | 2880 |
| 1009121.861 | 881944.621 | 3120 |
| 1009121.138 | 881944.098 | 3000 |
| 1009120.224 | 881943.591 | 2400 |
| 1009118.99 | 881943.428 | 2700 |
| 1009118.071 | 881943.202 | 2700 |
| 1009117.624 | 881942.369 | 2700 |
| 1009116.593 | 881942.466 | 2520 |
| 1009115.717 | 881941.705 | 2700 |
| 1009114.257 | 881941.225 | 2820 |
| 1009113.973 | 881941.101 | 2640 |
| 1009113.118 | 881940.959 | 2820 |
| 1009111.346 | 881940.263 | 2880 |
| 1009110.306 | 881940.261 | 2640 |
| 1009109.508 | 881939.546 | 2880 |
| 1009109.136 | 881938.804 | 2700 |
| 1009109.015 | 881938.929 | 2400 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008966.071 | 881890.174 | 2880 |
| 1008966.18 | 881889.027 | 2520 |
| 1008966.591 | 881887.733 | 2400 |
| 1008967.184 | 881886.575 | 1920 |
| 1008967.473 | 881885.549 | 1860 |
| 1008968.097 | 881884.601 | 3120 |
| 1008968.546 | 881883.852 | 3060 |
| 1008968.429 | 881883.1 | 2760 |
| 1008968.867 | 881881.994 | 2040 |
| 1008969.088 | 881880.983 | 2220 |
| 1008969.022 | 881880.306 | 2400 |
| 1008968.975 | 881879.777 | 2820 |
| 1008969.067 | 881879.009 | 3000 |
| 1008969.117 | 881878.258 | 2880 |
| 1008969.672 | 881877.471 | 2580 |
| 1008969.717 | 881876.536 | 2940 |
| 1008969.488 | 881875.528 | 2760 |
| 1008969.78 | 881874.921 | 3240 |
| 1008969.891 | 881875.118 | 2580 |
| 1008970 | 881875.209 | 2400 |
| 1008970.628 | 881874.505 | 2820 |
| 1008971.659 | 881873.495 | 2400 |
| 1008972.185 | 881872.14 | 1920 |
| 1008972.793 | 881870.375 | 1980 |
| 1008973.076 | 881868.744 | 2460 |
| 1008973.203 | 881867.078 | 2640 |
| 1008973.841 | 881865.813 | 2400 |
| 1008974.529 | 881864.706 | 2580 |
| 1008974.458 | 881864.285 | 2160 |
| 1008974.076 | 881864.256 | 2520 |
| 1008973.724 | 881864.388 | 2280 |
| 1008973.231 | 881865.31 | 2880 |
| 1008972.305 | 881866.408 | 2520 |
| 1008971.468 | 881867.687 | 2640 |
| 1008970.454 | 881868.647 | 2880 |
| 1008969.415 | 881869.959 | 2880 |
| 1008968.839 | 881871.075 | 2340 |
| 1008968.714 | 881872.555 | 2580 |
| 1008968.371 | 881874.23 | 2640 |
| 1008967.891 | 881875.742 | 2640 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009108.677 | 881938.953 | 2820 |
| 1009107.947 | 881938.624 | 3000 |
| 1009106.886 | 881938.577 | 3060 |
| 1009105.71 | 881938.008 | 2880 |
| 1009104.574 | 881938.069 | 3000 |
| 1009104.063 | 881937.707 | 2520 |
| 1009103.401 | 881937.49 | 3000 |
| 1009103.093 | 881937.619 | 3660 |
| 1009102.686 | 881936.771 | 3240 |
| 1009102.015 | 881936.32 | 3120 |
| 1009100.896 | 881936.134 | 2580 |
| 1009100.561 | 881935.566 | 2820 |
| 1009100.235 | 881935.489 | 3240 |
| 1009100.425 | 881934.908 | 2820 |
| 1009100.568 | 881934.874 | 2460 |
| 1009100.605 | 881935.136 | 2340 |
| 1009100.143 | 881935.581 | 2760 |
| 1009099.253 | 881935.37 | 3000 |
| 1009098.269 | 881935.531 | 3120 |
| 1009096.861 | 881935.207 | 2640 |
| 1009095.985 | 881935.781 | 2640 |
| 1009095.206 | 881935.704 | 2460 |
| 1009094.491 | 881936.331 | 2400 |
| 1009093.987 | 881935.998 | 2340 |
| 1009093.19 | 881935.242 | 2580 |
| 1009092.506 | 881935.004 | 3120 |
| 1009091.752 | 881934.345 | 2820 |
| 1009090.955 | 881934.147 | 2400 |
| 1009090.15 | 881933.574 | 2580 |
| 1009089.287 | 881932.424 | 2580 |
| 1009088.426 | 881932.237 | 3120 |
| 1009087.648 | 881931.75 | 2580 |
| 1009087.062 | 881931.426 | 3000 |
| 1009086.198 | 881930.728 | 2400 |
| 1009085.465 | 881930.508 | 2820 |
| 1009084.42 | 881930.298 | 2220 |
| 1009083.974 | 881929.33 | 2640 |
| 1009082.9 | 881928.842 | 2820 |
| 1009082.437 | 881928.422 | 2280 |
| 1009081.522 | 881928.065 | 2400 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008967.518 | 881877.052 | 2520 |
| 1008967.153 | 881878.275 | 2220 |
| 1008966.317 | 881879.204 | 2520 |
| 1008965.269 | 881880.077 | 2820 |
| 1008964.705 | 881881.099 | 2220 |
| 1008963.877 | 881881.909 | 2040 |
| 1008963.153 | 881882.415 | 2760 |
| 1008962.891 | 881882.431 | 2940 |
| 1008962.611 | 881882.449 | 2820 |
| 1008962.351 | 881882.465 | 2760 |
| 1008962.08 | 881882.482 | 2520 |
| 1008961.831 | 881882.497 | 2880 |
| 1008961.586 | 881882.513 | 2100 |
| 1008961.322 | 881882.529 | 2100 |
| 1008961.054 | 881882.546 | 2340 |
| 1008960.559 | 881882.767 | 2640 |
| 1008960.96 | 881882.35 | 2820 |
| 1008962.124 | 881880.972 | 2400 |
| 1008962.919 | 881879.845 | 2220 |
| 1008963.227 | 881879.177 | 2580 |
| 1008963.471 | 881878.628 | 3240 |
| 1008963.752 | 881877.782 | 2280 |
| 1008963.975 | 881877.073 | 2520 |
| 1008964.366 | 881876.349 | 2760 |
| 1008964.77 | 881875.62 | 2580 |
| 1008965.265 | 881874.78 | 2760 |
| 1008966.093 | 881874.172 | 2700 |
| 1008966.007 | 881873.732 | 2880 |
| 1008966.378 | 881873.118 | 2640 |
| 1008967.057 | 881872.496 | 2700 |
| 1008967.614 | 881871.832 | 2460 |
| 1008968.326 | 881871.476 | 2280 |
| 1008968.35 | 881871.034 | 2400 |
| 1008968.664 | 881870.503 | 2700 |
| 1008969.603 | 881870.003 | 2880 |
| 1008970.394 | 881869.431 | 2700 |
| 1008970.696 | 881869.317 | 2580 |
| 1008970.281 | 881869.139 | 2820 |
| 1008970.155 | 881868.093 | 2280 |
| 1008970.612 | 881867.398 | 1920 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009080.786 | 881927.303 | 2700 |
| 1009079.658 | 881927.065 | 2520 |
| 1009079.148 | 881925.902 | 2580 |
| 1009078.064 | 881925.388 | 2760 |
| 1009077.639 | 881924.934 | 3000 |
| 1009077.606 | 881924.91 | 2820 |
| 1009077.546 | 881924.933 | 2280 |
| 1009077.39 | 881924.704 | 2460 |
| 1009077.035 | 881923.946 | 2640 |
| 1009076.253 | 881923.997 | 2940 |
| 1009075.353 | 881923.776 | 2760 |
| 1009074.135 | 881923.394 | 2580 |
| 1009073.007 | 881923.755 | 2400 |
| 1009073.143 | 881923.531 | 2220 |
| 1009072.956 | 881922.597 | 2520 |
| 1009072.595 | 881922.017 | 2940 |
| 1009071.884 | 881921.492 | 3120 |
| 1009071.469 | 881920.927 | 2760 |
| 1009070.63 | 881920.073 | 2820 |
| 1009070.407 | 881919.531 | 2520 |
| 1009070.149 | 881918.651 | 2460 |
| 1009069.885 | 881917.755 | 2580 |
| 1009069.903 | 881917.94 | 2520 |
| 1009069.922 | 881918.493 | 2460 |
| 1009069.875 | 881918.96 | 2340 |
| 1009070.148 | 881918.838 | 2220 |
| 1009070.55 | 881919.178 | 2220 |
| 1009071.325 | 881919.321 | 2220 |
| 1009071.819 | 881919.857 | 2400 |
| 1009072.85 | 881920.33 | 2520 |
| 1009073.332 | 881920.562 | 2760 |
| 1009073.967 | 881921.121 | 2820 |
| 1009074.593 | 881921.176 | 2160 |
| 1009075.309 | 881921.873 | 3000 |
| 1009075.931 | 881922.172 | 2640 |
| 1009075.946 | 881922.407 | 2040 |
| 1009075.899 | 881922.5 | 2400 |
| 1009075.85 | 881922.442 | 2700 |
| 1009075.813 | 881922.46 | 2520 |
| 1009075.743 | 881922.241 | 2160 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008970.663 | 881867.161 | 2520 |
| 1008970.974 | 881866.614 | 2160 |
| 1008971.134 | 881866.333 | 2580 |
| 1008971.365 | 881865.924 | 2340 |
| 1008971.601 | 881865.509 | 2580 |
| 1008971.834 | 881865.099 | 2820 |
| 1008972.098 | 881864.634 | 2820 |
| 1008972.315 | 881864.252 | 2880 |
| 1008972.545 | 881863.848 | 2700 |
| 1008972.772 | 881863.448 | 3120 |
| 1008973.01 | 881863.029 | 2940 |
| 1008973.251 | 881862.604 | 2640 |
| 1008973.493 | 881862.179 | 2340 |
| 1008973.726 | 881861.768 | 2700 |
| 1008973.954 | 881861.366 | 2220 |
| 1008974.194 | 881860.944 | 2640 |
| 1008974.443 | 881860.506 | 2820 |
| 1008974.671 | 881860.104 | 2640 |
| 1008974.91 | 881859.684 | 2820 |
| 1008975.141 | 881859.277 | 2580 |
| 1008975.379 | 881858.859 | 3060 |
| 1008975.656 | 881858.37 | 2520 |
| 1008975.84 | 881858.046 | 3180 |
| 1008976.07 | 881857.641 | 3180 |
| 1008976.312 | 881857.216 | 2640 |
| 1008976.538 | 881856.817 | 2820 |
| 1008976.789 | 881856.375 | 1980 |
| 1008977.021 | 881855.967 | 2220 |
| 1008977.263 | 881855.54 | 2400 |
| 1008977.501 | 881855.121 | 2640 |
| 1008977.735 | 881854.711 | 2220 |
| 1008977.937 | 881854.355 | 2160 |
| 1008978.153 | 881853.974 | 2400 |
| 1008978.383 | 881853.57 | 2400 |
| 1008978.623 | 881853.146 | 2400 |
| 1008978.86 | 881852.729 | 2700 |
| 1008979.12 | 881852.271 | 2460 |
| 1008979.356 | 881851.856 | 2040 |
| 1008979.598 | 881851.43 | 2220 |
| 1008979.83 | 881851.022 | 2340 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009075.741 | 881921.976 | 3060 |
| 1009076.458 | 881922.512 | 2760 |
| 1009077.332 | 881922.909 | 2460 |
| 1009077.928 | 881923.729 | 2520 |
| 1009079.224 | 881923.808 | 2940 |
| 1009079.965 | 881924.413 | 2760 |
| 1009080.997 | 881924.425 | 2640 |
| 1009081.769 | 881924.821 | 2280 |
| 1009082.709 | 881925.024 | 2760 |
| 1009083.237 | 881925.626 | 2580 |
| 1009083.794 | 881926.623 | 2460 |
| 1009084.363 | 881926.827 | 2580 |
| 1009085.308 | 881927.571 | 2520 |
| 1009086.486 | 881927.712 | 2520 |
| 1009087.341 | 881928.3 | 2280 |
| 1009088.459 | 881928.622 | 2880 |
| 1009089.088 | 881929.073 | 2400 |
| 1009089.999 | 881929.965 | 2640 |
| 1009091.314 | 881929.98 | 2520 |
| 1009092.376 | 881930.579 | 2400 |
| 1009093.413 | 881930.901 | 2640 |
| 1009094.385 | 881931.584 | 2160 |
| 1009095.519 | 881931.435 | 2460 |
| 1009096.214 | 881932.073 | 2280 |
| 1009096.763 | 881932.121 | 2520 |
| 1009096.569 | 881932.102 | 2520 |
| 1009097.272 | 881932.173 | 2580 |
| 1009098.104 | 881932.694 | 2820 |
| 1009099.264 | 881932.597 | 2520 |
| 1009100.041 | 881933.49 | 2100 |
| 1009101.073 | 881933.474 | 2460 |
| 1009101.663 | 881933.79 | 2340 |
| 1009102.321 | 881933.743 | 2040 |
| 1009102.873 | 881933.659 | 2760 |
| 1009103.61 | 881934.193 | 2340 |
| 1009104.589 | 881934.494 | 2460 |
| 1009104.876 | 881935.6 | 2880 |
| 1009106.255 | 881935.682 | 2940 |
| 1009106.778 | 881936.378 | 2460 |
| 1009107.656 | 881936.535 | 3060 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008980.063 | 881850.612 | 2760 |
| 1008980.317 | 881850.165 | 2400 |
| 1008980.545 | 881849.763 | 2220 |
| 1008980.784 | 881849.343 | 2700 |
| 1008981.012 | 881848.941 | 3000 |
| 1008981.249 | 881848.523 | 3000 |
| 1008981.484 | 881848.11 | 2880 |
| 1008981.716 | 881847.702 | 2700 |
| 1008981.949 | 881847.291 | 2400 |
| 1008982.192 | 881846.864 | 2580 |
| 1008982.419 | 881846.463 | 2340 |
| 1008982.663 | 881846.035 | 1860 |
| 1008982.89 | 881845.635 | 2460 |
| 1008983.123 | 881845.225 | 2640 |
| 1008983.361 | 881844.804 | 2700 |
| 1008983.604 | 881844.378 | 2340 |
| 1008983.792 | 881844.046 | 2580 |
| 1008984.008 | 881843.666 | 2520 |
| 1008984.242 | 881843.255 | 2040 |
| 1008984.481 | 881842.832 | 2280 |
| 1008984.722 | 881842.408 | 2400 |
| 1008984.981 | 881841.952 | 2460 |
| 1008985.185 | 881841.594 | 2220 |
| 1008985.426 | 881841.17 | 2280 |
| 1008985.655 | 881840.766 | 2220 |
| 1008985.896 | 881840.342 | 2280 |
| 1008986.19 | 881839.824 | 2880 |
| 1008986.423 | 881839.413 | 2400 |
| 1008986.667 | 881838.984 | 2460 |
| 1008986.898 | 881838.579 | 2340 |
| 1008987.129 | 881838.172 | 2640 |
| 1008987.369 | 881837.749 | 2700 |
| 1008987.567 | 881837.4 | 3000 |
| 1008987.795 | 881836.998 | 2760 |
| 1008988.039 | 881836.568 | 2040 |
| 1008988.27 | 881836.162 | 1740 |
| 1008988.551 | 881835.667 | 2280 |
| 1008988.742 | 881835.331 | 3000 |
| 1008988.982 | 881834.908 | 2220 |
| 1008989.216 | 881834.496 | 2520 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009108.705 | 881936.698 | 3000 |
| 1009109.672 | 881936.863 | 2820 |
| 1009110.738 | 881936.882 | 3000 |
| 1009111.78 | 881937.531 | 2580 |
| 1009112.627 | 881937.661 | 2700 |
| 1009113.23 | 881938.405 | 2820 |
| 1009114.372 | 881938.282 | 3060 |
| 1009114.866 | 881938.892 | 2820 |
| 1009115.841 | 881938.833 | 2820 |
| 1009116.779 | 881939.263 | 2940 |
| 1009117.803 | 881939.528 | 3480 |
| 1009118.593 | 881940.356 | 2520 |
| 1009119.588 | 881940.639 | 2460 |
| 1009120.269 | 881941.279 | 2760 |
| 1009120.93 | 881941.252 | 2880 |
| 1009121.833 | 881941.376 | 3240 |
| 1009122.805 | 881941.952 | 3420 |
| 1009123.803 | 881942.07 | 2820 |
| 1009124.551 | 881942.937 | 2400 |
| 1009125.802 | 881942.949 | 2580 |
| 1009126.584 | 881943.766 | 2760 |
| 1009127.783 | 881943.838 | 2700 |
| 1009128.283 | 881944.745 | 2820 |
| 1009129.318 | 881944.58 | 2520 |
| 1009130.037 | 881945.233 | 2760 |
| 1009130.925 | 881945.778 | 2580 |
| 1009131.876 | 881946.465 | 2580 |
| 1009133.006 | 881947.018 | 2760 |
| 1009134.214 | 881947.468 | 2760 |
| 1009135.122 | 881947.852 | 2460 |
| 1009136.091 | 881948.881 | 2520 |
| 1009136.976 | 881949.531 | 2880 |
| 1009137.973 | 881949.559 | 2940 |
| 1009138.852 | 881949.694 | 3120 |
| 1009139.753 | 881950.57 | 2820 |
| 1009140.679 | 881951.071 | 3240 |
| 1009141.164 | 881951.748 | 3420 |
| 1009142.355 | 881952.174 | 2700 |
| 1009143.11 | 881953.46 | 3180 |
| 1009143.753 | 881953.895 | 2520 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008989.445 | 881834.093 | 2460 |
| 1008989.707 | 881833.632 | 2700 |
| 1008989.912 | 881833.272 | 2220 |
| 1008990.145 | 881832.86 | 2460 |
| 1008990.378 | 881832.451 | 2460 |
| 1008990.617 | 881832.031 | 2400 |
| 1008990.918 | 881831.501 | 2100 |
| 1008991.111 | 881831.16 | 1980 |
| 1008991.355 | 881830.731 | 2220 |
| 1008991.582 | 881830.332 | 2580 |
| 1008991.825 | 881829.904 | 2160 |
| 1008992.064 | 881829.483 | 2460 |
| 1008992.298 | 881829.071 | 2160 |
| 1008992.539 | 881828.646 | 2280 |
| 1008992.767 | 881828.245 | 2760 |
| 1008993.013 | 881827.812 | 2940 |
| 1008993.258 | 881827.381 | 2700 |
| 1008993.473 | 881827.003 | 2700 |
| 1008993.706 | 881826.591 | 2340 |
| 1008993.947 | 881826.167 | 2100 |
| 1008994.186 | 881825.747 | 2940 |
| 1008994.404 | 881825.362 | 2880 |
| 1008994.608 | 881825.004 | 2520 |
| 1008994.849 | 881824.579 | 2700 |
| 1008995.078 | 881824.176 | 2700 |
| 1008995.319 | 881823.751 | 2820 |
| 1008995.591 | 881823.273 | 2700 |
| 1008995.827 | 881822.858 | 2460 |
| 1008996.068 | 881822.433 | 2640 |
| 1008996.301 | 881822.022 | 3000 |
| 1008996.534 | 881821.612 | 2580 |
| 1008996.774 | 881821.189 | 2160 |
| 1008997.004 | 881820.785 | 2040 |
| 1008997.237 | 881820.375 | 1920 |
| 1008997.475 | 881819.956 | 1680 |
| 1008997.704 | 881819.553 | 2040 |
| 1008997.949 | 881819.121 | 2100 |
| 1008998.187 | 881818.703 | 1980 |
| 1008998.425 | 881818.283 | 1620 |
| 1008998.655 | 881817.879 | 1740 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009144.443 | 881954.675 | 2760 |
| 1009145.21 | 881955.233 | 2520 |
| 1009145.264 | 881955.355 | 2760 |
| 1009145.608 | 881954.771 | 2640 |
| 1009146.475 | 881954.666 | 2400 |
| 1009146.658 | 881954.027 | 2220 |
| 1009147.691 | 881952.523 | 2520 |
| 1009148.328 | 881951.859 | 2760 |
| 1009148.672 | 881950.982 | 2700 |
| 1009148.519 | 881950.598 | 2580 |
| 1009147.553 | 881950.081 | 2760 |
| 1009146.658 | 881949.821 | 2760 |
| 1009145.98 | 881949.422 | 2400 |
| 1009144.848 | 881949.227 | 2040 |
| 1009144.153 | 881948.433 | 2700 |
| 1009142.642 | 881948.444 | 2820 |
| 1009141.934 | 881947.631 | 2220 |
| 1009140.882 | 881947.652 | 2640 |
| 1009139.79 | 881946.987 | 2220 |
| 1009138.883 | 881946.738 | 2700 |
| 1009138.8 | 881946.329 | 2520 |
| 1009137.829 | 881946.397 | 2760 |
| 1009136.815 | 881945.628 | 2940 |
| 1009135.472 | 881945.709 | 2520 |
| 1009134.343 | 881945.004 | 2520 |
| 1009133.192 | 881945.047 | 2460 |
| 1009132.218 | 881944.215 | 2400 |
| 1009131.064 | 881944.275 | 2880 |
| 1009130.392 | 881943.371 | 2400 |
| 1009129.196 | 881943.3 | 2880 |
| 1009128.47 | 881942.652 | 2640 |
| 1009127.659 | 881942.998 | 2760 |
| 1009127.601 | 881942.618 | 2700 |
| 1009127.44 | 881943.234 | 3300 |
| 1009127.433 | 881943.364 | 3240 |
| 1009127.342 | 881943.504 | 3420 |
| 1009127.23 | 881943.499 | 3360 |
| 1009127.184 | 881943.259 | 3060 |
| 1009108.197 | 881929.938 | 2580 |
| 1009107.115 | 881929.383 | 2760 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008998.884 | 881817.476 | 1920 |
| 1008999.128 | 881817.045 | 1740 |
| 1008999.347 | 881816.661 | 1920 |
| 1008999.58 | 881816.25 | 1740 |
| 1008999.817 | 881815.833 | 1740 |
| 1009000.056 | 881815.412 | 1680 |
| 1009000.299 | 881814.984 | 1680 |
| 1009000.537 | 881814.565 | 1860 |
| 1009000.788 | 881814.123 | 2220 |
| 1009001.003 | 881813.746 | 2040 |
| 1009001.241 | 881813.326 | 2340 |
| 1009001.469 | 881812.924 | 2280 |
| 1009001.704 | 881812.511 | 2340 |
| 1009001.939 | 881812.097 | 2760 |
| 1009014.475 | 881816.967 | 2640 |
| 1009015.009 | 881817.851 | 3060 |
| 1009016.027 | 881818.075 | 2520 |
| 1009016.278 | 881818.164 | 2700 |
| 1009015.985 | 881818.155 | 2940 |
| 1009015.669 | 881818.146 | 2940 |
| 1009015.289 | 881818.134 | 2640 |
| 1009015.029 | 881818.126 | 2460 |
| 1009014.716 | 881818.116 | 2580 |
| 1009014.388 | 881818.106 | 1920 |
| 1009014.082 | 881818.097 | 1980 |
| 1009013.795 | 881818.088 | 2520 |
| 1009013.52 | 881818.08 | 2520 |
| 1009013.207 | 881818.07 | 2340 |
| 1009012.883 | 881818.06 | 1920 |
| 1009012.567 | 881818.05 | 2100 |
| 1009012.13 | 881818.037 | 2280 |
| 1009011.839 | 881818.028 | 2340 |
| 1009011.527 | 881818.018 | 2160 |
| 1009011.2 | 881818.008 | 1860 |
| 1009010.889 | 881817.999 | 2400 |
| 1009010.539 | 881817.988 | 2040 |
| 1009010.246 | 881817.979 | 2280 |
| 1009009.935 | 881817.97 | 2220 |
| 1009009.607 | 881817.959 | 1800 |
| 1009009.291 | 881817.95 | 1860 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009105.991 | 881929.14 | 2940 |
| 1009104.903 | 881928.566 | 3000 |
| 1009103.793 | 881927.969 | 3120 |
| 1009102.565 | 881927.546 | 2880 |
| 1009101.539 | 881926.962 | 2760 |
| 1009100.268 | 881926.578 | 2820 |
| 1009099.14 | 881926.22 | 2460 |
| 1009097.835 | 881926.006 | 2820 |
| 1009096.751 | 881925.275 | 2580 |
| 1009095.631 | 881924.972 | 2820 |
| 1009094.255 | 881924.228 | 3000 |
| 1009092.946 | 881923.765 | 2520 |
| 1009091.628 | 881923.304 | 2460 |
| 1009090.301 | 881923.101 | 2460 |
| 1009089.016 | 881922.375 | 2700 |
| 1009087.676 | 881922.05 | 2880 |
| 1009086.4 | 881921.741 | 2880 |
| 1009085.204 | 881920.989 | 2640 |
| 1009084.37 | 881919.679 | 2100 |
| 1009083.713 | 881919.503 | 2580 |
| 1009083.759 | 881919.625 | 2520 |
| 1009083.615 | 881919.755 | 2160 |
| 1009083.198 | 881919.599 | 2700 |
| 1009082.498 | 881918.861 | 3060 |
| 1009081.079 | 881918.565 | 2700 |
| 1009080.101 | 881917.559 | 2760 |
| 1009078.628 | 881917.149 | 2820 |
| 1009077.594 | 881916.024 | 2160 |
| 1009076.101 | 881915.663 | 2760 |
| 1009075.089 | 881914.716 | 2880 |
| 1009073.741 | 881914.415 | 2580 |
| 1009072.585 | 881913.497 | 2520 |
| 1009071.214 | 881913.156 | 2280 |
| 1009070.9 | 881911.518 | 2160 |
| 1009070.784 | 881910.334 | 2760 |
| 1009071.743 | 881910.122 | 2580 |
| 1009072.545 | 881910.091 | 2760 |
| 1009073.435 | 881910.406 | 3000 |
| 1009074.264 | 881910.945 | 3120 |
| 1009075.395 | 881912.025 | 2940 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009008.965 | 881817.94 | 2400 |
| 1009008.651 | 881817.93 | 2460 |
| 1009008.327 | 881817.92 | 2580 |
| 1009008.003 | 881817.91 | 2220 |
| 1009007.7 | 881817.901 | 2220 |
| 1009007.361 | 881817.89 | 2880 |
| 1009007.031 | 881817.88 | 3000 |
| 1009006.721 | 881817.871 | 2400 |
| 1009007.397 | 881817.367 | 1740 |
| 1009006.823 | 881816.232 | 2100 |
| 1009004.799 | 881814.973 | 1920 |
| 1009004.925 | 881815.591 | 1620 |
| 1009006.614 | 881817.166 | 2040 |
| 1009007.452 | 881818.211 | 2040 |
| 1009008.003 | 881818.86 | 1500 |
| 1009007.063 | 881818.828 | 1620 |
| 1009005.653 | 881817.972 | 1440 |
| 1009005.753 | 881816.878 | 2220 |
| 1009005.852 | 881815.801 | 2340 |
| 1009006.163 | 881815.298 | 2340 |
| 1009006.301 | 881815.232 | 2340 |
| 1009006.447 | 881815.733 | 2400 |
| 1009006.521 | 881816.161 | 2280 |
| 1009008.869 | 881820.631 | 1980 |
| 1009008.851 | 881820.616 | 1980 |
| 1009008.841 | 881820.595 | 1860 |
| 1009008.844 | 881820.588 | 2220 |
| 1009008.853 | 881820.596 | 1680 |
| 1009008.863 | 881820.605 | 1560 |
| 1009008.846 | 881820.596 | 2220 |
| 1009008.822 | 881820.561 | 2280 |
| 1009008.815 | 881820.532 | 2400 |
| 1009008.799 | 881820.523 | 2220 |
| 1009008.744 | 881820.57 | 2160 |
| 1009008.72 | 881820.61 | 2040 |
| 1009008.746 | 881820.662 | 2340 |
| 1009008.89 | 881820.65 | 1560 |
| 1009008.978 | 881820.532 | 1740 |
| 1009009.005 | 881820.501 | 2100 |
| 1009009.105 | 881820.448 | 2100 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009076.386 | 881912.503 | 2400 |
| 1009077.045 | 881913.321 | 3240 |
| 1009078.333 | 881913.426 | 2880 |
| 1009079.641 | 881914.048 | 2760 |
| 1009080.653 | 881914.229 | 2520 |
| 1009081.411 | 881915.159 | 2940 |
| 1009082.441 | 881915.567 | 2460 |
| 1009083.232 | 881916.138 | 2460 |
| 1009084.125 | 881916.336 | 2280 |
| 1009084.971 | 881916.603 | 2700 |
| 1009085.751 | 881917.295 | 3000 |
| 1009086.094 | 881917.23 | 2820 |
| 1009085.886 | 881917.155 | 2460 |
| 1009085.76 | 881917.061 | 2760 |
| 1009085.962 | 881917.156 | 3060 |
| 1009086.612 | 881917.266 | 2820 |
| 1009087.449 | 881917.924 | 2640 |
| 1009088.498 | 881918.256 | 2520 |
| 1009089.238 | 881918.712 | 2580 |
| 1009089.797 | 881918.808 | 3120 |
| 1009090.646 | 881919.385 | 2760 |
| 1009091.897 | 881919.457 | 2700 |
| 1009092.654 | 881920.2 | 3360 |
| 1009093.918 | 881920.125 | 3000 |
| 1009094.758 | 881920.893 | 2940 |
| 1009095.89 | 881921.014 | 3000 |
| 1009096.878 | 881921.747 | 2580 |
| 1009098.174 | 881922.003 | 2700 |
| 1009099.062 | 881922.816 | 2940 |
| 1009100.421 | 881922.988 | 2940 |
| 1009101.363 | 881923.89 | 2580 |
| 1009102.531 | 881924.17 | 2580 |
| 1009103.561 | 881924.973 | 2340 |
| 1009105.097 | 881925.04 | 2340 |
| 1009106.321 | 881925.7 | 2880 |
| 1009107.684 | 881925.842 | 2820 |
| 1009108.785 | 881926.774 | 3180 |
| 1009109.98 | 881926.957 | 2400 |
| 1009111.062 | 881927.699 | 2520 |
| 1009117.668 | 881926.596 | 3420 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009009.184 | 881820.42 | 2340 |
| 1009009.215 | 881820.401 | 2340 |
| 1009009.164 | 881820.285 | 2520 |
| 1009008.908 | 881819.899 | 2460 |
| 1009009.241 | 881819.538 | 3060 |
| 1009009.686 | 881819.888 | 2460 |
| 1009010.119 | 881820.451 | 2700 |
| 1009010.311 | 881821.604 | 2520 |
| 1009010.771 | 881822.834 | 2880 |
| 1009011.789 | 881823.903 | 2400 |
| 1009012.845 | 881824.816 | 2460 |
| 1009014.003 | 881825.451 | 2760 |
| 1009015.053 | 881826.386 | 2520 |
| 1009016.415 | 881826.938 | 2700 |
| 1009017.641 | 881827.739 | 2400 |
| 1009019.055 | 881828.263 | 2460 |
| 1009020.865 | 881829.078 | 2580 |
| 1009022.493 | 881829.43 | 2580 |
| 1009024.108 | 881830.078 | 2580 |
| 1009025.899 | 881830.286 | 2520 |
| 1009027.399 | 881831.399 | 1860 |
| 1009029.076 | 881832.416 | 1980 |
| 1009030.27 | 881833.406 | 2340 |
| 1009031.192 | 881834.344 | 2340 |
| 1009031.619 | 881834.555 | 2640 |
| 1009031.588 | 881834.394 | 2700 |
| 1009031.436 | 881834.18 | 2820 |
| 1009031.382 | 881834.154 | 2640 |
| 1009031.416 | 881834.12 | 3000 |
| 1009031.468 | 881834.032 | 2520 |
| 1009031.5 | 881833.921 | 2640 |
| 1009031.534 | 881833.938 | 3300 |
| 1009031.276 | 881834.178 | 3060 |
| 1009031.637 | 881833.582 | 2580 |
| 1009032.098 | 881832.065 | 3180 |
| 1009032.775 | 881830.865 | 3180 |
| 1009033.585 | 881829.105 | 3120 |
| 1009034.642 | 881827.733 | 2940 |
| 1009035.322 | 881826.199 | 3180 |
| 1009035.742 | 881824.476 | 3060 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009116.335 | 881926.318 | 2880 |
| 1009115.436 | 881925.64 | 3000 |
| 1009114.087 | 881925.433 | 2880 |
| 1009113.187 | 881924.927 | 2940 |
| 1009111.872 | 881924.733 | 2460 |
| 1009110.898 | 881924.11 | 2520 |
| 1009109.611 | 881923.881 | 2580 |
| 1009108.656 | 881923.165 | 2940 |
| 1009107.896 | 881923.019 | 2220 |
| 1009108.172 | 881922.396 | 2400 |
| 1009108.318 | 881922.693 | 2460 |
| 1009107.685 | 881922.89 | 2460 |
| 1009106.902 | 881922.516 | 2700 |
| 1009105.507 | 881922.128 | 2940 |
| 1009104.317 | 881921.681 | 2820 |
| 1009103 | 881920.827 | 2880 |
| 1009101.802 | 881920.746 | 2700 |
| 1009100.413 | 881920.047 | 2820 |
| 1009098.982 | 881919.81 | 2820 |
| 1009097.65 | 881918.55 | 2580 |
| 1009096.284 | 881918.243 | 2520 |
| 1009094.888 | 881917.494 | 2460 |
| 1009093.401 | 881917.302 | 2160 |
| 1009092.048 | 881916.171 | 2340 |
| 1009090.785 | 881915.975 | 2580 |
| 1009089.596 | 881914.96 | 2820 |
| 1009088.165 | 881914.837 | 2940 |
| 1009086.971 | 881913.928 | 3060 |
| 1009085.565 | 881913.765 | 2640 |
| 1009084.587 | 881913.089 | 2940 |
| 1009083.212 | 881913.024 | 2700 |
| 1009082.057 | 881912.146 | 3060 |
| 1009080.675 | 881911.872 | 2820 |
| 1009079.729 | 881911.191 | 2880 |
| 1009078.391 | 881910.928 | 3420 |
| 1009077.346 | 881909.975 | 2760 |
| 1009075.983 | 881909.458 | 3240 |
| 1009075.198 | 881908.673 | 2520 |
| 1009073.431 | 881908.166 | 2520 |
| 1009071.866 | 881907.501 | 3060 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009036.391 | 881822.733 | 3300 |
| 1009036.939 | 881821.124 | 3120 |
| 1009037.411 | 881819.808 | 3540 |
| 1009037.744 | 881818.601 | 3060 |
| 1009038.501 | 881817.198 | 2760 |
| 1009038.9 | 881815.591 | 3660 |
| 1009038.926 | 881814.575 | 3720 |
| 1009038.758 | 881814.984 | 3420 |
| 1009038.61 | 881815.65 | 2940 |
| 1009038.586 | 881815.832 | 2820 |
| 1009038.715 | 881815.779 | 3300 |
| 1009038.681 | 881814.983 | 3060 |
| 1009039.47 | 881814.089 | 3240 |
| 1009040.557 | 881812.953 | 3120 |
| 1009041.055 | 881811.79 | 3360 |
| 1009041.671 | 881811.021 | 3840 |
| 1009041.937 | 881809.736 | 4020 |
| 1009042.653 | 881808.849 | 3660 |
| 1009043.141 | 881808.283 | 3300 |
| 1009043.005 | 881807.351 | 3240 |
| 1009043.712 | 881806.548 | 3300 |
| 1009043.985 | 881805.256 | 3960 |
| 1009044.242 | 881804.141 | 3360 |
| 1009044.773 | 881803.098 | 3540 |
| 1009045.047 | 881802.23 | 3240 |
| 1009045.666 | 881801.472 | 3180 |
| 1009046.047 | 881800.171 | 3900 |
| 1009046.691 | 881799.324 | 3240 |
| 1009047.253 | 881798.391 | 3000 |
| 1009047.762 | 881797.342 | 2940 |
| 1009048.37 | 881796.364 | 2880 |
| 1009048.572 | 881794.927 | 3900 |
| 1009058.832 | 881710.447 | 2100 |
| 1009059.298 | 881709.747 | 2400 |
| 1009058.487 | 881709.166 | 3180 |
| 1009057.854 | 881708.878 | 3120 |
| 1009056.772 | 881709.545 | 3420 |
| 1009056.456 | 881710.169 | 3300 |
| 1009056.3 | 881710.914 | 3000 |
| 1009056.097 | 881711.945 | 2820 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009071.806 | 881907.148 | 3060 |
| 1009072.689 | 881907.265 | 3120 |
| 1009073.42 | 881906.253 | 2400 |
| 1009073.724 | 881905.507 | 2880 |
| 1009073.663 | 881905.734 | 2880 |
| 1009073.498 | 881905.946 | 2280 |
| 1009072.849 | 881906.422 | 2460 |
| 1009072.676 | 881906.424 | 3600 |
| 1009072.716 | 881906.577 | 3120 |
| 1009072.952 | 881906.593 | 3000 |
| 1009072.698 | 881906.332 | 2880 |
| 1009072.428 | 881906.457 | 2520 |
| 1009072.507 | 881906.4 | 2700 |
| 1009072.704 | 881906.385 | 2700 |
| 1009072.739 | 881906.388 | 3240 |
| 1009072.748 | 881906.516 | 3420 |
| 1009072.822 | 881906.768 | 3180 |
| 1009072.465 | 881906.924 | 2940 |
| 1009071.817 | 881907.751 | 2760 |
| 1009072.874 | 881908.341 | 2940 |
| 1009072.98 | 881908.267 | 2700 |
| 1009072.617 | 881908.07 | 2580 |
| 1009072.096 | 881908.211 | 2760 |
| 1009071.996 | 881908.666 | 3300 |
| 1009071.59 | 881908.692 | 2580 |
| 1009070.714 | 881908.898 | 2520 |
| 1009070.68 | 881908.895 | 3000 |
| 1009070.685 | 881908.77 | 2760 |
| 1009070.678 | 881908.7 | 3300 |
| 1009070.763 | 881908.735 | 2880 |
| 1009070.829 | 881908.721 | 2640 |
| 1009070.701 | 881908.839 | 2700 |
| 1009070.581 | 881908.811 | 2280 |
| 1009070.394 | 881908.833 | 2760 |
| 1009070.34 | 881908.882 | 2760 |
| 1009070.396 | 881908.897 | 2580 |
| 1009070.467 | 881908.908 | 2820 |
| 1009070.518 | 881908.954 | 2700 |
| 1009070.56 | 881908.993 | 2400 |
| 1009070.557 | 881908.93 | 2340 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009055.73 | 881713.072 | 2820 |
| 1009055.536 | 881713.892 | 3060 |
| 1009055.622 | 881714.689 | 2820 |
| 1009055.478 | 881715.565 | 2520 |
| 1009055.632 | 881716.975 | 2700 |
| 1009055.311 | 881718.16 | 2340 |
| 1009055.03 | 881719.143 | 2760 |
| 1009055.096 | 881719.935 | 2700 |
| 1009055.444 | 881720.752 | 3420 |
| 1009055.174 | 881722.258 | 3300 |
| 1009055.125 | 881723.751 | 3720 |
| 1009054.803 | 881724.759 | 3420 |
| 1009053.597 | 881725.678 | 3060 |
| 1009052.853 | 881725.901 | 3120 |
| 1009051.945 | 881724.334 | 3060 |
| 1009051.486 | 881722.287 | 2880 |
| 1009051.215 | 881720.55 | 3300 |
| 1009050.845 | 881718.957 | 3960 |
| 1009050.973 | 881717.283 | 3300 |
| 1009050.424 | 881715.89 | 3120 |
| 1009049.947 | 881715.057 | 3180 |
| 1009049.523 | 881713.934 | 3480 |
| 1009048.753 | 881712.642 | 2880 |
| 1009048.071 | 881711.578 | 3420 |
| 1009047.763 | 881710.88 | 3000 |
| 1009047.423 | 881709.7 | 3360 |
| 1009047.154 | 881708.631 | 3300 |
| 1009046.974 | 881707.892 | 3660 |
| 1009046.292 | 881707.312 | 3600 |
| 1009045.156 | 881706.807 | 2940 |
| 1009044.481 | 881706.319 | 2640 |
| 1009044.653 | 881705.896 | 3240 |
| 1009044.534 | 881705.832 | 3180 |
| 1009044.457 | 881705.684 | 3660 |
| 1009044.457 | 881705.834 | 3360 |
| 1009044.595 | 881706.015 | 3120 |
| 1009044.666 | 881705.964 | 2820 |
| 1009044.453 | 881705.989 | 2820 |
| 1009044.672 | 881705.407 | 2580 |
| 1009045.051 | 881704.827 | 2400 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009070.56 | 881908.828 | 2880 |
| 1009070.613 | 881908.902 | 3060 |
| 1009070.697 | 881908.999 | 2760 |
| 1009070.923 | 881908.776 | 3060 |
| 1009070.966 | 881908.705 | 2820 |
| 1009071.136 | 881908.522 | 3660 |
| 1009071.017 | 881908.473 | 2880 |
| 1009070.702 | 881908.521 | 3000 |
| 1009070.622 | 881908.541 | 2880 |
| 1009070.703 | 881908.842 | 2880 |
| 1009070.527 | 881908.973 | 2640 |
| 1009070.631 | 881908.89 | 2820 |
| 1009070.541 | 881908.775 | 2100 |
| 1009070.188 | 881908.779 | 2460 |
| 1009070.054 | 881908.778 | 2760 |
| 1009069.745 | 881908.226 | 3060 |
| 1009069.705 | 881906.55 | 3120 |
| 1009070.611 | 881905.719 | 3540 |
| 1009070.128 | 881906.123 | 2820 |
| 1009070.823 | 881905.998 | 2820 |
| 1009071.16 | 881906.05 | 2580 |
| 1009071.133 | 881906.114 | 2760 |
| 1009071.054 | 881906.236 | 2580 |
| 1009071.109 | 881906.226 | 2520 |
| 1009071.164 | 881906.216 | 3000 |
| 1009071.222 | 881906.205 | 2760 |
| 1009071.269 | 881906.196 | 2880 |
| 1009071.323 | 881906.187 | 3060 |
| 1009071.38 | 881906.176 | 2760 |
| 1009071.432 | 881906.167 | 3000 |
| 1009071.487 | 881906.157 | 3300 |
| 1009071.54 | 881906.147 | 3180 |
| 1009071.594 | 881906.137 | 3660 |
| 1009071.649 | 881906.127 | 3300 |
| 1009071.715 | 881906.115 | 2400 |
| 1009071.759 | 881906.107 | 2160 |
| 1009071.813 | 881906.097 | 2940 |
| 1009071.866 | 881906.087 | 2460 |
| 1009071.661 | 881906.886 | 2760 |
| 1009071.375 | 881907.971 | 2700 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009045.044 | 881704.806 | 2760 |
| 1009045.084 | 881704.887 | 2460 |
| 1009045.31 | 881704.906 | 3000 |
| 1009045.366 | 881704.846 | 3000 |
| 1009045.159 | 881704.746 | 2880 |
| 1009044.475 | 881704.83 | 2640 |
| 1009043.72 | 881704.65 | 3360 |
| 1009043.217 | 881704.643 | 3000 |
| 1009042.783 | 881705.536 | 3120 |
| 1009043.432 | 881706.43 | 2940 |
| 1009044.114 | 881706.895 | 3720 |
| 1009044.179 | 881706.943 | 3840 |
| 1009044.32 | 881706.812 | 3120 |
| 1009044.263 | 881706.882 | 3360 |
| 1009044.543 | 881707.62 | 3540 |
| 1009044.9 | 881708.599 | 3600 |
| 1009045.173 | 881709.804 | 3780 |
| 1009045.319 | 881711.127 | 3060 |
| 1009045.812 | 881712.642 | 3060 |
| 1009046.036 | 881714.133 | 3180 |
| 1009046.167 | 881715.337 | 2580 |
| 1009046.701 | 881716.468 | 2880 |
| 1009046.964 | 881717.44 | 2940 |
| 1009047.443 | 881718.138 | 3000 |
| 1009047.82 | 881719.314 | 3360 |
| 1009048.197 | 881720.298 | 3300 |
| 1009048.441 | 881721.407 | 2700 |
| 1009048.879 | 881722.816 | 2340 |
| 1009049.402 | 881724.39 | 2340 |
| 1009050.08 | 881725.903 | 2880 |
| 1009050.557 | 881727.545 | 3240 |
| 1009051.076 | 881729.267 | 2940 |
| 1009051.394 | 881730.837 | 2580 |
| 1009049.256 | 881794.105 | 3180 |
| 1009049.691 | 881793.108 | 3300 |
| 1009050.23 | 881791.912 | 2760 |
| 1009050.868 | 881791.193 | 3660 |
| 1009050.958 | 881789.926 | 3600 |
| 1009051.404 | 881788.667 | 3240 |
| 1009051.644 | 881787.329 | 3420 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009071.38 | 881907.938 | 2580 |
| 1009071.062 | 881907.98 | 2760 |
| 1009071.442 | 881908.113 | 2400 |
| 1009072.275 | 881908.904 | 3000 |
| 1009072.77 | 881909.517 | 3000 |
| 1009073.211 | 881909.231 | 2700 |
| 1009073.74 | 881909.02 | 2580 |
| 1009073.809 | 881909.399 | 2820 |
| 1009073.661 | 881909.274 | 2940 |
| 1009074.062 | 881909.655 | 3000 |
| 1009073.871 | 881909.679 | 2880 |
| 1009073.635 | 881909.42 | 2280 |
| 1009073.466 | 881909.609 | 2400 |
| 1009073.452 | 881909.652 | 2820 |
| 1009073.547 | 881909.452 | 2640 |
| 1009112.34 | 881927.936 | 2640 |
| 1009113.378 | 881928.642 | 2700 |
| 1009114.732 | 881928.564 | 2460 |
| 1009115.727 | 881929.355 | 2760 |
| 1009117.059 | 881929.709 | 2700 |
| 1009118.203 | 881930.656 | 3060 |
| 1009119.547 | 881931.017 | 3000 |
| 1009120.411 | 881931.783 | 2640 |
| 1009121.923 | 881931.805 | 2940 |
| 1009123.006 | 881932.745 | 2880 |
| 1009124.344 | 881932.973 | 2460 |
| 1009125.179 | 881933.795 | 2700 |
| 1009126.328 | 881933.995 | 2580 |
| 1009127.591 | 881934.805 | 3120 |
| 1009129.029 | 881935.089 | 3060 |
| 1009130.295 | 881936.127 | 2580 |
| 1009131.142 | 881936.043 | 2040 |
| 1009130.829 | 881936.15 | 3000 |
| 1009130.963 | 881936.108 | 2520 |
| 1009131.337 | 881936.281 | 2580 |
| 1009132.324 | 881936.571 | 2340 |
| 1009133.59 | 881936.895 | 1920 |
| 1009134.935 | 881937.623 | 2160 |
| 1009136.17 | 881938.125 | 2340 |
| 1009137.543 | 881939.08 | 2820 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009052.143 | 881786.17 | 2940 |
| 1009053.081 | 881784.565 | 2760 |
| 1009053.665 | 881783.358 | 3720 |
| 1009054.241 | 881782.514 | 4020 |
| 1009054.342 | 881781.53 | 3720 |
| 1009054.853 | 881780.544 | 3660 |
| 1009055.217 | 881779.256 | 3540 |
| 1009055.644 | 881778.051 | 3180 |
| 1009056.052 | 881776.945 | 3540 |
| 1009056.186 | 881775.843 | 3720 |
| 1009056.676 | 881774.79 | 2940 |
| 1009057.04 | 881773.565 | 3360 |
| 1009057.866 | 881772.463 | 3300 |
| 1009058.424 | 881771.322 | 3000 |
| 1009059.215 | 881770.182 | 3240 |
| 1009059.85 | 881769.482 | 3900 |
| 1009059.844 | 881768.628 | 3360 |
| 1009060.248 | 881767.598 | 3540 |
| 1009060.445 | 881766.431 | 4140 |
| 1009060.974 | 881765.457 | 4020 |
| 1009061.414 | 881764.3 | 3120 |
| 1009061.966 | 881763.219 | 4080 |
| 1009062.432 | 881762.341 | 3660 |
| 1009062.465 | 881761.382 | 3360 |
| 1009063.248 | 881760.729 | 2940 |
| 1009063.438 | 881759.66 | 3720 |
| 1009063.835 | 881758.491 | 3600 |
| 1009064.2 | 881756.987 | 2760 |
| 1009064.635 | 881755.716 | 3600 |
| 1009065.068 | 881754.419 | 3120 |
| 1009065.229 | 881753.165 | 3360 |
| 1009065.95 | 881751.896 | 3360 |
| 1009066.293 | 881750.557 | 3540 |
| 1009067.003 | 881749.48 | 3060 |
| 1009067.528 | 881747.663 | 3240 |
| 1009068.078 | 881746.11 | 3120 |
| 1009068.756 | 881744.938 | 3060 |
| 1009069.428 | 881743.859 | 2760 |
| 1009070.027 | 881742.65 | 3060 |
| 1009070.259 | 881741.276 | 3060 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009138.889 | 881939.241 | 2340 |
| 1009139.91 | 881940.272 | 2700 |
| 1009141.4 | 881940.692 | 2220 |
| 1009142.987 | 881941.774 | 2220 |
| 1009144.709 | 881942.218 | 1800 |
| 1009146.17 | 881942.777 | 2280 |
| 1009147.41 | 881943.08 | 2700 |
| 1009148.435 | 881943.194 | 2520 |
| 1009149.657 | 881943.02 | 3240 |
| 1009150.871 | 881942.779 | 2940 |
| 1009151.58 | 881942.281 | 2820 |
| 1009151.048 | 881941.94 | 2880 |
| 1009150.692 | 881941.479 | 2700 |
| 1009150.298 | 881941.075 | 2700 |
| 1009149.296 | 881940.545 | 2400 |
| 1009148.009 | 881939.823 | 2940 |
| 1009146.565 | 881939.915 | 2520 |
| 1009146.376 | 881939.51 | 2820 |
| 1009146.172 | 881939.487 | 2700 |
| 1009145.424 | 881938.842 | 2040 |
| 1009144.393 | 881938.594 | 2400 |
| 1009142.8 | 881938.812 | 2640 |
| 1009141.982 | 881938.305 | 2520 |
| 1009140.298 | 881938.228 | 2520 |
| 1009138.819 | 881937.712 | 2760 |
| 1009137.494 | 881937.267 | 2100 |
| 1009136.331 | 881936.695 | 3060 |
| 1009135.025 | 881936.017 | 3000 |
| 1009133.739 | 881935.519 | 2220 |
| 1009132.329 | 881935.16 | 2580 |
| 1009130.804 | 881934.496 | 2640 |
| 1009129.19 | 881934.301 | 1980 |
| 1009127.883 | 881933.652 | 2160 |
| 1009126.265 | 881933.179 | 2640 |
| 1009124.892 | 881932.568 | 2820 |
| 1009123.459 | 881932.615 | 3060 |
| 1009122.432 | 881931.82 | 3540 |
| 1009121.004 | 881931.436 | 3060 |
| 1009119.796 | 881930.916 | 2880 |
| 1009118.526 | 881930.726 | 3060 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009071.157 | 881739.6 | 3060 |
| 1009071.908 | 881738.146 | 2880 |
| 1009072.95 | 881736.958 | 2460 |
| 1009073.381 | 881735.487 | 3060 |
| 1009073.972 | 881734.102 | 3840 |
| 1009074.35 | 881732.645 | 3420 |
| 1009074.854 | 881731.246 | 3000 |
| 1009075.281 | 881730.379 | 3120 |
| 1009075.295 | 881729.616 | 3420 |
| 1009075.771 | 881728.346 | 2880 |
| 1009076.216 | 881726.943 | 2640 |
| 1009076.527 | 881725.544 | 3300 |
| 1009077.159 | 881724.101 | 3120 |
| 1009077.817 | 881723.029 | 3780 |
| 1009078.62 | 881722.124 | 3900 |
| 1009078.32 | 881720.967 | 3780 |
| 1009078.685 | 881719.973 | 3480 |
| 1009079.069 | 881718.835 | 2940 |
| 1009079.535 | 881717.513 | 3360 |
| 1009080.077 | 881716.089 | 2700 |
| 1009080.376 | 881714.543 | 2580 |
| 1009080.925 | 881712.744 | 2520 |
| 1009081.771 | 881711.345 | 2400 |
| 1009082.508 | 881710.995 | 2460 |
| 1009082.185 | 881711.466 | 2640 |
| 1009081.548 | 881711.466 | 2400 |
| 1009081.281 | 881711.359 | 2460 |
| 1009080.97 | 881711.957 | 2820 |
| 1009080.114 | 881713.111 | 3000 |
| 1009079.649 | 881714.678 | 2760 |
| 1009078.761 | 881716.18 | 2940 |
| 1009078.634 | 881717.667 | 2940 |
| 1009078.162 | 881719.062 | 3420 |
| 1009077.917 | 881719.974 | 2640 |
| 1009078.583 | 881720.466 | 3480 |
| 1009078.97 | 881720.574 | 2880 |
| 1009079.461 | 881720.71 | 2100 |
| 1009079.949 | 881720.845 | 2520 |
| 1009080.442 | 881720.981 | 2820 |
| 1009080.96 | 881721.125 | 3060 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009117.365 | 881930.145 | 2640 |
| 1009116.02 | 881929.794 | 2520 |
| 1009115.008 | 881929.181 | 2580 |
| 1009113.915 | 881928.685 | 3060 |
| 1009112.899 | 881928.12 | 3180 |
| 1009111.812 | 881927.794 | 2880 |
| 1009110.572 | 881927.549 | 2340 |
| 1009109.481 | 881927.028 | 2760 |
| 1009108.442 | 881926.683 | 3000 |
| 1009107.369 | 881926.199 | 2400 |
| 1009106.306 | 881925.965 | 3000 |
| 1009105.144 | 881925.24 | 3060 |
| 1009103.799 | 881924.923 | 3120 |
| 1009102.736 | 881924.301 | 3420 |
| 1009101.324 | 881923.908 | 3000 |
| 1009100.208 | 881923.131 | 2640 |
| 1009098.811 | 881922.969 | 3120 |
| 1009097.816 | 881922.159 | 2820 |
| 1009096.529 | 881921.814 | 3060 |
| 1009095.337 | 881921.172 | 2700 |
| 1009093.879 | 881921.1 | 2340 |
| 1009092.732 | 881920.379 | 2160 |
| 1009091.224 | 881920.091 | 2760 |
| 1009090.126 | 881919.435 | 3420 |
| 1009088.655 | 881919.385 | 3000 |
| 1009087.52 | 881918.478 | 2820 |
| 1009086.195 | 881918.213 | 2520 |
| 1009085.171 | 881917.378 | 2640 |
| 1009083.595 | 881917.338 | 2460 |
| 1009082.508 | 881916.648 | 2760 |
| 1009081.34 | 881916.299 | 2700 |
| 1009080.4 | 881915.289 | 2940 |
| 1009079.47 | 881914.987 | 3000 |
| 1009078.276 | 881914.735 | 2520 |
| 1009077.03 | 881914.379 | 2880 |
| 1009076.096 | 881913.715 | 3180 |
| 1009075.387 | 881912.962 | 2580 |
| 1009074.148 | 881912.425 | 2880 |
| 1009073.12 | 881911.401 | 3060 |
| 1009072.287 | 881910.111 | 2820 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009081.439 | 881721.258 | 2640 |
| 1009081.923 | 881721.392 | 2400 |
| 1009082.427 | 881721.532 | 2160 |
| 1009082.909 | 881721.665 | 2280 |
| 1009083.4 | 881721.801 | 2400 |
| 1009083.903 | 881721.941 | 2580 |
| 1009084.386 | 881722.074 | 2340 |
| 1009084.86 | 881722.206 | 2520 |
| 1009085.361 | 881722.345 | 2580 |
| 1009085.839 | 881722.477 | 2160 |
| 1009086.34 | 881722.616 | 2580 |
| 1009086.814 | 881722.747 | 2880 |
| 1009087.302 | 881722.882 | 2400 |
| 1009087.784 | 881723.016 | 2640 |
| 1009088.322 | 881723.165 | 3000 |
| 1009088.767 | 881723.289 | 3300 |
| 1009089.249 | 881723.422 | 2940 |
| 1009089.739 | 881723.558 | 2520 |
| 1009090.239 | 881723.697 | 3420 |
| 1009090.73 | 881723.832 | 3300 |
| 1009091.212 | 881723.966 | 3300 |
| 1009091.69 | 881724.098 | 3300 |
| 1009092.172 | 881724.232 | 3240 |
| 1009092.66 | 881724.367 | 2760 |
| 1009093.179 | 881724.511 | 2520 |
| 1009093.664 | 881724.645 | 2820 |
| 1009094.235 | 881724.804 | 2640 |
| 1009094.644 | 881724.917 | 2640 |
| 1009095.135 | 881725.053 | 2400 |
| 1009082.447 | 881723.554 | 2820 |
| 1009077.109 | 881722.627 | 2340 |
| 1009076.037 | 881721.895 | 2220 |
| 1009075.599 | 881721.628 | 3000 |
| 1009075.612 | 881721.674 | 2880 |
| 1009075.629 | 881721.733 | 3000 |
| 1009075.645 | 881721.792 | 3300 |
| 1009075.661 | 881721.848 | 2760 |
| 1009075.676 | 881721.9 | 3000 |
| 1009075.692 | 881721.957 | 2940 |
| 1009075.708 | 881722.015 | 3120 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009072.014 | 881908.744 | 3120 |
| 1009071.907 | 881908 | 2700 |
| 1009071.801 | 881907.836 | 2400 |
| 1009072.049 | 881907.96 | 2700 |
| 1009072.285 | 881908.91 | 2520 |
| 1009073.201 | 881908.977 | 3060 |
| 1009074.084 | 881909.764 | 3240 |
| 1009075.134 | 881909.92 | 3060 |
| 1009076.205 | 881910.73 | 3180 |
| 1009077.717 | 881910.961 | 3300 |
| 1009078.793 | 881912.069 | 3720 |
| 1009080.392 | 881912.216 | 2940 |
| 1009081.488 | 881913.24 | 2820 |
| 1009082.964 | 881913.249 | 3060 |
| 1009084.008 | 881914.129 | 3180 |
| 1009085.441 | 881914.139 | 2940 |
| 1009086.353 | 881915.082 | 3300 |
| 1009087.638 | 881914.967 | 2220 |
| 1009088.689 | 881915.751 | 2460 |
| 1009090.137 | 881916.069 | 2760 |
| 1009091.251 | 881916.975 | 3360 |
| 1009092.547 | 881917.126 | 2880 |
| 1009093.881 | 881917.95 | 2700 |
| 1009095.224 | 881918.318 | 2940 |
| 1009096.452 | 881918.987 | 3120 |
| 1009097.775 | 881919.553 | 3060 |
| 1009098.81 | 881919.835 | 2700 |
| 1009099.875 | 881920.361 | 3300 |
| 1009101.163 | 881920.636 | 3060 |
| 1009102.173 | 881921.363 | 2340 |
| 1009103.458 | 881921.409 | 2940 |
| 1009104.47 | 881921.988 | 3300 |
| 1009105.756 | 881922.118 | 2760 |
| 1009106.572 | 881922.759 | 3180 |
| 1009107.716 | 881922.924 | 3060 |
| 1009108.537 | 881923.691 | 2580 |
| 1009109.881 | 881923.942 | 2880 |
| 1009110.695 | 881924.628 | 3300 |
| 1009111.891 | 881924.595 | 2640 |
| 1009112.592 | 881925.349 | 2460 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009075.724 | 881722.071 | 3300 |
| 1009075.741 | 881722.13 | 3480 |
| 1009075.757 | 881722.186 | 2820 |
| 1009075.773 | 881722.243 | 3540 |
| 1009075.789 | 881722.299 | 3180 |
| 1009075.806 | 881722.359 | 3480 |
| 1009075.821 | 881722.415 | 3240 |
| 1009075.838 | 881722.471 | 2820 |
| 1009075.854 | 881722.529 | 3060 |
| 1009075.87 | 881722.585 | 2880 |
| 1009075.886 | 881722.643 | 2340 |
| 1009075.902 | 881722.698 | 2460 |
| 1009075.918 | 881722.756 | 3240 |
| 1009075.934 | 881722.813 | 2880 |
| 1009075.95 | 881722.869 | 3000 |
| 1009075.975 | 881722.96 | 3300 |
| 1009075.983 | 881722.985 | 3180 |
| 1009076 | 881723.045 | 3060 |
| 1009076.016 | 881723.103 | 3180 |
| 1009076.031 | 881723.156 | 3300 |
| 1009076.048 | 881723.217 | 2880 |
| 1009076.063 | 881723.269 | 2880 |
| 1009076.08 | 881723.329 | 2880 |
| 1009076.098 | 881723.392 | 2400 |
| 1009076.112 | 881723.441 | 3000 |
| 1009076.128 | 881723.498 | 2940 |
| 1009076.143 | 881723.554 | 2460 |
| 1009076.16 | 881723.613 | 2640 |
| 1009076.176 | 881723.67 | 2940 |
| 1009076.192 | 881723.725 | 2400 |
| 1009076.208 | 881723.782 | 2940 |
| 1009076.224 | 881723.84 | 2940 |
| 1009076.24 | 881723.897 | 2460 |
| 1009076.256 | 881723.951 | 2460 |
| 1009076.272 | 881724.01 | 2760 |
| 1009076.288 | 881724.067 | 3000 |
| 1009076.305 | 881724.125 | 3240 |
| 1009076.321 | 881724.182 | 2220 |
| 1009076.337 | 881724.239 | 2520 |
| 1009076.353 | 881724.296 | 2760 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009113.807 | 881925.771 | 2880 |
| 1009115.001 | 881926.541 | 3240 |
| 1009116.47 | 881926.739 | 3180 |
| 1009117.627 | 881927.458 | 2580 |
| 1009119.046 | 881927.56 | 2460 |
| 1009119.906 | 881928.543 | 2400 |
| 1009120.927 | 881928.703 | 2220 |
| 1009121.931 | 881929.311 | 2400 |
| 1009123.434 | 881929.735 | 2820 |
| 1009124.807 | 881930.473 | 3360 |
| 1009126.333 | 881930.549 | 2040 |
| 1009127.435 | 881931.22 | 2880 |
| 1009128.921 | 881931.462 | 2940 |
| 1009130.144 | 881932.383 | 2640 |
| 1009131.688 | 881932.525 | 2700 |
| 1009132.968 | 881933.348 | 2520 |
| 1009134.53 | 881933.434 | 2940 |
| 1009135.813 | 881934.346 | 2340 |
| 1009137.165 | 881934.48 | 2460 |
| 1009138.592 | 881935.41 | 2700 |
| 1009139.731 | 881935.609 | 2820 |
| 1009141.004 | 881936.321 | 3060 |
| 1009142.33 | 881936.283 | 3060 |
| 1009143.102 | 881936.86 | 3000 |
| 1009143.597 | 881936.928 | 2400 |
| 1009143.788 | 881936.884 | 2640 |
| 1009143.765 | 881936.711 | 2820 |
| 1009143.712 | 881936.487 | 2640 |
| 1009143.423 | 881936.581 | 2700 |
| 1009144.229 | 881937.373 | 2460 |
| 1009145.458 | 881937.248 | 2580 |
| 1009146.389 | 881937.69 | 2700 |
| 1009147.709 | 881937.668 | 2880 |
| 1009149.062 | 881938.315 | 2340 |
| 1009150.331 | 881938.553 | 2700 |
| 1009151.844 | 881938.621 | 2580 |
| 1009153.031 | 881938.935 | 2820 |
| 1009154.376 | 881939.489 | 2760 |
| 1009154.275 | 881939.473 | 2220 |
| 1009153.702 | 881939.392 | 2940 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009076.369 | 881724.353 | 2580 |
| 1009076.385 | 881724.409 | 2580 |
| 1009076.401 | 881724.466 | 3000 |
| 1009076.417 | 881724.523 | 3600 |
| 1009076.434 | 881724.581 | 3000 |
| 1009076.45 | 881724.638 | 2880 |
| 1009076.467 | 881724.698 | 2340 |
| 1009076.481 | 881724.75 | 2700 |
| 1009076.497 | 881724.807 | 3180 |
| 1009076.515 | 881724.867 | 3420 |
| 1009076.531 | 881724.924 | 3000 |
| 1009076.547 | 881724.981 | 3120 |
| 1009072.097 | 881718.207 | 2940 |
| 1009075.731 | 881723.484 | 2700 |
| 1009077.691 | 881726.831 | 2700 |
| 1009076.45 | 881725.702 | 3120 |
| 1009075.931 | 881725.12 | 2880 |
| 1009075.812 | 881724.903 | 2580 |
| 1009075.813 | 881724.78 | 2640 |
| 1009075.814 | 881724.678 | 2520 |
| 1009075.815 | 881724.571 | 2580 |
| 1009075.815 | 881724.458 | 2880 |
| 1009075.816 | 881724.338 | 2760 |
| 1009075.817 | 881724.231 | 2940 |
| 1009075.818 | 881724.123 | 2880 |
| 1009075.819 | 881724.002 | 3060 |
| 1009075.819 | 881723.899 | 2820 |
| 1009075.82 | 881723.785 | 2460 |
| 1009075.821 | 881723.674 | 2580 |
| 1009075.822 | 881723.552 | 2760 |
| 1009075.823 | 881723.45 | 3420 |
| 1009075.823 | 881723.337 | 3000 |
| 1009075.824 | 881723.224 | 3000 |
| 1009075.825 | 881723.11 | 2880 |
| 1009075.826 | 881723.005 | 3060 |
| 1009075.827 | 881722.894 | 2820 |
| 1009075.827 | 881722.781 | 2940 |
| 1009075.828 | 881722.67 | 2820 |
| 1009075.829 | 881722.545 | 2580 |
| 1009075.83 | 881722.432 | 2940 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009153.37 | 881938.624 | 2400 |
| 1009152.586 | 881938.454 | 2160 |
| 1009151.606 | 881937.366 | 2520 |
| 1009150.364 | 881937.074 | 2700 |
| 1009149.188 | 881936.037 | 3060 |
| 1009148.081 | 881935.847 | 3240 |
| 1009146.916 | 881935.156 | 2820 |
| 1009146.053 | 881935.066 | 2940 |
| 1009144.905 | 881934.592 | 2880 |
| 1009143.432 | 881934.151 | 2520 |
| 1009142.572 | 881934.2 | 2700 |
| 1009141.738 | 881933.656 | 2820 |
| 1009140.521 | 881933.444 | 2820 |
| 1009139.072 | 881932.764 | 2520 |
| 1009137.864 | 881932.851 | 2880 |
| 1009136.918 | 881932.657 | 2940 |
| 1009135.715 | 881932.833 | 2700 |
| 1009134.343 | 881932.427 | 2820 |
| 1009132.728 | 881932.574 | 3060 |
| 1009131.309 | 881931.787 | 3120 |
| 1009129.873 | 881931.405 | 3420 |
| 1009128.726 | 881930.578 | 3120 |
| 1009127.405 | 881930.398 | 3000 |
| 1009126.315 | 881929.917 | 3240 |
| 1009125.01 | 881929.854 | 2760 |
| 1009124.129 | 881929.205 | 2580 |
| 1009123.001 | 881929.12 | 2400 |
| 1009122.011 | 881928.624 | 2220 |
| 1009120.487 | 881928.257 | 2520 |
| 1009119.629 | 881927.414 | 2520 |
| 1009118.444 | 881927.147 | 2280 |
| 1009073.572 | 881909.418 | 2220 |
| 1009073.554 | 881909.385 | 2160 |
| 1009073.499 | 881909.576 | 2700 |
| 1009073.714 | 881909.693 | 2700 |
| 1009073.766 | 881909.651 | 2760 |
| 1009073.777 | 881909.752 | 2460 |
| 1009073.854 | 881909.763 | 2400 |
| 1009073.869 | 881909.753 | 2820 |
| 1009073.816 | 881909.785 | 2940 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009075.831 | 881722.33 | 3000 |
| 1009075.831 | 881722.218 | 2700 |
| 1009075.832 | 881722.108 | 2940 |
| 1009075.833 | 881721.995 | 2640 |
| 1009075.834 | 881721.886 | 2400 |
| 1009075.837 | 881721.831 | 2940 |
| 1009075.865 | 881721.659 | 2700 |
| 1009075.924 | 881721.452 | 2340 |
| 1009075.947 | 881721.473 | 2640 |
| 1009075.981 | 881721.399 | 2520 |
| 1009076.043 | 881721.354 | 2700 |
| 1009076.1 | 881721.339 | 2700 |
| 1009076.095 | 881721.341 | 2340 |
| 1009076.067 | 881721.34 | 2280 |
| 1009076.029 | 881721.321 | 2220 |
| 1009076.028 | 881721.337 | 2280 |
| 1009076.045 | 881721.334 | 2580 |
| 1009076.041 | 881721.314 | 2700 |
| 1009076.025 | 881721.29 | 2580 |
| 1009076.03 | 881721.285 | 2820 |
| 1009076.046 | 881721.312 | 2940 |
| 1009076.038 | 881721.299 | 2640 |
| 1009076.031 | 881721.285 | 3000 |
| 1009076.019 | 881721.312 | 2760 |
| 1009076.008 | 881721.32 | 2640 |
| 1009076.028 | 881721.323 | 2820 |
| 1009076.045 | 881721.319 | 2520 |
| 1009076.039 | 881721.296 | 2760 |
| 1009076.038 | 881721.302 | 2520 |
| 1009076.021 | 881721.308 | 2460 |
| 1009076.038 | 881721.558 | 3240 |
| 1009076.118 | 881721.997 | 2700 |
| 1009076.038 | 881721.891 | 3240 |
| 1009075.849 | 881721.689 | 2820 |
| 1009075.754 | 881721.77 | 2760 |
| 1009075.806 | 881721.839 | 2580 |
| 1009075.871 | 881722.41 | 3000 |
| 1009075.798 | 881723.777 | 3300 |
| 1009075.263 | 881724.966 | 3060 |
| 1009074.469 | 881726.361 | 3720 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009073.818 | 881909.797 | 2640 |
| 1009073.877 | 881909.808 | 3060 |
| 1009073.979 | 881909.755 | 2580 |
| 1009073.952 | 881909.662 | 2820 |
| 1009073.954 | 881909.748 | 2760 |
| 1009074.03 | 881909.864 | 2220 |
| 1009073.978 | 881909.78 | 2700 |
| 1009073.948 | 881909.785 | 2760 |
| 1009073.976 | 881909.815 | 2340 |
| 1009073.999 | 881909.925 | 2940 |
| 1009073.638 | 881909.838 | 2760 |
| 1009073.389 | 881909.672 | 2340 |
| 1009073.536 | 881909.65 | 2460 |
| 1009073.592 | 881909.734 | 3060 |
| 1009073.598 | 881909.718 | 3300 |
| 1009073.581 | 881909.716 | 2700 |
| 1009073.605 | 881909.719 | 3240 |
| 1009073.568 | 881909.728 | 2880 |
| 1009073.579 | 881909.711 | 2460 |
| 1009073.593 | 881909.71 | 2880 |
| 1009073.651 | 881909.657 | 2700 |
| 1009074.447 | 881909.321 | 2940 |
| 1009075.674 | 881908.998 | 2520 |
| 1009074.583 | 881909.705 | 2640 |
| 1009073.883 | 881910.207 | 3000 |
| 1009073.994 | 881910.116 | 2940 |
| 1009073.966 | 881910.001 | 2580 |
| 1009073.951 | 881909.95 | 2340 |
| 1009073.949 | 881909.96 | 3120 |
| 1009073.916 | 881909.99 | 2880 |
| 1009073.912 | 881910.011 | 2940 |
| 1009073.905 | 881910.023 | 2880 |
| 1009073.913 | 881910.109 | 3120 |
| 1009073.946 | 881910.293 | 2580 |
| 1009074.085 | 881910.358 | 3240 |
| 1009074.06 | 881910.393 | 2940 |
| 1009074.042 | 881910.443 | 3240 |
| 1009074.017 | 881910.421 | 3480 |
| 1009073.973 | 881910.447 | 2880 |
| 1009073.952 | 881910.455 | 2700 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009074.169 | 881727.926 | 2760 |
| 1009073.828 | 881729.514 | 3300 |
| 1009073.349 | 881731.28 | 3240 |
| 1009072.728 | 881732.778 | 3060 |
| 1009072.136 | 881734.553 | 3420 |
| 1009071.528 | 881736.603 | 2940 |
| 1009070.652 | 881738.558 | 2760 |
| 1009069.584 | 881740.377 | 2760 |
| 1009068.641 | 881742.061 | 3060 |
| 1009067.996 | 881743.622 | 3060 |
| 1009067.24 | 881745.357 | 2940 |
| 1009066.551 | 881747.057 | 2460 |
| 1009066.198 | 881748.918 | 2760 |
| 1009065.603 | 881750.579 | 3060 |
| 1009064.843 | 881751.895 | 2580 |
| 1009064.129 | 881753.151 | 2820 |
| 1009063.329 | 881754.614 | 3180 |
| 1009062.61 | 881756.233 | 3300 |
| 1009061.952 | 881757.837 | 3180 |
| 1009061.369 | 881759.199 | 2760 |
| 1009060.946 | 881760.442 | 2760 |
| 1009060.787 | 881761.791 | 2940 |
| 1009060.28 | 881763.323 | 2460 |
| 1009059.53 | 881764.572 | 2880 |
| 1009058.849 | 881765.896 | 3240 |
| 1009058.296 | 881767.697 | 2520 |
| 1009057.659 | 881769.13 | 2460 |
| 1009056.981 | 881770.52 | 3180 |
| 1009056.305 | 881772.042 | 2820 |
| 1009055.763 | 881773.528 | 2880 |
| 1009055.302 | 881774.89 | 2820 |
| 1009054.943 | 881776.222 | 2700 |
| 1009054.207 | 881777.578 | 3000 |
| 1009053.571 | 881778.807 | 3540 |
| 1009053.045 | 881779.874 | 3540 |
| 1009052.458 | 881781.432 | 3240 |
| 1009051.757 | 881783.118 | 2760 |
| 1009051.104 | 881784.891 | 2640 |
| 1009050.273 | 881786.272 | 2400 |
| 1009049.672 | 881787.705 | 3060 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009073.947 | 881910.492 | 2280 |
| 1009073.956 | 881910.508 | 2700 |
| 1009073.951 | 881910.485 | 2520 |
| 1009073.923 | 881910.399 | 2580 |
| 1009073.892 | 881910.415 | 2880 |
| 1009073.953 | 881910.411 | 2940 |
| 1009073.979 | 881910.327 | 2880 |
| 1009074 | 881910.324 | 2880 |
| 1009073.987 | 881910.357 | 3420 |
| 1009073.96 | 881910.379 | 2820 |
| 1009073.943 | 881910.416 | 2580 |
| 1009073.992 | 881910.405 | 2520 |
| 1009074.05 | 881910.298 | 2820 |
| 1009074.11 | 881910.262 | 2400 |
| 1009074.409 | 881910.452 | 2340 |
| 1009074.505 | 881910.546 | 2760 |
| 1009074.332 | 881910.426 | 2340 |
| 1009074.222 | 881910.454 | 2460 |
| 1009074.103 | 881910.368 | 2520 |
| 1009074.25 | 881910.402 | 2340 |
| 1009074.223 | 881910.344 | 2340 |
| 1009073.777 | 881910.042 | 2580 |
| 1009073.755 | 881910.207 | 2460 |
| 1009073.875 | 881910.243 | 2340 |
| 1009074.042 | 881910.256 | 3000 |
| 1009074.23 | 881910.292 | 2640 |
| 1009073.956 | 881909.794 | 2520 |
| 1009074.269 | 881908.573 | 2400 |
| 1009073.822 | 881907.505 | 2400 |
| 1009074.641 | 881906.804 | 2580 |
| 1009074.785 | 881906.23 | 2700 |
| 1009074.735 | 881906.227 | 2820 |
| 1009074.698 | 881906.426 | 2700 |
| 1009074.841 | 881906.718 | 2580 |
| 1009075.368 | 881906.94 | 3060 |
| 1009076.457 | 881906.636 | 2400 |
| 1009077.484 | 881906.888 | 2940 |
| 1009078.348 | 881907.072 | 2880 |
| 1009078.88 | 881907.7 | 3300 |
| 1009079.996 | 881907.74 | 3660 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009049.123 | 881789.518 | 2640 |
| 1009048.606 | 881791.339 | 2760 |
| 1009047.82 | 881793.269 | 2520 |
| 1009047.119 | 881795.064 | 3420 |
| 1009046.312 | 881796.872 | 2820 |
| 1009045.596 | 881798.561 | 3720 |
| 1009044.676 | 881800.061 | 3480 |
| 1009043.631 | 881801.69 | 3000 |
| 1009042.895 | 881803.256 | 2580 |
| 1009042.324 | 881805.018 | 2760 |
| 1009041.743 | 881806.968 | 3060 |
| 1009041.423 | 881808.77 | 3480 |
| 1009040.886 | 881809.952 | 3180 |
| 1009040.812 | 881810.692 | 3600 |
| 1009040.82 | 881810.788 | 2880 |
| 1009040.87 | 881810.806 | 2880 |
| 1009040.914 | 881810.788 | 3060 |
| 1009040.931 | 881810.728 | 2820 |
| 1009040.937 | 881810.675 | 3840 |
| 1009040.952 | 881810.628 | 3900 |
| 1009040.958 | 881810.602 | 3480 |
| 1009040.974 | 881810.621 | 2520 |
| 1009040.955 | 881810.648 | 3180 |
| 1009040.332 | 881810.829 | 2820 |
| 1009039.577 | 881811.914 | 3360 |
| 1009038.383 | 881813.552 | 2880 |
| 1009037.431 | 881815.215 | 3240 |
| 1009036.704 | 881817.218 | 3180 |
| 1009035.651 | 881819.193 | 3480 |
| 1009035.212 | 881821.405 | 3420 |
| 1009034.297 | 881823.662 | 3060 |
| 1009033.706 | 881825.668 | 3180 |
| 1009033.052 | 881827.686 | 2880 |
| 1009032.565 | 881829.82 | 2520 |
| 1009032.09 | 881831.931 | 3060 |
| 1009031.14 | 881833.832 | 3000 |
| 1009030.094 | 881835.187 | 2940 |
| 1009028.296 | 881835.679 | 3180 |
| 1009026.848 | 881835.851 | 2700 |
| 1009026.569 | 881835.716 | 2580 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009081.032 | 881908.014 | 2640 |
| 1009081.401 | 881908.573 | 2700 |
| 1009082.196 | 881908.615 | 2460 |
| 1009083.261 | 881908.927 | 2820 |
| 1009083.31 | 881909.628 | 2760 |
| 1009083.674 | 881909.733 | 3240 |
| 1009085.44 | 881910.067 | 3120 |
| 1009085.963 | 881910.419 | 3060 |
| 1009086.685 | 881910.841 | 2940 |
| 1009087.354 | 881910.776 | 2460 |
| 1009088.368 | 881911.097 | 2940 |
| 1009089.182 | 881911.394 | 2580 |
| 1009089.766 | 881911.999 | 2100 |
| 1009090.931 | 881912.143 | 2700 |
| 1009091.561 | 881912.558 | 2940 |
| 1009092.152 | 881912.811 | 2580 |
| 1009093.24 | 881913.091 | 3300 |
| 1009094.033 | 881913.935 | 2460 |
| 1009094.493 | 881913.971 | 2880 |
| 1009094.342 | 881914.194 | 2700 |
| 1009094.64 | 881914.329 | 2580 |
| 1009094.801 | 881914.115 | 2760 |
| 1009094.683 | 881913.811 | 2880 |
| 1009094.665 | 881913.759 | 2580 |
| 1009094.957 | 881913.993 | 3180 |
| 1009096.002 | 881914.357 | 2760 |
| 1009097.365 | 881914.23 | 2340 |
| 1009098.638 | 881914.946 | 3000 |
| 1009099.115 | 881915.444 | 2760 |
| 1009099.663 | 881915.475 | 2880 |
| 1009099.862 | 881915.371 | 2640 |
| 1009099.578 | 881915.824 | 2340 |
| 1009099.254 | 881915.832 | 2460 |
| 1009100.571 | 881915.792 | 2880 |
| 1009102.255 | 881916.149 | 3600 |
| 1009102.624 | 881916.606 | 3060 |
| 1009103.369 | 881917.385 | 2700 |
| 1009103.742 | 881919.274 | 2580 |
| 1009103.755 | 881921.712 | 2280 |
| 1009103.479 | 881922.444 | 2940 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009026.585 | 881835.651 | 2400 |
| 1009026.674 | 881835.617 | 2700 |
| 1009026.67 | 881835.634 | 2400 |
| 1009026.662 | 881835.624 | 3060 |
| 1009026.665 | 881835.614 | 2760 |
| 1009026.657 | 881835.594 | 2280 |
| 1009026.665 | 881835.618 | 2160 |
| 1009026.66 | 881835.619 | 2640 |
| 1009026.652 | 881835.62 | 2580 |
| 1009026.648 | 881835.635 | 2220 |
| 1009026.659 | 881835.653 | 2340 |
| 1009026.666 | 881835.659 | 2760 |
| 1009026.452 | 881835.583 | 2700 |
| 1009026.258 | 881835.319 | 2400 |
| 1009026.63 | 881834.515 | 2640 |
| 1009027.028 | 881833.077 | 2760 |
| 1009027.545 | 881831.546 | 2700 |
| 1009028.031 | 881829.94 | 2460 |
| 1009028.515 | 881828.302 | 2700 |
| 1009029.146 | 881826.184 | 2400 |
| 1009029.99 | 881824.642 | 2940 |
| 1009030.929 | 881822.707 | 3120 |
| 1009031.698 | 881820.557 | 3120 |
| 1009032.784 | 881818.652 | 2580 |
| 1009033.36 | 881816.749 | 2760 |
| 1009034.051 | 881815.099 | 2580 |
| 1009034.996 | 881813.212 | 2820 |
| 1009035.792 | 881811.473 | 3060 |
| 1009036.738 | 881809.766 | 3180 |
| 1009037.774 | 881807.646 | 2640 |
| 1009038.513 | 881805.684 | 2520 |
| 1009039.241 | 881804.117 | 2700 |
| 1009039.831 | 881803.176 | 2760 |
| 1009039.952 | 881802.803 | 2520 |
| 1009039.995 | 881802.757 | 3660 |
| 1009039.946 | 881802.742 | 3000 |
| 1009039.879 | 881802.737 | 2640 |
| 1009039.864 | 881802.748 | 2820 |
| 1009039.898 | 881802.69 | 2880 |
| 1009039.906 | 881802.656 | 3120 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009104.166 | 881921.951 | 3060 |
| 1009103.597 | 881921.271 | 2580 |
| 1009103.433 | 881921.012 | 2940 |
| 1009103.438 | 881921.106 | 2940 |
| 1009104.215 | 881921.295 | 2340 |
| 1009104.316 | 881921.079 | 2640 |
| 1009104.95 | 881920.762 | 2580 |
| 1009106.094 | 881919.562 | 2400 |
| 1009106.73 | 881919.502 | 2580 |
| 1009107.308 | 881919.378 | 2760 |
| 1009107.535 | 881919.49 | 2400 |
| 1009107.919 | 881920.038 | 2820 |
| 1009108.864 | 881919.802 | 3240 |
| 1009110.209 | 881919.347 | 2820 |
| 1009110.965 | 881919.677 | 2460 |
| 1009111.634 | 881919.774 | 2580 |
| 1009112.499 | 881920.131 | 1980 |
| 1009113.119 | 881920.819 | 2280 |
| 1009114.12 | 881920.971 | 2520 |
| 1009114.585 | 881921.022 | 2520 |
| 1009115.006 | 881921.483 | 2220 |
| 1009115.841 | 881921.9 | 2580 |
| 1009116.714 | 881922.19 | 2940 |
| 1009117.461 | 881922.718 | 3060 |
| 1009118.136 | 881922.87 | 2400 |
| 1009119.029 | 881923.486 | 2580 |
| 1009119.662 | 881923.935 | 2760 |
| 1009120.359 | 881924.082 | 2340 |
| 1009121.437 | 881924.386 | 3000 |
| 1009122.41 | 881925.41 | 3000 |
| 1009123.113 | 881925.674 | 3060 |
| 1009123.178 | 881925.747 | 3000 |
| 1009123.921 | 881925.838 | 2520 |
| 1009084.542 | 881896.7 | 2160 |
| 1009084.579 | 881896.659 | 2220 |
| 1009084.614 | 881896.62 | 2340 |
| 1009084.652 | 881896.576 | 2220 |
| 1009084.684 | 881896.54 | 1920 |
| 1009084.719 | 881896.501 | 2160 |
| 1009084.754 | 881896.461 | 1740 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009039.895 | 881802.629 | 2940 |
| 1009039.9 | 881802.577 | 2880 |
| 1009039.927 | 881802.596 | 3120 |
| 1009039.791 | 881802.346 | 3180 |
| 1009040.248 | 881801.527 | 3000 |
| 1009041.123 | 881800.203 | 3360 |
| 1009041.928 | 881798.832 | 3120 |
| 1009042.886 | 881797.358 | 3540 |
| 1009043.629 | 881795.925 | 2880 |
| 1009044.42 | 881794.28 | 3300 |
| 1009045.056 | 881792.392 | 2640 |
| 1009045.667 | 881790.688 | 2820 |
| 1009046.426 | 881789.058 | 2280 |
| 1009047.351 | 881787.212 | 2940 |
| 1009048.19 | 881785.174 | 2760 |
| 1009049.006 | 881783.251 | 2940 |
| 1009049.71 | 881781.398 | 3360 |
| 1009050.305 | 881779.905 | 3540 |
| 1009050.906 | 881778.211 | 2880 |
| 1009051.274 | 881776.559 | 2460 |
| 1009051.896 | 881774.743 | 2460 |
| 1009052.621 | 881773.114 | 3120 |
| 1009053.409 | 881771.537 | 3360 |
| 1009054.21 | 881769.927 | 2880 |
| 1009054.816 | 881768.173 | 2700 |
| 1009055.619 | 881766.261 | 2160 |
| 1009056.413 | 881764.303 | 2340 |
| 1009057.395 | 881762.498 | 2880 |
| 1009058.502 | 881760.591 | 2460 |
| 1009059.627 | 881758.805 | 3240 |
| 1009060.343 | 881756.629 | 3240 |
| 1009061.226 | 881754.755 | 3660 |
| 1009061.916 | 881752.815 | 3420 |
| 1009062.534 | 881750.932 | 3180 |
| 1009063.366 | 881749.373 | 3120 |
| 1009063.948 | 881748.009 | 2760 |
| 1009064.271 | 881746.56 | 3300 |
| 1009064.978 | 881744.727 | 3360 |
| 1009065.657 | 881743.066 | 3240 |
| 1009066.292 | 881741.264 | 2640 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009084.792 | 881896.418 | 2400 |
| 1009084.833 | 881896.372 | 2280 |
| 1009084.863 | 881896.338 | 2340 |
| 1009084.9 | 881896.297 | 2100 |
| 1009084.936 | 881896.255 | 2160 |
| 1009084.973 | 881896.213 | 2040 |
| 1009085.005 | 881896.177 | 1860 |
| 1009085.041 | 881896.137 | 2340 |
| 1009085.079 | 881896.094 | 2040 |
| 1009085.111 | 881896.058 | 2520 |
| 1009085.15 | 881896.013 | 2040 |
| 1009084.963 | 881895.671 | 2220 |
| 1009084.474 | 881894.924 | 2160 |
| 1009083.914 | 881894.069 | 2160 |
| 1009083.359 | 881893.221 | 2460 |
| 1009082.721 | 881892.247 | 2460 |
| 1009082.201 | 881891.452 | 2400 |
| 1009081.67 | 881890.867 | 2460 |
| 1009081.516 | 881890.924 | 2460 |
| 1009081.43 | 881891.034 | 2460 |
| 1009081.548 | 881891.039 | 2760 |
| 1009081.67 | 881890.921 | 2100 |
| 1009081.648 | 881890.919 | 2220 |
| 1009081.624 | 881890.916 | 2460 |
| 1009081.644 | 881891.046 | 2760 |
| 1009081.746 | 881891.383 | 2460 |
| 1009081.757 | 881891.347 | 2460 |
| 1009081.657 | 881891.397 | 1920 |
| 1009081.29 | 881891.572 | 2160 |
| 1009080.896 | 881891.742 | 2280 |
| 1009080.817 | 881891.738 | 2400 |
| 1009080.845 | 881891.684 | 2340 |
| 1009080.856 | 881891.669 | 2220 |
| 1009080.998 | 881891.696 | 2160 |
| 1009081.246 | 881891.733 | 2580 |
| 1009081.543 | 881891.778 | 2280 |
| 1009081.747 | 881891.782 | 1980 |
| 1009081.669 | 881891.699 | 2160 |
| 1009081.653 | 881891.721 | 2760 |
| 1009081.67 | 881891.713 | 2220 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009066.981 | 881738.894 | 3120 |
| 1009067.622 | 881737.107 | 3060 |
| 1009068.439 | 881735.545 | 2580 |
| 1009069.058 | 881733.824 | 3360 |
| 1009069.768 | 881732.216 | 3120 |
| 1009070.483 | 881730.22 | 3000 |
| 1009070.985 | 881728.246 | 2400 |
| 1009071.651 | 881726.371 | 2640 |
| 1009072.381 | 881724.503 | 2220 |
| 1009072.971 | 881722.841 | 2640 |
| 1009073.572 | 881721.149 | 3240 |
| 1009074.148 | 881719.118 | 3540 |
| 1009074.749 | 881717.237 | 3180 |
| 1009075.126 | 881715.633 | 2880 |
| 1009075.369 | 881714.12 | 3180 |
| 1009075.211 | 881714.074 | 3600 |
| 1009073.937 | 881714.814 | 3480 |
| 1009072.545 | 881715.743 | 3300 |
| 1009071.665 | 881716.955 | 3240 |
| 1009071.11 | 881718.34 | 3540 |
| 1009070.285 | 881720.018 | 2880 |
| 1009069.348 | 881721.812 | 2520 |
| 1009068.458 | 881723.422 | 3060 |
| 1009067.649 | 881725.159 | 3120 |
| 1009066.724 | 881726.901 | 3000 |
| 1009065.849 | 881728.817 | 2700 |
| 1009065.193 | 881730.579 | 2820 |
| 1009064.701 | 881732.469 | 2700 |
| 1009064.051 | 881734.128 | 2640 |
| 1009063.199 | 881735.795 | 3180 |
| 1009062.613 | 881737.648 | 3120 |
| 1009061.979 | 881739.512 | 3060 |
| 1009061.229 | 881741.286 | 2400 |
| 1009060.307 | 881742.73 | 3120 |
| 1009059.616 | 881744.501 | 2520 |
| 1009058.909 | 881746.507 | 3420 |
| 1009058.345 | 881748.735 | 3300 |
| 1009057.429 | 881750.842 | 2940 |
| 1009056.763 | 881753.041 | 3240 |
| 1009055.72 | 881755.063 | 3180 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009081.686 | 881891.71 | 2160 |
| 1009081.702 | 881891.73 | 2820 |
| 1009081.701 | 881891.723 | 2880 |
| 1009081.693 | 881891.724 | 2640 |
| 1009081.669 | 881891.712 | 2520 |
| 1009081.675 | 881891.706 | 2460 |
| 1009081.671 | 881891.714 | 2400 |
| 1009081.668 | 881891.687 | 2940 |
| 1009081.692 | 881891.697 | 2160 |
| 1009124.573 | 881925.999 | 2700 |
| 1009125.971 | 881926.409 | 2520 |
| 1009127.057 | 881926.882 | 2460 |
| 1009127.452 | 881926.959 | 2400 |
| 1009127.619 | 881927.115 | 2880 |
| 1009127.952 | 881926.817 | 2700 |
| 1009129.173 | 881926.119 | 2880 |
| 1009130.079 | 881926.478 | 2220 |
| 1009130.892 | 881927.137 | 2580 |
| 1009131.185 | 881927.628 | 2820 |
| 1009131.888 | 881927.573 | 2520 |
| 1009132.85 | 881927.982 | 2700 |
| 1009133.949 | 881928.389 | 3060 |
| 1009134.342 | 881928.651 | 2640 |
| 1009134.979 | 881929.241 | 2340 |
| 1009135.736 | 881929.599 | 2700 |
| 1009136.768 | 881930.563 | 2700 |
| 1009137.597 | 881930.831 | 2580 |
| 1009138.909 | 881930.812 | 2940 |
| 1009140.064 | 881931.608 | 3120 |
| 1009140.777 | 881932.123 | 3180 |
| 1009141.146 | 881932.327 | 3180 |
| 1009140.708 | 881932.49 | 3000 |
| 1009140.53 | 881932.879 | 3240 |
| 1009140.411 | 881932.998 | 3360 |
| 1009140.366 | 881932.998 | 3420 |
| 1009140.336 | 881932.995 | 2880 |
| 1009140.635 | 881932.864 | 2640 |
| 1009142.455 | 881932.419 | 2760 |
| 1009143.77 | 881933.168 | 2640 |
| 1009145.588 | 881933.778 | 2520 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009055.7 | 881756.298 | 3000 |
| 1009055.598 | 881756.556 | 3120 |
| 1009055.799 | 881756.556 | 3780 |
| 1009055.857 | 881756.556 | 3000 |
| 1009055.054 | 881757.238 | 2880 |
| 1009054.263 | 881759.005 | 3120 |
| 1009053.559 | 881760.446 | 3060 |
| 1009052.749 | 881762.107 | 3300 |
| 1009052.254 | 881764 | 2760 |
| 1009051.381 | 881766.155 | 2880 |
| 1009050.741 | 881768.46 | 2940 |
| 1009050.023 | 881770.406 | 3060 |
| 1009049.422 | 881772.37 | 3000 |
| 1009048.697 | 881774.376 | 2640 |
| 1009047.912 | 881776.565 | 2400 |
| 1009047.27 | 881778.468 | 2700 |
| 1009046.644 | 881780.442 | 2400 |
| 1009045.847 | 881782.283 | 2940 |
| 1009045.221 | 881784.526 | 3660 |
| 1009044.337 | 881786.616 | 3600 |
| 1009043.502 | 881788.99 | 3480 |
| 1009042.262 | 881790.951 | 3420 |
| 1009041.321 | 881792.737 | 3180 |
| 1009040.61 | 881793.972 | 2940 |
| 1009039.935 | 881795.473 | 3000 |
| 1009038.925 | 881797.345 | 3120 |
| 1009038.076 | 881799.047 | 2820 |
| 1009037.19 | 881800.826 | 3060 |
| 1009036.231 | 881802.77 | 3120 |
| 1009035.523 | 881804.541 | 3180 |
| 1009034.985 | 881805.73 | 3660 |
| 1009035.471 | 881806.208 | 3480 |
| 1009035.418 | 881806.309 | 3000 |
| 1009035.377 | 881806.457 | 3060 |
| 1009035.308 | 881806.585 | 3540 |
| 1009035.233 | 881806.732 | 3540 |
| 1009035.247 | 881806.806 | 3120 |
| 1009035.279 | 881806.862 | 3360 |
| 1009035.292 | 881806.914 | 2700 |
| 1009035.33 | 881806.738 | 3000 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009147.487 | 881934.171 | 2640 |
| 1009149.585 | 881934.859 | 2520 |
| 1009151.309 | 881935.916 | 2580 |
| 1009153.425 | 881936.331 | 2580 |
| 1009154.446 | 881937.644 | 2520 |
| 1009155.066 | 881937.996 | 2280 |
| 1009156.24 | 881938.1 | 2520 |
| 1009157.283 | 881937.291 | 2580 |
| 1009157.257 | 881937.4 | 2820 |
| 1009157.251 | 881936.998 | 2400 |
| 1009157.146 | 881937.239 | 2280 |
| 1009157.352 | 881937.79 | 1860 |
| 1009157.186 | 881937.213 | 2400 |
| 1009157.454 | 881937.037 | 2580 |
| 1009157.332 | 881937.239 | 2160 |
| 1009157.27 | 881937.221 | 2280 |
| 1009157.385 | 881937.18 | 2100 |
| 1009157.334 | 881937.164 | 1920 |
| 1009157.342 | 881937.099 | 2280 |
| 1009157.375 | 881937.16 | 2340 |
| 1009157.291 | 881937.267 | 2880 |
| 1009157.324 | 881937.245 | 2280 |
| 1009157.398 | 881937.222 | 1740 |
| 1009157.463 | 881937.172 | 1980 |
| 1009157.452 | 881937.232 | 2700 |
| 1009157.309 | 881937.583 | 2160 |
| 1009156.919 | 881938.306 | 2220 |
| 1009156.83 | 881938.197 | 2760 |
| 1009156.872 | 881938.175 | 2820 |
| 1009156.965 | 881938.344 | 2580 |
| 1009156.957 | 881938.324 | 2880 |
| 1009157.207 | 881937.794 | 2820 |
| 1009157.862 | 881936.958 | 2640 |
| 1009158.045 | 881936.98 | 2100 |
| 1009158.073 | 881936.932 | 1800 |
| 1009158.123 | 881936.986 | 3060 |
| 1009158.061 | 881936.999 | 2640 |
| 1009157.84 | 881936.972 | 2220 |
| 1009157.845 | 881937.011 | 2400 |
| 1009157.374 | 881936.777 | 2160 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009035.122 | 881806.464 | 2880 |
| 1009034.963 | 881807.096 | 3420 |
| 1009034.261 | 881808.386 | 3180 |
| 1009033.758 | 881809.849 | 3360 |
| 1009033.196 | 881811.536 | 3240 |
| 1009032.541 | 881813.166 | 3420 |
| 1009031.814 | 881814.846 | 3240 |
| 1009031.229 | 881816.504 | 3180 |
| 1009030.786 | 881817.919 | 3360 |
| 1009030.26 | 881819.406 | 2880 |
| 1009029.459 | 881820.962 | 2820 |
| 1009028.755 | 881822.55 | 2880 |
| 1009027.796 | 881823.884 | 2640 |
| 1009027.14 | 881825.323 | 3180 |
| 1009026.273 | 881827.216 | 3420 |
| 1009025.504 | 881828.97 | 2340 |
| 1009024.612 | 881830.55 | 2280 |
| 1009023.062 | 881831.838 | 2820 |
| 1009021.362 | 881832.992 | 3120 |
| 1009019.476 | 881833.192 | 2760 |
| 1009018.671 | 881833.215 | 2700 |
| 1009018.778 | 881833.795 | 2640 |
| 1009018.774 | 881833.976 | 2640 |
| 1009018.812 | 881834.178 | 1920 |
| 1009018.867 | 881834.345 | 1980 |
| 1009018.809 | 881834.415 | 2280 |
| 1009018.866 | 881834.413 | 1620 |
| 1009018.888 | 881834.395 | 2220 |
| 1009018.852 | 881834.443 | 2400 |
| 1009018.866 | 881834.433 | 2580 |
| 1009018.876 | 881834.397 | 3060 |
| 1009018.864 | 881834.398 | 2820 |
| 1009018.875 | 881834.394 | 2640 |
| 1009018.816 | 881834.227 | 2820 |
| 1009018.761 | 881834.069 | 1980 |
| 1009018.737 | 881834.104 | 2280 |
| 1009018.701 | 881833.82 | 1800 |
| 1009019.199 | 881832.912 | 2460 |
| 1009019.766 | 881831.155 | 2580 |
| 1009020.648 | 881829.609 | 2160 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009156.704 | 881937.285 | 1980 |
| 1009155.582 | 881937.799 | 2220 |
| 1009154.887 | 881936.637 | 2160 |
| 1009153.214 | 881935.771 | 2340 |
| 1009152.233 | 881933.466 | 2520 |
| 1009151.412 | 881933.275 | 2580 |
| 1009150.566 | 881933.079 | 2100 |
| 1009149.621 | 881932.86 | 2640 |
| 1009148.871 | 881932.686 | 2340 |
| 1009148.005 | 881932.485 | 2640 |
| 1009147.166 | 881932.29 | 2760 |
| 1009146.336 | 881932.097 | 1860 |
| 1009145.497 | 881931.903 | 1860 |
| 1009144.676 | 881931.712 | 2640 |
| 1009143.815 | 881931.512 | 2340 |
| 1009142.985 | 881931.319 | 2280 |
| 1009142.101 | 881931.114 | 2520 |
| 1009141.273 | 881930.922 | 2340 |
| 1009140.456 | 881930.733 | 2220 |
| 1009139.635 | 881930.542 | 1860 |
| 1009138.79 | 881930.346 | 2160 |
| 1009137.855 | 881930.129 | 2520 |
| 1009137.06 | 881929.944 | 2220 |
| 1009136.194 | 881929.743 | 2760 |
| 1009135.333 | 881929.543 | 2880 |
| 1009134.506 | 881929.351 | 2700 |
| 1009133.671 | 881929.158 | 2640 |
| 1009132.824 | 881928.961 | 2220 |
| 1009131.999 | 881928.769 | 2700 |
| 1009131.176 | 881928.578 | 2520 |
| 1009130.311 | 881928.378 | 2460 |
| 1009129.489 | 881928.187 | 2340 |
| 1009128.622 | 881927.986 | 2460 |
| 1009127.819 | 881927.799 | 2580 |
| 1009126.943 | 881927.596 | 2700 |
| 1009126.118 | 881927.404 | 2520 |
| 1009125.273 | 881927.208 | 2040 |
| 1009124.404 | 881927.007 | 2520 |
| 1009123.565 | 881926.812 | 2160 |
| 1009122.738 | 881926.62 | 2520 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009021.757 | 881827.991 | 2520 |
| 1009022.81 | 881826.502 | 2760 |
| 1009023.659 | 881825.095 | 2820 |
| 1009024.448 | 881823.594 | 2220 |
| 1009025.416 | 881822.031 | 2640 |
| 1009026.329 | 881820.587 | 2640 |
| 1009027.063 | 881818.945 | 2760 |
| 1009027.984 | 881817.033 | 3180 |
| 1009028.987 | 881815.282 | 3540 |
| 1009029.878 | 881813.66 | 3120 |
| 1009030.773 | 881811.915 | 3720 |
| 1009031.488 | 881810.03 | 3600 |
| 1009032.454 | 881808.22 | 4020 |
| 1009033.217 | 881806.478 | 3360 |
| 1009034.104 | 881804.861 | 3180 |
| 1009034.878 | 881802.752 | 2760 |
| 1009035.403 | 881800.863 | 3420 |
| 1009036.157 | 881798.968 | 3480 |
| 1009037.304 | 881797.076 | 2700 |
| 1009038.302 | 881794.842 | 3060 |
| 1009039.24 | 881792.695 | 2880 |
| 1009040.037 | 881790.598 | 3480 |
| 1009040.847 | 881788.726 | 2820 |
| 1009041.378 | 881786.787 | 2700 |
| 1009042.041 | 881784.985 | 3120 |
| 1009042.878 | 881783.038 | 3720 |
| 1009043.933 | 881781.069 | 3240 |
| 1009044.852 | 881779.492 | 3120 |
| 1009045.404 | 881777.914 | 3180 |
| 1009045.897 | 881776.087 | 3240 |
| 1009046.633 | 881774.249 | 3180 |
| 1009047.209 | 881772.437 | 2880 |
| 1009048.029 | 881770.589 | 3420 |
| 1009048.636 | 881768.391 | 3240 |
| 1009049.363 | 881766.292 | 3060 |
| 1009049.79 | 881764.421 | 2700 |
| 1009050.473 | 881762.584 | 2760 |
| 1009051.291 | 881760.613 | 3420 |
| 1009052.221 | 881758.808 | 3540 |
| 1009052.842 | 881757.074 | 4200 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009121.918 | 881926.43 | 2520 |
| 1009121.052 | 881926.229 | 2640 |
| 1009120.229 | 881926.038 | 2520 |
| 1009119.348 | 881925.833 | 2040 |
| 1009118.523 | 881925.641 | 2160 |
| 1009117.653 | 881925.44 | 2040 |
| 1009116.836 | 881925.25 | 2100 |
| 1009115.964 | 881925.048 | 2100 |
| 1009115.133 | 881924.855 | 2160 |
| 1009114.3 | 881924.661 | 2460 |
| 1009113.436 | 881924.461 | 3180 |
| 1009112.612 | 881924.27 | 2880 |
| 1009111.741 | 881924.067 | 2340 |
| 1009110.919 | 881923.877 | 2100 |
| 1009110.088 | 881923.684 | 2340 |
| 1009109.222 | 881923.483 | 2220 |
| 1009108.401 | 881923.292 | 2460 |
| 1009107.531 | 881923.09 | 1800 |
| 1009106.685 | 881922.894 | 2280 |
| 1009105.856 | 881922.701 | 2040 |
| 1009104.994 | 881922.501 | 2340 |
| 1009104.17 | 881922.31 | 2940 |
| 1009103.308 | 881922.11 | 2640 |
| 1009102.471 | 881921.916 | 2820 |
| 1009101.609 | 881921.716 | 2100 |
| 1009100.783 | 881921.524 | 2400 |
| 1009099.874 | 881921.313 | 3060 |
| 1009099.024 | 881921.116 | 2580 |
| 1009098.265 | 881920.939 | 2040 |
| 1009097.434 | 881920.747 | 2340 |
| 1009096.537 | 881920.538 | 2160 |
| 1009095.752 | 881920.356 | 2520 |
| 1009094.847 | 881920.146 | 2700 |
| 1009093.998 | 881919.949 | 2280 |
| 1009093.115 | 881919.744 | 2940 |
| 1009092.265 | 881919.547 | 2220 |
| 1009091.49 | 881919.367 | 2700 |
| 1009090.527 | 881919.143 | 2460 |
| 1009089.793 | 881918.973 | 2760 |
| 1009088.868 | 881918.758 | 2160 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009053.653 | 881755.466 | 3480 |
| 1009054.457 | 881753.799 | 3120 |
| 1009055.381 | 881752.387 | 3240 |
| 1009056.183 | 881750.608 | 2400 |
| 1009057.048 | 881749.078 | 3180 |
| 1009057.692 | 881747.243 | 3300 |
| 1009058.126 | 881745.525 | 3180 |
| 1009058.675 | 881744.266 | 3000 |
| 1009059.378 | 881743.294 | 3420 |
| 1009059.906 | 881742.845 | 2880 |
| 1009060.241 | 881742.867 | 2760 |
| 1009060.178 | 881742.842 | 3000 |
| 1009060.12 | 881742.86 | 2580 |
| 1009060.043 | 881742.919 | 2880 |
| 1009059.986 | 881742.934 | 3480 |
| 1009059.998 | 881742.963 | 3540 |
| 1009060.048 | 881742.98 | 3240 |
| 1009060.086 | 881742.966 | 3060 |
| 1009060.152 | 881742.547 | 2700 |
| 1009060.365 | 881741.349 | 2820 |
| 1009060.956 | 881739.617 | 2760 |
| 1009061.265 | 881738.15 | 3120 |
| 1009061.753 | 881736.743 | 3240 |
| 1009062.465 | 881735.349 | 3180 |
| 1009063.086 | 881733.872 | 3300 |
| 1009064.158 | 881732.267 | 2940 |
| 1009064.836 | 881730.21 | 3360 |
| 1009065.138 | 881728.464 | 3300 |
| 1009065.387 | 881727.112 | 3240 |
| 1009065.789 | 881725.434 | 3180 |
| 1009066.379 | 881723.464 | 3300 |
| 1009066.879 | 881721.904 | 4080 |
| 1009067.455 | 881720.627 | 3420 |
| 1009068.059 | 881719.17 | 3600 |
| 1009068.701 | 881717.799 | 3120 |
| 1009068.887 | 881716.862 | 3660 |
| 1009068.985 | 881715.822 | 3480 |
| 1009069.035 | 881715.16 | 3420 |
| 1009068.291 | 881715.405 | 3600 |
| 1009067.468 | 881715.452 | 3180 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009088.14 | 881918.589 | 2640 |
| 1009087.316 | 881918.398 | 2460 |
| 1009086.424 | 881918.191 | 2100 |
| 1009085.55 | 881917.988 | 1920 |
| 1009084.621 | 881917.772 | 2220 |
| 1009083.903 | 881917.606 | 2580 |
| 1009083.04 | 881917.406 | 2760 |
| 1009082.137 | 881917.196 | 2520 |
| 1009081.348 | 881917.013 | 1860 |
| 1009080.529 | 881916.823 | 2220 |
| 1009079.666 | 881916.622 | 2640 |
| 1009078.855 | 881916.434 | 2280 |
| 1009078.027 | 881916.242 | 1980 |
| 1009077.135 | 881916.035 | 2220 |
| 1009076.314 | 881915.844 | 1920 |
| 1009078.63 | 881914.414 | 2760 |
| 1009081.017 | 881913.057 | 2520 |
| 1009080.477 | 881911.993 | 2760 |
| 1009080.006 | 881911.065 | 2280 |
| 1009079.488 | 881910.045 | 1920 |
| 1009079.001 | 881909.084 | 1920 |
| 1009078.5 | 881908.098 | 2400 |
| 1009078.214 | 881907.2 | 2760 |
| 1009078.363 | 881906.942 | 2880 |
| 1009078.535 | 881906.642 | 2520 |
| 1009078.719 | 881906.323 | 2400 |
| 1009078.897 | 881906.013 | 1860 |
| 1009079.079 | 881905.696 | 2100 |
| 1009079.258 | 881905.385 | 2280 |
| 1009079.45 | 881905.052 | 2520 |
| 1009079.615 | 881904.763 | 2460 |
| 1009079.793 | 881904.454 | 2160 |
| 1009079.971 | 881904.145 | 3000 |
| 1009080.142 | 881903.848 | 2400 |
| 1009080.331 | 881903.519 | 2340 |
| 1009080.503 | 881903.22 | 2640 |
| 1009080.688 | 881902.899 | 2520 |
| 1009080.865 | 881902.59 | 2580 |
| 1009081.083 | 881902.21 | 2880 |
| 1009081.241 | 881901.936 | 2580 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009066.876 | 881715.225 | 2880 |
| 1009066.621 | 881715.286 | 2280 |
| 1009065.857 | 881716.318 | 2940 |
| 1009065.084 | 881717.336 | 2760 |
| 1009064.969 | 881718.147 | 2880 |
| 1009064.164 | 881718.675 | 3540 |
| 1009063.713 | 881719.727 | 3900 |
| 1009063.35 | 881720.739 | 3180 |
| 1009062.626 | 881721.529 | 2340 |
| 1009062.547 | 881722.509 | 3060 |
| 1009062.488 | 881723.932 | 2700 |
| 1009062.07 | 881725.469 | 2880 |
| 1009061.355 | 881727.327 | 3120 |
| 1009060.725 | 881729.037 | 3660 |
| 1009059.744 | 881730.551 | 3660 |
| 1009058.928 | 881732.119 | 3120 |
| 1009058.177 | 881733.865 | 3480 |
| 1009057.432 | 881735.756 | 2700 |
| 1009056.412 | 881737.334 | 2940 |
| 1009055.694 | 881739.199 | 2640 |
| 1009055.161 | 881740.978 | 2880 |
| 1009054.741 | 881742.977 | 3000 |
| 1009054.02 | 881744.66 | 3300 |
| 1009053.315 | 881746.237 | 3180 |
| 1009052.616 | 881747.733 | 3240 |
| 1009052.205 | 881749.54 | 3240 |
| 1009051.928 | 881751.109 | 2700 |
| 1009051.251 | 881752.791 | 2520 |
| 1009050.939 | 881754.892 | 2700 |
| 1009049.992 | 881756.917 | 3000 |
| 1009049.558 | 881758.686 | 3000 |
| 1009049.511 | 881759.774 | 2400 |
| 1009049.346 | 881760.021 | 3240 |
| 1009049.309 | 881760.054 | 3180 |
| 1009049.282 | 881760.04 | 3660 |
| 1009049.286 | 881760.058 | 3300 |
| 1009049.305 | 881760.059 | 3120 |
| 1009049.31 | 881760.043 | 3000 |
| 1009049.314 | 881760.034 | 2640 |
| 1009049.314 | 881760.08 | 2940 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009081.435 | 881901.599 | 2100 |
| 1009081.598 | 881901.315 | 2400 |
| 1009081.781 | 881900.997 | 2400 |
| 1009081.967 | 881900.674 | 2700 |
| 1009082.162 | 881900.335 | 2100 |
| 1009082.348 | 881900.011 | 1980 |
| 1009082.501 | 881899.745 | 2400 |
| 1009082.711 | 881899.379 | 2100 |
| 1009082.88 | 881899.085 | 1980 |
| 1009083.048 | 881898.794 | 2100 |
| 1009083.224 | 881898.488 | 2220 |
| 1009083.436 | 881898.119 | 2160 |
| 1009083.624 | 881897.791 | 1980 |
| 1009083.729 | 881897.619 | 2040 |
| 1009083.759 | 881897.585 | 1920 |
| 1009083.801 | 881897.538 | 1860 |
| 1009083.83 | 881897.505 | 2460 |
| 1009083.867 | 881897.463 | 2100 |
| 1009083.903 | 881897.422 | 2160 |
| 1009083.938 | 881897.383 | 2580 |
| 1009083.974 | 881897.342 | 2880 |
| 1009084.008 | 881897.304 | 2760 |
| 1009084.044 | 881897.263 | 2880 |
| 1009084.083 | 881897.219 | 2880 |
| 1009084.117 | 881897.181 | 2940 |
| 1009084.153 | 881897.14 | 2400 |
| 1009084.193 | 881897.094 | 2220 |
| 1009084.223 | 881897.061 | 2640 |
| 1009084.258 | 881897.022 | 2700 |
| 1009084.292 | 881896.982 | 2700 |
| 1009084.329 | 881896.941 | 2760 |
| 1009084.363 | 881896.903 | 2940 |
| 1009084.401 | 881896.859 | 2700 |
| 1009084.436 | 881896.821 | 2760 |
| 1009084.472 | 881896.78 | 2520 |
| 1009084.508 | 881896.739 | 1920 |
| 1009081.664 | 881891.745 | 1980 |
| 1009081.664 | 881891.748 | 1920 |
| 1009081.824 | 881891.815 | 1860 |
| 1009082.131 | 881892.318 | 2220 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009048.825 | 881760.58 | 2940 |
| 1009048.297 | 881762.073 | 3180 |
| 1009047.265 | 881763.972 | 2760 |
| 1009046.128 | 881766.024 | 3180 |
| 1009045.25 | 881768.103 | 2940 |
| 1009044.681 | 881770.116 | 2880 |
| 1009044.196 | 881772.129 | 2760 |
| 1009043.424 | 881774.134 | 3900 |
| 1009042.675 | 881776.276 | 3420 |
| 1009041.834 | 881778.512 | 2820 |
| 1009041.076 | 881780.564 | 2760 |
| 1009040.368 | 881782.352 | 2700 |
| 1009039.707 | 881784.287 | 3060 |
| 1009038.811 | 881786.055 | 3060 |
| 1009038.23 | 881787.902 | 3540 |
| 1009037.597 | 881789.269 | 2880 |
| 1009037.821 | 881790.001 | 3000 |
| 1009037.778 | 881789.938 | 2280 |
| 1009037.596 | 881789.847 | 2700 |
| 1009037.537 | 881789.798 | 3120 |
| 1009037.546 | 881789.797 | 3060 |
| 1009037.555 | 881789.754 | 2940 |
| 1009037.546 | 881789.735 | 2760 |
| 1009037.542 | 881789.737 | 3000 |
| 1009037.552 | 881789.704 | 2880 |
| 1009037.517 | 881789.706 | 2820 |
| 1009037.508 | 881789.712 | 2820 |
| 1009037.534 | 881789.696 | 2880 |
| 1009037.526 | 881789.72 | 2580 |
| 1009037.514 | 881789.738 | 3540 |
| 1009037.514 | 881789.732 | 3660 |
| 1009037.506 | 881789.747 | 3540 |
| 1009037.328 | 881789.396 | 3540 |
| 1009037.14 | 881789.024 | 3000 |
| 1009037.168 | 881789.03 | 2940 |
| 1009037.191 | 881789.044 | 2760 |
| 1009037.159 | 881789.064 | 2760 |
| 1009037.16 | 881789.063 | 2880 |
| 1009037.19 | 881789.047 | 2880 |
| 1009037.207 | 881789.033 | 3420 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009082.742 | 881893.698 | 2700 |
| 1009083.161 | 881893.952 | 2820 |
| 1009083.178 | 881893.877 | 2520 |
| 1009082.696 | 881893.159 | 2580 |
| 1009082.049 | 881892.099 | 1980 |
| 1009082.784 | 881893.077 | 2100 |
| 1009083.165 | 881893.515 | 2820 |
| 1009083.329 | 881893.784 | 2880 |
| 1009083.452 | 881893.777 | 2460 |
| 1009083.403 | 881893.767 | 2280 |
| 1009083.472 | 881893.753 | 2760 |
| 1009083.485 | 881893.76 | 2400 |
| 1009083.495 | 881893.77 | 2520 |
| 1009083.523 | 881893.774 | 2940 |
| 1009083.537 | 881893.779 | 2700 |
| 1009083.538 | 881893.781 | 2280 |
| 1009083.53 | 881893.778 | 2820 |
| 1009083.517 | 881893.765 | 2400 |
| 1009083.519 | 881893.793 | 2280 |
| 1009076.401 | 881911.498 | 2700 |
| 1009076.439 | 881911.529 | 2880 |
| 1009076.441 | 881911.543 | 2280 |
| 1009076.408 | 881911.549 | 2340 |
| 1009076.394 | 881911.572 | 2940 |
| 1009076.362 | 881911.549 | 2760 |
| 1009076.324 | 881911.527 | 2580 |
| 1009076.29 | 881911.532 | 2460 |
| 1009076.304 | 881911.557 | 2460 |
| 1009076.311 | 881911.598 | 2700 |
| 1009076.299 | 881911.626 | 2280 |
| 1009076.308 | 881911.64 | 2940 |
| 1009076.294 | 881911.643 | 2460 |
| 1009076.396 | 881911.703 | 2700 |
| 1009077.044 | 881911.682 | 2100 |
| 1009077.29 | 881911.966 | 2580 |
| 1009077.096 | 881912.191 | 2700 |
| 1009076.827 | 881912.387 | 2280 |
| 1009076.14 | 881912.021 | 2400 |
| 1009075.691 | 881911.485 | 2640 |
| 1009076.505 | 881911.748 | 2760 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009037.235 | 881789.046 | 3000 |
| 1009037.236 | 881789.058 | 3000 |
| 1009037.206 | 881789.052 | 3240 |
| 1009037.204 | 881789.072 | 2880 |
| 1009037.211 | 881789.056 | 2280 |
| 1009037.195 | 881789.086 | 2880 |
| 1009037.214 | 881790.057 | 2880 |
| 1009036.59 | 881791.733 | 3540 |
| 1009035.698 | 881793.848 | 3360 |
| 1009034.869 | 881795.738 | 3120 |
| 1009033.739 | 881797.045 | 3120 |
| 1009033.084 | 881798.372 | 3360 |
| 1009032.907 | 881799.187 | 3360 |
| 1009033.08 | 881799.646 | 3180 |
| 1009033.097 | 881799.729 | 3000 |
| 1009032.74 | 881799.449 | 2640 |
| 1009032.318 | 881798.959 | 3300 |
| 1009032.45 | 881799.041 | 3060 |
| 1009032.632 | 881799.226 | 2700 |
| 1009032.687 | 881799.222 | 2880 |
| 1009032.702 | 881799.235 | 2820 |
| 1009032.711 | 881799.226 | 2820 |
| 1009032.732 | 881799.215 | 2400 |
| 1009032.723 | 881799.188 | 2160 |
| 1009032.709 | 881799.203 | 2820 |
| 1009032.698 | 881799.22 | 2820 |
| 1009032.702 | 881799.197 | 2880 |
| 1009032.477 | 881799.307 | 3120 |
| 1009032.128 | 881800.079 | 3180 |
| 1009031.672 | 881801.705 | 3120 |
| 1009030.779 | 881803.396 | 3240 |
| 1009029.854 | 881805.52 | 2940 |
| 1009028.829 | 881807.424 | 2160 |
| 1009028.273 | 881808.998 | 2640 |
| 1009027.643 | 881810.646 | 3480 |
| 1009026.775 | 881812.427 | 2940 |
| 1009026.137 | 881814.047 | 2880 |
| 1009025.188 | 881815.297 | 3240 |
| 1009024.26 | 881816.565 | 2940 |
| 1009023.28 | 881817.859 | 2880 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009077.583 | 881911.692 | 2700 |
| 1009077.595 | 881912.092 | 2760 |
| 1009077.599 | 881912.369 | 2940 |
| 1009077.526 | 881911.76 | 2280 |
| 1009077.358 | 881911.081 | 2400 |
| 1009077.068 | 881910.901 | 1980 |
| 1009076.6 | 881910.698 | 2760 |
| 1009075.893 | 881910.253 | 3120 |
| 1009074.986 | 881909.9 | 3360 |
| 1009074.097 | 881909.544 | 3540 |
| 1009073.473 | 881909.113 | 3180 |
| 1009072.644 | 881908.684 | 2880 |
| 1009071.954 | 881908.126 | 2700 |
| 1009071.053 | 881907.799 | 2520 |
| 1009070.048 | 881907.097 | 2820 |
| 1009069.227 | 881906.431 | 2940 |
| 1009068.623 | 881906.588 | 2340 |
| 1009068.467 | 881906.154 | 2760 |
| 1009067.878 | 881905.533 | 2940 |
| 1009067.032 | 881905.235 | 3060 |
| 1009066.386 | 881904.83 | 3360 |
| 1009065.54 | 881904.466 | 2880 |
| 1009065.025 | 881904.118 | 2520 |
| 1009064.437 | 881904.118 | 3300 |
| 1009063.605 | 881903.756 | 2580 |
| 1009062.674 | 881902.846 | 2880 |
| 1009061.703 | 881902.33 | 2880 |
| 1009061.083 | 881901.912 | 3420 |
| 1009060.355 | 881901.559 | 3000 |
| 1009059.995 | 881901.398 | 2460 |
| 1009059.98 | 881901.316 | 2820 |
| 1009059.85 | 881901.429 | 2820 |
| 1009059.551 | 881901.418 | 2640 |
| 1009059.401 | 881901.401 | 2940 |
| 1009059.271 | 881901.175 | 2820 |
| 1009058.808 | 881900.965 | 3000 |
| 1009057.833 | 881900.473 | 3240 |
| 1009057.264 | 881900.196 | 2640 |
| 1009056.489 | 881899.955 | 3060 |
| 1009055.701 | 881899.773 | 3240 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009022.606 | 881819.581 | 2760 |
| 1009021.637 | 881821.132 | 2700 |
| 1009020.955 | 881822.951 | 2580 |
| 1009020.125 | 881824.687 | 2160 |
| 1009019.307 | 881826.649 | 2160 |
| 1009018.646 | 881828.329 | 2340 |
| 1009017.908 | 881829.107 | 2760 |
| 1009015.754 | 881829.502 | 2760 |
| 1009013.678 | 881829.38 | 2880 |
| 1009012.684 | 881829.021 | 2640 |
| 1009012.481 | 881828.956 | 3060 |
| 1009012.385 | 881828.869 | 3300 |
| 1009012.382 | 881828.839 | 2760 |
| 1009012.373 | 881828.853 | 2520 |
| 1009012.384 | 881828.882 | 2400 |
| 1009012.39 | 881828.878 | 2520 |
| 1009012.714 | 881828.608 | 2280 |
| 1009013.403 | 881827.564 | 2520 |
| 1009014.318 | 881826.293 | 2520 |
| 1009015.109 | 881825 | 2760 |
| 1009015.855 | 881823.704 | 2880 |
| 1009016.811 | 881822.483 | 2940 |
| 1009017.851 | 881821.071 | 2640 |
| 1009018.84 | 881819.663 | 2700 |
| 1009019.956 | 881817.844 | 2640 |
| 1009020.964 | 881816.462 | 2760 |
| 1009021.789 | 881815.438 | 3240 |
| 1009022.555 | 881814.445 | 2820 |
| 1009023.232 | 881813.634 | 2820 |
| 1009023.812 | 881812.947 | 2520 |
| 1009024.295 | 881811.873 | 2820 |
| 1009024.757 | 881810.406 | 3240 |
| 1009025.224 | 881808.807 | 3420 |
| 1009025.753 | 881807.228 | 2940 |
| 1009026.695 | 881806.034 | 3180 |
| 1009027.549 | 881804.622 | 2640 |
| 1009028.103 | 881802.888 | 2820 |
| 1009028.689 | 881801.527 | 2760 |
| 1009029.232 | 881800.093 | 3060 |
| 1009029.951 | 881798.24 | 3540 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009055.005 | 881899.76 | 2940 |
| 1009054.357 | 881899.268 | 2880 |
| 1009053.479 | 881898.996 | 2640 |
| 1009052.959 | 881898.695 | 2640 |
| 1009052.25 | 881898.339 | 2820 |
| 1009051.726 | 881897.817 | 2580 |
| 1009050.982 | 881897.79 | 2940 |
| 1009050.239 | 881897.532 | 3060 |
| 1009049.415 | 881897.237 | 2820 |
| 1009048.908 | 881896.688 | 2940 |
| 1009048.271 | 881896.513 | 2640 |
| 1009047.693 | 881896.127 | 2820 |
| 1009047.002 | 881895.85 | 2880 |
| 1009046.383 | 881895.284 | 2940 |
| 1009045.562 | 881894.966 | 2880 |
| 1009044.989 | 881894.566 | 2940 |
| 1009044.372 | 881894.401 | 3300 |
| 1009043.805 | 881894.028 | 2580 |
| 1009042.894 | 881893.722 | 2460 |
| 1009042.031 | 881893.323 | 2880 |
| 1009041.008 | 881892.899 | 2880 |
| 1009040.018 | 881892.694 | 2820 |
| 1009038.601 | 881892.222 | 2820 |
| 1009037.628 | 881892.371 | 2520 |
| 1009036.584 | 881891.922 | 2880 |
| 1009035.362 | 881891.509 | 3420 |
| 1009034.161 | 881891.085 | 2940 |
| 1009032.832 | 881890.727 | 2700 |
| 1009032.085 | 881890.414 | 2580 |
| 1009031.009 | 881890.115 | 2820 |
| 1009030.006 | 881889.729 | 2580 |
| 1009028.719 | 881889.402 | 2280 |
| 1009027.81 | 881888.76 | 1860 |
| 1009026.63 | 881888.291 | 1980 |
| 1009025.387 | 881887.628 | 2460 |
| 1009024.17 | 881887.225 | 2400 |
| 1009022.74 | 881886.787 | 2760 |
| 1009021.255 | 881887.027 | 2820 |
| 1009020.574 | 881886.895 | 2520 |
| 1009019.185 | 881886.721 | 2760 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009030.674 | 881796.473 | 3240 |
| 1009031.358 | 881794.846 | 3060 |
| 1009032.247 | 881793.273 | 3420 |
| 1009032.947 | 881791.442 | 3120 |
| 1009033.509 | 881789.456 | 3720 |
| 1009034.239 | 881787.738 | 3060 |
| 1009035.087 | 881786.006 | 3540 |
| 1009035.39 | 881784.144 | 3540 |
| 1009035.672 | 881782.273 | 3120 |
| 1009036.692 | 881780.663 | 3120 |
| 1009037.471 | 881778.924 | 3300 |
| 1009038.222 | 881777.241 | 3000 |
| 1009038.99 | 881775.623 | 3000 |
| 1009039.996 | 881774.042 | 3060 |
| 1009040.533 | 881771.764 | 3120 |
| 1009040.749 | 881769.695 | 3420 |
| 1009041.204 | 881768.156 | 4020 |
| 1009042.098 | 881766.382 | 3060 |
| 1009042.904 | 881764.922 | 2940 |
| 1009043.541 | 881763.886 | 2700 |
| 1009043.728 | 881762.343 | 3000 |
| 1009044.395 | 881760.553 | 2820 |
| 1009044.947 | 881758.871 | 2280 |
| 1009045.637 | 881756.959 | 3420 |
| 1009046.361 | 881755.108 | 3000 |
| 1009047.79 | 881753.615 | 3240 |
| 1009048.451 | 881752.008 | 2640 |
| 1009049.266 | 881749.964 | 2640 |
| 1009049.802 | 881748.005 | 2520 |
| 1009050.372 | 881746.187 | 2580 |
| 1009050.906 | 881744.452 | 3180 |
| 1009050.989 | 881742.562 | 3120 |
| 1009051.206 | 881740.586 | 2460 |
| 1009051.618 | 881738.77 | 2400 |
| 1009051.911 | 881737.347 | 2700 |
| 1009052.172 | 881735.999 | 2460 |
| 1009053.057 | 881734.114 | 2640 |
| 1009053.461 | 881732.108 | 2940 |
| 1009054.047 | 881730.47 | 2820 |
| 1009054.55 | 881728.739 | 2580 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009018.394 | 881886.653 | 2760 |
| 1009018.465 | 881886.562 | 3060 |
| 1009018.661 | 881887.119 | 3060 |
| 1009018.532 | 881887.658 | 2880 |
| 1009017.999 | 881887.29 | 3000 |
| 1009017.283 | 881886.767 | 3120 |
| 1009016.348 | 881885.884 | 2640 |
| 1009015.561 | 881885.338 | 2760 |
| 1009015.177 | 881884.683 | 2400 |
| 1009015.062 | 881884.484 | 2940 |
| 1009015.1 | 881884.845 | 2760 |
| 1009015.247 | 881885.099 | 2760 |
| 1009014.76 | 881885.521 | 3060 |
| 1009014.443 | 881885.939 | 2760 |
| 1009014.405 | 881886.094 | 2700 |
| 1009015.279 | 881886.094 | 2160 |
| 1009016.392 | 881886.647 | 2580 |
| 1009017.525 | 881887.299 | 2520 |
| 1009018.71 | 881888.092 | 2580 |
| 1009019.838 | 881889.014 | 2700 |
| 1009020.713 | 881889.037 | 2580 |
| 1009021.295 | 881889.326 | 2580 |
| 1009022.082 | 881889.651 | 2340 |
| 1009023.224 | 881890.446 | 2340 |
| 1009024.27 | 881890.704 | 2520 |
| 1009025.486 | 881891.187 | 2640 |
| 1009026.706 | 881891.324 | 2400 |
| 1009027.773 | 881891.842 | 2940 |
| 1009028.91 | 881892.197 | 2520 |
| 1009029.914 | 881892.575 | 2220 |
| 1009031.058 | 881892.826 | 2400 |
| 1009032.095 | 881892.936 | 2520 |
| 1009033.062 | 881893.396 | 2400 |
| 1009033.967 | 881893.659 | 2460 |
| 1009034.807 | 881894.011 | 2760 |
| 1009035.709 | 881894.522 | 2760 |
| 1009036.751 | 881894.974 | 2940 |
| 1009037.769 | 881895.141 | 3120 |
| 1009075.728 | 881908.031 | 2340 |
| 1009075.8 | 881908 | 2100 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009054.821 | 881726.716 | 2760 |
| 1009055.154 | 881724.694 | 3000 |
| 1009055.984 | 881723.293 | 3180 |
| 1009057.249 | 881722.194 | 3180 |
| 1009057.721 | 881720.999 | 2700 |
| 1009058.219 | 881719.887 | 2880 |
| 1009058.458 | 881718.774 | 2160 |
| 1009058.471 | 881717.31 | 2760 |
| 1009058.262 | 881715.881 | 2520 |
| 1009058.221 | 881714.887 | 2220 |
| 1009058.282 | 881713.674 | 3180 |
| 1009058.59 | 881712.068 | 2820 |
| 1009051.684 | 881732.487 | 3240 |
| 1009051.799 | 881734.081 | 2760 |
| 1009051.971 | 881736.093 | 3000 |
| 1009052.005 | 881738.077 | 2880 |
| 1009051.687 | 881739.863 | 2940 |
| 1009050.854 | 881741.653 | 2700 |
| 1009049.89 | 881743.495 | 3420 |
| 1009048.8 | 881745.555 | 2520 |
| 1009048.18 | 881747.62 | 3240 |
| 1009047.508 | 881749.643 | 2880 |
| 1009046.876 | 881751.703 | 2880 |
| 1009046.274 | 881753.552 | 3000 |
| 1009045.817 | 881755.582 | 3120 |
| 1009044.945 | 881757.631 | 2880 |
| 1009044.244 | 881759.632 | 3060 |
| 1009043.256 | 881761.847 | 2880 |
| 1009042.676 | 881764.534 | 3180 |
| 1009041.994 | 881766.503 | 3000 |
| 1009041.628 | 881768.236 | 2880 |
| 1009040.829 | 881770.163 | 2880 |
| 1009040.297 | 881772.12 | 2640 |
| 1009039.701 | 881773.925 | 2820 |
| 1009039.184 | 881775.441 | 3240 |
| 1009038.53 | 881776.806 | 3420 |
| 1009038.474 | 881777.616 | 3360 |
| 1009038.431 | 881777.444 | 3540 |
| 1009038.427 | 881777.439 | 3060 |
| 1009038.422 | 881777.361 | 3060 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009075.873 | 881907.967 | 1920 |
| 1009075.951 | 881907.933 | 2340 |
| 1009076.025 | 881907.9 | 2880 |
| 1009076.098 | 881907.868 | 2820 |
| 1009076.174 | 881907.834 | 2820 |
| 1009076.25 | 881907.801 | 2640 |
| 1009076.331 | 881907.765 | 2640 |
| 1009076.4 | 881907.735 | 2640 |
| 1009076.473 | 881907.702 | 3120 |
| 1009076.552 | 881907.668 | 2820 |
| 1009076.625 | 881907.635 | 2400 |
| 1009076.7 | 881907.602 | 2520 |
| 1009076.777 | 881907.568 | 2460 |
| 1009076.851 | 881907.535 | 2640 |
| 1009076.924 | 881907.503 | 1920 |
| 1009076.998 | 881907.471 | 2340 |
| 1009077.071 | 881907.438 | 1920 |
| 1009077.147 | 881907.404 | 2340 |
| 1009077.221 | 881907.372 | 1920 |
| 1009077.296 | 881907.339 | 2340 |
| 1009077.371 | 881907.305 | 2220 |
| 1009077.445 | 881907.273 | 2520 |
| 1009077.52 | 881907.24 | 3000 |
| 1009077.594 | 881907.207 | 2460 |
| 1009077.671 | 881907.173 | 2700 |
| 1009077.745 | 881907.14 | 2640 |
| 1009077.817 | 881907.108 | 2760 |
| 1009077.892 | 881907.076 | 2640 |
| 1009077.969 | 881907.042 | 2460 |
| 1009078.044 | 881907.008 | 2040 |
| 1009078.12 | 881906.975 | 1980 |
| 1009078.197 | 881906.941 | 2220 |
| 1009078.27 | 881906.909 | 2400 |
| 1009078.343 | 881906.876 | 2520 |
| 1009078.418 | 881906.843 | 2400 |
| 1009078.49 | 881906.811 | 2520 |
| 1009078.567 | 881906.777 | 1800 |
| 1009078.642 | 881906.744 | 2280 |
| 1009078.715 | 881906.712 | 2160 |
| 1009078.79 | 881906.679 | 2100 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009038.332 | 881777.382 | 3120 |
| 1009037.532 | 881777.967 | 3540 |
| 1009036.807 | 881779.632 | 2940 |
| 1009036.176 | 881781 | 3240 |
| 1009035.364 | 881782.394 | 3120 |
| 1009034.759 | 881784.192 | 3060 |
| 1009033.862 | 881785.952 | 3060 |
| 1009033.203 | 881787.334 | 3660 |
| 1009032.568 | 881788.466 | 3120 |
| 1009032.001 | 881789.769 | 3000 |
| 1009030.852 | 881790.84 | 3240 |
| 1009030.041 | 881792.078 | 3120 |
| 1009029.415 | 881793.471 | 3060 |
| 1009028.929 | 881794.909 | 3060 |
| 1009028.544 | 881796.316 | 3360 |
| 1009028.101 | 881797.945 | 2940 |
| 1009027.665 | 881799.697 | 3480 |
| 1009026.946 | 881801.158 | 3240 |
| 1009026.192 | 881802.68 | 3000 |
| 1009025.159 | 881804.282 | 2880 |
| 1009024.559 | 881805.737 | 3420 |
| 1009023.839 | 881806.25 | 3240 |
| 1009023.824 | 881806.557 | 3180 |
| 1009023.665 | 881806.832 | 3180 |
| 1009023.324 | 881807.737 | 2640 |
| 1009022.874 | 881808.974 | 3240 |
| 1009022.432 | 881810.278 | 2460 |
| 1009021.938 | 881811.63 | 2520 |
| 1009021.208 | 881813.211 | 2520 |
| 1009020.208 | 881814.782 | 2280 |
| 1009019.467 | 881816.577 | 3060 |
| 1009018.254 | 881818.467 | 3060 |
| 1009016.915 | 881819.949 | 2700 |
| 1009014.483 | 881819.839 | 2400 |
| 1009011.475 | 881819.746 | 2040 |
| 1009009.352 | 881819.11 | 2700 |
| 1009008.247 | 881818.425 | 2640 |
| 1009007.968 | 881818.356 | 2160 |
| 1009008.094 | 881818.039 | 2160 |
| 1009008.379 | 881817.756 | 2040 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009078.863 | 881906.647 | 2340 |
| 1009078.941 | 881906.612 | 2040 |
| 1009079.015 | 881906.579 | 2160 |
| 1009079.088 | 881906.547 | 2280 |
| 1009079.166 | 881906.513 | 2220 |
| 1009079.24 | 881906.48 | 2040 |
| 1009079.313 | 881906.448 | 1620 |
| 1009079.389 | 881906.414 | 2100 |
| 1009079.463 | 881906.381 | 2220 |
| 1009079.54 | 881906.347 | 2580 |
| 1009079.616 | 881906.314 | 2460 |
| 1009079.689 | 881906.281 | 2760 |
| 1009038.818 | 881895.705 | 2760 |
| 1009040.066 | 881896.084 | 2640 |
| 1009041.154 | 881896.558 | 2700 |
| 1009042.356 | 881896.851 | 3360 |
| 1009043.288 | 881897.634 | 3120 |
| 1009044.033 | 881897.991 | 2940 |
| 1009044.89 | 881898.675 | 2640 |
| 1009045.976 | 881898.877 | 2520 |
| 1009047.161 | 881899.359 | 2700 |
| 1009048.138 | 881900.291 | 3000 |
| 1009049.024 | 881900.828 | 3240 |
| 1009050.495 | 881901.275 | 2280 |
| 1009051.603 | 881901.426 | 2220 |
| 1009052.597 | 881902.275 | 2460 |
| 1009053.986 | 881902.652 | 2640 |
| 1009055.408 | 881902.966 | 2520 |
| 1009056.706 | 881903.373 | 3000 |
| 1009057.832 | 881903.909 | 3060 |
| 1009058.953 | 881904.567 | 2700 |
| 1009060.399 | 881905.314 | 3000 |
| 1009061.551 | 881905.855 | 2700 |
| 1009062.662 | 881906.403 | 2760 |
| 1009064.047 | 881907.019 | 1860 |
| 1009065.259 | 881907.7 | 2940 |
| 1009066.521 | 881908.233 | 2700 |
| 1009067.64 | 881908.81 | 2880 |
| 1009068.794 | 881909.632 | 2220 |
| 1009069.903 | 881910.117 | 2820 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009008.784 | 881817.758 | 2400 |
| 1009008.953 | 881817.711 | 2100 |
| 1009008.867 | 881817.678 | 2220 |
| 1009008.818 | 881817.627 | 1860 |
| 1009008.904 | 881817.493 | 1740 |
| 1009008.992 | 881817.369 | 1920 |
| 1009008.968 | 881817.385 | 1860 |
| 1009008.92 | 881817.371 | 1860 |
| 1009008.795 | 881817.407 | 2340 |
| 1009008.226 | 881817.674 | 2160 |
| 1009008.055 | 881817.838 | 1860 |
| 1009008.522 | 881817.693 | 2400 |
| 1009008.549 | 881817.659 | 2520 |
| 1009040.527 | 881708.633 | 3300 |
| 1009041.12 | 881710.738 | 3180 |
| 1009041.625 | 881712.596 | 3120 |
| 1009041.991 | 881714.323 | 3240 |
| 1009042.815 | 881716.13 | 2520 |
| 1009044.204 | 881718.198 | 3420 |
| 1009044.483 | 881719.842 | 2940 |
| 1009044.381 | 881721.742 | 2880 |
| 1009044.5 | 881723.705 | 2880 |
| 1009044.866 | 881725.537 | 3120 |
| 1009045.501 | 881727.382 | 3120 |
| 1009046.033 | 881729.618 | 2760 |
| 1009046.355 | 881731.521 | 3540 |
| 1009046.525 | 881733.506 | 2880 |
| 1009046.606 | 881735.517 | 3060 |
| 1009046.456 | 881737.73 | 3000 |
| 1009046.294 | 881740.045 | 3360 |
| 1009045.944 | 881742.287 | 3240 |
| 1009045.751 | 881744.807 | 2580 |
| 1009045.305 | 881747.394 | 3060 |
| 1009044.394 | 881749.481 | 3180 |
| 1009043.59 | 881751.164 | 3240 |
| 1009042.804 | 881752.845 | 2760 |
| 1009042.133 | 881754.605 | 3060 |
| 1009041.931 | 881756.546 | 3120 |
| 1009041.643 | 881757.68 | 3000 |
| 1009040.764 | 881759.049 | 3120 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009071.09 | 881910.749 | 2220 |
| 1009072.354 | 881911.136 | 2580 |
| 1009073.496 | 881911.406 | 2820 |
| 1009074.762 | 881911.895 | 2220 |
| 1009075.864 | 881912.701 | 3120 |
| 1009076.821 | 881914.153 | 3060 |
| 1009076.076 | 881914.821 | 2940 |
| 1009074.493 | 881914.901 | 2820 |
| 1009073.66 | 881914.148 | 3180 |
| 1009072.673 | 881913.811 | 2640 |
| 1009072.303 | 881913.69 | 2520 |
| 1009072.473 | 881913.241 | 2700 |
| 1009072.615 | 881913.194 | 3060 |
| 1009072.614 | 881913.519 | 2700 |
| 1009072.354 | 881913.885 | 2400 |
| 1009071.991 | 881913.057 | 2700 |
| 1009071.227 | 881912.835 | 2760 |
| 1009070.105 | 881912.236 | 2880 |
| 1009068.713 | 881911.75 | 2520 |
| 1009067.434 | 881911.22 | 2880 |
| 1009065.863 | 881910.793 | 3060 |
| 1009065.02 | 881910.163 | 2940 |
| 1009063.987 | 881909.616 | 2640 |
| 1009062.872 | 881909.11 | 2820 |
| 1009061.677 | 881908.441 | 2520 |
| 1009060.508 | 881907.723 | 2580 |
| 1009059.381 | 881907.208 | 2760 |
| 1009058.58 | 881906.922 | 2880 |
| 1009058.491 | 881906.407 | 3120 |
| 1009058.483 | 881905.399 | 2400 |
| 1009058.448 | 881904.844 | 2700 |
| 1009058.422 | 881904.822 | 2520 |
| 1009058.389 | 881904.795 | 2160 |
| 1009058.358 | 881904.769 | 2520 |
| 1009058.326 | 881904.743 | 2580 |
| 1009058.295 | 881904.717 | 2820 |
| 1009058.263 | 881904.69 | 2460 |
| 1009058.233 | 881904.665 | 2280 |
| 1009058.201 | 881904.638 | 2280 |
| 1009058.17 | 881904.612 | 2700 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009039.69 | 881760.966 | 3120 |
| 1009039.216 | 881762.04 | 2820 |
| 1009038.679 | 881763.726 | 2880 |
| 1009037.963 | 881765.835 | 2940 |
| 1009036.712 | 881768.082 | 2640 |
| 1009035.677 | 881770.458 | 2940 |
| 1009035.375 | 881772.041 | 3120 |
| 1009035.654 | 881772.672 | 3240 |
| 1009035.878 | 881773.235 | 3120 |
| 1009035.715 | 881773.535 | 3120 |
| 1009035.6 | 881773.584 | 3000 |
| 1009035.048 | 881773.917 | 3240 |
| 1009034.414 | 881775.002 | 3000 |
| 1009033.331 | 881776.582 | 3120 |
| 1009032.208 | 881778.266 | 3180 |
| 1009031.046 | 881780.048 | 3000 |
| 1009030.121 | 881782.097 | 2880 |
| 1009029.469 | 881784.232 | 3000 |
| 1009028.742 | 881785.932 | 3000 |
| 1009027.911 | 881787.12 | 2940 |
| 1009027.088 | 881788.668 | 3720 |
| 1009026.059 | 881790.334 | 3240 |
| 1009025.151 | 881792.115 | 3120 |
| 1009025.01 | 881793.538 | 2700 |
| 1009024.487 | 881794.148 | 2520 |
| 1009024.043 | 881795.355 | 2640 |
| 1009023.554 | 881796.451 | 2640 |
| 1009022.635 | 881798.051 | 2760 |
| 1009022.297 | 881799.923 | 2760 |
| 1009021.242 | 881801.806 | 2940 |
| 1009020.291 | 881803.457 | 2520 |
| 1009019.529 | 881805.467 | 2820 |
| 1009018.584 | 881807.457 | 2400 |
| 1009017.887 | 881809.512 | 2520 |
| 1009016.629 | 881811.15 | 2880 |
| 1009015.136 | 881812.441 | 2640 |
| 1009013.974 | 881812.611 | 2460 |
| 1009012.995 | 881811.919 | 2040 |
| 1009012.439 | 881811.285 | 2220 |
| 1009012.366 | 881811.077 | 2580 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009058.139 | 881904.586 | 3060 |
| 1009058.107 | 881904.559 | 2460 |
| 1009058.074 | 881904.532 | 2580 |
| 1009058.043 | 881904.506 | 2640 |
| 1009058.011 | 881904.479 | 2880 |
| 1009057.98 | 881904.454 | 2700 |
| 1009057.948 | 881904.427 | 2280 |
| 1009057.918 | 881904.402 | 2520 |
| 1009057.886 | 881904.375 | 2820 |
| 1009057.855 | 881904.35 | 2640 |
| 1009057.823 | 881904.323 | 2820 |
| 1009057.792 | 881904.297 | 2340 |
| 1009057.76 | 881904.27 | 2580 |
| 1009057.727 | 881904.243 | 2580 |
| 1009057.697 | 881904.218 | 2820 |
| 1009057.665 | 881904.191 | 2640 |
| 1009057.634 | 881904.165 | 3300 |
| 1009057.602 | 881904.138 | 3060 |
| 1009057.569 | 881904.111 | 3000 |
| 1009057.536 | 881904.084 | 3300 |
| 1009057.508 | 881904.06 | 3600 |
| 1009057.476 | 881904.033 | 2940 |
| 1009057.445 | 881904.008 | 2940 |
| 1009057.414 | 881903.981 | 2700 |
| 1009057.381 | 881903.954 | 2220 |
| 1009057.351 | 881903.929 | 2700 |
| 1009057.319 | 881903.902 | 2700 |
| 1009057.288 | 881903.877 | 2760 |
| 1009057.256 | 881903.85 | 2820 |
| 1009057.224 | 881903.823 | 2100 |
| 1009057.194 | 881903.798 | 2520 |
| 1009057.162 | 881903.771 | 3180 |
| 1009057.131 | 881903.745 | 2880 |
| 1009057.099 | 881903.719 | 3120 |
| 1009057.068 | 881903.693 | 2760 |
| 1009057.035 | 881903.665 | 2460 |
| 1009057.004 | 881903.64 | 2640 |
| 1009056.972 | 881903.613 | 3060 |
| 1009056.94 | 881903.586 | 3060 |
| 1009056.909 | 881903.56 | 2820 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009012.36 | 881811.254 | 2400 |
| 1009012.391 | 881811.273 | 2700 |
| 1009012.401 | 881811.242 | 2340 |
| 1009012.403 | 881811.255 | 2700 |
| 1009012.415 | 881811.273 | 2340 |
| 1009012.296 | 881810.829 | 2700 |
| 1009012.395 | 881809.957 | 2520 |
| 1009012.771 | 881808.509 | 2520 |
| 1009013.141 | 881806.708 | 2100 |
| 1009013.801 | 881804.688 | 2880 |
| 1009014.393 | 881803.121 | 2580 |
| 1009015.017 | 881801.331 | 2340 |
| 1009015.628 | 881799.63 | 2220 |
| 1009016.973 | 881797.64 | 2820 |
| 1009017.683 | 881796.348 | 2760 |
| 1009018.399 | 881794.982 | 2700 |
| 1009019.065 | 881793.282 | 2460 |
| 1009019.721 | 881792.368 | 2280 |
| 1009020.957 | 881791.67 | 2340 |
| 1009021.081 | 881791.254 | 3240 |
| 1009020.814 | 881791.237 | 3180 |
| 1009020.65 | 881790.987 | 2940 |
| 1009020.965 | 881789.557 | 2760 |
| 1009021.85 | 881788.75 | 3420 |
| 1009022.839 | 881787.666 | 2940 |
| 1009023.533 | 881785.682 | 3000 |
| 1009024.464 | 881783.779 | 2760 |
| 1009025.44 | 881782.484 | 2820 |
| 1009026.081 | 881780.663 | 2580 |
| 1009026.878 | 881779.043 | 3120 |
| 1009027.597 | 881777.186 | 2880 |
| 1009028.367 | 881775.937 | 2820 |
| 1009029.243 | 881774.342 | 3240 |
| 1009029.841 | 881773.36 | 2580 |
| 1009030.513 | 881771.933 | 2820 |
| 1009031.898 | 881770.965 | 3180 |
| 1009032.837 | 881769.509 | 3000 |
| 1009033.401 | 881767.7 | 2820 |
| 1009034.257 | 881766.943 | 2820 |
| 1009034.666 | 881766.186 | 2640 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009057.013 | 881904.339 | 2940 |
| 1009056.842 | 881904.621 | 2520 |
| 1009056.053 | 881905.081 | 2580 |
| 1009055.731 | 881905.454 | 3000 |
| 1009055.744 | 881905.583 | 2880 |
| 1009055.808 | 881905.662 | 3180 |
| 1009056.191 | 881905.723 | 2940 |
| 1009056.422 | 881905.741 | 2580 |
| 1009056.469 | 881905.754 | 2940 |
| 1009056.483 | 881905.666 | 2760 |
| 1009055.615 | 881905.054 | 2460 |
| 1009054.996 | 881904.58 | 2880 |
| 1009055.003 | 881904.444 | 2640 |
| 1009054.771 | 881904.801 | 3120 |
| 1009053.923 | 881905.115 | 2940 |
| 1009052.701 | 881904.566 | 2880 |
| 1009051.285 | 881904.274 | 2520 |
| 1009049.982 | 881903.781 | 2880 |
| 1009048.862 | 881903.455 | 3480 |
| 1009047.875 | 881902.845 | 2760 |
| 1009046.684 | 881902.321 | 2940 |
| 1009045.699 | 881901.63 | 2640 |
| 1009044.59 | 881901.104 | 2280 |
| 1009043.574 | 881900.493 | 2160 |
| 1009042.471 | 881900.128 | 2340 |
| 1009041.26 | 881899.818 | 2400 |
| 1009039.93 | 881899.54 | 2220 |
| 1009038.739 | 881898.851 | 3060 |
| 1009037.264 | 881898.288 | 2640 |
| 1009035.974 | 881897.569 | 2640 |
| 1009034.432 | 881897.06 | 2880 |
| 1009033.168 | 881896.466 | 2580 |
| 1009031.996 | 881895.966 | 3000 |
| 1009030.954 | 881895.343 | 3060 |
| 1009029.759 | 881894.945 | 2460 |
| 1009028.496 | 881894.565 | 2520 |
| 1009027.18 | 881894.357 | 2820 |
| 1009025.66 | 881894.102 | 2640 |
| 1009024.373 | 881893.532 | 2760 |
| 1009023.037 | 881892.807 | 2280 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009035.008 | 881765.102 | 3360 |
| 1009035.326 | 881765.031 | 2880 |
| 1009035.401 | 881765.188 | 2400 |
| 1009035.456 | 881765.128 | 3000 |
| 1009035.388 | 881764.237 | 2760 |
| 1009035.639 | 881762.472 | 2700 |
| 1009036.163 | 881760.779 | 2940 |
| 1009037.012 | 881759.283 | 2880 |
| 1009037.557 | 881757.652 | 3660 |
| 1009038.36 | 881755.632 | 2940 |
| 1009039.333 | 881753.74 | 2760 |
| 1009040.167 | 881752.237 | 2640 |
| 1009040.617 | 881750.632 | 2760 |
| 1009040.96 | 881748.41 | 2700 |
| 1009042.095 | 881746.44 | 2820 |
| 1009042.565 | 881744.599 | 2700 |
| 1009042.757 | 881742.88 | 3240 |
| 1009042.957 | 881741.517 | 3180 |
| 1009043.41 | 881740.109 | 2940 |
| 1009043.46 | 881738.942 | 3120 |
| 1009043.71 | 881737.094 | 2580 |
| 1009044.095 | 881735.391 | 3060 |
| 1009044.476 | 881734.853 | 2640 |
| 1009044.735 | 881734.932 | 3000 |
| 1009044.769 | 881734.957 | 3120 |
| 1009044.75 | 881734.948 | 3420 |
| 1009044.652 | 881734.866 | 3360 |
| 1009043.906 | 881734.631 | 3540 |
| 1009008.548 | 881817.751 | 2280 |
| 1009008.587 | 881817.746 | 2160 |
| 1009008.524 | 881817.645 | 1980 |
| 1009008.443 | 881817.614 | 2040 |
| 1009008.43 | 881817.647 | 1920 |
| 1009008.44 | 881817.688 | 2100 |
| 1009008.436 | 881817.717 | 2520 |
| 1009008.413 | 881817.669 | 2280 |
| 1009008.462 | 881817.577 | 2100 |
| 1009008.58 | 881817.534 | 1800 |
| 1009008.645 | 881817.585 | 1740 |
| 1009008.638 | 881817.639 | 2160 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009021.624 | 881892.26 | 2700 |
| 1009020.294 | 881891.91 | 2460 |
| 1009018.786 | 881891.774 | 3300 |
| 1009017.149 | 881891.431 | 2940 |
| 1009016.384 | 881891.292 | 2640 |
| 1009015.505 | 881891.067 | 2640 |
| 1009014.974 | 881891.221 | 2880 |
| 1009013.641 | 881891.164 | 2460 |
| 1009012.837 | 881891.409 | 2400 |
| 1009013.314 | 881891.773 | 2280 |
| 1009014.044 | 881892.533 | 2940 |
| 1009015.144 | 881893.224 | 3720 |
| 1009016.197 | 881893.75 | 3000 |
| 1009017.31 | 881894.07 | 2580 |
| 1009017.913 | 881894.374 | 2580 |
| 1009017.989 | 881894.642 | 2640 |
| 1009017.736 | 881894.642 | 2940 |
| 1009017.761 | 881894.399 | 3000 |
| 1009018.11 | 881894.11 | 2880 |
| 1009018.424 | 881894.228 | 3000 |
| 1009018.892 | 881894.918 | 2580 |
| 1009019.898 | 881895.331 | 2940 |
| 1009021.44 | 881895.825 | 2580 |
| 1009023.096 | 881896.152 | 2400 |
| 1009024.792 | 881896.633 | 2400 |
| 1009026.316 | 881897.326 | 2280 |
| 1009027.898 | 881897.78 | 2820 |
| 1009029.262 | 881898.291 | 2400 |
| 1009030.722 | 881898.85 | 2700 |
| 1009032.09 | 881899.54 | 2520 |
| 1009033.749 | 881900.032 | 2160 |
| 1009035.152 | 881900.739 | 2280 |
| 1009036.732 | 881901.29 | 2640 |
| 1009038.154 | 881901.973 | 2400 |
| 1009039.759 | 881902.531 | 2880 |
| 1009041.262 | 881903.272 | 3120 |
| 1009043.11 | 881903.873 | 3120 |
| 1009044.658 | 881904.558 | 2700 |
| 1009046.19 | 881905.193 | 2700 |
| 1009047.298 | 881906.196 | 2580 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009008.611 | 881817.619 | 1920 |
| 1009008.64 | 881817.681 | 2160 |
| 1009008.291 | 881817.99 | 2520 |
| 1009007.415 | 881818.365 | 2040 |
| 1009006.712 | 881818.728 | 2100 |
| 1009006.105 | 881819.301 | 2100 |
| 1009006.085 | 881819.382 | 2280 |
| 1009006.055 | 881819.252 | 2100 |
| 1009006.514 | 881819.454 | 2220 |
| 1009007.336 | 881819.681 | 2340 |
| 1009007.437 | 881819.727 | 2280 |
| 1009007.474 | 881819.826 | 2700 |
| 1009007.463 | 881819.596 | 2340 |
| 1009007.269 | 881819.284 | 2640 |
| 1009007.129 | 881819.234 | 2760 |
| 1009006.988 | 881819.307 | 2220 |
| 1009007.02 | 881819.267 | 2100 |
| 1009007.123 | 881819.284 | 2280 |
| 1009007.098 | 881819.363 | 1980 |
| 1009007.274 | 881819.517 | 2280 |
| 1009007.407 | 881819.603 | 2280 |
| 1009007.413 | 881819.61 | 2100 |
| 1009007.313 | 881819.503 | 2220 |
| 1009007.271 | 881819.498 | 2100 |
| 1009007.267 | 881819.402 | 2220 |
| 1009007.286 | 881819.289 | 2460 |
| 1009007.367 | 881819.246 | 2040 |
| 1009007.173 | 881818.896 | 2160 |
| 1009006.712 | 881818.515 | 2280 |
| 1009006.96 | 881818.769 | 2400 |
| 1009007.41 | 881819.285 | 1980 |
| 1009007.49 | 881819.549 | 2220 |
| 1009007.376 | 881819.555 | 2280 |
| 1009007.168 | 881819.312 | 2460 |
| 1009006.96 | 881819.005 | 2100 |
| 1009006.81 | 881818.919 | 2580 |
| 1009006.695 | 881818.935 | 2520 |
| 1009006.902 | 881819.125 | 2220 |
| 1009007.339 | 881819.472 | 2340 |
| 1009007.435 | 881819.648 | 2460 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009048.533 | 881906.922 | 2460 |
| 1009049.832 | 881908.135 | 2520 |
| 1009051.03 | 881908.185 | 2400 |
| 1009052.833 | 881908.457 | 2400 |
| 1009054.567 | 881908.646 | 2700 |
| 1009056.274 | 881909.378 | 2160 |
| 1009057.835 | 881910.065 | 2220 |
| 1009059.338 | 881910.906 | 2580 |
| 1009061.132 | 881911.716 | 2520 |
| 1009062.916 | 881912.582 | 2820 |
| 1009064.463 | 881913.12 | 2940 |
| 1009065.98 | 881913.87 | 2520 |
| 1009067.606 | 881914.722 | 2220 |
| 1009069.404 | 881915.456 | 2400 |
| 1009071.089 | 881915.904 | 2880 |
| 1009072.723 | 881916.581 | 2520 |
| 1009074.045 | 881917.641 | 2460 |
| 1009074.103 | 881919.022 | 2700 |
| 1009073.203 | 881919.978 | 2700 |
| 1009072.152 | 881920.311 | 2520 |
| 1009071.153 | 881919.716 | 2280 |
| 1009069.976 | 881919.343 | 2640 |
| 1009069.289 | 881919.285 | 2640 |
| 1009069.17 | 881918.972 | 2460 |
| 1009068.654 | 881918.546 | 2760 |
| 1009067.578 | 881918.101 | 2340 |
| 1009066.165 | 881917.685 | 2160 |
| 1009064.576 | 881916.942 | 2340 |
| 1009063.083 | 881916.256 | 3000 |
| 1009061.854 | 881915.842 | 2580 |
| 1009060.654 | 881914.686 | 3360 |
| 1009059.429 | 881913.503 | 3000 |
| 1009058.266 | 881913.034 | 2940 |
| 1009056.973 | 881912.164 | 2940 |
| 1009055.751 | 881911.604 | 2880 |
| 1009054.646 | 881911.03 | 2640 |
| 1009053.161 | 881910.662 | 2700 |
| 1009051.763 | 881909.869 | 2520 |
| 1009050.373 | 881909.235 | 2640 |
| 1009048.9 | 881908.551 | 2700 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009007.162 | 881819.457 | 2160 |
| 1009006.993 | 881819.247 | 2340 |
| 1009006.645 | 881818.73 | 2700 |
| 1009006.842 | 881818.846 | 3060 |
| 1009006.872 | 881819.184 | 2340 |
| 1009006.016 | 881818.669 | 2280 |
| 1009005.875 | 881818.647 | 1920 |
| 1009006.926 | 881819.29 | 1920 |
| 1009007.674 | 881819.722 | 2280 |
| 1009007.664 | 881819.677 | 2460 |
| 1009007.67 | 881819.566 | 2460 |
| 1009007.71 | 881819.459 | 2340 |
| 1009007.713 | 881819.411 | 2520 |
| 1009007.674 | 881819.438 | 2460 |
| 1009007.662 | 881819.499 | 2280 |
| 1009007.667 | 881819.522 | 2580 |
| 1009007.623 | 881819.517 | 2340 |
| 1009007.544 | 881819.556 | 1980 |
| 1009007.404 | 881819.572 | 2700 |
| 1009007.318 | 881819.52 | 2760 |
| 1009007.32 | 881819.534 | 2400 |
| 1009007.307 | 881819.583 | 2160 |
| 1009007.276 | 881819.5 | 2340 |
| 1009007.203 | 881819.255 | 2400 |
| 1009007.199 | 881819.106 | 2100 |
| 1009007.367 | 881819.092 | 2040 |
| 1009007.493 | 881819.123 | 2280 |
| 1009007.552 | 881819.158 | 2340 |
| 1009007.624 | 881819.158 | 2040 |
| 1009007.563 | 881819.139 | 1920 |
| 1009007.497 | 881819.115 | 2220 |
| 1009007.457 | 881819.07 | 2040 |
| 1009007.407 | 881819.057 | 1800 |
| 1009007.381 | 881819.036 | 2220 |
| 1009007.384 | 881819.024 | 1920 |
| 1009007.37 | 881819.018 | 1920 |
| 1009007.356 | 881819.029 | 1860 |
| 1009007.354 | 881819.055 | 2100 |
| 1009007.331 | 881819.08 | 1680 |
| 1009007.309 | 881819.1 | 1860 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009047.551 | 881908.1 | 2100 |
| 1009046.179 | 881907.568 | 2340 |
| 1009044.73 | 881907.176 | 2520 |
| 1009043.592 | 881906.611 | 2040 |
| 1009042.351 | 881906.141 | 2160 |
| 1009041.578 | 881905.978 | 3000 |
| 1009041.343 | 881905.799 | 2460 |
| 1009041.478 | 881905.797 | 3120 |
| 1009041.826 | 881905.929 | 3120 |
| 1009041.599 | 881905.881 | 2760 |
| 1009040.457 | 881905.836 | 3420 |
| 1009039.318 | 881905.552 | 2760 |
| 1009038.273 | 881905.331 | 2640 |
| 1009037.186 | 881904.894 | 2340 |
| 1009035.854 | 881904.448 | 2700 |
| 1009034.527 | 881904.462 | 2760 |
| 1009033.723 | 881903.704 | 2640 |
| 1009032.296 | 881903.319 | 2160 |
| 1009030.994 | 881902.521 | 2040 |
| 1009029.488 | 881901.863 | 2820 |
| 1009028.131 | 881901.558 | 2940 |
| 1009026.575 | 881900.946 | 3060 |
| 1009025.416 | 881900.412 | 2880 |
| 1009024.532 | 881899.881 | 3120 |
| 1009023.383 | 881899.479 | 2640 |
| 1009021.784 | 881899.002 | 2940 |
| 1009019.984 | 881898.7 | 2700 |
| 1009018.318 | 881898.215 | 2640 |
| 1009016.707 | 881898.002 | 2280 |
| 1009015.276 | 881897.493 | 2520 |
| 1009013.803 | 881897.261 | 3060 |
| 1009012.761 | 881896.987 | 3000 |
| 1009012.031 | 881897.075 | 2940 |
| 1009011.649 | 881897.74 | 2820 |
| 1009011.804 | 881898.244 | 2760 |
| 1009012.439 | 881898.306 | 3120 |
| 1009013.031 | 881898.471 | 2460 |
| 1009013.055 | 881898.627 | 2580 |
| 1009013.27 | 881898.866 | 2340 |
| 1009014.498 | 881899.201 | 2160 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009007.303 | 881819.122 | 1920 |
| 1009007.311 | 881819.157 | 2220 |
| 1009007.317 | 881819.198 | 1860 |
| 1009007.307 | 881819.231 | 2280 |
| 1009007.286 | 881819.26 | 1980 |
| 1009007.316 | 881819.322 | 2340 |
| 1009007.412 | 881819.303 | 2100 |
| 1009007.414 | 881819.269 | 2280 |
| 1009007.33 | 881819.323 | 2940 |
| 1009007.317 | 881819.42 | 2340 |
| 1009007.379 | 881819.484 | 2460 |
| 1009007.463 | 881819.468 | 2400 |
| 1009007.486 | 881819.464 | 1620 |
| 1009007.439 | 881819.528 | 1740 |
| 1009007.399 | 881819.511 | 2460 |
| 1009007.402 | 881819.491 | 1980 |
| 1009007.458 | 881819.517 | 2220 |
| 1009007.452 | 881819.512 | 1980 |
| 1009007.412 | 881819.498 | 1680 |
| 1009007.384 | 881819.449 | 2100 |
| 1009007.351 | 881819.426 | 2220 |
| 1009007.29 | 881819.436 | 2280 |
| 1009007.247 | 881819.402 | 2040 |
| 1009007.296 | 881819.2 | 2160 |
| 1009006.892 | 881818.839 | 1740 |
| 1009006.661 | 881818.838 | 1440 |
| 1009006.653 | 881818.929 | 2220 |
| 1009006.423 | 881818.837 | 2220 |
| 1009006.439 | 881818.865 | 2460 |
| 1009006.624 | 881818.888 | 2280 |
| 1009006.642 | 881818.832 | 2100 |
| 1009006.555 | 881818.758 | 2220 |
| 1009006.535 | 881818.625 | 2100 |
| 1009006.805 | 881818.788 | 2040 |
| 1009007.355 | 881818.892 | 2280 |
| 1009008.76 | 881818.418 | 2700 |
| 1009011.094 | 881817.838 | 2760 |
| 1009013.662 | 881817.795 | 2400 |
| 1009015.345 | 881817.483 | 2160 |
| 1009016.554 | 881816.667 | 2640 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009015.569 | 881899.633 | 2700 |
| 1009016.214 | 881901.07 | 3000 |
| 1009017.261 | 881902.041 | 3780 |
| 1009017.9 | 881901.188 | 2940 |
| 1009018.731 | 881900.383 | 3180 |
| 1009019.86 | 881900.699 | 3060 |
| 1009020.817 | 881901.14 | 2940 |
| 1009021.855 | 881901.333 | 3000 |
| 1009022.781 | 881902.194 | 2640 |
| 1009023.847 | 881902.706 | 2880 |
| 1009025.19 | 881902.954 | 2400 |
| 1009026.724 | 881903.593 | 2880 |
| 1009027.921 | 881904.389 | 2400 |
| 1009029.359 | 881904.899 | 3120 |
| 1009030.701 | 881905.078 | 3000 |
| 1009032.027 | 881905.208 | 2940 |
| 1009033.649 | 881905.556 | 2520 |
| 1009035.043 | 881906.112 | 2580 |
| 1009036.345 | 881906.732 | 2760 |
| 1009037.765 | 881907.193 | 2760 |
| 1009039.105 | 881907.581 | 3180 |
| 1009040.203 | 881907.855 | 3360 |
| 1009040.93 | 881908.444 | 2940 |
| 1009041.969 | 881908.776 | 2280 |
| 1009043.196 | 881909.15 | 2820 |
| 1009044.626 | 881909.582 | 2340 |
| 1009046.145 | 881910.202 | 2340 |
| 1009047.532 | 881910.91 | 2580 |
| 1009049.326 | 881911.373 | 2520 |
| 1009050.564 | 881911.95 | 3240 |
| 1009051.882 | 881912.519 | 2820 |
| 1009053.116 | 881913.218 | 3660 |
| 1009054.153 | 881913.797 | 3180 |
| 1009055.29 | 881914.211 | 3300 |
| 1009056.604 | 881914.484 | 2400 |
| 1009057.964 | 881915.403 | 2820 |
| 1009059.6 | 881915.655 | 2640 |
| 1009061.087 | 881916.275 | 3180 |
| 1009062.415 | 881916.848 | 2520 |
| 1009063.745 | 881917.627 | 2700 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009017.223 | 881815.824 | 2340 |
| 1009017.37 | 881815.477 | 3240 |
| 1009017.211 | 881815.952 | 3300 |
| 1009017.941 | 881816.077 | 2700 |
| 1009018.53 | 881816.094 | 2460 |
| 1009018.426 | 881816.177 | 2400 |
| 1009018.321 | 881816.524 | 2580 |
| 1009018.26 | 881816.299 | 2820 |
| 1009018.633 | 881815.49 | 2760 |
| 1009019.179 | 881814.608 | 3060 |
| 1009019.25 | 881813.216 | 2640 |
| 1009019.527 | 881811.15 | 2700 |
| 1009020.035 | 881809.445 | 2820 |
| 1009020.71 | 881807.709 | 3240 |
| 1009021.149 | 881805.704 | 3240 |
| 1009021.85 | 881803.818 | 3300 |
| 1009022.537 | 881802.258 | 3060 |
| 1009023.19 | 881800.417 | 3240 |
| 1009023.989 | 881798.625 | 3360 |
| 1009024.827 | 881797.128 | 3540 |
| 1009025.727 | 881796.166 | 2760 |
| 1009026.535 | 881794.758 | 3240 |
| 1009027.217 | 881793.338 | 2700 |
| 1009027.843 | 881792.416 | 3240 |
| 1009028.662 | 881791.235 | 3000 |
| 1009029.506 | 881789.863 | 3360 |
| 1009030.298 | 881788.255 | 3300 |
| 1009030.964 | 881786.492 | 2700 |
| 1009031.868 | 881784.583 | 3180 |
| 1009032.852 | 881782.84 | 3240 |
| 1009033.659 | 881781.616 | 3240 |
| 1009034.647 | 881780.128 | 2820 |
| 1009035.883 | 881778.261 | 3060 |
| 1009036.751 | 881776.339 | 3300 |
| 1009037.517 | 881774.693 | 3360 |
| 1009038.331 | 881773.111 | 3360 |
| 1009038.576 | 881770.799 | 2700 |
| 1009038.811 | 881768.984 | 3000 |
| 1009039.315 | 881767.029 | 2940 |
| 1009040.269 | 881765.223 | 2700 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009065.292 | 881918.176 | 3060 |
| 1009066.802 | 881918.844 | 2460 |
| 1009068.537 | 881919.444 | 2220 |
| 1009070.309 | 881920.196 | 2460 |
| 1009071.698 | 881920.777 | 2640 |
| 1009073.25 | 881921.544 | 2880 |
| 1009074.254 | 881922.855 | 2700 |
| 1009074.533 | 881923.41 | 2700 |
| 1009074.631 | 881923.32 | 2760 |
| 1009074.711 | 881923.547 | 2400 |
| 1009074.696 | 881923.582 | 2220 |
| 1009074.611 | 881923.518 | 2520 |
| 1009074.561 | 881923.272 | 2580 |
| 1009074.634 | 881923.055 | 2100 |
| 1009074.774 | 881923.084 | 2640 |
| 1009074.766 | 881923.106 | 3000 |
| 1009074.78 | 881923.197 | 2340 |
| 1009074.874 | 881923.328 | 1980 |
| 1009074.914 | 881923.24 | 2160 |
| 1009074.836 | 881923.269 | 2580 |
| 1009074.651 | 881923.386 | 2940 |
| 1009074.787 | 881923.342 | 2880 |
| 1009074.268 | 881922.967 | 2520 |
| 1009073.331 | 881922.685 | 2760 |
| 1009072.206 | 881921.915 | 2580 |
| 1009070.864 | 881921.313 | 2460 |
| 1009069.238 | 881920.292 | 2640 |
| 1009067.278 | 881919.354 | 2700 |
| 1009065.511 | 881918.268 | 2940 |
| 1009063.737 | 881917.669 | 2760 |
| 1009062.411 | 881917.152 | 2460 |
| 1009060.872 | 881916.459 | 3060 |
| 1009058.885 | 881915.481 | 3120 |
| 1009057.12 | 881914.926 | 2700 |
| 1009055.475 | 881914.023 | 1920 |
| 1009053.235 | 881912.969 | 2460 |
| 1009051.085 | 881912.515 | 2340 |
| 1009049.024 | 881911.191 | 2400 |
| 1009046.845 | 881910.229 | 2880 |
| 1009045.032 | 881909.355 | 2580 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009041.153 | 881763.673 | 2280 |
| 1009041.832 | 881762.005 | 2700 |
| 1009042.456 | 881760.433 | 2700 |
| 1009043.221 | 881758.905 | 2760 |
| 1009043.921 | 881757.228 | 2940 |
| 1009044.582 | 881755.621 | 3060 |
| 1009045.081 | 881753.798 | 3000 |
| 1009045.54 | 881751.857 | 2640 |
| 1009046.242 | 881750.148 | 3060 |
| 1009046.655 | 881747.949 | 2940 |
| 1009047.239 | 881745.868 | 2760 |
| 1009047.699 | 881744.094 | 3300 |
| 1009048.261 | 881742.24 | 2820 |
| 1009048.797 | 881740.045 | 3120 |
| 1009049.145 | 881737.618 | 3360 |
| 1009049.585 | 881735.617 | 3420 |
| 1009049.36 | 881733.629 | 3060 |
| 1009049.124 | 881731.537 | 3120 |
| 1009048.462 | 881729.431 | 3060 |
| 1009047.911 | 881727.349 | 3180 |
| 1009047.275 | 881725.687 | 2760 |
| 1009046.89 | 881723.725 | 3000 |
| 1009046.456 | 881721.953 | 3540 |
| 1009045.998 | 881720.956 | 2940 |
| 1009046.074 | 881720.929 | 3000 |
| 1009045.798 | 881719.891 | 3480 |
| 1009045.157 | 881718.281 | 2940 |
| 1009044.128 | 881716.058 | 3060 |
| 1009043.267 | 881713.869 | 2880 |
| 1009042.456 | 881711.881 | 3240 |
| 1009042.465 | 881710.281 | 3660 |
| 1009043.107 | 881709.718 | 3240 |
| 1009043.164 | 881708.81 | 3540 |
| 1009042.886 | 881707.408 | 3120 |
| 1009043.056 | 881706.972 | 3660 |
| 1009042.674 | 881707.701 | 2760 |
| 1009042.527 | 881708.634 | 2940 |
| 1009042.787 | 881708.721 | 2700 |
| 1009042.431 | 881707.489 | 3060 |
| 1009040.81 | 881706.197 | 2820 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009042.787 | 881908.558 | 2400 |
| 1009040.429 | 881907.788 | 3000 |
| 1009038.084 | 881906.761 | 2460 |
| 1009035.876 | 881906.357 | 2640 |
| 1009033.402 | 881905.652 | 2580 |
| 1009030.908 | 881905.097 | 2760 |
| 1009028.923 | 881904.273 | 2460 |
| 1009027.088 | 881903.404 | 2880 |
| 1009025.126 | 881902.386 | 2880 |
| 1009023.312 | 881901.859 | 2700 |
| 1009021.712 | 881901.075 | 2220 |
| 1009020.044 | 881900.065 | 2700 |
| 1009018.249 | 881898.893 | 2760 |
| 1009017.025 | 881898.604 | 2520 |
| 1009015.712 | 881898.245 | 2880 |
| 1009014.11 | 881897.903 | 2880 |
| 1009012.532 | 881897.574 | 2340 |
| 1009010.885 | 881897.865 | 2340 |
| 1009009.946 | 881899.058 | 2400 |
| 1009010.108 | 881900.28 | 2640 |
| 1009010.928 | 881900.663 | 2880 |
| 1009011.91 | 881900.835 | 3120 |
| 1009012.685 | 881900.834 | 2820 |
| 1009013.199 | 881901.162 | 3060 |
| 1009013.695 | 881901.665 | 2820 |
| 1009014.475 | 881901.964 | 3000 |
| 1009015.121 | 881902.457 | 2940 |
| 1009016.144 | 881902.869 | 3240 |
| 1009016.697 | 881903.62 | 2700 |
| 1009017.782 | 881903.993 | 3000 |
| 1009018.701 | 881904.494 | 2880 |
| 1009019.341 | 881904.941 | 2700 |
| 1009020.07 | 881905.094 | 2940 |
| 1009020.702 | 881905.472 | 3060 |
| 1009021.46 | 881906.144 | 3120 |
| 1009022.34 | 881906.421 | 2940 |
| 1009023.243 | 881906.987 | 2640 |
| 1009024.108 | 881907.345 | 2700 |
| 1009024.607 | 881907.981 | 2880 |
| 1009025.412 | 881908.202 | 2880 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009039.303 | 881705.758 | 2700 |
| 1009038.991 | 881705.13 | 2940 |
| 1009039.468 | 881705.203 | 2940 |
| 1009040.282 | 881706.408 | 3000 |
| 1009043.744 | 881733.875 | 2880 |
| 1009043.687 | 881732.556 | 2940 |
| 1009043.708 | 881731.127 | 2340 |
| 1009043.138 | 881729.713 | 2700 |
| 1009041.997 | 881727.945 | 3060 |
| 1009040.605 | 881725.947 | 3660 |
| 1009039.5 | 881723.786 | 3060 |
| 1009038.862 | 881721.365 | 3180 |
| 1009038.203 | 881719.607 | 3300 |
| 1009037.395 | 881717.707 | 3180 |
| 1009036.547 | 881716.063 | 2940 |
| 1009036.114 | 881714.806 | 3240 |
| 1009035.393 | 881713.132 | 2940 |
| 1009034.83 | 881711.355 | 2940 |
| 1009035.283 | 881709.833 | 2340 |
| 1009035.715 | 881708.447 | 3120 |
| 1009036.232 | 881707.227 | 3300 |
| 1009036.567 | 881706.286 | 2880 |
| 1009036.614 | 881705.067 | 2880 |
| 1009036.703 | 881704.199 | 2460 |
| 1009036.922 | 881704.433 | 2940 |
| 1009037.018 | 881704.735 | 2880 |
| 1009036.849 | 881704.816 | 3000 |
| 1009036.493 | 881704.939 | 2400 |
| 1009036.469 | 881704.821 | 3120 |
| 1009036.608 | 881704.613 | 3780 |
| 1009036.653 | 881704.541 | 3600 |
| 1009036.665 | 881704.516 | 3360 |
| 1009036.805 | 881704.532 | 3420 |
| 1009036.855 | 881704.746 | 2820 |
| 1009037.032 | 881704.841 | 3060 |
| 1009036.617 | 881704.929 | 3300 |
| 1009035.657 | 881705.698 | 3300 |
| 1009035.081 | 881706.718 | 3180 |
| 1009034.431 | 881707.902 | 3840 |
| 1009034.065 | 881709.866 | 3300 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009026.522 | 881908.569 | 2700 |
| 1009027.523 | 881908.898 | 2580 |
| 1009028.171 | 881908.793 | 2700 |
| 1009028.014 | 881908.74 | 2880 |
| 1009028.105 | 881909.081 | 3540 |
| 1009029.035 | 881909.268 | 2580 |
| 1009029.98 | 881909.848 | 2340 |
| 1009030.828 | 881910.376 | 2400 |
| 1009031.871 | 881910.91 | 2700 |
| 1009033.123 | 881911.169 | 3240 |
| 1009034.02 | 881911.489 | 3540 |
| 1009034.959 | 881911.598 | 3780 |
| 1009035.764 | 881911.998 | 3000 |
| 1009036.201 | 881912.531 | 2940 |
| 1009036.248 | 881912.701 | 2640 |
| 1009037.045 | 881912.456 | 3060 |
| 1009038.378 | 881912.734 | 3060 |
| 1009039.568 | 881912.55 | 3600 |
| 1009040.801 | 881912.752 | 4140 |
| 1009041.902 | 881913.286 | 3360 |
| 1009042.724 | 881913.525 | 3420 |
| 1009043.349 | 881913.985 | 3120 |
| 1009043.457 | 881914.587 | 2940 |
| 1009043.342 | 881914.686 | 3240 |
| 1009043.728 | 881914.465 | 3300 |
| 1009044.683 | 881914.656 | 2880 |
| 1009045.546 | 881914.902 | 3240 |
| 1009046.884 | 881915.29 | 3300 |
| 1009048.032 | 881916.051 | 3360 |
| 1009049.011 | 881916.594 | 2700 |
| 1009050.329 | 881917.087 | 3720 |
| 1009051.499 | 881917.622 | 3120 |
| 1009052.329 | 881918.036 | 3120 |
| 1009053.4 | 881918.09 | 3120 |
| 1009054.419 | 881918.638 | 2820 |
| 1009055.532 | 881918.92 | 2820 |
| 1009056.228 | 881918.614 | 2580 |
| 1009057.112 | 881919.202 | 2940 |
| 1009058.659 | 881919.923 | 2760 |
| 1009059.28 | 881920.028 | 3000 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009034.307 | 881711.634 | 3120 |
| 1009034.27 | 881713.744 | 2640 |
| 1009034.716 | 881715.287 | 3060 |
| 1009035.486 | 881717.158 | 3360 |
| 1009036.514 | 881719.175 | 2760 |
| 1009037.594 | 881721.37 | 2640 |
| 1009038.588 | 881723.15 | 2760 |
| 1009039.219 | 881725.105 | 3060 |
| 1009040.009 | 881726.89 | 3060 |
| 1009040.932 | 881728.708 | 3360 |
| 1009041.595 | 881730.559 | 2820 |
| 1009041.86 | 881732.6 | 3000 |
| 1009041.901 | 881734.942 | 2580 |
| 1009041.715 | 881737.069 | 2400 |
| 1009041.288 | 881738.9 | 2640 |
| 1009040.647 | 881740.362 | 2820 |
| 1009040.145 | 881742.088 | 3360 |
| 1009039.621 | 881744.638 | 3120 |
| 1009039.451 | 881746.597 | 2940 |
| 1009039.192 | 881748.518 | 3300 |
| 1009038.621 | 881750.235 | 2820 |
| 1009037.981 | 881751.998 | 2460 |
| 1009037.232 | 881753.804 | 2580 |
| 1009036.526 | 881755.894 | 2640 |
| 1009035.576 | 881757.967 | 3000 |
| 1009034.723 | 881759.796 | 3060 |
| 1009033.756 | 881761.418 | 3120 |
| 1009033.225 | 881763.085 | 3180 |
| 1009032.408 | 881764.817 | 2820 |
| 1009031.186 | 881766.865 | 2940 |
| 1009030.193 | 881768.602 | 3000 |
| 1009029.365 | 881770.816 | 2760 |
| 1009028.453 | 881772.622 | 2760 |
| 1009027.352 | 881774.216 | 2940 |
| 1009026.247 | 881776.278 | 3000 |
| 1009025.241 | 881778.411 | 3000 |
| 1009024.208 | 881780.486 | 2580 |
| 1009023.13 | 881782.597 | 2520 |
| 1009022.453 | 881785.015 | 2880 |
| 1009021.774 | 881786.935 | 2400 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009058.822 | 881920.092 | 2820 |
| 1009058.975 | 881919.93 | 2760 |
| 1009059.396 | 881919.731 | 3360 |
| 1009060.137 | 881920.261 | 3480 |
| 1009061.017 | 881920.828 | 3600 |
| 1009061.63 | 881921.211 | 3000 |
| 1009062.447 | 881921.269 | 3120 |
| 1009063.44 | 881921.601 | 2940 |
| 1009064.185 | 881921.918 | 3300 |
| 1009064.835 | 881921.854 | 3420 |
| 1009065.178 | 881922.475 | 3240 |
| 1009065.139 | 881923.073 | 3300 |
| 1009065.126 | 881922.725 | 3420 |
| 1009065.788 | 881922.607 | 3480 |
| 1009066.721 | 881923.116 | 2880 |
| 1009067.586 | 881924.082 | 3000 |
| 1009068.693 | 881924.71 | 2880 |
| 1009069.324 | 881925.437 | 2400 |
| 1009069.624 | 881927.106 | 2820 |
| 1009069.448 | 881928.136 | 2460 |
| 1009069.125 | 881928.585 | 2640 |
| 1009068.929 | 881928.734 | 3180 |
| 1009068.539 | 881928.246 | 2880 |
| 1009067.837 | 881927.71 | 2940 |
| 1009066.86 | 881927.06 | 2880 |
| 1009065.593 | 881926.797 | 2640 |
| 1009064.477 | 881926.045 | 2760 |
| 1009063.313 | 881925.453 | 3240 |
| 1009061.98 | 881924.955 | 3420 |
| 1009060.601 | 881924.613 | 3180 |
| 1009059.665 | 881924.796 | 3780 |
| 1009059.144 | 881923.938 | 3420 |
| 1009058.293 | 881923.472 | 3180 |
| 1009057.537 | 881923.414 | 2700 |
| 1009056.922 | 881922.602 | 2940 |
| 1009055.929 | 881922.358 | 2640 |
| 1009054.864 | 881921.96 | 2820 |
| 1009053.862 | 881921.508 | 3300 |
| 1009053.255 | 881920.937 | 3060 |
| 1009052.488 | 881920.547 | 2880 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009020.889 | 881788.464 | 2520 |
| 1009019.361 | 881790.304 | 2940 |
| 1009018.619 | 881792.083 | 2460 |
| 1009017.893 | 881793.913 | 2340 |
| 1009017.024 | 881795.992 | 2760 |
| 1009016.167 | 881797.591 | 2700 |
| 1009014.995 | 881800.018 | 3240 |
| 1009014.46 | 881802.316 | 2940 |
| 1009013.86 | 881804.323 | 2940 |
| 1009013.46 | 881806.124 | 2700 |
| 1009013.097 | 881807.095 | 2220 |
| 1009012.844 | 881807.264 | 2580 |
| 1009012.539 | 881807.611 | 2280 |
| 1009011.097 | 881807.914 | 2580 |
| 1009009.916 | 881807.753 | 2340 |
| 1009009.399 | 881807.285 | 2280 |
| 1009009.288 | 881806.999 | 2100 |
| 1009009.367 | 881807.018 | 1980 |
| 1009008.964 | 881806.392 | 2100 |
| 1009008.989 | 881804.255 | 2100 |
| 1009010.162 | 881802.84 | 2100 |
| 1009011.083 | 881802.18 | 2880 |
| 1009011.214 | 881801.937 | 2640 |
| 1009010.85 | 881801.477 | 2280 |
| 1009011.111 | 881800.188 | 2580 |
| 1009011.589 | 881798.492 | 2640 |
| 1009012.446 | 881796.796 | 2400 |
| 1009013.388 | 881795.376 | 2460 |
| 1009013.791 | 881794.831 | 2280 |
| 1009014.069 | 881794.783 | 2280 |
| 1009014.865 | 881793.998 | 2520 |
| 1009016.194 | 881792.537 | 3120 |
| 1009017.202 | 881790.834 | 2880 |
| 1009018.327 | 881788.641 | 2700 |
| 1009019.191 | 881786.48 | 2940 |
| 1009020.062 | 881784.76 | 3120 |
| 1009020.874 | 881782.555 | 2820 |
| 1009021.816 | 881780.243 | 2460 |
| 1009022.754 | 881778.348 | 3300 |
| 1009023.758 | 881776.673 | 2700 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009051.466 | 881920.546 | 2940 |
| 1009050.457 | 881919.888 | 2940 |
| 1009049.998 | 881919.399 | 2520 |
| 1009050.078 | 881919.364 | 2760 |
| 1009050.147 | 881919.333 | 2400 |
| 1009050.222 | 881919.3 | 2400 |
| 1009050.297 | 881919.267 | 3600 |
| 1009050.369 | 881919.235 | 2940 |
| 1009050.446 | 881919.201 | 3000 |
| 1009050.523 | 881919.167 | 2940 |
| 1009050.596 | 881919.135 | 3300 |
| 1009050.669 | 881919.102 | 3660 |
| 1009050.747 | 881919.068 | 2520 |
| 1009050.821 | 881919.035 | 2820 |
| 1009050.899 | 881919.001 | 2820 |
| 1009050.973 | 881918.968 | 2760 |
| 1009051.049 | 881918.935 | 2940 |
| 1009051.117 | 881918.905 | 2820 |
| 1009051.192 | 881918.872 | 2640 |
| 1009051.266 | 881918.839 | 3300 |
| 1009051.343 | 881918.805 | 3300 |
| 1009051.417 | 881918.772 | 4020 |
| 1009051.495 | 881918.737 | 3420 |
| 1009051.568 | 881918.705 | 2880 |
| 1009051.642 | 881918.673 | 3060 |
| 1009051.716 | 881918.64 | 3420 |
| 1009051.798 | 881918.604 | 3120 |
| 1009051.865 | 881918.574 | 3720 |
| 1009051.94 | 881918.541 | 3360 |
| 1009052.017 | 881918.507 | 3060 |
| 1009052.094 | 881918.473 | 3540 |
| 1009052.165 | 881918.442 | 3180 |
| 1009052.239 | 881918.409 | 3300 |
| 1009052.312 | 881918.377 | 2940 |
| 1009052.388 | 881918.343 | 3000 |
| 1009052.461 | 881918.311 | 2940 |
| 1009052.538 | 881918.277 | 2820 |
| 1009052.615 | 881918.243 | 3060 |
| 1009052.691 | 881918.209 | 3600 |
| 1009052.763 | 881918.178 | 2940 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009025.02 | 881774.78 | 2340 |
| 1009026.139 | 881772.928 | 2640 |
| 1009026.752 | 881770.977 | 2400 |
| 1009027.231 | 881768.646 | 3120 |
| 1009028.03 | 881766.664 | 3240 |
| 1009028.996 | 881764.592 | 2940 |
| 1009030.208 | 881762.827 | 3180 |
| 1009031.476 | 881760.871 | 3000 |
| 1009032.545 | 881758.936 | 3120 |
| 1009033.249 | 881756.864 | 3300 |
| 1009034.126 | 881755.012 | 3180 |
| 1009034.561 | 881752.887 | 2400 |
| 1009035.243 | 881750.894 | 2520 |
| 1009035.683 | 881748.827 | 2280 |
| 1009036.206 | 881746.534 | 2400 |
| 1009036.686 | 881744.369 | 2640 |
| 1009037.389 | 881742.175 | 2160 |
| 1009038.255 | 881740.034 | 2700 |
| 1009038.974 | 881738.107 | 2460 |
| 1009039.885 | 881735.986 | 2820 |
| 1009040.587 | 881733.92 | 2940 |
| 1009040.591 | 881731.816 | 2760 |
| 1009040.198 | 881729.659 | 2160 |
| 1009040.257 | 881726.99 | 2760 |
| 1009039.6 | 881724.96 | 2280 |
| 1009038.704 | 881723.205 | 2520 |
| 1009037.193 | 881721.297 | 2700 |
| 1009036.03 | 881719.279 | 3240 |
| 1009035.301 | 881717.328 | 3060 |
| 1009034.426 | 881715.449 | 2640 |
| 1009034.504 | 881714.262 | 2880 |
| 1009035.358 | 881714.57 | 3000 |
| 1009035.92 | 881715.738 | 3120 |
| 1009035.979 | 881717.855 | 3300 |
| 1009036.57 | 881719.999 | 3180 |
| 1009037.562 | 881722.416 | 2760 |
| 1009038.904 | 881724.84 | 3240 |
| 1009039.509 | 881726.939 | 3240 |
| 1009039.355 | 881729.054 | 2880 |
| 1009038.403 | 881731.537 | 2820 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009052.849 | 881918.139 | 3060 |
| 1009052.925 | 881918.106 | 2820 |
| 1009052.989 | 881918.078 | 2820 |
| 1009053.061 | 881918.046 | 2880 |
| 1009053.137 | 881918.012 | 2820 |
| 1009053.214 | 881917.978 | 3060 |
| 1009053.286 | 881917.946 | 2640 |
| 1009053.362 | 881917.913 | 2460 |
| 1009053.438 | 881917.879 | 2700 |
| 1009053.51 | 881917.847 | 2700 |
| 1009053.586 | 881917.814 | 3240 |
| 1009053.675 | 881917.775 | 3480 |
| 1009053.736 | 881917.748 | 2940 |
| 1009053.809 | 881917.715 | 3060 |
| 1009053.885 | 881917.682 | 3000 |
| 1009053.957 | 881917.65 | 2880 |
| 1009054.033 | 881917.617 | 3300 |
| 1009054.109 | 881917.583 | 3360 |
| 1009054.191 | 881917.547 | 3120 |
| 1009054.257 | 881917.517 | 2700 |
| 1009054.334 | 881917.483 | 2580 |
| 1009054.409 | 881917.45 | 3600 |
| 1009054.489 | 881917.415 | 3300 |
| 1009054.549 | 881917.389 | 3660 |
| 1009054.624 | 881917.355 | 3240 |
| 1009054.7 | 881917.322 | 3540 |
| 1009054.774 | 881917.289 | 3540 |
| 1009054.867 | 881917.248 | 3180 |
| 1009054.929 | 881917.22 | 2700 |
| 1009055.004 | 881917.187 | 2820 |
| 1009055.086 | 881917.151 | 2880 |
| 1009055.154 | 881917.121 | 3180 |
| 1009055.23 | 881917.087 | 2700 |
| 1009055.306 | 881917.054 | 2700 |
| 1009055.38 | 881917.021 | 2700 |
| 1009055.455 | 881916.988 | 2880 |
| 1009055.531 | 881916.954 | 3480 |
| 1009055.605 | 881916.922 | 3180 |
| 1009055.681 | 881916.888 | 2820 |
| 1009055.756 | 881916.855 | 2880 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009037.09 | 881733.877 | 2940 |
| 1009036.235 | 881735.566 | 3000 |
| 1009035.759 | 881737.352 | 2760 |
| 1009035.673 | 881739.518 | 2940 |
| 1009035.428 | 881741.334 | 3540 |
| 1009034.883 | 881743.447 | 3060 |
| 1009034.203 | 881745.547 | 2760 |
| 1009033.947 | 881747.774 | 2280 |
| 1009033.377 | 881749.594 | 2880 |
| 1009032.851 | 881751.487 | 2700 |
| 1009032.479 | 881752.967 | 2400 |
| 1009032.118 | 881754.575 | 2940 |
| 1009031.442 | 881756.375 | 2760 |
| 1009030.674 | 881757.857 | 2520 |
| 1009029.859 | 881759.681 | 2400 |
| 1009029.341 | 881760.608 | 2760 |
| 1009029.54 | 881761.658 | 2460 |
| 1009028.904 | 881763.25 | 2580 |
| 1009027.829 | 881764.755 | 2340 |
| 1009026.978 | 881766.473 | 2940 |
| 1009025.763 | 881768.598 | 2820 |
| 1009024.938 | 881770.836 | 2460 |
| 1009023.784 | 881773.009 | 2220 |
| 1009022.816 | 881775.481 | 3060 |
| 1009021.709 | 881777.551 | 3000 |
| 1009020.748 | 881779.586 | 2340 |
| 1009020.022 | 881781.53 | 2520 |
| 1009019.224 | 881783.471 | 2520 |
| 1009018.312 | 881785.442 | 2640 |
| 1009017.203 | 881787.603 | 2640 |
| 1009016.573 | 881789.385 | 2640 |
| 1009015.629 | 881791.392 | 3000 |
| 1009014.665 | 881793.489 | 2640 |
| 1009013.165 | 881795.325 | 2760 |
| 1009012.126 | 881797.141 | 2580 |
| 1009011.481 | 881798.955 | 2820 |
| 1009010.872 | 881800.765 | 3120 |
| 1009010.034 | 881802.161 | 2340 |
| 1009009.421 | 881803.461 | 1860 |
| 1009008.897 | 881804.979 | 2100 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009055.828 | 881916.823 | 2580 |
| 1009055.903 | 881916.79 | 2880 |
| 1009055.977 | 881916.757 | 2820 |
| 1009056.053 | 881916.724 | 2940 |
| 1009056.129 | 881916.69 | 3240 |
| 1009056.204 | 881916.657 | 3180 |
| 1009056.283 | 881916.622 | 2940 |
| 1009056.351 | 881916.592 | 2400 |
| 1009056.429 | 881916.558 | 2340 |
| 1009056.503 | 881916.525 | 3180 |
| 1009056.578 | 881916.492 | 2700 |
| 1009056.65 | 881916.46 | 3000 |
| 1009056.73 | 881916.425 | 3060 |
| 1009056.804 | 881916.392 | 2760 |
| 1009056.88 | 881916.359 | 3000 |
| 1009056.955 | 881916.325 | 3120 |
| 1009057.029 | 881916.293 | 3540 |
| 1009057.102 | 881916.26 | 3180 |
| 1009057.176 | 881916.228 | 2760 |
| 1009057.252 | 881916.194 | 3120 |
| 1009057.326 | 881916.161 | 3060 |
| 1009057.402 | 881916.128 | 2820 |
| 1009057.477 | 881916.095 | 2940 |
| 1009057.552 | 881916.061 | 3120 |
| 1009057.627 | 881916.029 | 3060 |
| 1009057.702 | 881915.995 | 3660 |
| 1009057.778 | 881915.962 | 3600 |
| 1009057.851 | 881915.93 | 2820 |
| 1009057.925 | 881915.897 | 3300 |
| 1009058.005 | 881915.861 | 2880 |
| 1009058.074 | 881915.831 | 2580 |
| 1009058.148 | 881915.798 | 2880 |
| 1009058.223 | 881915.765 | 3120 |
| 1009058.299 | 881915.732 | 3000 |
| 1009058.373 | 881915.699 | 2820 |
| 1009058.449 | 881915.665 | 2400 |
| 1009058.521 | 881915.633 | 2100 |
| 1009058.595 | 881915.601 | 2340 |
| 1009058.673 | 881915.566 | 2640 |
| 1009058.747 | 881915.534 | 3420 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009008.584 | 881806.39 | 2040 |
| 1009009.078 | 881807.133 | 2280 |
| 1009009.35 | 881807.047 | 1980 |
| 1009009.322 | 881807.075 | 2040 |
| 1009009.24 | 881807.205 | 2580 |
| 1009009.211 | 881807.226 | 2280 |
| 1009009.131 | 881807.318 | 2340 |
| 1009008.495 | 881806.934 | 2580 |
| 1009006.908 | 881807.015 | 2460 |
| 1009005.736 | 881807.224 | 2280 |
| 1009005.715 | 881807.245 | 2520 |
| 1009005.547 | 881807.18 | 2400 |
| 1009005.729 | 881807.433 | 2580 |
| 1009007.123 | 881807.966 | 2460 |
| 1009008.603 | 881807.097 | 1980 |
| 1009010.506 | 881806.061 | 1800 |
| 1009013.842 | 881804.897 | 1920 |
| 1009016.619 | 881804.082 | 2580 |
| 1009019.743 | 881803.883 | 2820 |
| 1009022.939 | 881805.858 | 2700 |
| 1009025.087 | 881809.707 | 2640 |
| 1009025.756 | 881814.054 | 2880 |
| 1009024.692 | 881817.52 | 2640 |
| 1009022.405 | 881820.197 | 2520 |
| 1009019.273 | 881821.85 | 2580 |
| 1009015.91 | 881822.051 | 2280 |
| 1009012.489 | 881821.515 | 2520 |
| 1009009.55 | 881820.741 | 2340 |
| 1009007.03 | 881819.925 | 2220 |
| 1009006.171 | 881819.733 | 2280 |
| 1009007.083 | 881820.51 | 2220 |
| 1009007.903 | 881821.121 | 2580 |
| 1009007.976 | 881821.038 | 2220 |
| 1009007.878 | 881820.663 | 2580 |
| 1009008.031 | 881820.66 | 2580 |
| 1009008.421 | 881821.036 | 2400 |
| 1009008.85 | 881821.45 | 2040 |
| 1009009.314 | 881821.898 | 2040 |
| 1009009.765 | 881822.334 | 1920 |
| 1009010.224 | 881822.778 | 2220 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009058.82 | 881915.501 | 3240 |
| 1009058.898 | 881915.467 | 2280 |
| 1009058.971 | 881915.435 | 2340 |
| 1009059.044 | 881915.402 | 2820 |
| 1009059.12 | 881915.369 | 3600 |
| 1009059.193 | 881915.337 | 2880 |
| 1009059.271 | 881915.302 | 2580 |
| 1009059.345 | 881915.269 | 2700 |
| 1009059.421 | 881915.236 | 2340 |
| 1009059.495 | 881915.203 | 2460 |
| 1009059.568 | 881915.171 | 2820 |
| 1009059.646 | 881915.137 | 3180 |
| 1009059.72 | 881915.104 | 2880 |
| 1009059.793 | 881915.072 | 2520 |
| 1009059.867 | 881915.039 | 3120 |
| 1009059.942 | 881915.006 | 3000 |
| 1009060.017 | 881914.973 | 3000 |
| 1009060.093 | 881914.939 | 2820 |
| 1009060.168 | 881914.906 | 3240 |
| 1009060.247 | 881914.871 | 2880 |
| 1009060.319 | 881914.839 | 2580 |
| 1009060.394 | 881914.806 | 2760 |
| 1009060.469 | 881914.773 | 3180 |
| 1009060.543 | 881914.74 | 2880 |
| 1009060.617 | 881914.707 | 2820 |
| 1009060.692 | 881914.674 | 2580 |
| 1009060.769 | 881914.64 | 2820 |
| 1009060.842 | 881914.608 | 3360 |
| 1009060.916 | 881914.576 | 2640 |
| 1009060.99 | 881914.542 | 2400 |
| 1009061.066 | 881914.509 | 2520 |
| 1009061.14 | 881914.476 | 3000 |
| 1009061.213 | 881914.444 | 2940 |
| 1009061.291 | 881914.41 | 2820 |
| 1009061.363 | 881914.378 | 3120 |
| 1009061.437 | 881914.345 | 2940 |
| 1009061.512 | 881914.312 | 2760 |
| 1009061.59 | 881914.278 | 2940 |
| 1009061.665 | 881914.245 | 2280 |
| 1009061.739 | 881914.212 | 2280 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009010.662 | 881823.201 | 2460 |
| 1009010.049 | 881824.329 | 1980 |
| 1009009.187 | 881824.07 | 2340 |
| 1009009.76 | 881822.825 | 2160 |
| 1009009.926 | 881822.621 | 1980 |
| 1008980.555 | 881918.643 | 1380 |
| 1008980.548 | 881918.638 | 1200 |
| 1008980.542 | 881918.626 | 1020 |
| 1008980.544 | 881918.611 | 1260 |
| 1008980.544 | 881918.608 | 1620 |
| 1008980.551 | 881918.607 | 1500 |
| 1008980.558 | 881918.595 | 1380 |
| 1008980.581 | 881918.582 | 1620 |
| 1008980.574 | 881918.612 | 1140 |
| 1008980.581 | 881918.633 | 1320 |
| 1008980.288 | 881918.523 | 1560 |
| 1008979.879 | 881918.113 | 1680 |
| 1008979.818 | 881917.775 | 900 |
| 1008980.031 | 881917.77 | 1320 |
| 1008979.862 | 881917.997 | 1200 |
| 1008979.654 | 881918.156 | 1620 |
| 1008979.221 | 881918.017 | 1740 |
| 1008979.058 | 881917.807 | 1740 |
| 1008979.156 | 881917.997 | 1380 |
| 1008979.376 | 881918.435 | 1800 |
| 1008979.507 | 881918.471 | 1680 |
| 1008979.355 | 881918.054 | 1200 |
| 1008979.562 | 881918.309 | 1560 |
| 1008980.064 | 881918.972 | 1200 |
| 1008980.184 | 881919.193 | 1620 |
| 1008979.942 | 881919.121 | 1560 |
| 1008979.859 | 881918.884 | 1440 |
| 1008979.954 | 881918.889 | 1500 |
| 1008979.926 | 881918.966 | 1320 |
| 1008979.851 | 881919.054 | 1680 |
| 1008979.873 | 881919.013 | 1320 |
| 1008979.901 | 881918.921 | 1560 |
| 1008979.905 | 881918.888 | 1320 |
| 1008979.89 | 881918.879 | 1260 |
| 1008979.852 | 881918.883 | 1140 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009061.816 | 881914.178 | 2700 |
| 1009061.888 | 881914.146 | 3480 |
| 1009061.966 | 881914.111 | 3240 |
| 1009062.039 | 881914.079 | 3000 |
| 1009062.114 | 881914.046 | 2580 |
| 1009062.188 | 881914.013 | 2040 |
| 1009062.263 | 881913.98 | 2160 |
| 1009062.337 | 881913.948 | 2580 |
| 1009062.411 | 881913.915 | 2760 |
| 1009062.486 | 881913.882 | 2820 |
| 1009062.563 | 881913.848 | 3240 |
| 1009062.638 | 881913.815 | 3240 |
| 1009062.712 | 881913.782 | 2760 |
| 1009062.784 | 881913.75 | 2760 |
| 1009062.861 | 881913.716 | 3480 |
| 1009062.935 | 881913.684 | 3060 |
| 1009063.01 | 881913.65 | 3120 |
| 1009063.085 | 881913.617 | 3180 |
| 1009063.16 | 881913.584 | 2520 |
| 1009063.234 | 881913.552 | 2880 |
| 1009063.308 | 881913.519 | 2760 |
| 1009063.383 | 881913.485 | 2940 |
| 1009063.458 | 881913.452 | 2580 |
| 1009063.531 | 881913.42 | 3060 |
| 1009063.607 | 881913.387 | 3060 |
| 1009063.681 | 881913.354 | 3000 |
| 1009063.757 | 881913.32 | 2880 |
| 1009063.837 | 881913.285 | 2520 |
| 1009063.907 | 881913.254 | 3540 |
| 1009063.983 | 881913.22 | 3840 |
| 1009064.058 | 881913.187 | 2640 |
| 1009064.13 | 881913.156 | 3480 |
| 1009064.206 | 881913.122 | 3180 |
| 1009064.279 | 881913.09 | 3000 |
| 1009064.353 | 881913.057 | 2820 |
| 1009064.432 | 881913.022 | 2940 |
| 1009064.505 | 881912.99 | 3240 |
| 1009064.582 | 881912.956 | 3240 |
| 1009064.656 | 881912.923 | 3240 |
| 1009064.734 | 881912.888 | 3660 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008979.73 | 881918.294 | 1140 |
| 1008979.856 | 881916.569 | 1020 |
| 1008979.276 | 881913.996 | 1980 |
| 1008977.321 | 881911.568 | 1860 |
| 1008974.555 | 881909.54 | 1800 |
| 1008971.387 | 881907.552 | 1800 |
| 1008967.976 | 881905.287 | 1620 |
| 1008965.002 | 881902.637 | 1380 |
| 1008962.494 | 881899.5 | 1740 |
| 1008960.25 | 881896.418 | 2220 |
| 1008957.651 | 881893.137 | 2160 |
| 1008956.316 | 881890.697 | 2160 |
| 1008957.292 | 881888.351 | 1740 |
| 1008959.316 | 881887.716 | 1800 |
| 1008962.037 | 881888.814 | 1980 |
| 1008964.951 | 881888.563 | 1920 |
| 1008966.67 | 881887.693 | 2400 |
| 1008967.895 | 881888.376 | 1800 |
| 1008969.666 | 881889.708 | 1920 |
| 1008971.568 | 881890.413 | 2580 |
| 1008973.112 | 881890.92 | 1920 |
| 1008973.929 | 881891.327 | 2040 |
| 1008974.068 | 881891.364 | 2040 |
| 1008974.051 | 881891.322 | 2040 |
| 1008974.054 | 881891.347 | 1740 |
| 1008974.039 | 881891.355 | 1620 |
| 1008974.037 | 881891.368 | 2340 |
| 1008974.086 | 881891.365 | 2220 |
| 1008974.082 | 881891.369 | 1860 |
| 1008974.04 | 881891.371 | 1620 |
| 1008974.048 | 881891.36 | 1920 |
| 1008974.077 | 881891.316 | 2160 |
| 1008974.09 | 881891.279 | 1500 |
| 1008974.234 | 881891.935 | 1620 |
| 1008974.698 | 881892.872 | 2100 |
| 1008974.748 | 881892.989 | 1980 |
| 1008974.605 | 881892.244 | 2040 |
| 1008974.831 | 881890.742 | 2100 |
| 1008975.878 | 881889.438 | 2820 |
| 1008977.313 | 881889.192 | 2340 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009064.807 | 881912.856 | 3180 |
| 1009064.881 | 881912.824 | 2880 |
| 1009064.955 | 881912.791 | 2460 |
| 1009065.032 | 881912.757 | 2520 |
| 1009065.106 | 881912.724 | 3120 |
| 1009065.181 | 881912.691 | 2940 |
| 1009065.255 | 881912.658 | 3360 |
| 1009065.328 | 881912.626 | 2940 |
| 1009065.406 | 881912.592 | 2400 |
| 1009065.481 | 881912.559 | 3120 |
| 1009065.555 | 881912.526 | 2700 |
| 1009065.628 | 881912.494 | 3060 |
| 1009065.704 | 881912.46 | 3000 |
| 1009065.778 | 881912.427 | 2520 |
| 1009065.856 | 881912.393 | 2580 |
| 1009065.929 | 881912.361 | 3120 |
| 1009066.003 | 881912.328 | 3180 |
| 1009066.077 | 881912.295 | 2340 |
| 1009066.154 | 881912.261 | 2880 |
| 1009066.227 | 881912.229 | 3000 |
| 1009066.304 | 881912.195 | 2520 |
| 1009066.377 | 881912.163 | 3060 |
| 1009066.454 | 881912.129 | 3060 |
| 1009066.527 | 881912.096 | 3240 |
| 1009066.602 | 881912.063 | 3600 |
| 1009066.676 | 881912.031 | 3060 |
| 1009066.753 | 881911.997 | 3540 |
| 1009066.829 | 881911.963 | 2880 |
| 1009066.902 | 881911.931 | 2460 |
| 1009066.975 | 881911.899 | 2580 |
| 1009067.053 | 881911.864 | 2460 |
| 1009067.126 | 881911.832 | 2580 |
| 1009067.19 | 881911.803 | 2820 |
| 1009067.265 | 881911.77 | 2760 |
| 1009067.343 | 881911.736 | 3180 |
| 1009067.416 | 881911.704 | 2700 |
| 1009067.49 | 881911.671 | 2940 |
| 1009067.573 | 881911.634 | 3000 |
| 1009067.651 | 881911.6 | 2760 |
| 1009067.724 | 881911.568 | 2640 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1008978.71 | 881889.231 | 2220 |
| 1008980.522 | 881889.231 | 2400 |
| 1008982.813 | 881889.49 | 2580 |
| 1008985.163 | 881889.586 | 2760 |
| 1008988.282 | 881890.227 | 2580 |
| 1008991.28 | 881891.799 | 2580 |
| 1008994.2 | 881893.344 | 3000 |
| 1008997.351 | 881894.472 | 2400 |
| 1009000.275 | 881895.614 | 2700 |
| 1009002.502 | 881896.826 | 2100 |
| 1009003.536 | 881897.802 | 2100 |
| 1009003.854 | 881897.959 | 2280 |
| 1009004.062 | 881897.69 | 2040 |
| 1009004.188 | 881897.679 | 2100 |
| 1009004.194 | 881897.711 | 2580 |
| 1009004.146 | 881897.623 | 2820 |
| 1009004.156 | 881897.568 | 2100 |
| 1009004.201 | 881897.553 | 2280 |
| 1009004.186 | 881897.558 | 2220 |
| 1009004.195 | 881897.586 | 2880 |
| 1009004.209 | 881897.564 | 2700 |
| 1009004.42 | 881897.844 | 2640 |
| 1009004.933 | 881898.72 | 1800 |
| 1009005.852 | 881899.622 | 1980 |
| 1009006.942 | 881900.441 | 2400 |
| 1009007.67 | 881901.435 | 2580 |
| 1009008.651 | 881902.424 | 2340 |
| 1009009.462 | 881903.999 | 2820 |
| 1009010.155 | 881905.277 | 2580 |
| 1009011.278 | 881906.077 | 2940 |
| 1009012.472 | 881907.011 | 2940 |
| 1009013.266 | 881907.4 | 2520 |
| 1009014.404 | 881907.877 | 2340 |
| 1009015.578 | 881908.208 | 2520 |
| 1009016.116 | 881908.522 | 2820 |
| 1009016.413 | 881908.472 | 2640 |
| 1009016.402 | 881908.207 | 2760 |
| 1009016.248 | 881908.179 | 3120 |
| 1009016.783 | 881908.389 | 3420 |
| 1009017.847 | 881908.968 | 3240 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009067.798 | 881911.535 | 2460 |
| 1009067.875 | 881911.501 | 2820 |
| 1009067.948 | 881911.469 | 3300 |
| 1009068.022 | 881911.436 | 2580 |
| 1009068.096 | 881911.403 | 3120 |
| 1009068.169 | 881911.371 | 2460 |
| 1009068.247 | 881911.337 | 2700 |
| 1009068.322 | 881911.303 | 2760 |
| 1009068.394 | 881911.272 | 3060 |
| 1009068.469 | 881911.239 | 2820 |
| 1009068.543 | 881911.206 | 2760 |
| 1009068.62 | 881911.172 | 2400 |
| 1009068.694 | 881911.139 | 2880 |
| 1009068.771 | 881911.105 | 2580 |
| 1009068.845 | 881911.072 | 3300 |
| 1009068.919 | 881911.04 | 2940 |
| 1009068.992 | 881911.008 | 2400 |
| 1009069.07 | 881910.973 | 2700 |
| 1009069.143 | 881910.941 | 2340 |
| 1009069.217 | 881910.908 | 2280 |
| 1009069.292 | 881910.875 | 2280 |
| 1009069.368 | 881910.841 | 2400 |
| 1009069.441 | 881910.809 | 1920 |
| 1009069.516 | 881910.776 | 2580 |
| 1009069.592 | 881910.742 | 2460 |
| 1009069.666 | 881910.709 | 2460 |
| 1009069.741 | 881910.676 | 2280 |
| 1009069.819 | 881910.642 | 3300 |
| 1009069.894 | 881910.609 | 3060 |
| 1009069.97 | 881910.575 | 2820 |
| 1009070.044 | 881910.543 | 3420 |
| 1009070.117 | 881910.51 | 2640 |
| 1009070.191 | 881910.478 | 2880 |
| 1009070.263 | 881910.446 | 2280 |
| 1009070.338 | 881910.413 | 3120 |
| 1009070.415 | 881910.379 | 2880 |
| 1009070.49 | 881910.346 | 3000 |
| 1009070.562 | 881910.314 | 2760 |
| 1009070.638 | 881910.28 | 2640 |
| 1009070.712 | 881910.248 | 2400 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009018.633 | 881909.519 | 3120 |
| 1009019.724 | 881909.583 | 2760 |
| 1009020.864 | 881909.973 | 2640 |
| 1009021.701 | 881910.448 | 2520 |
| 1009022.37 | 881910.82 | 3000 |
| 1009022.993 | 881910.996 | 3120 |
| 1009023.44 | 881910.762 | 2820 |
| 1009023.671 | 881910.463 | 3000 |
| 1009024.849 | 881910.414 | 2640 |
| 1009026.224 | 881910.02 | 2580 |
| 1009027.184 | 881909.745 | 2640 |
| 1009028.383 | 881909.882 | 2940 |
| 1009029.494 | 881910.261 | 3180 |
| 1009030.735 | 881910.929 | 3000 |
| 1009031.559 | 881911.654 | 3300 |
| 1009032.154 | 881912.457 | 2520 |
| 1009032.501 | 881913.421 | 2820 |
| 1009032.316 | 881914.026 | 2640 |
| 1009032.281 | 881913.859 | 2700 |
| 1009032.055 | 881913.232 | 3000 |
| 1009032.218 | 881912.298 | 2760 |
| 1009032.823 | 881911.231 | 2940 |
| 1009033.864 | 881910.397 | 2880 |
| 1009035.51 | 881910.498 | 2640 |
| 1009037.067 | 881910.903 | 3000 |
| 1009038.519 | 881911.652 | 3240 |
| 1009039.587 | 881912.782 | 2580 |
| 1009039.397 | 881913.677 | 2820 |
| 1009038.962 | 881914.413 | 2520 |
| 1009038.965 | 881914.3 | 2340 |
| 1009039.231 | 881913.462 | 2760 |
| 1009040.121 | 881912.93 | 3180 |
| 1009041.327 | 881912.529 | 3120 |
| 1009042.497 | 881912.286 | 2760 |
| 1009043.601 | 881912.492 | 3240 |
| 1009044.455 | 881913.006 | 3000 |
| 1009045.139 | 881914.837 | 3000 |
| 1009045.499 | 881917.484 | 3060 |
| 1009045.928 | 881918.747 | 2880 |
| 1009045.675 | 881919.735 | 3120 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009070.79 | 881910.213 | 2640 |
| 1009070.863 | 881910.181 | 2280 |
| 1009070.94 | 881910.147 | 2280 |
| 1009071.013 | 881910.115 | 2880 |
| 1009071.086 | 881910.082 | 2760 |
| 1009071.163 | 881910.048 | 3300 |
| 1009071.237 | 881910.016 | 3240 |
| 1009071.313 | 881909.982 | 2700 |
| 1009071.388 | 881909.949 | 2760 |
| 1009071.461 | 881909.917 | 2340 |
| 1009071.539 | 881909.882 | 2280 |
| 1009071.613 | 881909.849 | 2400 |
| 1009071.688 | 881909.816 | 3240 |
| 1009071.761 | 881909.784 | 2700 |
| 1009071.835 | 881909.751 | 2820 |
| 1009071.91 | 881909.718 | 2820 |
| 1009071.987 | 881909.684 | 2400 |
| 1009072.062 | 881909.651 | 2460 |
| 1009072.136 | 881909.619 | 2700 |
| 1009072.208 | 881909.586 | 3240 |
| 1009072.283 | 881909.554 | 2280 |
| 1009072.359 | 881909.52 | 2760 |
| 1009072.435 | 881909.486 | 2700 |
| 1009072.512 | 881909.452 | 2820 |
| 1009072.587 | 881909.419 | 2640 |
| 1009072.657 | 881909.388 | 2880 |
| 1009072.734 | 881909.354 | 2940 |
| 1009072.809 | 881909.321 | 2220 |
| 1009072.885 | 881909.288 | 2760 |
| 1009072.958 | 881909.255 | 2820 |
| 1009073.035 | 881909.221 | 2760 |
| 1009073.107 | 881909.189 | 2760 |
| 1009073.182 | 881909.156 | 2700 |
| 1009073.259 | 881909.122 | 2640 |
| 1009073.333 | 881909.089 | 2580 |
| 1009073.406 | 881909.057 | 3120 |
| 1009073.484 | 881909.023 | 3120 |
| 1009073.556 | 881908.991 | 2520 |
| 1009073.63 | 881908.958 | 2580 |
| 1009073.708 | 881908.924 | 2580 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009045.925 | 881920.473 | 3000 |
| 1009047.209 | 881920.981 | 3060 |
| 1009048.505 | 881921.623 | 2520 |
| 1009049.503 | 881921.909 | 2040 |
| 1009051.375 | 881921.133 | 2760 |
| 1009052.72 | 881919.675 | 1980 |
| 1009053.453 | 881919.236 | 2400 |
| 1009054.468 | 881918.872 | 2880 |
| 1009055.559 | 881918.666 | 2880 |
| 1009056.83 | 881918.568 | 2580 |
| 1009058.417 | 881918.784 | 2940 |
| 1009060.125 | 881918.749 | 2880 |
| 1009061.525 | 881919.345 | 2460 |
| 1009062.866 | 881920.591 | 2220 |
| 1009064.417 | 881921.787 | 2940 |
| 1009064.826 | 881923.359 | 3000 |
| 1009064.881 | 881924.95 | 2820 |
| 1009064.935 | 881926.619 | 2760 |
| 1009065.206 | 881928.162 | 3060 |
| 1009066.052 | 881928.938 | 3000 |
| 1009067.149 | 881929.46 | 2820 |
| 1009068.013 | 881929.344 | 2280 |
| 1009069.078 | 881928.075 | 2520 |
| 1009069.882 | 881926.535 | 2700 |
| 1009070.863 | 881926.195 | 3120 |
| 1009072.445 | 881926.414 | 3300 |
| 1009073.961 | 881926.878 | 3000 |
| 1009075.293 | 881928.102 | 2460 |
| 1009076.779 | 881929.215 | 3000 |
| 1009078.312 | 881930.159 | 2400 |
| 1009079.454 | 881930.98 | 2040 |
| 1009080.713 | 881931.46 | 2220 |
| 1009082.548 | 881932.617 | 2760 |
| 1009084.748 | 881933.961 | 2820 |
| 1009086.829 | 881935.024 | 2580 |
| 1009088.296 | 881935.852 | 2520 |
| 1009089.033 | 881936.048 | 2580 |
| 1009088.467 | 881935.869 | 2760 |
| 1009088.015 | 881935.998 | 3120 |
| 1009088.071 | 881936.113 | 2880 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009073.781 | 881908.892 | 2880 |
| 1009073.857 | 881908.858 | 2640 |
| 1009073.931 | 881908.825 | 2220 |
| 1009074.006 | 881908.792 | 2820 |
| 1009074.079 | 881908.76 | 2700 |
| 1009074.156 | 881908.726 | 2520 |
| 1009074.229 | 881908.694 | 2400 |
| 1009074.305 | 881908.66 | 2220 |
| 1009074.378 | 881908.628 | 2100 |
| 1009074.455 | 881908.594 | 2400 |
| 1009074.529 | 881908.561 | 2640 |
| 1009074.603 | 881908.528 | 2160 |
| 1009074.683 | 881908.493 | 2580 |
| 1009074.755 | 881908.461 | 3060 |
| 1009074.83 | 881908.428 | 3120 |
| 1009074.908 | 881908.394 | 2940 |
| 1009074.98 | 881908.362 | 2940 |
| 1009075.052 | 881908.33 | 2100 |
| 1009075.129 | 881908.296 | 2460 |
| 1009075.203 | 881908.264 | 2400 |
| 1009075.275 | 881908.232 | 2520 |
| 1009075.35 | 881908.199 | 2580 |
| 1009075.427 | 881908.165 | 2580 |
| 1009075.502 | 881908.131 | 3000 |
| 1009075.576 | 881908.099 | 2760 |
| 1009075.653 | 881908.065 | 2700 |
| 1009079.767 | 881906.247 | 2280 |
| 1009079.84 | 881906.215 | 2280 |
| 1009079.914 | 881906.182 | 2220 |
| 1009079.988 | 881906.15 | 2580 |
| 1009080.061 | 881906.117 | 2340 |
| 1009080.135 | 881906.084 | 2820 |
| 1009080.213 | 881906.05 | 2280 |
| 1009080.287 | 881906.017 | 2700 |
| 1009080.36 | 881905.985 | 2340 |
| 1009080.438 | 881905.95 | 2580 |
| 1009080.512 | 881905.918 | 2100 |
| 1009080.587 | 881905.885 | 2280 |
| 1009080.663 | 881905.851 | 2160 |
| 1009080.735 | 881905.819 | 2640 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009088.688 | 881936.42 | 2880 |
| 1009090.03 | 881937.246 | 3300 |
| 1009091.183 | 881938.218 | 2940 |
| 1009091.861 | 881939.812 | 3000 |
| 1009092.703 | 881941.405 | 2820 |
| 1009094.011 | 881942.383 | 2640 |
| 1009095.434 | 881943.059 | 2820 |
| 1009096.253 | 881942.947 | 3300 |
| 1009096.537 | 881942.657 | 2880 |
| 1009097.02 | 881943.088 | 2880 |
| 1009098.02 | 881943.994 | 2400 |
| 1009099.323 | 881945.373 | 2940 |
| 1009100.784 | 881946.336 | 2940 |
| 1009102.515 | 881947.331 | 2880 |
| 1009103.98 | 881947.95 | 2940 |
| 1009104.253 | 881948.085 | 2580 |
| 1009104.104 | 881948.168 | 2760 |
| 1009104.17 | 881948.1 | 2760 |
| 1009105.277 | 881948.624 | 2640 |
| 1009106.856 | 881949.032 | 2520 |
| 1009108.522 | 881949.715 | 3120 |
| 1009110.087 | 881950.359 | 2580 |
| 1009111.637 | 881950.846 | 2760 |
| 1009113.302 | 881951.569 | 3060 |
| 1009114.79 | 881952.008 | 2820 |
| 1009115.739 | 881952.394 | 2340 |
| 1009116.697 | 881951.394 | 3120 |
| 1009118.538 | 881949.985 | 2940 |
| 1009120.995 | 881949.867 | 2700 |
| 1009123.354 | 881950.313 | 3000 |
| 1009125.782 | 881951.164 | 2520 |
| 1009128.174 | 881952.224 | 2640 |
| 1009130.026 | 881953.706 | 2640 |
| 1009130.193 | 881954.066 | 2820 |
| 1009129.469 | 881953.721 | 2280 |
| 1009128.68 | 881953.086 | 2280 |
| 1009127.358 | 881952.618 | 2460 |
| 1009125.685 | 881952.144 | 2760 |
| 1009124.374 | 881951.675 | 2400 |
| 1009122.916 | 881950.979 | 3060 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009080.811 | 881905.786 | 2100 |
| 1009080.886 | 881905.753 | 2040 |
| 1009080.961 | 881905.719 | 2040 |
| 1009081.037 | 881905.686 | 1920 |
| 1009081.111 | 881905.653 | 1920 |
| 1009081.185 | 881905.621 | 1980 |
| 1009081.26 | 881905.587 | 2100 |
| 1009081.337 | 881905.553 | 1680 |
| 1009081.407 | 881905.523 | 1920 |
| 1009081.488 | 881905.487 | 2040 |
| 1009081.557 | 881905.456 | 1560 |
| 1009081.634 | 881905.422 | 1860 |
| 1009081.707 | 881905.39 | 1800 |
| 1009081.784 | 881905.356 | 1560 |
| 1009081.857 | 881905.324 | 1800 |
| 1009081.929 | 881905.292 | 1620 |
| 1009082.008 | 881905.257 | 2100 |
| 1009082.08 | 881905.225 | 2580 |
| 1009082.156 | 881905.191 | 2220 |
| 1009082.233 | 881905.157 | 2160 |
| 1009082.312 | 881905.123 | 2040 |
| 1009082.385 | 881905.091 | 1980 |
| 1009082.46 | 881905.058 | 2040 |
| 1009082.528 | 881905.027 | 1680 |
| 1009082.606 | 881904.993 | 1860 |
| 1009082.679 | 881904.961 | 1980 |
| 1009082.753 | 881904.928 | 1860 |
| 1009082.83 | 881904.894 | 2040 |
| 1009082.906 | 881904.86 | 1860 |
| 1009082.982 | 881904.827 | 2280 |
| 1009083.055 | 881904.794 | 1800 |
| 1009083.128 | 881904.762 | 1860 |
| 1009083.205 | 881904.728 | 2100 |
| 1009083.28 | 881904.695 | 2040 |
| 1009083.354 | 881904.662 | 2040 |
| 1009083.426 | 881904.63 | 1920 |
| 1009083.502 | 881904.597 | 1620 |
| 1009083.576 | 881904.564 | 1740 |
| 1009083.654 | 881904.53 | 1740 |
| 1009083.728 | 881904.497 | 1980 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009121.105 | 881950.263 | 2820 |
| 1009119.415 | 881949.371 | 3300 |
| 1009118.154 | 881948.926 | 3360 |
| 1009116.945 | 881948.804 | 3600 |
| 1009116.147 | 881948.517 | 3240 |
| 1009116.29 | 881948.49 | 3060 |
| 1009116.226 | 881947.846 | 2700 |
| 1009114.844 | 881946.641 | 3060 |
| 1009113.673 | 881945.574 | 2940 |
| 1009112.493 | 881944.662 | 2760 |
| 1009111.776 | 881944.154 | 3000 |
| 1009111.771 | 881944.057 | 3000 |
| 1009111.558 | 881944.182 | 3360 |
| 1009111.621 | 881944.174 | 2820 |
| 1009111.594 | 881943.896 | 2880 |
| 1009111.128 | 881943.168 | 3000 |
| 1009110.267 | 881942.354 | 2760 |
| 1009109.857 | 881941.421 | 2400 |
| 1009110.263 | 881940.398 | 3060 |
| 1009110.101 | 881939.331 | 2460 |
| 1009109.218 | 881937.828 | 2760 |
| 1009108.538 | 881936.21 | 2700 |
| 1009108.455 | 881935.345 | 2520 |
| 1009108.551 | 881935.381 | 2280 |
| 1009108.2 | 881935.519 | 2280 |
| 1009106.591 | 881935.021 | 2220 |
| 1009103.981 | 881933.9 | 1500 |
| 1009101.458 | 881932.023 | 2280 |
| 1009099.034 | 881929.811 | 2220 |
| 1009096.089 | 881927.714 | 2400 |
| 1009092.836 | 881926.037 | 1860 |
| 1009089.503 | 881924.598 | 1980 |
| 1009085.82 | 881922.841 | 1680 |
| 1009082.794 | 881921.081 | 1800 |
| 1009079.832 | 881919.194 | 2820 |
| 1009076.809 | 881917.237 | 2400 |
| 1009073.768 | 881915.311 | 1860 |
| 1009070.626 | 881913.443 | 1800 |
| 1009067.294 | 881911.869 | 2280 |
| 1009064.39 | 881910.578 | 2160 |

Survey Unit: CE-FSS-06-05

Gamma Walkover Survey

Instrument: Ludlum Model-12 (172705) with 44-10 (277925)

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009083.802 | 881904.464 | 2160 |
| 1009083.876 | 881904.432 | 1980 |
| 1009083.95 | 881904.399 | 2520 |
| 1009084.019 | 881904.368 | 2220 |
| 1009084.091 | 881904.337 | 2280 |
| 1009084.181 | 881904.297 | 2400 |
| 1009084.244 | 881904.269 | 2100 |
| 1009084.317 | 881904.237 | 1980 |
| 1009084.398 | 881904.201 | 2040 |
| 1009084.473 | 881904.168 | 2340 |
| 1009084.551 | 881904.133 | 2400 |
| 1009084.626 | 881904.1 | 2040 |
| 1009084.699 | 881904.068 | 1980 |
| 1009084.777 | 881904.034 | 2280 |
| 1009084.85 | 881904.001 | 2160 |
| 1009084.925 | 881903.968 | 2520 |
| 1009084.999 | 881903.936 | 2520 |

| Easting | Northing | CPM |
|-------------|------------|------|
| 1009061.328 | 881909.337 | 2220 |
| 1009059.244 | 881907.959 | 2220 |
| 1009058.61 | 881907.008 | 2280 |
| 1009058.931 | 881907.291 | 2640 |
| 1009059.166 | 881908.132 | 2220 |
| 1009059.269 | 881909.094 | 2040 |
| 1009059.005 | 881909.292 | 2460 |
| 1009058.779 | 881909.261 | 2460 |
| 1009059.108 | 881909.296 | 2340 |
| 1009059.519 | 881909.354 | 2340 |
| 1009059.939 | 881909.368 | 1800 |
| 1009060.116 | 881909.381 | 2280 |
| 1009060.124 | 881909.385 | 2700 |
| 1009060.107 | 881909.383 | 2220 |
| 1009060.117 | 881909.357 | 1800 |
| 1009060.134 | 881909.336 | 2040 |

FSS INTERNAL CHAIN OF CUSTODY FORM



| Project Info | | Laboratory Info | | | INVOICE (if other than MACTEC contact) | |
|-------------------------------|--------------------------------|-----------------|-------------------|-----------------|--|--------------------------|
| MACTEC Contact | Project No. | Laboratory Name | Phone | Laboratory Name | Phone | |
| Project Title | Purchase Order No. | Lab Contact | Fax | Lab Contact | Fax | |
| Address | | Address | | Address | | |
| City/State/Zip | | City/State/Zip | | City/State/Zip | | |
| Special Handling Instructions | | | | | | |
| | | | | | | Analysis |
| Sample ID No. | Date Collected | time | Type ¹ | Media | Volume | Description if necessary |
| FSS-06-05- 001 - 01 | 3-1-11 | 1110 | Rad | Soil | 1 pint | |
| FSS-06-05- 002 - 01 | ↑ | 1115 | Rad | Soil | 1 pint | |
| FSS-06-05- 003 - 01 | | 1120 | Rad | Soil | 1 pint | |
| FSS-06-05- 004 - 01 | | 1125 | Rad | Soil | 1 pint | |
| FSS-06-05- 005 - 01 | | 1130 | Rad | Soil | 1 pint | |
| FSS-06-05- 006 - 01 | | 1135 | Rad | Soil | 1 pint | |
| FSS-06-05- 007 - 01 | | 1140 | Rad | Soil | 1 pint | |
| FSS-06-05- 008 - 01 | | 1145 | Rad | Soil | 1 pint | |
| FSS-06-05- 009 - 01 | | 1150 | Rad | Soil | 1 pint | |
| FSS-06-05- 010 - 01 | | 1235 | Rad | Soil | 1 pint | |
| FSS-06-05- 011 - 01 | | 1240 | Rad | Soil | 1 pint | |
| FSS-06-05- 012 - 01 | | 1245 | Rad | Soil | 1 pint | |
| FSS-06-05- 013 - 01 | | 1250 | Rad | Soil | 1 pint | |
| FSS-06-05- 014 - 01 | | 1255 | Rad | Soil | 1 pint | |
| FSS-06-05- 015 - 01 | 3-1-11 | 13- | Rad | Soil | 1 pint | |
| Relinquished By: | Larry Fitzsimmons | | Received By: | | ¹ Type | |
| Signed/Date/Time | <i>[Signature]</i> 3-1-11 1435 | | Signed/Date/Time | | RS-Radioactive | |
| Received By: | Brianna Sullivan | | Relinquished By: | | Chem-Chemical | |
| Signed/Date/Time | <i>[Signature]</i> 3-1-11/1435 | | Signed/Date/Time | | Mix-Rad+Chemical | |
| Relinquished By: | | | Received By: | | | |
| Signed/Date/Time | | | Signed/Date/Time | | | |

FSS INTERNAL CHAIN OF CUSTODY FORM



| Project Info | | Laboratory Info | | | INVOICE (if other than MACTEC contact) | |
|---------------------------------|---------------------------|-----------------|-------------------|-----------------|--|--------------------------|
| MACTEC Contact | Project No. | Laboratory Name | Phone | Laboratory Name | Phone | |
| Project Title | Purchase Order No. | Lab Contact | Fax | Lab Contact | Fax | |
| Address | | Address | | Address | | |
| City/State/Zip | | City/State/Zip | | City/State/Zip | | |
| Special Handling Instructions | | | | | | |
| | | | | | | Analysis |
| Sample ID No. | Date Collected | time | Type ¹ | Media | Volume | Description if necessary |
| FSS-06-05- 016 - 01 | | 1305 | Rad | Soil | 1 pint | |
| FSS-06-05- 017 - 01 | | 1310 | Rad | Soil | 1 pint | |
| FSS-06-05- 018 - 01 | | 1315 | Rad | Soil | 1 pint | |
| FSS-06-05- 019 - 01 | | 1320 | Rad | Soil | 1 pint | |
| FSS-06-05- 020 - 01 | | 1325 | Rad | Soil | 1 pint | |
| FSS-06-05- 021 - 01 | | 1330 | Rad | Soil | 1 pint | |
| FSS-06-05- 021 23 01 | | 1335 | Rad | Soil | 1 pint | |
| FSS-06-05- 022 - 1S | | 1335 | Rad | Soil | 1 pint | |
| FSS-06-05- 023 - 01 | | 1340 | Rad | Soil | 1 pint | |
| FSS-06-05- 024 - 01 | | 1345 | Rad | Soil | 1 pint | |
| FSS-06-05- 025 - 01 | | 1350 | Rad | Soil | 1 pint | |
| FSS-06-05- 026 - 01 | | 1355 | Rad | Soil | 1 pint | |
| FSS-06-05- 027 - 01 | | 14- | Rad | Soil | 1 pint | |
| FSS-06-05- 028 - 01 | | 1405 | Rad | Soil | 1 pint | |
| FSS-06-05- 028 - 1S | | 1405 | Rad | Soil | 1 pint | |
| Relinquished By: | L. Fitzsimmons | | Received By: | | | ¹ Type |
| Signed/Date/Time | [Signature] 3-1-11 @ 1435 | | Signed/Date/Time | | | RS-Radioactive |
| Received By: | B. SULLIVAN | | Relinquished By: | | | Chem-Chemical |
| Signed/Date/Time | [Signature] 3-1-11/1435 | | Signed/Date/Time | | | Mix-Rad+Chemical |
| Relinquished By: | | | Received By: | | | |
| Signed/Date/Time | | | Signed/Date/Time | | | |

FSS INTERNAL CHAIN OF CUSTODY FORM



| Project Info | | Laboratory Info | | | | INVOICE (if other than MACTEC contact) | | | |
|-------------------------------|----------------------------------|------------------|-------------------|-----------------|--------|--|--|--|-------------------|
| MACTEC Contact | Project No. | Laboratory Name | Phone | Laboratory Name | Phone | | | | |
| Project Title | Purchase Order No. | Lab Contact | Fax | Lab Contact | Fax | | | | |
| Address | | Address | | Address | | | | | |
| City/State/Zip | | City/State/Zip | | City/State/Zip | | | | | |
| Special Handling Instructions | | | | | | Analysis | | | |
| Sample ID No. | Date Collected | time | Type ¹ | Media | Volume | Description if necessary | | | |
| FSS-06-05- 029 - 01 | 3-1-11 | 14 ¹⁰ | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| FSS-06-05- | | | Rad | Soil | 1 pint | | | | |
| Relinquished By: | L. FITZSIMMONS | | Received By: | | | | | | |
| Signed/Date/Time | <i>[Signature]</i> 3-1-11 @ 1435 | | Signed/Date/Time | | | | | | |
| Received By: | B. SULLIVAN | | Relinquished By: | | | | | | |
| Signed/Date/Time | 3-1-11 / 1435 | | Signed/Date/Time | | | | | | |
| Relinquished By: | | | Received By: | | | | | | |
| Signed/Date/Time | | | Signed/Date/Time | | | | | | |
| | | | | | | | | | ¹ Type |
| | | | | | | | | | RS-Radioactive |
| | | | | | | | | | Chem-Chemical |
| | | | | | | | | | Mix-Rad+Chemical |

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-001
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-001
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 7.982E+002 g
 Sample Taken On: 3/1/2011 11:10:00 AM
 Acquisition Started: 3/1/2011 4:12:14 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.2 seconds
 Dead Time: 0.07 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 2.15E+001 | 2.15E+000 | 7.60E-001 |
| CO-60 | U | 6.07E-002 | 6.81E-002 | 1.21E-001 |
| SB-125 | UI | -4.99E-003 | 1.74E-001 | 2.45E-001 |
| CS-137 | U | -2.74E-002 | 6.78E-002 | 9.14E-002 |
| Ra-226 | | 7.39E-001 | 9.69E-002 | 1.64E-001 |
| TH-230 | U | -1.85E-001 | 2.01E+001 | 2.51E+001 |
| PA-231 | U | -6.73E-001 | 2.04E+000 | 2.75E+000 |
| Th-231 | U | 1.88E+000 | 7.67E-001 | 1.21E+000 |
| Th-232 | | 1.02E+000 | 1.06E-001 | 1.89E-001 |
| PA-234M | U | -5.38E+000 | 9.84E+000 | 1.22E+001 |
| U-234 | U | 3.06E+001 | 8.60E+001 | 1.13E+002 |
| U-235 | | 9.57E-002 | 1.22E-002 | 7.82E-002 |
| U-238 | | 1.10E+000 | 1.00E+000 | 1.60E+000 |
| AM-241 | U | -5.76E-002 | 1.97E-001 | 3.21E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-002
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-002
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.081E+002 g
 Sample Taken On: 3/1/2011 11:15:00 AM
 Acquisition Started: 3/1/2011 4:45:44 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 2.04E+001 | 2.06E+000 | 1.24E+000 |
| CO-60 | U | 3.01E-002 | 6.16E-002 | 9.93E-002 |
| SB-125 | U | 7.08E-003 | 1.27E-001 | 1.84E-001 |
| CS-137 | U | -1.64E-002 | 5.78E-002 | 7.95E-002 |
| Ra-226 | | 7.99E-001 | 8.34E-002 | 1.60E-001 |
| TH-230 | U | 3.93E+000 | 1.74E+001 | 2.23E+001 |
| PA-231 | U | -2.51E+000 | 1.84E+000 | 2.48E+000 |
| Th-231 | | 7.75E-001 | 5.12E-001 | 8.54E-001 |
| Th-232 | | 9.41E-001 | 7.32E-002 | 1.03E-001 |
| PA-234M | U | 5.50E-001 | 7.20E+000 | 1.08E+001 |
| U-234 | U | -6.92E+000 | 8.06E+001 | 1.02E+002 |
| U-235 | UI | 1.04E-001 | 6.98E-002 | 1.14E-001 |
| U-238 | | 1.04E+000 | 9.46E-001 | 1.25E+000 |
| AM-241 | U | 6.77E-002 | 2.13E-001 | 2.77E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-003
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-003
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 8.700E+002 g
 Sample Taken On: 3/1/2011 11:20:00 AM
 Acquisition Started: 3/1/2011 5:16:56 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.93E+001 | 1.96E+000 | 8.51E-001 |
| CO-60 | | 3.16E-002 | 3.55E-002 | 5.75E-002 |
| SB-125 | U | -1.06E-001 | 1.58E-001 | 2.05E-001 |
| CS-137 | U | -2.80E-002 | 6.08E-002 | 8.21E-002 |
| Ra-226 | | 6.44E-001 | 7.57E-002 | 1.31E-001 |
| TH-230 | U | -9.70E-001 | 1.78E+001 | 2.24E+001 |
| PA-231 | UI | 1.76E+000 | 1.37E+000 | 2.20E+000 |
| Th-231 | U | 1.82E+000 | 6.63E-001 | 1.06E+000 |
| Th-232 | | 8.63E-001 | 8.87E-002 | 1.14E-001 |
| PA-234M | U | 4.77E-001 | 8.40E+000 | 1.20E+001 |
| U-234 | U | 5.30E+000 | 7.81E+001 | 9.94E+001 |
| U-235 | | 7.53E-002 | 6.11E-002 | 9.65E-002 |
| U-238 | | 3.74E-001 | 4.01E-001 | 1.50E+000 |
| AM-241 | U | -3.24E-002 | 2.24E-001 | 2.79E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-003LR
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-003LR
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 8.700E+002 g
 Sample Taken On: 3/1/2011 11:20:00 AM
 Acquisition Started: 3/3/2011 11:25:08 AM
 Live Time: 1800.0 seconds
 Real Time: 1801.4 seconds
 Dead Time: 0.08 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.92E+001 | 1.96E+000 | 8.66E-001 |
| CO-60 | U | -3.08E-002 | 6.60E-002 | 8.59E-002 |
| SB-125 | U | -1.97E-002 | 1.46E-001 | 2.05E-001 |
| CS-137 | U | 3.65E-002 | 6.05E-002 | 9.50E-002 |
| Ra-226 | | 6.38E-001 | 9.04E-002 | 2.20E-001 |
| TH-230 | U | 1.52E+001 | 1.76E+001 | 2.38E+001 |
| PA-231 | UI | 1.12E+000 | 1.19E+000 | 1.96E+000 |
| Th-231 | U | 4.36E-001 | 3.39E-001 | 1.03E+000 |
| Th-232 | | 6.82E-001 | 9.47E-002 | 1.07E-001 |
| PA-234M | U | -4.89E+000 | 8.80E+000 | 1.17E+001 |
| U-234 | U | -5.80E+000 | 7.64E+001 | 9.70E+001 |
| U-235 | U | 2.72E-002 | 6.96E-002 | 9.95E-002 |
| U-238 | U | 7.77E-001 | 8.54E-001 | 1.31E+000 |
| AM-241 | U | -7.66E-002 | 2.28E-001 | 2.80E-001 |

Uncertainty reported at 1.9600 sigma

QC Analysis Comparison

Table H-1

| FSS Quality Control Accuracy and Precision Comparison | | | | | | | | | | |
|---|-----------------------------|----------|------------|-----------------|-------------------------------|----------|--|-------------------------|-----------------|----------|
| Isotope | Sample ID CE- FSS-06-05-003 | | | | Sample ID CE- FSS-06-05-003LR | | | | | |
| | Activity Value (pCi/g) | Uncert. | Resolution | Agreement Range | Activity Value (pCi/g) | Uncert. | Agreement Ratio (Accuracy) | % Deviation (Precision) | Acceptable | Comments |
| Ra-226 | 6.44E-01 | 3.86E-02 | 17 | 0.75 - 1.33 | 6.38E-01 | 4.61E-02 | 0.99 | 0.5 | Yes | N/A |
| Th-232 | 8.63E-01 | 4.53E-02 | 19 | 0.75 - 1.33 | 6.82E-01 | 4.83E-02 | 0.79 | 11.7 | Yes | N/A |
| K-40 | 1.93E+01 | 1.00E+00 | 19 | 0.75 - 1.33 | 1.92E+01 | 1.00E+00 | 0.99 | 0.3 | Yes | N/A |
| Note: | | | | | | | Resolution = Standard Activity Value /Standard Error | | | |
| | | | | | | | Resolution | | Agreement Range | |
| | | | | | | | <4 | | No Comparison | |
| | | | | | | | 4 - 7 | | 0.4 - 2.0 | |
| | | | | | | | 8 - 15 | | 0.6 - 1.66 | |
| | | | | | | | 16 - 50 | | 0.75 - 1.33 | |
| | | | | | | | 51- 200 | | 0.80 - 1.25 | |
| | | | | | | | > 200 | | 0.85 - 1.18 | |

Prepared/Date: GSM 10/19/11

Checked/Date: HTD 10/19/11

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-004
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-004
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.117E+002 g
 Sample Taken On: 3/1/2011 11:25:00 AM
 Acquisition Started: 3/1/2011 5:49:33 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.2 seconds
 Dead Time: 0.07 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.91E+001 | 2.10E+000 | 1.71E+000 |
| CO-60 | U | -4.94E-002 | 6.61E-002 | 7.53E-002 |
| SB-125 | UI | -6.22E-002 | 1.36E-001 | 1.81E-001 |
| CS-137 | U | -6.47E-004 | 6.36E-002 | 9.07E-002 |
| Ra-226 | | 6.75E-001 | 7.93E-002 | 1.40E-001 |
| TH-230 | U | 7.39E+000 | 1.76E+001 | 2.30E+001 |
| PA-231 | U | -6.39E-001 | 1.96E+000 | 2.62E+000 |
| Th-231 | U | 1.51E+000 | 6.56E-001 | 1.04E+000 |
| Th-232 | | 7.31E-001 | 8.62E-002 | 1.56E-001 |
| PA-234M | U | 4.21E-001 | 7.26E+000 | 1.08E+001 |
| U-234 | U | -4.90E+001 | 7.92E+001 | 9.38E+001 |
| U-235 | | 7.17E-002 | 6.85E-002 | 1.10E-001 |
| U-238 | UI | 1.18E+000 | 8.00E-001 | 1.27E+000 |
| AM-241 | U | -8.34E-002 | 2.16E-001 | 2.65E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-005
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-005
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.258E+002 g
 Sample Taken On: 3/1/2011 11:30:00 AM
 Acquisition Started: 3/1/2011 6:28:31 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.94E+001 | 1.93E+000 | 8.37E-001 |
| CO-60 | U | 2.76E-002 | 5.19E-002 | 8.86E-002 |
| SB-125 | UI | 7.62E-002 | 1.39E-001 | 2.12E-001 |
| CS-137 | U | 4.22E-002 | 5.19E-002 | 8.57E-002 |
| Ra-226 | | 6.96E-001 | 8.10E-002 | 1.40E-001 |
| TH-230 | U | -7.31E-001 | 1.85E+001 | 2.32E+001 |
| PA-231 | UI | 1.48E+000 | 9.49E-001 | 2.09E+000 |
| Th-231 | U | 1.06E+000 | 6.95E-001 | 1.07E+000 |
| Th-232 | | 8.83E-001 | 6.98E-002 | 1.01E-001 |
| PA-234M | U | 1.48E+000 | 7.85E+000 | 1.17E+001 |
| U-234 | U | 3.50E+001 | 8.02E+001 | 1.06E+002 |
| U-235 | | 3.18E-001 | 7.52E-002 | 1.02E-001 |
| U-238 | U | 8.48E-001 | 9.09E-001 | 1.38E+000 |
| AM-241 | U | -5.72E-002 | 2.22E-001 | 2.74E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-006
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-006
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 8.768E+002 g
 Sample Taken On: 3/1/2011 11:35:00 AM
 Acquisition Started: 3/1/2011 6:59:49 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.3 seconds
 Dead Time: 0.07 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.86E+001 | 1.92E+000 | 8.72E-001 |
| CO-60 | U | 1.55E-002 | 6.45E-002 | 9.74E-002 |
| SB-125 | U | 2.70E-002 | 1.37E-001 | 2.02E-001 |
| CS-137 | U | -3.67E-002 | 6.48E-002 | 8.57E-002 |
| Ra-226 | | 6.46E-001 | 7.64E-002 | 1.49E-001 |
| TH-230 | U | 6.26E+000 | 1.63E+001 | 2.14E+001 |
| PA-231 | U | -1.61E+000 | 1.92E+000 | 2.42E+000 |
| Th-231 | | 9.70E-001 | 6.42E-001 | 8.07E-001 |
| Th-232 | | 8.08E-001 | 1.08E-001 | 1.12E-001 |
| PA-234M | U | -1.27E+000 | 7.34E+000 | 1.05E+001 |
| U-234 | U | 2.83E+001 | 7.73E+001 | 1.02E+002 |
| U-235 | | 7.80E-002 | 6.71E-002 | 1.07E-001 |
| U-238 | UI | 1.19E+000 | 7.69E-001 | 1.33E+000 |
| AM-241 | U | 2.98E-001 | 2.02E-001 | 2.92E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-007
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-007
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 8.982E+002 g
 Sample Taken On: 3/1/2011 11:40:00 AM
 Acquisition Started: 3/1/2011 7:31:53 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.0 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.97E+001 | 1.96E+000 | 8.33E-001 |
| CO-60 | U | -1.37E-002 | 6.69E-002 | 9.32E-002 |
| SB-125 | U | 7.57E-002 | 1.27E-001 | 1.97E-001 |
| CS-137 | U | -3.71E-002 | 6.20E-002 | 8.03E-002 |
| Ra-226 | | 6.41E-001 | 7.58E-002 | 1.31E-001 |
| TH-230 | U | -2.54E-001 | 1.67E+001 | 2.12E+001 |
| PA-231 | U | -1.46E+000 | 1.86E+000 | 2.37E+000 |
| Th-231 | | 8.27E-001 | 7.58E-001 | 7.99E-001 |
| Th-232 | | 8.97E-001 | 1.15E-001 | 1.13E-001 |
| PA-234M | U | 5.71E+000 | 6.79E+000 | 1.15E+001 |
| U-234 | U | 1.09E+001 | 7.81E+001 | 1.00E+002 |
| U-235 | | 7.30E-002 | 2.80E-002 | 6.91E-002 |
| U-238 | U | 1.07E+000 | 8.79E-001 | 1.36E+000 |
| AM-241 | U | 1.52E-001 | 2.18E-001 | 2.93E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-008
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-008
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.129E+002 g
 Sample Taken On: 3/1/2011 11:45:00 AM
 Acquisition Started: 3/1/2011 8:06:43 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.2 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.60E+001 | 1.74E+000 | 8.46E-001 |
| CO-60 | U | 2.30E-002 | 5.07E-002 | 8.59E-002 |
| SB-125 | U | -7.40E-003 | 1.27E-001 | 1.82E-001 |
| CS-137 | | 4.46E-002 | 3.73E-002 | 5.90E-002 |
| Ra-226 | | 6.27E-001 | 7.73E-002 | 1.59E-001 |
| TH-230 | U | 8.69E+000 | 1.61E+001 | 2.13E+001 |
| PA-231 | UI | 1.99E+000 | 1.39E+000 | 2.22E+000 |
| Th-231 | U | 1.60E+000 | 6.53E-001 | 1.03E+000 |
| Th-232 | | 8.93E-001 | 1.00E-001 | 1.25E-001 |
| PA-234M | U | -2.09E+000 | 7.38E+000 | 1.01E+001 |
| U-234 | U | 7.96E+000 | 7.34E+001 | 9.48E+001 |
| U-235 | | 5.84E-002 | 6.08E-002 | 9.77E-002 |
| U-238 | UI | 1.31E+000 | 8.11E-001 | 1.28E+000 |
| AM-241 | U | -1.06E-001 | 2.15E-001 | 2.60E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-008LR
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-008LR
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.129E+002 g
 Sample Taken On: 3/1/2011 11:45:00 AM
 Acquisition Started: 3/3/2011 11:56:38 AM
 Live Time: 1800.0 seconds
 Real Time: 1801.4 seconds
 Dead Time: 0.08 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.80E+001 | 1.87E+000 | 9.19E-001 |
| CO-60 | U | 3.78E-002 | 5.80E-002 | 9.89E-002 |
| SB-125 | U | -1.99E-002 | 1.13E-001 | 1.61E-001 |
| CS-137 | | 4.85E-002 | 6.92E-002 | 5.76E-002 |
| Ra-226 | | 6.47E-001 | 8.22E-002 | 1.43E-001 |
| TH-230 | U | -5.27E+000 | 1.75E+001 | 2.09E+001 |
| PA-231 | UI | 1.47E+000 | 1.30E+000 | 2.11E+000 |
| Th-231 | U | 1.11E+000 | 6.13E-001 | 9.66E-001 |
| Th-232 | | 7.94E-001 | 6.70E-002 | 1.03E-001 |
| PA-234M | U | 1.46E-001 | 7.17E+000 | 1.06E+001 |
| U-234 | U | 1.86E+001 | 7.33E+001 | 9.50E+001 |
| U-235 | | 5.93E-002 | 5.20E-002 | 8.12E-002 |
| U-238 | | 1.01E+000 | 7.93E-001 | 1.24E+000 |
| AM-241 | U | 1.57E-001 | 2.00E-001 | 2.72E-001 |

Uncertainty reported at 1.9600 sigma

QC Analysis Comparison

Table H-2

| FSS Quality Control Accuracy and Precision Comparison | | | | | | | | | | |
|---|-----------------------------|----------|------------|-----------------|-------------------------------|----------|---|----------------------------|------------|----------|
| Isotope | Sample ID CE- FSS-06-05-008 | | | | Sample ID CE- FSS-06-05-008LR | | | | | |
| | Activity Value (pCi/g) | Uncert. | Resolution | Agreement Range | Activity Value (pCi/g) | Uncert. | Agreement Ratio (Accuracy) | % Deviation (Precision) | Acceptable | Comments |
| Ra-226 | 6.27E-01 | 3.94E-02 | 16 | 0.6 - 1.66 | 6.47E-01 | 4.19E-02 | 1.03 | -1.6 | Yes | N/A |
| Th-232 | 8.93E-01 | 5.10E-02 | 18 | 0.75 - 1.33 | 7.94E-01 | 3.42E-02 | 0.89 | 5.9 | Yes | N/A |
| K-40 | 1.60E+01 | 8.88E-01 | 18 | 0.75 - 1.33 | 1.80E+01 | 9.54E-01 | 1.13 | -5.9 | Yes | N/A |
| Note: | | | | | | | Resolution = Standard Activity Value /Standard Error | | | |
| | | | | | | | Resolution | Agreement Range | | |
| | | | | | | | <4 | No Comparison | | |
| | | | | | | | 4 - 7 | 0.4 - 2.0 | | |
| | | | | | | | 8 - 15 | 0.6 - 1.66 | | |
| | | | | | | | 16 - 50 | 0.75 - 1.33 | | |
| | | | | | | | 51 - 200 | 0.80 - 1.25 | | |
| | | | | | | | > 200 | 0.85 - 1.18 | | |

Prepared/Date: GSM 10/19/11

Checked/Date: HTD 10/19/11

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-009
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-009
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.741E+002 g
 Sample Taken On: 3/1/2011 11:50:00 AM
 Acquisition Started: 3/1/2011 8:39:02 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.0 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.68E+001 | 1.72E+000 | 7.05E-001 |
| CO-60 | U | 1.87E-003 | 6.32E-002 | 9.10E-002 |
| SB-125 | UI | -2.20E-002 | 1.39E-001 | 1.95E-001 |
| CS-137 | U | 4.04E-002 | 5.26E-002 | 8.55E-002 |
| Ra-226 | | 6.46E-001 | 7.91E-002 | 1.48E-001 |
| TH-230 | U | 4.55E-001 | 1.61E+001 | 2.02E+001 |
| PA-231 | UI | -1.89E+000 | 2.00E+000 | 2.31E+000 |
| Th-231 | U | 6.88E-001 | 6.11E-001 | 9.37E-001 |
| Th-232 | | 7.30E-001 | 8.55E-002 | 1.03E-001 |
| PA-234M | U | 2.31E+000 | 6.65E+000 | 1.03E+001 |
| U-234 | U | 7.05E+000 | 7.15E+001 | 9.17E+001 |
| U-235 | | 1.02E-001 | 5.68E-002 | 8.67E-002 |
| U-238 | U | 5.06E-001 | 8.17E-001 | 1.23E+000 |
| AM-241 | U | 4.01E-003 | 1.97E-001 | 2.49E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-010
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-010
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 8.012E+002 g
 Sample Taken On: 3/1/2011 12:35:00 PM
 Acquisition Started: 3/1/2011 9:11:57 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.3 seconds
 Dead Time: 0.07 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 2.03E+001 | 2.08E+000 | 8.58E-001 |
| CO-60 | U | -1.00E-002 | 7.03E-002 | 1.00E-001 |
| SB-125 | U | -7.45E-002 | 1.54E-001 | 2.06E-001 |
| CS-137 | U | -6.46E-002 | 7.16E-002 | 8.91E-002 |
| Ra-226 | | 8.62E-001 | 8.91E-002 | 1.58E-001 |
| TH-230 | U | 7.35E+000 | 1.95E+001 | 2.54E+001 |
| PA-231 | UI | -8.67E-001 | 1.67E+000 | 2.60E+000 |
| Th-231 | | 1.72E+000 | 1.18E+000 | 9.18E-001 |
| Th-232 | | 1.20E+000 | 1.03E-001 | 1.71E-001 |
| PA-234M | U | 2.78E-001 | 8.58E+000 | 1.27E+001 |
| U-234 | U | -4.86E+001 | 9.27E+001 | 1.11E+002 |
| U-235 | | 1.24E-001 | 1.18E-001 | 1.94E-001 |
| U-238 | | 1.70E+000 | 1.43E+000 | 1.61E+000 |
| AM-241 | U | 8.18E-002 | 2.35E-001 | 3.09E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-011
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-011
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 1.006E+003 g
 Sample Taken On: 3/1/2011 12:40:00 PM
 Acquisition Started: 3/2/2011 12:22:05 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.54E+001 | 1.61E+000 | 6.67E-001 |
| CO-60 | U | 1.19E-002 | 4.88E-002 | 7.62E-002 |
| SB-125 | U | -6.51E-002 | 1.24E-001 | 1.63E-001 |
| CS-137 | U | 8.77E-002 | 5.01E-002 | 9.08E-002 |
| Ra-226 | | 4.73E-001 | 7.51E-002 | 1.21E-001 |
| TH-230 | U | 3.55E+000 | 1.49E+001 | 1.93E+001 |
| PA-231 | U | -6.73E-001 | 1.58E+000 | 2.11E+000 |
| Th-231 | U | 7.66E-001 | 5.61E-001 | 8.72E-001 |
| Th-232 | | 5.64E-001 | 6.28E-002 | 1.04E-001 |
| PA-234M | U | 8.49E-001 | 6.77E+000 | 1.00E+001 |
| U-234 | U | 1.98E+001 | 6.38E+001 | 8.39E+001 |
| U-235 | UI | 5.23E-002 | 5.17E-002 | 8.58E-002 |
| U-238 | UI | 5.40E-001 | 2.84E-001 | 9.73E-001 |
| AM-241 | U | -4.12E-002 | 1.84E-001 | 2.30E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-012
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-012
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 7.387E+002 g
 Sample Taken On: 3/1/2011 12:45:00 PM
 Acquisition Started: 3/2/2011 12:55:36 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.83E+001 | 1.99E+000 | 5.33E-001 |
| CO-60 | U | 3.70E-002 | 5.57E-002 | 1.01E-001 |
| SB-125 | U | 3.31E-002 | 1.46E-001 | 2.18E-001 |
| CS-137 | U | -2.36E-002 | 6.03E-002 | 8.20E-002 |
| Ra-226 | | 4.83E-001 | 8.69E-002 | 1.60E-001 |
| TH-230 | U | 6.61E+000 | 1.78E+001 | 2.35E+001 |
| PA-231 | U | -1.41E+000 | 2.06E+000 | 2.66E+000 |
| Th-231 | U | 1.18E+000 | 6.81E-001 | 1.08E+000 |
| Th-232 | | 5.70E-001 | 9.91E-002 | 1.25E-001 |
| PA-234M | U | -4.41E+000 | 9.12E+000 | 1.23E+001 |
| U-234 | U | 1.02E+002 | 7.41E+001 | 1.07E+002 |
| U-235 | UI | 3.47E-002 | 3.92E-002 | 6.53E-002 |
| U-238 | UI | 9.23E-001 | 9.64E-001 | 1.59E+000 |
| AM-241 | U | -8.81E-002 | 2.23E-001 | 2.73E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-013
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-013
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 8.263E+002 g
 Sample Taken On: 3/1/2011 12:50:00 PM
 Acquisition Started: 3/2/2011 1:28:05 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.83E+001 | 1.95E+000 | 8.81E-001 |
| CO-60 | U | 8.64E-003 | 6.65E-002 | 1.01E-001 |
| SB-125 | U | 5.31E-003 | 1.47E-001 | 2.12E-001 |
| CS-137 | U | -4.12E-002 | 6.47E-002 | 8.46E-002 |
| Ra-226 | | 5.03E-001 | 7.68E-002 | 1.53E-001 |
| TH-230 | U | 7.46E+000 | 1.60E+001 | 2.13E+001 |
| PA-231 | U | -5.42E-001 | 1.82E+000 | 2.46E+000 |
| Th-231 | U | 1.32E+000 | 6.29E-001 | 1.01E+000 |
| Th-232 | | 5.75E-001 | 4.71E-002 | 1.21E-001 |
| PA-234M | U | 9.03E-001 | 8.01E+000 | 1.20E+001 |
| U-234 | U | 8.27E+001 | 7.38E+001 | 1.04E+002 |
| U-235 | UI | 1.30E-001 | 1.52E-001 | 2.55E-001 |
| U-238 | U | 9.71E-001 | 8.18E-001 | 1.28E+000 |
| AM-241 | U | -1.47E-002 | 2.14E-001 | 2.72E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-014
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-014
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 8.020E+002 g
 Sample Taken On: 3/1/2011 12:55:00 PM
 Acquisition Started: 3/2/2011 2:02:29 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.2 seconds
 Dead Time: 0.07 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 2.07E+001 | 2.12E+000 | 9.09E-001 |
| CO-60 | U | 4.09E-002 | 6.54E-002 | 1.09E-001 |
| SB-125 | U | 1.21E-001 | 1.45E-001 | 2.31E-001 |
| CS-137 | U | -1.79E-002 | 7.10E-002 | 9.89E-002 |
| Ra-226 | | 7.18E-001 | 8.97E-002 | 1.77E-001 |
| TH-230 | U | -9.67E+000 | 1.97E+001 | 2.36E+001 |
| PA-231 | U | -2.28E+000 | 2.17E+000 | 2.64E+000 |
| Th-231 | | 6.78E-001 | 5.55E-001 | 8.00E-001 |
| Th-232 | | 7.80E-001 | 9.56E-002 | 1.74E-001 |
| PA-234M | U | 1.20E+000 | 8.25E+000 | 1.24E+001 |
| U-234 | U | -1.42E+001 | 8.25E+001 | 1.04E+002 |
| U-235 | UI | 6.03E-002 | 4.63E-002 | 7.00E-002 |
| U-238 | | 8.75E-001 | 8.19E-001 | 1.48E+000 |
| AM-241 | U | 2.33E-002 | 2.37E-001 | 3.04E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-015
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-015
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 7.907E+002 g
 Sample Taken On: 3/1/2011 1:00:00 PM
 Acquisition Started: 3/2/2011 2:47:30 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.2 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.66E+001 | 1.85E+000 | 6.55E-001 |
| CO-60 | U | -1.73E-003 | 6.91E-002 | 1.02E-001 |
| SB-125 | UI | 1.78E-002 | 1.37E-001 | 2.00E-001 |
| CS-137 | U | -4.35E-003 | 6.91E-002 | 9.95E-002 |
| Ra-226 | | 5.95E-001 | 7.34E-002 | 1.42E-001 |
| TH-230 | U | 7.07E+000 | 1.69E+001 | 2.22E+001 |
| PA-231 | U | 6.87E-001 | 1.72E+000 | 2.53E+000 |
| Th-231 | | 1.27E+000 | 4.51E-001 | 8.66E-001 |
| Th-232 | | 6.34E-001 | 6.06E-002 | 9.82E-002 |
| PA-234M | U | 4.50E+000 | 7.74E+000 | 1.24E+001 |
| U-234 | U | -1.60E+001 | 7.78E+001 | 9.40E+001 |
| U-235 | U | 5.39E-002 | 7.12E-002 | 1.04E-001 |
| U-238 | U | 9.58E-001 | 8.53E-001 | 1.33E+000 |
| AM-241 | U | -9.78E-002 | 2.25E-001 | 2.73E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-016
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-016
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 7.996E+002 g
 Sample Taken On: 3/1/2011 1:05:00 PM
 Acquisition Started: 3/2/2011 3:22:52 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 2.06E+001 | 2.16E+000 | 1.23E+000 |
| CO-60 | U | 9.14E-003 | 8.33E-002 | 1.13E-001 |
| SB-125 | | 3.12E-001 | 1.49E-001 | 2.38E-001 |
| CS-137 | | 3.68E-002 | 3.77E-002 | 6.14E-002 |
| Ra-226 | | 6.77E-001 | 8.97E-002 | 1.46E-001 |
| TH-230 | U | -1.13E+001 | 1.97E+001 | 2.37E+001 |
| PA-231 | U | -1.74E+000 | 2.18E+000 | 2.75E+000 |
| Th-231 | | 1.12E+000 | 7.31E-001 | 1.19E+000 |
| Th-232 | | 8.64E-001 | 9.26E-002 | 1.55E-001 |
| PA-234M | U | 1.43E+000 | 8.75E+000 | 1.32E+001 |
| U-234 | U | 4.98E+001 | 8.41E+001 | 1.12E+002 |
| U-235 | | 6.01E-002 | 6.88E-002 | 1.11E-001 |
| U-238 | UI | 1.13E+000 | 1.04E+000 | 1.71E+000 |
| AM-241 | U | -2.81E-002 | 2.41E-001 | 3.02E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-017
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-017
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 8.918E+002 g
 Sample Taken On: 3/1/2011 1:10:00 PM
 Acquisition Started: 3/2/2011 4:06:50 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.71E+001 | 1.81E+000 | 7.79E-001 |
| CO-60 | U | 2.95E-002 | 5.59E-002 | 9.00E-002 |
| SB-125 | U | 5.86E-002 | 1.34E-001 | 2.03E-001 |
| CS-137 | U | -1.49E-002 | 6.19E-002 | 8.26E-002 |
| Ra-226 | | 5.75E-001 | 7.46E-002 | 1.51E-001 |
| TH-230 | U | 1.73E+001 | 1.51E+001 | 2.11E+001 |
| PA-231 | U | -1.36E+000 | 1.84E+000 | 2.37E+000 |
| Th-231 | | 1.26E+000 | 1.44E+000 | 8.66E-001 |
| Th-232 | | 6.67E-001 | 1.28E-001 | 1.07E-001 |
| PA-234M | U | -1.44E+000 | 7.33E+000 | 1.00E+001 |
| U-234 | U | 1.35E+001 | 6.90E+001 | 9.04E+001 |
| U-235 | | 1.38E-001 | 6.61E-002 | 1.01E-001 |
| U-238 | U | 7.19E-001 | 7.65E-001 | 1.18E+000 |
| AM-241 | U | 1.93E-002 | 1.09E-001 | 2.37E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-018
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-018
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 1.072E+003 g
 Sample Taken On: 3/1/2011 1:15:00 PM
 Acquisition Started: 3/2/2011 4:49:29 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.49E+001 | 1.55E+000 | 6.97E-001 |
| CO-60 | U | -6.93E-003 | 5.69E-002 | 7.97E-002 |
| SB-125 | U | -1.84E-003 | 1.24E-001 | 1.72E-001 |
| CS-137 | U | 8.62E-003 | 4.55E-002 | 6.87E-002 |
| Ra-226 | | 5.28E-001 | 6.67E-002 | 1.12E-001 |
| TH-230 | U | -6.83E+000 | 1.55E+001 | 1.89E+001 |
| PA-231 | U | -8.08E-001 | 1.68E+000 | 2.23E+000 |
| Th-231 | U | 1.54E+000 | 6.04E-001 | 9.46E-001 |
| Th-232 | | 6.13E-001 | 7.90E-002 | 9.77E-002 |
| PA-234M | U | 3.56E+000 | 6.20E+000 | 1.00E+001 |
| U-234 | U | 2.67E+001 | 6.84E+001 | 8.98E+001 |
| U-235 | | 5.45E-001 | 1.48E-001 | 7.35E-002 |
| U-238 | UI | 1.41E+000 | 8.17E-001 | 1.28E+000 |
| AM-241 | U | -1.97E-001 | 2.04E-001 | 2.34E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-019
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-019
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.949E+002 g
 Sample Taken On: 3/1/2011 1:20:00 PM
 Acquisition Started: 3/2/2011 5:22:42 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.2 seconds
 Dead Time: 0.07 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.72E+001 | 1.74E+000 | 7.84E-001 |
| CO-60 | U | -2.93E-002 | 6.39E-002 | 8.43E-002 |
| SB-125 | UI | -6.02E-002 | 1.26E-001 | 1.63E-001 |
| CS-137 | U | -1.58E-002 | 5.61E-002 | 7.25E-002 |
| Ra-226 | | 6.04E-001 | 7.26E-002 | 1.37E-001 |
| TH-230 | U | -7.79E+000 | 1.62E+001 | 1.95E+001 |
| PA-231 | | 1.15E+000 | 1.34E+000 | 2.13E+000 |
| Th-231 | U | 1.08E+000 | 6.07E-001 | 9.48E-001 |
| Th-232 | | 6.25E-001 | 5.62E-002 | 9.23E-002 |
| PA-234M | U | -9.41E-001 | 6.55E+000 | 9.37E+000 |
| U-234 | U | 4.98E+001 | 7.00E+001 | 9.42E+001 |
| U-235 | | 1.84E-001 | 1.10E-001 | 1.78E-001 |
| U-238 | UI | 5.20E-001 | 5.61E-001 | 8.71E-001 |
| AM-241 | U | 1.45E-001 | 1.78E-001 | 2.44E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-020
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-020
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 8.160E+002 g
 Sample Taken On: 3/1/2011 1:25:00 PM
 Acquisition Started: 3/2/2011 5:54:53 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.80E+001 | 1.96E+000 | 9.96E-001 |
| CO-60 | U | 3.35E-002 | 6.83E-002 | 1.11E-001 |
| SB-125 | | 1.74E-001 | 2.06E-001 | 2.26E-001 |
| CS-137 | U | -1.59E-002 | 6.59E-002 | 9.21E-002 |
| Ra-226 | | 7.36E-001 | 8.02E-002 | 1.39E-001 |
| TH-230 | U | 1.17E+001 | 1.83E+001 | 2.42E+001 |
| PA-231 | U | -2.74E+000 | 2.11E+000 | 2.52E+000 |
| Th-231 | U | 6.05E-001 | 6.64E-001 | 1.02E+000 |
| Th-232 | | 8.52E-001 | 7.25E-002 | 1.15E-001 |
| PA-234M | U | 7.17E+000 | 8.24E+000 | 1.38E+001 |
| U-234 | U | -2.22E+001 | 8.32E+001 | 1.03E+002 |
| U-235 | | 1.65E-001 | 7.17E-002 | 1.07E-001 |
| U-238 | U | 6.38E-001 | 8.80E-001 | 1.34E+000 |
| AM-241 | U | 5.84E-002 | 2.33E-001 | 3.02E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-021
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-021
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 8.928E+002 g
 Sample Taken On: 3/1/2011 1:30:00 PM
 Acquisition Started: 3/2/2011 6:28:17 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.77E+001 | 1.83E+000 | 7.13E-001 |
| CO-60 | U | -1.12E-002 | 6.19E-002 | 8.37E-002 |
| SB-125 | U | -8.72E-002 | 1.47E-001 | 1.89E-001 |
| CS-137 | U | -2.81E-002 | 6.86E-002 | 8.81E-002 |
| Ra-226 | | 6.84E-001 | 8.18E-002 | 1.35E-001 |
| TH-230 | U | 2.66E+001 | 1.65E+001 | 2.34E+001 |
| PA-231 | U | 2.71E-001 | 1.52E+000 | 2.59E+000 |
| Th-231 | U | 7.95E-001 | 6.17E-001 | 9.60E-001 |
| Th-232 | | 8.22E-001 | 1.07E-001 | 1.10E-001 |
| PA-234M | U | 4.97E+000 | 6.27E+000 | 1.07E+001 |
| U-234 | U | -5.31E+001 | 8.42E+001 | 9.95E+001 |
| U-235 | | 9.25E-002 | 6.55E-002 | 1.03E-001 |
| U-238 | U | 1.69E+000 | 8.69E-001 | 1.37E+000 |
| AM-241 | U | -1.16E-001 | 2.20E-001 | 2.66E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-022
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-022
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.264E+002 g
 Sample Taken On: 3/1/2011 1:35:00 PM
 Acquisition Started: 3/2/2011 7:00:30 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.2 seconds
 Dead Time: 0.07 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.72E+001 | 1.81E+000 | 9.17E-001 |
| CO-60 | U | -2.33E-002 | 6.64E-002 | 8.86E-002 |
| SB-125 | U | 1.13E-002 | 1.31E-001 | 1.89E-001 |
| CS-137 | U | 4.70E-003 | 6.13E-002 | 8.92E-002 |
| Ra-226 | | 6.08E-001 | 8.94E-002 | 1.37E-001 |
| TH-230 | U | -4.62E+000 | 1.65E+001 | 2.04E+001 |
| PA-231 | U | 6.96E-001 | 1.45E+000 | 2.34E+000 |
| Th-231 | | 1.17E+000 | 7.25E-001 | 7.60E-001 |
| Th-232 | | 7.41E-001 | 9.59E-002 | 9.92E-002 |
| PA-234M | U | 4.19E+000 | 6.09E+000 | 1.03E+001 |
| U-234 | U | 2.48E+001 | 7.25E+001 | 9.56E+001 |
| U-235 | UI | 1.15E-001 | 1.06E-001 | 1.76E-001 |
| U-238 | U | 1.07E+000 | 8.26E-001 | 1.28E+000 |
| AM-241 | U | 8.79E-002 | 1.99E-001 | 2.64E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-022S
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-022S
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.742E+002 g
 Sample Taken On: 3/1/2011 1:35:00 PM
 Acquisition Started: 3/2/2011 7:50:57 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.52E+001 | 1.64E+000 | 8.14E-001 |
| CO-60 | U | -4.67E-002 | 7.00E-002 | 9.01E-002 |
| SB-125 | UI | -7.56E-003 | 1.29E-001 | 1.82E-001 |
| CS-137 | U | 1.55E-002 | 5.18E-002 | 7.93E-002 |
| Ra-226 | | 5.84E-001 | 6.99E-002 | 1.34E-001 |
| TH-230 | U | 1.73E+001 | 1.37E+001 | 1.93E+001 |
| PA-231 | U | -1.17E-001 | 1.23E+000 | 2.08E+000 |
| Th-231 | | 1.01E+000 | 5.59E-001 | 7.79E-001 |
| Th-232 | | 6.26E-001 | 5.71E-002 | 8.89E-002 |
| PA-234M | U | -1.26E+000 | 6.19E+000 | 8.74E+000 |
| U-234 | U | 9.16E+001 | 6.61E+001 | 9.35E+001 |
| U-235 | U | 7.89E-002 | 6.12E-002 | 9.31E-002 |
| U-238 | | 4.69E-001 | 4.72E-001 | 1.23E+000 |
| AM-241 | U | 1.89E-001 | 1.87E-001 | 2.59E-001 |

Uncertainty reported at 1.9600 sigma

QC Analysis Comparison

Table H-3

| FSS Quality Control Accuracy and Precision Comparison | | | | | | | | | | |
|---|---------------------------------|----------|------------|-----------------|----------------------------------|----------|--|-------------------------|-----------------|----------|
| Isotope | Sample ID CE-FSS- FSS-06-05-022 | | | | Sample ID CE-FSS- FSS-06-05-022S | | | | | |
| | Activity Value (pCi/g) | Uncert. | Resolution | Agreement Range | Activity Value (pCi/g) | Uncert. | Agreement Ratio (Accuracy) | % Deviation (Precision) | Acceptable | Comments |
| Ra-226 | 6.08E-01 | 4.56E-02 | 13 | 0.6 - 1.66 | 5.84E-01 | 3.57E-02 | 0.96 | 2.0 | Yes | N/A |
| Th-232 | 7.41E-01 | 4.89E-02 | 15 | 0.6 - 1.66 | 6.26E-01 | 2.91E-02 | 0.84 | 8.4 | Yes | N/A |
| K-40 | 1.72E+01 | 9.23E-01 | 19 | 0.75 - 1.33 | 1.52E+01 | 8.37E-01 | 0.88 | 6.2 | Yes | N/A |
| Note: | | | | | | | Resolution = Standard Activity Value /Standard Error | | | |
| | | | | | | | Resolution | | Agreement Range | |
| | | | | | | | <4 | | No Comparison | |
| | | | | | | | 4 - 7 | | 0.4 - 2.0 | |
| | | | | | | | 8 - 15 | | 0.6 - 1.66 | |
| | | | | | | | 16 - 50 | | 0.75 - 1.33 | |
| | | | | | | | 51- 200 | | 0.80 - 1.25 | |
| | | | | | | | > 200 | | 0.85 - 1.18 | |

Prepared/Date: GSM 10/19/11

Checked/Date: HTD 10/19/11

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-023
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-023
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 8.756E+002 g
 Sample Taken On: 3/1/2011 1:40:00 PM
 Acquisition Started: 3/2/2011 8:24:34 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.2 seconds
 Dead Time: 0.07 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.57E+001 | 1.73E+000 | 7.52E-001 |
| CO-60 | U | 9.75E-003 | 5.24E-002 | 8.31E-002 |
| SB-125 | UI | -7.48E-002 | 1.42E-001 | 1.88E-001 |
| CS-137 | U | 5.67E-002 | 5.96E-002 | 9.88E-002 |
| Ra-226 | | 6.54E-001 | 7.30E-002 | 1.51E-001 |
| TH-230 | U | -4.62E+000 | 1.70E+001 | 2.10E+001 |
| PA-231 | UI | 1.25E+000 | 1.25E+000 | 2.06E+000 |
| Th-231 | | 1.06E+000 | 6.18E-001 | 8.08E-001 |
| Th-232 | | 7.30E-001 | 9.85E-002 | 1.03E-001 |
| PA-234M | U | -1.50E+000 | 7.03E+000 | 1.00E+001 |
| U-234 | U | 9.90E+001 | 7.32E+001 | 1.04E+002 |
| U-235 | UI | 8.67E-002 | 6.55E-002 | 1.07E-001 |
| U-238 | | 6.66E-001 | 6.26E-001 | 1.26E+000 |
| AM-241 | U | -7.00E-002 | 2.12E-001 | 2.60E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-024
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-024
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.531E+002 g
 Sample Taken On: 3/1/2011 1:45:00 PM
 Acquisition Started: 3/2/2011 8:56:03 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.1 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.87E+001 | 1.87E+000 | 9.14E-001 |
| CO-60 | U | -2.27E-002 | 6.76E-002 | 8.79E-002 |
| SB-125 | UI | 1.04E-001 | 1.36E-001 | 2.12E-001 |
| CS-137 | U | 4.55E-002 | 5.96E-002 | 9.52E-002 |
| Ra-226 | | 6.55E-001 | 7.90E-002 | 1.53E-001 |
| TH-230 | U | -1.16E+001 | 1.70E+001 | 2.03E+001 |
| PA-231 | U | -5.17E-001 | 1.76E+000 | 2.35E+000 |
| Th-231 | | 1.22E+000 | 9.30E-001 | 7.82E-001 |
| Th-232 | | 7.99E-001 | 1.04E-001 | 1.13E-001 |
| PA-234M | U | 1.89E+000 | 5.89E+000 | 9.23E+000 |
| U-234 | U | 9.48E+000 | 7.65E+001 | 9.72E+001 |
| U-235 | | 1.20E-001 | 6.72E-002 | 1.04E-001 |
| U-238 | U | 1.93E+000 | 8.77E-001 | 1.37E+000 |
| AM-241 | U | -1.37E-001 | 2.21E-001 | 2.64E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-025
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-025
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.238E+002 g
 Sample Taken On: 3/1/2011 1:50:00 PM
 Acquisition Started: 3/2/2011 9:27:25 PM
 Live Time: 1800.0 seconds
 Real Time: 1801.0 seconds
 Dead Time: 0.06 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.86E+001 | 1.90E+000 | 9.60E-001 |
| CO-60 | U | -2.75E-002 | 6.85E-002 | 9.07E-002 |
| SB-125 | U | -6.13E-002 | 1.35E-001 | 1.81E-001 |
| CS-137 | U | 2.09E-002 | 5.74E-002 | 8.59E-002 |
| Ra-226 | | 7.36E-001 | 9.84E-002 | 1.32E-001 |
| TH-230 | U | -3.87E+000 | 1.71E+001 | 2.13E+001 |
| PA-231 | U | -2.81E+000 | 1.97E+000 | 2.32E+000 |
| Th-231 | | 9.86E-001 | 2.20E-001 | 9.27E-001 |
| Th-232 | | 8.31E-001 | 6.65E-002 | 9.87E-002 |
| PA-234M | U | 6.11E+000 | 7.00E+000 | 1.19E+001 |
| U-234 | U | -7.39E+001 | 8.32E+001 | 9.54E+001 |
| U-235 | | 9.02E-002 | 6.62E-002 | 1.05E-001 |
| U-238 | UI | 1.18E+000 | 1.07E+000 | 1.76E+000 |
| AM-241 | U | 2.47E-001 | 1.98E-001 | 2.79E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-026
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-026
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 1.031E+003 g
 Sample Taken On: 3/1/2011 1:55:00 PM
 Acquisition Started: 3/3/2011 8:46:28 AM
 Live Time: 1800.0 seconds
 Real Time: 1801.3 seconds
 Dead Time: 0.07 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.64E+001 | 1.67E+000 | 7.86E-001 |
| CO-60 | U | -1.71E-002 | 6.16E-002 | 7.61E-002 |
| SB-125 | | 8.45E-002 | 1.01E-001 | 1.45E-001 |
| CS-137 | U | 6.76E-002 | 4.79E-002 | 8.45E-002 |
| Ra-226 | | 6.90E-001 | 6.93E-002 | 1.36E-001 |
| TH-230 | U | -7.12E+000 | 1.61E+001 | 1.94E+001 |
| PA-231 | U | -1.86E+000 | 1.82E+000 | 2.19E+000 |
| Th-231 | UI | 7.18E-001 | 8.58E-001 | 6.74E-001 |
| Th-232 | | 7.42E-001 | 6.08E-002 | 1.03E-001 |
| PA-234M | U | 5.19E+000 | 6.40E+000 | 1.07E+001 |
| U-234 | U | 6.94E+001 | 7.05E+001 | 9.40E+001 |
| U-235 | U | 8.81E-002 | 6.53E-002 | 9.84E-002 |
| U-238 | | 6.60E-001 | 7.06E-001 | 1.36E+000 |
| AM-241 | U | -1.35E-001 | 2.04E-001 | 2.43E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-027
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-027
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 1.055E+003 g
 Sample Taken On: 3/1/2011 2:00:00 PM
 Acquisition Started: 3/3/2011 9:17:33 AM
 Live Time: 1800.0 seconds
 Real Time: 1801.3 seconds
 Dead Time: 0.07 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.49E+001 | 1.56E+000 | 7.11E-001 |
| CO-60 | U | -1.75E-002 | 5.60E-002 | 7.82E-002 |
| SB-125 | U | -1.19E-002 | 1.26E-001 | 1.76E-001 |
| CS-137 | U | 4.27E-002 | 5.03E-002 | 8.20E-002 |
| Ra-226 | | 5.79E-001 | 6.61E-002 | 1.22E-001 |
| TH-230 | U | 2.20E+000 | 1.48E+001 | 1.89E+001 |
| PA-231 | U | -2.11E+000 | 1.67E+000 | 1.99E+000 |
| Th-231 | U | 1.38E+000 | 5.89E-001 | 9.23E-001 |
| Th-232 | | 7.16E-001 | 8.28E-002 | 9.22E-002 |
| PA-234M | U | 2.10E+000 | 5.59E+000 | 8.96E+000 |
| U-234 | U | 2.15E+001 | 6.93E+001 | 9.07E+001 |
| U-235 | | 1.80E-001 | 1.01E-001 | 1.63E-001 |
| U-238 | U | 1.02E+000 | 7.77E-001 | 1.19E+000 |
| AM-241 | U | -1.86E-002 | 1.98E-001 | 2.48E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-028
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-028
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 1.055E+003 g
 Sample Taken On: 3/1/2011 2:05:00 PM
 Acquisition Started: 3/3/2011 9:48:28 AM
 Live Time: 1800.0 seconds
 Real Time: 1801.3 seconds
 Dead Time: 0.07 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.43E+001 | 1.52E+000 | 6.72E-001 |
| CO-60 | U | -1.98E-002 | 4.90E-002 | 6.51E-002 |
| SB-125 | UI | -7.41E-002 | 1.26E-001 | 1.66E-001 |
| CS-137 | U | 2.19E-002 | 5.57E-002 | 8.31E-002 |
| Ra-226 | | 5.95E-001 | 6.84E-002 | 1.31E-001 |
| TH-230 | U | -5.76E+000 | 1.50E+001 | 1.84E+001 |
| PA-231 | U | -1.02E+000 | 1.61E+000 | 2.08E+000 |
| Th-231 | U | 6.78E-001 | 5.56E-001 | 8.56E-001 |
| Th-232 | | 6.31E-001 | 5.27E-002 | 9.08E-002 |
| PA-234M | U | 7.59E+000 | 5.06E+000 | 9.76E+000 |
| U-234 | U | -3.56E+000 | 6.67E+001 | 8.38E+001 |
| U-235 | | 9.36E-002 | 5.40E-002 | 8.30E-002 |
| U-238 | UI | 5.79E-001 | 6.70E-001 | 1.11E+000 |
| AM-241 | U | -4.83E-002 | 1.80E-001 | 2.23E-001 |

Uncertainty reported at 1.9600 sigma

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-028S
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-028S
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.038E+002 g
 Sample Taken On: 3/1/2011 2:05:00 PM
 Acquisition Started: 3/3/2011 10:19:31 AM
 Live Time: 1800.0 seconds
 Real Time: 1801.3 seconds
 Dead Time: 0.07 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.76E+001 | 1.82E+000 | 7.39E-001 |
| CO-60 | U | 4.16E-002 | 4.80E-002 | 8.88E-002 |
| SB-125 | U | -6.92E-002 | 1.43E-001 | 1.92E-001 |
| CS-137 | U | -2.42E-002 | 6.45E-002 | 8.63E-002 |
| Ra-226 | | 6.21E-001 | 8.15E-002 | 1.57E-001 |
| TH-230 | U | -5.42E+000 | 1.75E+001 | 2.14E+001 |
| PA-231 | U | -2.94E-001 | 1.72E+000 | 2.36E+000 |
| Th-231 | U | 8.19E-001 | 6.09E-001 | 9.50E-001 |
| Th-232 | | 7.79E-001 | 9.73E-002 | 1.07E-001 |
| PA-234M | U | 9.34E-001 | 7.06E+000 | 1.07E+001 |
| U-234 | U | 5.74E+001 | 7.37E+001 | 1.01E+002 |
| U-235 | UI | 5.03E-002 | 5.53E-002 | 9.24E-002 |
| U-238 | | 8.55E-001 | 4.53E-001 | 1.47E+000 |
| AM-241 | U | 5.27E-002 | 2.25E-001 | 2.86E-001 |

Uncertainty reported at 1.9600 sigma

QC Analysis Comparison

Table H-4

| FSS Quality Control Accuracy and Precision Comparison | | | | | | | | | | |
|---|-----------------------------|----------|------------|-----------------|------------------------------|----------|---|----------------------------|------------|----------|
| Isotope | Sample ID CE- FSS-06-05-028 | | | | Sample ID CE- FSS-06-05-028S | | | | | |
| | Activity Value (pCi/g) | Uncert. | Resolution | Agreement Range | Activity Value (pCi/g) | Uncert. | Agreement Ratio (Accuracy) | % Deviation (Precision) | Acceptable | Comments |
| Ra-226 | 5.95E-01 | 3.49E-02 | 17 | 0.75 - 1.33 | 6.21E-01 | 4.16E-02 | 1.04 | -2.1 | Yes | N/A |
| Th-232 | 6.31E-01 | 2.69E-02 | 23 | 0.75 - 1.33 | 7.79E-01 | 4.96E-02 | 1.23 | -10.5 | Yes | N/A |
| K-40 | 1.43E+01 | 7.76E-01 | 18 | 0.75 - 1.33 | 1.76E+01 | 9.29E-01 | 1.23 | -10.3 | Yes | N/A |
| Note: | | | | | | | Resolution = Standard Activity Value /Standard Error | | | |
| | | | | | | | Resolution | Agreement Range | | |
| | | | | | | | <4 | No Comparison | | |
| | | | | | | | 4 - 7 | 0.4 - 2.0 | | |
| | | | | | | | 8 - 15 | 0.6 - 1.66 | | |
| | | | | | | | 16 - 50 | 0.75 - 1.33 | | |
| | | | | | | | 51 - 200 | 0.80 - 1.25 | | |
| | | | | | | | > 200 | 0.85 - 1.18 | | |

Prepared/Date: GSM 10/19/11

Checked/Date: HTD 10/19/11

 ***** C E R T I F I C A T E O F A N A L Y S I S *****

Site Location: CE Windsor
 Sample ID: FSS-06-05-029
 Sample Title: CE-FSS-06-05
 Sample Description: FSS-06-05-029
 Detector Name: 25%HPGE
 Nuclide Library Used: C:\GENIE2K\CAMFILES\FUSRAP_R4.NLB
 Sample Size: 9.749E+002 g
 Sample Taken On: 3/1/2011 2:10:00 PM
 Acquisition Started: 3/3/2011 10:52:07 AM
 Live Time: 1800.0 seconds
 Real Time: 1801.4 seconds
 Dead Time: 0.08 %
 Efficiency ID: 1316-45_04-30-10

| Nuclide Name | Qualifier | Nuclide Activity (pCi/g) | Activity Uncert. (pCi/g) | Nuclide MDA (pCi/g) |
|--------------|-----------|---------------------------|---------------------------|----------------------|
| K-40 | | 1.67E+001 | 1.72E+000 | 7.11E-001 |
| CO-60 | | 3.64E-002 | 3.21E-002 | 4.86E-002 |
| SB-125 | U | 1.22E-001 | 1.24E-001 | 2.01E-001 |
| CS-137 | U | -8.03E-003 | 5.42E-002 | 7.63E-002 |
| Ra-226 | | 6.85E-001 | 8.05E-002 | 1.47E-001 |
| TH-230 | U | 2.06E+000 | 1.67E+001 | 2.13E+001 |
| PA-231 | UI | -6.26E-002 | 3.21E-001 | 2.24E+000 |
| Th-231 | | 8.44E-001 | 2.49E-001 | 7.76E-001 |
| Th-232 | | 7.07E-001 | 7.27E-002 | 1.39E-001 |
| PA-234M | U | 7.58E-001 | 7.29E+000 | 1.09E+001 |
| U-234 | U | 3.79E+000 | 7.17E+001 | 9.16E+001 |
| U-235 | UI | 5.83E-002 | 4.95E-002 | 8.14E-002 |
| U-238 | U | 1.20E+000 | 7.74E-001 | 1.21E+000 |
| AM-241 | U | -7.73E-002 | 1.67E-001 | 2.40E-001 |

Uncertainty reported at 1.9600 sigma