



ROCHESTER CARDIOLOGY ASSOCIATES, P.C.
GOPAL REDDY, M.D., F.A.C.C. JYOTIRANJAN PRADHAN, M.D.
Cardiovascular Diseases

455 South Livernois, Suite B23
Rochester Medical Village
Rochester Hills, MI 48307

Phone: (248) 651-8888
Fax: (248) 651-2400

December 20, 2011

US NRC
Materials Licensing Branch
2443 Warrenville Rd. Suite 210
Lisle, IL 60532-4352

RE: License Amendment AU-#21-32295-01

Dear Sir or Madam:


Please amend our license #21-32295-01 to add a new Authorized User – Dr. Jyotiranjana Pradhan, MD. A copy of his CBNC board certificate is attached for your review.

This license renewal for Rochester Cardiology Associates, 455 S. Livernois, Suite B23, Rochester Hills, MI 48307.

Our RSO and other Authorized Users (AUs) remain the same.

If added information or further clarification is needed, we request that this be done via telephone/page and /or fax to minimize any delay in achieving final resolution on the amendment to Laura T. Smith, consulting physicist for location, her pager is 313-609-2038.

Sincerely,


Gopal Reddy, MD
Owner

RECEIVED DEC 28 2011

Certification Board of Nuclear Cardiology

Incorporated 1996

Certifies that


Jyotiranjana Pradhan, MD

HAVING MET THE REQUIREMENTS PRESCRIBED BY THIS BOARD
FOR PHYSICIANS TRAINED IN THE UNITED STATES
AND HAVING SATISFACTORILY PASSED THE REQUIRED EXAMINATION,
IS HEREBY DESIGNATED


A DIPLOMATE CERTIFIED IN THE SUBSPECIALTY OF

NUCLEAR CARDIOLOGY


FOR THE PERIOD 2009 - 2019



President



Secretary



CERTIFICATE NUMBER: 7265

**AUTHORIZED USER TRAINING AND EXPERIENCE
AND PRECEPTOR ATTESTATION**
(for uses defined under 35.100, 35.200, and 35.500)
[10 CFR 35.190, 35.290, and 35.590]

APPROVED BY OMB: NO. 3150-0120
EXPIRES: 3/31/2012

Name of Proposed Authorized User

Jyotiranjana Pradhan, MD

State or Territory Where Licensed

Michigan

Requested Authorization(s) (check all that apply)

- ☐ 35.100 Uptake, dilution, and excretion studies
- ☒ 35.200 Imaging and localization studies
- ☐ 35.500 Sealed sources for diagnosis (specify device _____)

PART I -- TRAINING AND EXPERIENCE
(Select one of the three methods below)

* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

☒ **1. Board Certification**

- a. Provide a copy of the board certification.
- b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.

☐ **2. Current 35.390 Authorized User Seeking Additional 35.290 Authorization**

- a. Authorized user on Materials License _____ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.
- b. Supervised Work Experience.
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			

Total Hours of Experience:

Supervising Individual

License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements (check all that apply).

- ☐ 35.290 ☐ 35.390 + generator experience in 32.290(c)(1)(ii)(G)

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User

a. Classroom and Laboratory Training:

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use <i>(not required for 35.590)</i>			
Radiation biology			
Total Hours of Training:			

**b. Supervised Work Experience (completion of this table is not required for 35.590).
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)**

Supervised Work Experience		Total Hours of Experience:	
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		<input type="checkbox"/> Yes <input type="checkbox"/> No	

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

First Section

Check one of the following for each use requested:

For 35.190

Board Certification

☐ I attest that _____ has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

Training and Experience

☐ I attest that _____ has satisfactorily completed the 60 hours of training and
Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

☒ I attest that Jyotiranjjan Pradhan, MD has satisfactorily completed the requirements in
Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

Training and Experience

☐ I attest that _____ has satisfactorily completed the 700 hours of training
Name of Proposed Authorized User

and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

Second Section

Complete the following for preceptor attestation and signature:

☒ I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

☐ 35.190 ☒ 35.290 ☐ 35.390 ☐ 35.390 + generator experience

Name of Preceptor

Signature

Telephone Number

Date

License/Permit Number/Facility Name

X Gopal Reddy *X Gopal Reddy* 248-651-8888 12-20-11
Rochester Cardiology #21-32295 01

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

b. Supervised Work Experience. (continued)

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Administering dosages of radioactive drugs to patients or human research subjects		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Supervising Individual		License/Permit Number listing supervising individual as an authorized user	

Supervisor meets the requirements below, or equivalent Agreement State requirements (*check one*).

☐ 35.190 ☐ 35.290 ☐ 35.390 ☐ 35.390 + generator experience in 35.290(c)(1)(ii)(G)

c. For 35.590 only, provide documentation of training on use of the device.

Device	Type of Training	Location and Dates

d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.



ROCHESTER CARDIOLOGY ASSOCIATES, P.C.
455 South Livernois, Suite B23
Rochester Medical Village
Rochester Hills, MI 48307

MEINKEPLEX MI 400

22 DEC 2011 PM 7 L



US NRC
Materials Licensing Branch
2443 Warrenville Rd Ste 210
Lisle IL 60532-4352
60532435260

