

PMTurkeyCOLPEm Resource

From: Habib, Donald
Sent: Friday, January 27, 2012 3:58 PM
To: orthen, Richard; Raymond Burski; Steve Franzone; STEVEN.HAMRICK; William Maher
Cc: TurkeyCOL Resource
Subject: RAI Letter 50 Related to Quality Assurance during the Design and Construction Phases for Turkey Point Units 6 and 7 COL Application
Attachments: TP RAI 6297 - Ltr 50 ML12027A070.pdf

To All:

Attached is RAI Letter 50 related to SRP Section 17.1, Quality Assurance during the Design and Construction Phases, for Turkey Point Units 6 and 7. The ADAMS ML accession number for the RAI is ML12027A070.

Please contact me if you have any questions related to this matter.

Donald C. Habib
Project Manager
U.S. Nuclear Regulatory Commission
Office of New Reactors, DNRL/LB4
Room T-6D14
Washington, DC 20555
301-415-1035
Donald.Habib@nrc.gov

Hearing Identifier: TurkeyPoint_COL_Public
Email Number: 547

Mail Envelope Properties (E3D0DF334F617344BE38EB00C881B1B36DCF05A4B0)

Subject: RAI Letter 50 Related to Quality Assurance during the Design and Construction Phases for Turkey Point Units 6 and 7 COL Application
Sent Date: 1/27/2012 3:58:11 PM
Received Date: 1/27/2012 3:58:13 PM
From: Habib, Donald

Created By: Donald.Habib@nrc.gov

Recipients:
"TurkeyCOL Resource" <TurkeyCOL.Resource@nrc.gov>
Tracking Status: None
"orthen, Richard" <richard.orthen@fpl.com>
Tracking Status: None
"Raymond Burski" <raymond.burski@fpl.com>
Tracking Status: None
"Steve Franzone" <steve.Franzone@fpl.com>
Tracking Status: None
"STEVEN.HAMRICK" <steven.hamrick@fpl.com>
Tracking Status: None
"William Maher" <William.maher@fpl.com>
Tracking Status: None

Post Office: HQCLSTR01.nrc.gov

Files	Size	Date & Time
MESSAGE	540	1/27/2012 3:58:13 PM
TP RAI 6297 - Ltr 50 ML12027A070.pdf		93858

Options
Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received:

TurkeyPointRAIsPEm Resource

From: Habib, Donald
Sent: Friday, January 27, 2012 11:20 AM
To: TurkeyPointRAIsPEm Resource
Subject: REQUEST FOR ADDITIONAL INFORMATION LETTER NO. 050 RELATED TO SRP SECTION 17.01 QUALITY ASSURANCE DURING THE DESIGN AND CONSTRUCTION PHASES FOR THE TURKEY POINT NUCLEAR PLANT UNITS 6 AND 7 COMBINED LICENSE APPLICATION
Attachments: PTN-RAI-LTR-050.doc

Hearing Identifier: TurkeyPoint_COL_eRAIs
Email Number: 60

Mail Envelope Properties (E3D0DF334F617344BE38EB00C881B1B36DCF05A3D4)

Subject: REQUEST FOR ADDITIONAL INFORMATION LETTER NO. 050 RELATED TO SRP SECTION 17.01 QUALITY ASSURANCE DURING THE DESIGN AND CONSTRUCTION PHASES FOR THE TURKEY POINT NUCLEAR PLANT UNITS 6 AND 7 COMBINED LICENSE APPLICATION

Sent Date: 1/27/2012 11:20:03 AM

Received Date: 1/27/2012 11:21:04 AM

From: Habib, Donald

Created By: Donald.Habib@nrc.gov

Recipients:

"TurkeyPointRAIsPEm Resource" <TurkeyPointRAIsPEm.Resource@nrc.gov>

Tracking Status: None

Post Office: HQCLSTR01.nrc.gov

Files	Size	Date & Time
MESSAGE	3	1/27/2012 11:21:04 AM
PTN-RAI-LTR-050.doc	45166	

Options

Priority: Standard

Return Notification: No

Reply Requested: No

Sensitivity: Normal

Expiration Date:

Recipients Received:

January 27, 2012

Mano K. Nazar
Senior Vice President and Chief Nuclear Officer
Florida Power & Light Company
Mail Stop NNP/JB
700 Universe Blvd
Juno Beach, FL 33408-0420

SUBJECT: REQUEST FOR ADDITIONAL INFORMATION LETTER NO. 050 RELATED TO
SRP SECTION 17.01 QUALITY ASSURANCE DURING THE DESIGN AND
CONSTRUCTION PHASES FOR THE TURKEY POINT NUCLEAR PLANT
UNITS 6 AND 7 COMBINED LICENSE APPLICATION

Dear Mr. Nazar:

By letter dated June 30, 2009, as supplemented by letters dated August 7, 2009, September 3, 2010, and December 21, 2010, Florida Power and Light submitted its application to the U. S. Nuclear Regulatory Commission (NRC) for a combined license (COL) for two AP1000 advanced passive pressurized water reactors pursuant to 10 CFR Part 52. The NRC staff is performing a detailed review of this application to enable the staff to reach a conclusion on the safety of the proposed application.

The NRC staff has identified that additional information is needed to continue portions of the review. The staff's request for additional information (RAI) is contained in the enclosure to this letter.

To support the review schedule, you are requested to respond within 30 days of the date of this letter. If you are unable to provide a response within 30 days, please state when you will be able to provide the response. In the event the response submitted is incomplete, please indicate in the response when the complete response will be provided. If changes are needed to the final safety analysis report, the staff requests that the RAI response include the proposed wording changes. Your response should also indicate whether any of the information provided is to be withheld as exempt from public disclosure pursuant to 10 CFR 2.390.

If you have any questions or comments concerning this matter, you may contact me at 301-415-1035 (donald.habib@nrc.gov) or you may contact the lead project manager, Manny Comar, at 301-415-3863 (manny.comar@nrc.gov).

Sincerely,

/RA/

Donald Habib, Project Manager
Licensing Branch 4
Division of New Reactor Licensing
Office of New Reactors

Docket Nos. 52-040
52-041

Enclosure:
Request for Additional Information

If you have any questions or comments concerning this matter, you may contact me at 301-415-1035 (donald.habib@nrc.gov) or you may contact the lead project manager, Manny Comar, at 301-415-3863 (manny.comar@nrc.gov).

Sincerely,

/RA/

Donald Habib, Project Manager
Licensing Branch 4
Division of New Reactor Licensing
Office of New Reactors

Docket Nos. 52-040
52-041
eRAI Tracking No. 6297

Enclosure:
Request for Additional Information

Distribution:

Public	BWeisman	BHughes
RidsNroDnrINwe1	JSebrosky	MComar
RidsNroLAKGoldstein	DMcGovern	TGalletta
RidsOgcMailCenter	BAnderson	RJoshi
RidsAcrcAcnwMailCenter	DHabib	KKavanagh
RidsRgn2MailCenter	MTonacci	AKeim
AMinarik		

NRO-002

OFFICE	CQAB/BC	LB4/PM	LB4/L-PM
NAME	KKavanagh*	MComar *	DHabib *
DATE	1/24/12	1/25/12	1/27/12

*Approval captured electronically in the electronic RAI system.

OFFICIAL RECORD COPY

Request for Additional Information No. 6297 Revision 3

1/27/2012

Turkey Point Units 6 and 7

Florida P and L

Docket No. 52-040 and 52-041

SRP Section: 17.01 - Quality Assurance During the Design and Construction Phases 07/1981

Application Section: Part 2 - FSAR 17.1

QUESTIONS for Quality and Vendor Branch 1 (AP1000/EPR Projects) (CQVP)

17.01-1

The COL applicant needs to include in FSAR Section 17.1 a discussion on who is responsible for the establishment and execution of the quality assurance requirements during the design, construction, and operations phases of Turkey Point Units 6 & 7. Specifically, this information should include a description of the delegation for establishing and executing the quality assurance program and who has responsibility for the quality assurance program.