

APPENDIX D

REFERENCES

American Concrete Institute (ACI)

— — — — —, ACI 229R 99, “Controlled Low Strength Materials,” 229R-99, 1999

— — — — —, ACI 318-89, “Building Code Requirements for Reinforced Concrete,”
Detroit, 1989

American National Standards Institute (ANSI)

— — — — —, ANSI 15.8-2009, “Material Control Systems – Special Nuclear Material Control
and Accounting Systems for Nuclear Power Plants”

— — — — —, ANSI B30.2, “Overhead and Gantry Cranes”

— — — — —, ANSI B30.9, “Slings”

— — — — —, ANSI N13.5-1972, “Performance Specifications for Direct Reading and Indirect
Reading Pocket Dosimeters for X- and Gamma Radiation”

— — — — —, ANSI N13.27-1981, “Performance Specifications for Pocket-Sized Alarming
Dosimeters/Ratemeters”

— — — — —, ANSI N14.6, “Special Lifting Devices for Shipping Containers Weighing
10,000 Pounds or More”

— — — — —, ANSI N15.8-2009, “Material Control Systems – Special Nuclear Material Control
and Accounting Systems for Nuclear Power Plants”

— — — — —, ANSI N42.17A-1989, “Performance Specifications for Health Physics
Instrumentation—Portable Instrumentation for Use in Normal Environmental Conditions”

— — — — —, ANSI N42.18, “Specification and Performance of On-Site Instrumentation for
Continuously Monitoring Radioactivity in Effluents”

— — — — —, ANSI N322-1997, “ANSI Test, Construction, and Performance requirements for
Direct Reading Electrostatic-Electroscope Type Dosimeters”

— — — — —, ANSI N323A-1997, “Radiation Protection Instrumentation Test and Calibration,
Portable Survey Instruments”

American National Standards Institute / American Nuclear Society (ANSI/ANS)

— — — — —, ANSI/ANS 2.5-1984, “Standard for Determining Meteorological Information at Nuclear Power Sites”

— — — — —, ANSI/ANS 2.8-1992, “Determining Design Basis Flooding at Power Reactor Sites”

— — — — —, ANSI/ANS 2.8-1992, “Determining Design-Basis Flooding at Power Reactor Sites”

— — — — —, ANSI/ANS-3.1-1993, “American National Standard for Selection, Qualification, and Training of Personnel for Nuclear Power Plants”

— — — — —, ANSI/ANS 57.1-1992, “Design Requirements for LWR Fuel Handling Systems”

American National Standards Institute / Health Physics Society (ANSI/HPS)

— — — — —, ANSI/HPS N13.1, “Sampling and Monitoring Releases of Airborne Radioactive Substances from the Stacks and Ducts of Nuclear Facilities”

American National Standards Institute / Instrument Society of America (ANSI/ISA)

— — — — —, ANSI/ISA Standard 67.04-2000, “Setpoints for Nuclear Safety-Related Instrumentation”

American Nuclear Society / International Standardization Organization/International Electrotechnical Commission (ANS/ISO/IEC)

— — — — —, ANS/ISO/IEC 17025, “General Requirements for the Competence of Testing and Calibration Laboratories”

American Society of Civil Engineers (ASCE)

— — — — —, ASCE 4-98, “Seismic Analysis of Safety-Related Nuclear Structures and Commentary,” 2000

— — — — —, ASCE 7-95, “Minimum Design Loads for Buildings and Other Structures”

— — — — —, ASCE 7-98, “Minimum Design Loads for Buildings and Other Structures”

American Society of Civil Engineers and Structural Engineering Institute (ASCE/SEI)

— — — — —, ASCE/SEI Standard 7-05, “Minimum Design Loads for Buildings and Other Structures,” 2006

— — — — —, ASCE/SEI Standard 43-05, “American Society of Civil Engineers, Seismic Design Criteria for Structures, Systems, and Components in Nuclear Facilities,” 2005

ASME Code Cases

— — — — —, ASME N-729-1 (N-729-1), “Alternative Examination Requirements for Pressurized-Water Reactor (PWR) Vessel Upper Heads With Nozzles Having Pressure-Retaining Partial-Penetration Welds”

— — — — —, OMN-1, (Revision 1) “Alternative Rules for the Preservice and Inservice Testing of Certain Electric Motor-Operated Valve Assemblies in Light Water Reactor Power Plants”

— — — — —, OMN-11, “Risk-Informed Testing of Motor-Operated Valves”

American Society of Mechanical Engineers

Other ASME Documents

— — — — —, ASME B31.1, “Power Piping”

— — — — —, ASME Boiler and Pressure Vessel Code (B&PV Code)

— — — — —, ASME NOG-1, “Rules for Construction of Overhead and Gantry Cranes (Top Running Bridge, Multiple Girder)”

— — — — —, ASME Code for Operation and Maintenance of Nuclear Power Plants (OM) Code

— — — — —, ASME Operation and Maintenance (OM) Code, ISTD-6000, “Service Life Monitoring”

— — — — —, ASME Standard NQA-1-1994, “Quality Assurance Requirements for Nuclear Facility Applications”

— — — — —, ASME Standard QME-1-2007, “Qualification of Active Mechanical Equipment Used in Nuclear Power Plants”

American Society of Testing and Materials (ASTM)

— — — — —, ASTM D1557, “Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Modified Effort,” 2009

— — — — —, ASTM D1586, “Standard Test Method for Penetration Test and Split-Barrel Sampling of Soils”

— — — — —, ASTM D2113, “Standard Practice for Rock Core Drilling and Sampling of Rock for Site Investigation,” 2006

— — — — —, ASTM D5144-08, “Standard Guide for Use of Protective Coating Standards in Nuclear Power Plants”

— — — — —, ASTM D5163-05a, “Standard Guide for Establishing Procedures to Monitor the Performance of Coating Service Level I Coating Systems in an Operating Nuclear Power Plant”

— — — — —, ASTM D7167-05, “Standard Guide for Establishing Procedures to Monitor the Performance of Safety-Related Coating Service Level III Lining”

— — — — —, ASTM E-185 Annual Book of ASTM Standards, Part 30

American Water Works Association (AWWA)

— — — — —, C906, “Polyethylene (PE) Pressure Pipe and Fittings, 4 in (100mm) through 63 in (1,575mm), for Water Distribution and Transmission”

Electric Power Research Institute (EPRI)

— — — — —, NP-4354, “Large Scale Hydrogen Burn Equipment Experiments”

— — — — —, “Probabilistic Seismic Hazard Evaluations at Nuclear Power Plant Sites in the Central and Eastern United States,” NP-4726 (all volumes), 1989-1991

— — — — —, NP-4726-A, “Seismic Hazard Methodology for the Central and Eastern United States,” Palo Alto, California, Vols. 1–10, 1986 and 1988

— — — — —, NP-5930, “A Criterion for Determining Exceedance of the Operating Basis Earthquake”

———, NP-6041-SL, “A Methodology for Assessment of Nuclear Power Plant Seismic Margin,” Revision 1, August 1991.

— — — — —, NP-6395-D, “Probabilistic Seismic Hazard Evaluations at Nuclear Power Plant Sites in the Central and Eastern United States: Resolution of Charleston Earthquake Issue,” Palo Alto, California, 1989

— — — — —, NP-6695, “Guidelines for Nuclear Plant Response to an Earthquake”

— — — — —, TR-100082, “Standardization of the Cumulative Absolute Velocity”

— — — — —, TR-1002884, “Pressurized Water Reactor Primary Water Chemistry Guidelines: Volume 1”

— — — — —, TR-1009684, “CEUS Ground Motion Project Final Report,” Palo Alto, California, 2004

— — — — —, TR-1012045, “Assessment of a Performance-Based Approach for Determining the SSE Ground Motion for New Plant Sites,” Vol. 2, Seismic Hazard Results at 28 Sites, Final Report,” May 2005

— — — — —, TR-1014099, “Program on Technology Innovation: Use of Cumulative Absolute Velocity (CAV) in Determining Effects of Small Magnitude Earthquakes on Seismic Hazard Analyses,” Palo Alto, California, August 2006

— — — — —, TR-1014381, “Program on Technology Innovation: Truncation of the Lognormal Distribution and Value of the Standard Deviation for Ground Motion Models in the Central and Eastern United States,” Palo Alto, California, August 2006

— — — — —, TR-102134-R5, “PWR Secondary Water Chemistry Guidelines”

— — — — —, TR-102261, “Engineering Characterization of Earthquake Strong Ground Motion Recorded at Rock Sites,” W.J. Silva and R. Darragh, 1995, Palo Alto, California

— — — — —, TR-102293, “Guidelines for Determining Design Basis Ground Motions,” 1993, Palo Alto, California, Vol. 1

Institute for Electrical and Electronics Engineers (IEEE)

— — — — —, IEEE Standard 80, “Guide for Safety in AC Substation Grounding”

— — — — —, IEEE Standard 323, “IEEE Standard for Qualifying Class 1E Equipment for Nuclear Power Generating Stations”

— — — — —, IEEE Standard 336-1985, “IEEE Standard Installation, Inspection, and Testing Requirements for Power, Instrumentation, and Control Equipment at Nuclear Facilities”

— — — — —, IEEE Standard 384, “IEEE Standard Criteria for Independence of Class 1E Equipment and Circuits”

— — — — —, IEEE Standard 450, “Recommended Practice for the Maintenance, Testing, and Replacement of Vented Lead-Acid Batteries for Stationary Applications”

— — — — —, IEEE Standard 498-1985, “IEEE Standard Requirements for the Calibration and Control of Measuring and Test Equipment Used in Nuclear Facilities”

— — — — —, IEEE Standard 603-1980, “IEEE Standard Criteria for Safety Systems for Nuclear Power Generating Stations”

— — — — —, IEEE Standard 603-1991, “IEEE Standard Criteria for Safety Systems for Nuclear Power Generating Stations”

— — — — —, IEEE Standard 665, “Guide for Generating Station Grounding”

— — — — —, IEEE Standard C.57.19.100, “Guide for Application of Power Apparatus Bushings,” August 1995

National Fire Protection Association (NFPA)

— — — — —, NFPA 25, “Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems”

— — — — —, NFPA 72, “National Fire Alarm and Signaling Code”

— — — — —, NFPA 780, “Standard for the Installation of Lightning Protection”

— — — — —, NFPA 804, “Standard for Fire Protection for Advanced Light Water Reactor Electric Generating Plants”

Nuclear Energy Institute (NEI)

— — — — —, NEI 03-12, “Template for the Security Plan, Training and Qualification Plan, Safeguards Contingency Plan, and Independent Spent Fuel Installation Security Program,” Revision 6 (**Includes security-related or Safeguards Information and is not publicly available**)

— — — — —, NEI 04-07, “Pressurized Water Reactor Sump Performance Evaluation Methodology” Revision 0, Volume 1, as supplemented by the NRC in the “Safety Evaluation by The Office of Nuclear Reactor Regulation Related to NRC Generic Letter 2004-02,” in NEI 04-07, Revision 0, Volume 2

— — — — —, NEI 06-06, “Fitness for Duty Program Guidance for New Nuclear Power Plant Construction Sites”

— — — — —, NEI 06-12, “B.5.b Phase 2 & 3 Submittal Guideline,” Revision 3 (**not publicly available**)

— — — — —, NEI 06-13A, “Template for an Industry Training Program Description,” Revision 1

— — — — —, NEI 06-14A, “Quality Assurance Program Description,” Revision 7

— — — — —, NEI 07-01, “Methodology for Development of Emergency Action Levels Advanced Passive Light Water Reactors”

— — — — —, NEI 07-02A, “Generic FSAR Template Guidance for Maintenance Rule Program Description for Plants Licensed Under 10 CFR Part 52”

— — — — —, NEI 07-03A, “Generic FSAR Template Guidance for Radiation Protection Program Description”

— — — — —, NEI 07-08A, “Generic FSAR Template Guidance for Ensuring That Occupational Radiation Exposures Are As Low As Is Reasonably Achievable (ALARA),” Revision 0

— — — — —, NEI 07-09, “Generic FSAR Template Guidance for Offsite Dose Calculation Manual (ODCM) Program Description” (ADAMS Accession No. ML072600366)

— — — — —, NEI 07-10, “FSAR Template Guidance for Process Control Program (PCP) Description”

— — — — —, NEI 07-11, “Generic FSAR Template Guidance for Cost-Benefit Analysis for Radwaste Systems for Light-Water-Cooled Nuclear Power Reactors,” Revision 0

— — — — —, NEI 08-08, “Generic FSAR Template Guidance for Life Cycle Minimization of Contamination,” Revision 0

— — — — —, NEI 08-08A, “Generic FSAR Template Guidance for Life Cycle Minimization of Contamination”

— — — — —, NEI 10-05, “Assessment of On-Shift Emergency Response Organization Staffing and Capabilities”, Revision 0.

— — — — —, NEI 12-01, “Guideline for Assessing Beyond Design Basis Accident Response Staffing and Communications Capabilities,” Revision 0

— — — — —, NEI 12-02, “Industry Guidance for Compliance with Nuclear Regulatory Commission (NRC) Order EA-12-051, To Modify Licenses with Regard to Reliable Spent Fuel Pool Instrumentation,” Revision 1 (ADAMS Accession No. ML122400399)

— — — — —, NEI 12-06, “Diverse and Flexible Coping Strategies (FLEX) Implementation Guide,” Revision 0 (ADAMS Accession No. ML12242A378)

— — — — —, NEI 94-01, “Industry Guideline for Implementing the Performance-Based Option of 10 CFR Part 50, Appendix J”

— — — — —, NEI 97-06, “Steam Generator Program Guidelines”

— — — — —, NEI 99-02, “Regulatory Assessment Performance Indicator Guideline,” Revision 5, July 2007

— — — — —, NEI 99-04, “Guidelines for Managing NRC Commitment Changes,” Revision 0

— — — — —, NUMARC 87-00, “Guidelines and Technical Bases for NUMARC Initiatives Addressing Station Blackout at Light Water Reactors,” Revision 1, August 1991

— — — — —, NUMARC 93-01, “Industry Guidance for Monitoring the Effectiveness of Maintenance at Nuclear Power Plants” (ADAMS Accession No. ML101020415)

Nuclear Information and Records Management Association (NIRMA)

- — — — —, NIRMA Guidelines TG 11-1998, “Authentication of Records and Media”
- — — — —, NIRMA Guidelines TG 15-1998, “Management of Electronic Records”
- — — — —, NIRMA Guidelines TG 16-1998, “Software Configuration Management and Quality Assurance”
- — — — —, NIRMA Guidelines TG 21-1998, “Electronic Records Protection and Restoration”

Southern Nuclear Company

- — — — —, “Update of Charleston Seismic Source and Integration with EPRI Source Models,” 25144-006-V14-CY06-0006, Proprietary, Revision 002-20060908, 2006
- — — — —, Vogtle Early Site Permit Application, Part 2 – Site Safety Analysis Report, Revision 2, April 2007

U.S. Code of Federal Regulations

- — — — —, *Title 10, Energy*, 2.390, “Public Inspections, Exemptions, Requests for Withholding”
- — — — —, *Title 10, Energy*, Part 11, “Criteria and procedures for determining eligibility for access to or control over special nuclear material”
- — — — —, *Title 10, Energy*, 11.11, “General requirements”
- — — — —, *Title 10, Energy*, Part 19, “Notices, Instructions and Reports to Workers: Inspection and Investigations”
- — — — —, *Title 10, Energy*, 19.12, “Instructions to Workers”
- — — — —, *Title 10, Energy*, Part 20, “Standards for Protection Against Radiation”
- — — — —, *Title 10, Energy*, Part 20, Appendix B, “Annual Limits on Intake (ALIs) and Derived Air Concentrations (DACs) of Radionuclides for Occupational Exposure; Effluent Concentrations; Concentrations for Release to Sewerage”
- — — — —, *Title 10, Energy*, 20.1101, “Radiation Protection Programs”
- — — — —, *Title 10, Energy*, 20.1106, “Interpretations”
- — — — —, *Title 10, Energy*, 20.1201, “Occupational Dose Limits for Adults”

- — — — —, *Title 10, Energy*, 20.1204, “Determination of Internal Exposure”
- — — — —, *Title 10, Energy*, 20.1301, “Dose Limits for Individual Members of the Public”
- — — — —, *Title 10, Energy*, 20.1302, “Compliance with Dose Limits for Individual Members of the Public”
- — — — —, *Title 10, Energy*, 20.1406, “Minimization of Contamination”
- — — — —, *Title 10, Energy*, 20.1501, “General”
- — — — —, *Title 10, Energy*, 20.1502, “Conditions Requiring Individual Monitoring of External and Internal Occupational Dose”
- — — — —, *Title 10, Energy*, 20.1601, “Control of Access to High Radiation Areas”
- — — — —, *Title 10, Energy*, 20.1602, “Control of Access to Very High Radiation Areas”
- — — — —, *Title 10, Energy*, 20.1801, “Security of Stored Material”
- — — — —, *Title 10, Energy*, 20.1802, “Control of Material Not in Storage”
- — — — —, *Title 10, Energy*, 20.2206, “Reports of Individual Monitoring”
- — — — —, *Title 10, Energy*, Part 21, “Reporting of defects and noncompliance”
- — — — —, *Title 10, Energy*, Part 26, “Fitness for Duty Programs”
- — — — —, *Title 10, Energy*, 26.3, “Scope”
- — — — —, *Title 10, Energy*, 26.4, “FFD Program Applicability to Categories of Individuals”
- — — — —, *Title 10, Energy*, 26.205, “Work Hours”
- — — — —, *Title 10, Energy*, 26.207, “Waivers and Exceptions”
- — — — —, *Title 10, Energy*, 26.209, “Self-declarations”
- — — — —, *Title 10, Energy*, Part 30, “Rules of General Applicability to Domestic Licensing of Byproduct Material”
- — — — —, *Title 10, Energy*, 30.18, “Exempt Quantities”
- — — — —, *Title 10, Energy*, 30.32, “Application for Specific Licenses”
- — — — —, *Title 10, Energy*, 30.34, “Terms and Conditions of Licenses”
- — — — —, *Title 10, Energy*, 30.72, “Schedule C--Quantities of Radioactive Materials Requiring Consideration of the Need for an Emergency Plan for Responding to a Release”

- — — — —, *Title 10, Energy*, Part 31, “General Domestic Licenses for Byproduct Material”
- — — — —, *Title 10, Energy*, Part 32, “Specific Domestic Licenses to Manufacture or Transfer Certain Items Containing Byproduct Material”
- — — — —, *Title 10, Energy*, Part 33, “Specific Domestic Licenses of Broad Scope for Byproduct Material”
- — — — —, *Title 10, Energy*, Part 34, “Licenses for Industrial Radiography and Radiation Safety Requirements for Industrial Radiographic Operations”
- — — — —, *Title 10, Energy*, Part 40, “Domestic Licensing of Source Material”
- — — — —, *Title 10, Energy*, 40.31, “Application for Specific Licenses”
- — — — —, *Title 10, Energy*, Part 50, “Domestic Licensing of Production and Utilization Facilities”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, “General Design Criteria for Nuclear Power Plants”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 1, “Quality Standards and Records”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 2, “Design Bases for Protection Against Natural Phenomena”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 3, “Fire Protection”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 4, “Environmental and Dynamic Effects Design Bases”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 5, “Sharing of Structures, Systems, and Components”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 13, “Instrumentation and Control”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 14, “Reactor Coolant Pressure Boundary”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 16, “Containment Design”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 17, “Electric Power Systems”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 18, “Inspection and Testing of Electrical Power Systems”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 19, “Control Room”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 26, “Reactivity Control System Redundancy and Capability”

- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 27, “Combined Reactivity Control Systems Capability”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 29, “Protection Against Anticipated Operational Occurrences”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 30, “Quality of Reactor Coolant Pressure Boundary”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 32, “Inspection of Reactor Coolant Pressure Boundary”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 34, “Residual Heat Removal”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 38, “Containment Heat Removal”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 44, “Cooling Water”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 45, “Inspection of Cooling Water System”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 50, “Containment Design Basis”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 52, “Capability for Containment Leakage Rate Testing”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 53, “Provisions for Containment Testing and Inspection”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 54, “Piping System Penetrating Containment”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 60, “Control of Releases of Radioactive Materials to the Environment”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 61, “Fuel Storage and Handling and Radioactivity Control”
- — — — —, *Title 10, Energy*, Part 50, Appendix A, GDC 64, “Monitoring Radioactivity Releases”
- — — — —, *Title 10, Energy*, Part 50, Appendix B, “Quality Assurance Criteria for Nuclear Power Plants and Fuel Processing Plants”
- — — — —, *Title 10, Energy*, Part 50, Appendix C, “A Guide for the Financial Data and Related Information Required To Establish Financial Qualifications for Construction Permits and Combined Licenses”
- — — — —, *Title 10, Energy*, Part 50, Appendix E, “Emergency Planning and Preparedness for Production and Utilization Facilities”
- — — — —, *Title 10, Energy*, Part 50, Appendix G, “Fracture Toughness Requirements”

— — — — —, *Title 10, Energy*, Part 50, Appendix H, “Reactor Vessel Material Surveillance Program Requirements”

— — — — —, *Title 10, Energy*, Part 50, Appendix I, “Numerical Guides for Design Objectives and Limiting Conditions for Operation to Meet the Criterion ‘As Low as is Reasonably Achievable’ for Radioactive Material in Light-Water-Cooled Nuclear Power Reactor Effluents”

— — — — —, *Title 10, Energy*, Part 50, Appendix J, “Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors”

— — — — —, *Title 10, Energy*, Part 50, Appendix K, “ECCS Evaluation Models”

— — — — —, *Title 10, Energy*, Part 50, Appendix S, “Earthquake Engineering Criteria for Nuclear Power Plants”

— — — — —, *Title 10, Energy*, 50.2, “Definitions”

— — — — —, *Title 10, Energy*, 50.9, “Completeness and Accuracy of Information”

— — — — —, *Title 10, Energy*, 50.12, “Specific Exemptions”

— — — — —, *Title 10, Energy*, 50.21, “Class 104 Licenses; for Medical Therapy and Research and Development Facilities”

— — — — —, *Title 10, Energy*, 50.22, “Class 103 Licenses; for Commercial and Industrial Facilities”

— — — — —, *Title 10, Energy*, 50.33, “Content of the Application: General Information”

— — — — —, *Title 10, Energy*, 50.34, “Contents of Applications; Technical Information”

— — — — —, *Title 10, Energy*, 50.34a, “Design Objectives for Equipment to Control Releases of Radioactive Material in Effluents—Nuclear Power Reactors”

— — — — —, *Title 10, Energy*, 50.36, “Technical Specifications”

— — — — —, *Title 10, Energy*, 50.36a, “Technical Specifications on Effluents from Nuclear Power Reactors”

— — — — —, *Title 10, Energy*, 50.38, “Ineligibility of Certain Applicants”

— — — — —, *Title 10, Energy*, 50.40, “Common Standards”

— — — — —, *Title 10, Energy*, 50.43, “Additional Standards and Provisions Affecting Class 103 Licenses and Certifications for Commercial Power”

— — — — —, *Title 10, Energy*, 50.47, “Emergency Plans”

— — — — —, *Title 10, Energy*, 50.48, “Fire Protection”

- — — — —, *Title 10, Energy*, 50.49, “Environmental Qualification of Electric Equipment Important to Safety for Nuclear Power Plants”
- — — — —, *Title 10, Energy*, 50.54, “Conditions of Licenses”
- — — — —, *Title 10, Energy*, 50.55, “Conditions of Construction Permits, Early Site Permits, Combined Licenses, and Manufacturing Licenses”
- — — — —, *Title 10, Energy*, 50.55a, “Codes and Standards”
- — — — —, *Title 10, Energy*, 50.59, “Changes, Tests and Experiments”
- — — — —, *Title 10, Energy*, 50.60, “Acceptance Criteria for Fracture Prevention Measures for Lightwater Nuclear Power Reactors for Normal Operation”
- — — — —, *Title 10, Energy*, 50.61, “Fracture Toughness Requirements for Protection against Pressurized Thermal Shock Events”
- — — — —, *Title 10, Energy*, 50.62, “Requirements for reduction of risk from anticipated transients without scram (ATWS) events for light-water-cooled nuclear power plants”
- — — — —, *Title 10, Energy*, 50.63, “Loss of All Alternating Current Power”
- — — — —, *Title 10, Energy*, 50.65, “Requirements for Monitoring the Effectiveness of Maintenance at Nuclear Power Plants”
- — — — —, *Title 10, Energy*, 50.68, “Criticality Accident Requirements”
- — — — —, *Title 10, Energy*, 50.71, “Maintenance of Records, Making of Reports”
- — — — —, *Title 10, Energy*, 50.72, “Immediate Notification Requirements for Operating Nuclear Power Reactors”
- — — — —, *Title 10, Energy*, 50.73, “Licensee Event Report System”
- — — — —, *Title 10, Energy*, 50.75, “Reporting and Recordkeeping for Decommissioning Planning”
- — — — —, *Title 10, Energy*, 50.80, “Transfer of Licenses”
- — — — —, *Title 10, Energy*, 50.90, “Application for Amendment of License, Construction Permit, or Early Site Permit”
- — — — —, *Title 10, Energy*, 50.120, “Training and Qualification of Nuclear Power Plant Personnel”
- — — — —, *Title 10, Energy*, Part 51, “Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions”
- — — — —, *Title 10, Energy*, 51.50, “Environmental Report—Construction Permit, Early Site Permit, or Combined License Stage”

— — — — —, *Title 10, Energy*, Part 52, “Licenses, Certifications, and Approvals for Nuclear Power Plants”

— — — — —, *Title 10, Energy*, Part 52, Appendix D, “Design Certification Rule for the AP1000 Design”

— — — — —, *Title 10, Energy*, 52.0, “Scope; Applicability of 10 CFR Chapter I Provisions”

— — — — —, *Title 10, Energy*, 52.7, “Specific Exemptions”

— — — — —, *Title 10, Energy*, 52.17, “Contents of applications; technical information”

— — — — —, *Title 10, Energy*, 52.47, “Contents of Applications; Technical Information”

— — — — —, *Title 10, Energy*, 52.55, “Duration of Certification”

— — — — —, *Title 10, Energy*, 52.63, “Finality of Standard Design Certifications”

— — — — —, *Title 10, Energy*, 52.73, “Relationship to Other Subparts”

— — — — —, *Title 10, Energy*, 52.77, “Contents of Applications; General Information”

— — — — —, *Title 10, Energy*, 52.79, “Contents of Applications; Technical Information in Final Safety Analysis Report”

— — — — —, *Title 10, Energy*, 52.80, “Contents of Applications; Additional Technical Information”

— — — — —, *Title 10, Energy*, 52.81, “Standards for Review of Applications”

— — — — —, *Title 10, Energy*, 52.83, “Finality of Referenced NRC Approvals; Partial Initial Decision on Site Suitability”

— — — — —, *Title 10, Energy*, 52.85, “Administrative Review of Applications; Hearings”

— — — — —, *Title 10, Energy*, 52.87, “Referral to the Advisory Committee on Reactor Safeguards (ACRS)”

— — — — —, *Title 10, Energy*, 52.93, “Exemptions and Variances”

— — — — —, *Title 10, Energy*, 52.97, “Issuance of Combined Licenses”

— — — — —, *Title 10, Energy*, 52.98, “Finality of Combined Licenses; Information Requests”

— — — — —, *Title 10, Energy*, 52.99, “Inspection during Construction”

— — — — —, *Title 10, Energy*, 52.103, “Operation under a Combined License”

— — — — —, *Title 10, Energy*, Part 54, Requirements for Renewal of Operating Licenses for Nuclear Power Plants”

- — — — —, *Title 10, Energy*, Part 55, “Operator’s Licenses”
- — — — —, *Title 10, Energy*, 55.13, “General Exemptions”
- — — — —, *Title 10, Energy*, 55.31, “How to Apply”
- — — — —, *Title 10, Energy*, 55.41, “Written Examinations: Operators”
- — — — —, *Title 10, Energy*, 55.43, “Written Examinations: Senior Operators”
- — — — —, *Title 10, Energy*, 55.45, “Operating Tests”
- — — — —, *Title 10, Energy*, 55.59, “Requalification”
- — — — —, *Title 10, Energy*, Part 61, “Licensing Requirements for Land Disposal of Radioactive Waste”
- — — — —, *Title 10, Energy*, 61.55, “Waste Classification”
- — — — —, *Title 10, Energy*, 61.56, “Waste Characteristics”
- — — — —, *Title 10, Energy*, Part 70, “Domestic Licensing of Special Nuclear Material”
- — — — —, *Title 10, Energy*, 70.17, “Specific Exemptions”
- — — — —, *Title 10, Energy*, 70.22, “Contents of Applications”
- — — — —, *Title 10, Energy*, 70.24, “Criticality Accident Requirements”
- — — — —, *Title 10, Energy*, 70.32, “Conditions of Licenses”
- — — — —, *Title 10, Energy*, Part 71, “Packaging and Transportation of Radioactive Material”
- — — — —, *Title 10, Energy*, Part 73, “Physical Protection of Plants and Materials”
- — — — —, *Title 10, Energy*, Part 73, Appendix B, “General Criteria for Security Personnel”
- — — — —, *Title 10, Energy*, Part 73, Appendix C, “Nuclear Power Plant Safeguards Contingency Plans”
- — — — —, *Title 10, Energy*, Part 73, Appendix G, “Reportable Safeguards Events”
- — — — —, *Title 10, Energy*, 73.1, “Purpose and Scope”
- — — — —, *Title 10, Energy*, 73.2, “Definitions”
- — — — —, *Title 10, Energy*, 73.21, “Protection of Safeguards Information: Performance Requirements”

— — — — —, *Title 10, Energy, 73.45*, “Performance Capabilities for Fixed Site Physical Protection Systems”

— — — — —, *Title 10, Energy, 73.46*, “Fixed Site Physical Protection Systems, Subsystem, Components, and Procedures”

— — — — —, *Title 10, Energy, 73.54*, “Protection of Digital Computer and Communication Systems and Networks”

— — — — —, *Title 10, Energy, 73.55*, “Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors against Radiological Sabotage”

— — — — —, *Title 10, Energy, 73.55*, Appendix B, “General Criteria for Security Personnel”

— — — — —, *Title 10, Energy, 73.55*, Appendix C, “Nuclear Power Plant Safeguards Contingency Plans”

— — — — —, *Title 10, Energy, 73.55*, Appendix G, “Reportable Safeguards Events”

— — — — —, *Title 10, Energy, 73.55*, Appendix H, “Weapons Qualification Criteria”

— — — — —, *Title 10, Energy, 73.56*, “Personnel Access Authorization Requirements for Nuclear Power Plants”

— — — — —, *Title 10, Energy, 73.57*, “Requirements for Criminal History Records Checks of Individuals Granted Unescorted Access to a Nuclear Power Facility or Access to Safeguards Information”

— — — — —, *Title 10, Energy, 73.58*, “Safety/Security Interface Requirements for Nuclear Power Reactors”

— — — — —, *Title 10, Energy, 73.67*, “Licensee Fixed Site and In-transit Requirements for the Physical Protection of Special Nuclear Material of Moderate and Low Strategic Significance”

— — — — —, *Title 10, Energy, 73.70*, “Records”

— — — — —, *Title 10, Energy, 73.71*, “Reporting of safeguards events”

— — — — —, *Title 10, Energy, Part 74*, “Material Control and Accounting of Special Nuclear Material”

— — — — —, *Title 10, Energy, 74.4*, “Definitions”

— — — — —, *Title 10, Energy, 74.7*, “Specific Exemptions”

— — — — —, *Title 10, Energy, 74.11*, “Reports of Loss or Theft or Attempted Theft or Unauthorized Production of Special Nuclear Material”

— — — — —, *Title 10, Energy, 74.13*, “Material Status Reports”

— — — — —, *Title 10, Energy, 74.15*, “Nuclear Material Transaction Reports”

- — — — —, *Title 10, Energy*, 74.19, “Recordkeeping”
- — — — —, *Title 10, Energy*, 74.31, “Nuclear Material Control and Accounting for Special Nuclear Material of Low Strategic Significance”
- — — — —, *Title 10, Energy*, 74.33, “Nuclear Material Control and Accounting for Uranium Enrichment Facilities Authorized to Produce Special Nuclear Material of Low Strategic Significance”
- — — — —, *Title 10, Energy*, 74.41, “Nuclear Material Control and Accounting for Special Nuclear Material of Moderate Strategic Significance”
- — — — —, *Title 10, Energy*, 74.51, “Nuclear Material Control and Accounting for Strategic Special Nuclear Material”
- — — — —, *Title 10, Energy*, Part 100, “Reactor Site Criteria”
- — — — —, *Title 10, Energy*, 100.1, “Reactor site criteria, purpose”
- — — — —, *Title 10, Energy*, 100.3, “Definitions”
- — — — —, *Title 10, Energy*, 100.20, “Factors to be Considered when Evaluating Sites”
- — — — —, *Title 10, Energy*, 100.21, “Non-seismic Site Criteria”
- — — — —, *Title 10, Energy*, 100.23, “Geologic and Seismic Siting Criteria”
- — — — —, *Title 10, Energy*, Part 140, “Financial Protection Requirements and Indemnity Agreements”
- — — — —, *Title 10, Energy*, 140.11, “Amounts of Financial Protection for Certain Reactors”
- — — — —, *Title 10, Energy*, 140.13, “Amount of financial protection required of certain holders of construction permits and combined licenses under 10 CFR Part 52”
- — — — —, *Title 10, Energy*, 140.20, “Indemnity agreements and liens”
- — — — —, *Title 10, Energy*, 140.21, “Licensee guarantees of payment of deferred premiums”
- — — — —, *Title 10, Energy*, 140.92, “Appendix B – Form of indemnity agreement with licensees furnishing insurance policies as proof of financial protection”
- — — — —, *Title 40, Energy*, Part 190, “Environmental Radiation Protection Standards for Nuclear Power Operations”
- — — — —, *Title 44, Energy*, 350, “Review and Approval Of State and Local Radiological Emergency Plans and Preparedness”

— — — — —, *Title 44, Energy*, 353, “Memorandum of Understanding (MOU) Between Federal Emergency Management Agency and Nuclear Regulatory Commission Relating to Radiological Emergency Planning and Preparedness”

— — — — —, *Title 49, Energy*, Part 173, “Shippers—General Requirements for Shipments and Packagings”

United States Department of Agriculture, Natural Resources Conservation Service

— — — — —, *Urban Hydrology for Small Watersheds*. TR-55. Washington, D.C. 1986.

— — — — —, *Watershed Boundary Dataset*. 2010. Available at [http://www.nrcs.usda.gov/wps/portal/nrcs/main/?ss=16&navtype=SubNavigation&cid=null&navid=8501500000000000&pnavid=8500000000000000&position=SubNavigation&ttype=main&pname=Watershed Boundary Dataset | NRCS](http://www.nrcs.usda.gov/wps/portal/nrcs/main/?ss=16&navtype=SubNavigation&cid=null&navid=8501500000000000&pnavid=8500000000000000&position=SubNavigation&ttype=main&pname=Watershed%20Boundary%20Dataset%20|%20NRCS).

U.S. Department of Commerce, National Oceanic and Atmospheric Administration

— — — — —, Office for Coastal Management, <https://coast.noaa.gov/hurricanes/>

— — — — —, “Application of Probable Maximum Precipitation Estimates - United States East of the 105th Meridian,” NOAA Hydrometeorological Report No. 52, August 1982

U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center

— — — — —, “Climate of Florida”, NCDC, Asheville, North Carolina. Available at http://cdo.ncdc.noaa.gov/climatenormals/clim60/states/Clim_FL_01.pdf Accessed November 17, 2008.

— — — — —, “2006 Local Climatological Data, Annual Summary with Comparative Data, Gainesville, FL (KGNV)”, published by NCDC, Asheville, North Carolina, 2008.

— — — — —, “2007 Local Climatological Data, Annual Summary with Comparative Data, Gainesville, FL (KGNV)”, published by NCDC, Asheville, North Carolina, 2008.

— — — — —, “2006 Local Climatological Data, Annual Summary with Comparative Data, Jacksonville, FL (KJAX)”, published by NCDC, Asheville, North Carolina, 2008.

— — — — —, “2007 Local Climatological Data, Annual Summary with Comparative Data, Jacksonville, FL (KJAX)”, published by NCDC, Asheville, North Carolina, 2008.

— — — — —, “2006 Local Climatological Data, Annual Summary with Comparative Data, Orlando, FL (KMCO)”, published by NCDC, Asheville, North Carolina, 2008.

— — — — —, “2007 Local Climatological Data, Annual Summary with Comparative Data, Orlando, FL (KMCO)”, published by NCDC, Asheville, North Carolina, 2008.

— — — — —, “2006 Local Climatological Data, Annual Summary with Comparative Data, Tallahassee, FL (KTLH)”, published by NCDC, Asheville, North Carolina, 2008.

— — — — —, “2007 Local Climatological Data, Annual Summary with Comparative Data, Tallahassee, FL (KTLH)”, published by NCDC, Asheville, North Carolina, 2008.

— — — — —, “2006 Local Climatological Data, Annual Summary with Comparative Data, Tampa, FL (KTPA)”, published by NCDC, Asheville, North Carolina, 2008.

— — — — —, “2007 Local Climatological Data, Annual Summary with Comparative Data, Tampa, FL (KTPA)”, published by NCDC, Asheville, North Carolina, 2008.

— — — — —, “TD 3280 - Airways Surface Observations”, Surface weather observations in TD 3280 digital format for: Jacksonville, Florida from 1931-2008, for Tallahassee, Florida from 1943-2008, and for Tampa, Florida from 1938-2008, data downloaded from NCDC, Published by NCDC, Asheville, NC, 2008.

— — — — —, “U.S. Storm Event Database, Hail Storm Events.” Available at <http://www.ncdc.noaa.gov/stormevents/>

— — — — —, “U.S. Storm Event Database, Tornadoes,” Available at <http://www.ncdc.noaa.gov/stormevents/>

U.S. Environmental Protection Agency

— — — — —, 400-R-92-001, “Manual of Protective Action Guides and Protective Actions for Nuclear Incidents”

— — — — —, Environmental Monitoring Systems Laboratory, EPA 600/X-89/050, “Ground-Water Monitoring In Karst Terranes: Recommended Protocols and Implicit Assumptions,” Las Vegas, NV, 1989. Available at <http://www.epa.gov/oust/cat/gwkarst.pdf>

U.S. Nuclear Regulatory Commission (NRC)

Commission Papers

— — — — —, SECY-93-087, “Policy, Technical, and Licensing Issues Pertaining to Evolutionary and Advanced Light-Water Reactor (ALWR) Designs,” April 2, 1993, (ADAMS Accession No. ML003708021), and the related SRM, dated July 21, 1993. (ADAMS Accession No. ML003708056)

— — — — —, SECY-94-084, “Policy and Technical Issues Associated with the Regulatory Treatment of Non-Safety Systems in Passive Plant Designs,” March 28, 1994, (ADAMS Accession No. ML003708068), and the related SRM, dated June 30, 1994. (ADAMS Accession No. ML003708098)

— — — — —, SECY-95-132, “Policy and Technical Issues Associated with the Regulatory Treatment of Non-Safety Systems (RTNSS) in Passive Plant Designs (SECY-94-084),” May 22, 1995, (ADAMS Accession No. ML003708005), and the related SRM dated June 28, 1995. (ADAMS Accession No. ML003708019)

— — — — —, SECY-00-0077, “Modifications to the Reactor Safety Goal Policy Statement,” March 30, 2000, (ADAMS Accession Nos. ML003684288 and ML003694288), and related SRM dated June 27, 2000. (ADAMS Accession No. ML003727206)

— — — — —, SECY-00-0092, “Combined License Review Process,” dated April 20, 2000

— — — — —, SECY-05-0197, “Review of Operational Programs in a Combined License Application and General Emergency Planning Inspections, Tests, Analyses, and Acceptance Criteria,” October 28, 2005, (ADAMS Accession Nos. ML052770225, ML052770257), and the related SRM, dated February 22, 2006. (ADAMS Accession No. ML060530316)

— — — — —, SECY-06-0187, “Semiannual Update of The Status of New Reactor Licensing Activities and Future Planning for New Reactors,” August 25, 2006. (ADAMS Accession No. ML061910627)

— — — — —, SECY-11-0093, “Near Term Report and Recommendations for Agency Actions Following the Events in Japan,” July 12, 2011, (ADAMS) Accession No. ML11186A950)

— — — — —, SECY-11-0124, “Recommended Actions to Be Taken Without Delay From NTTF Report,” September 9, 2011, (ADAMS Accession No. ML11245A144)

— — — — —, SECY-11-0137, “Prioritization of Recommended Actions to Be Taken in Response to Fukushima Lessons Learned,” October 3, 2011, (ADAMS Accession No. ML11272A203)

— — — — —, SECY-12-0025, “Proposed Orders and Requests for Information in Response to Lessons Learned from Japan’s March 11, 2011, Great Tohoku Earthquake and Tsunami,” dated February 17, 2012 (ADAMS Accession No. ML12039A103)

Enforcement Actions

— — — — —, EA-12-049, “Order Modifying Licenses with Regard to Requirements for Mitigation Strategies for Beyond-Design-Basis External Events,” March 12, 2012. (ADAMS Accession No. ML12054A679)

— — — — —, EA-12-051, “Order Modifying Licenses with Regard to Reliable Spent Fuel Pool Instrumentation,” March 12, 2012. (ADAMS Accession No. ML12054A735)

— — — — —, EA-12-063, “Order to Modify Licenses with Regard to Reliable Spent Fuel Pool Instrumentation, United States Nuclear Regulatory Commission,” March 30, 2012. (ADAMS Accession No. ML12089A163)

Generic Communications

Bulletins

— — — — —, BL 1980-15, “Possible Loss of Emergency Notification System (ENS) with Loss of Offsite Power,” June 18, 1980. (ADAMS Accession No. ML031210543)

— — — — —, BL 1988-11, “Pressurizer Surge Line Thermal Stratification,” December 20, 1988. (ADAMS Accession No. ML8812150118)

— — — — —, BL 2002-01, “Reactor Pressure Vessel Head Degradation and Reactor Coolant Pressure Boundary Integrity,” March 18, 2002. (ADAMS Accession No. ML020770497.)

— — — — —, BL 2003-01, “Potential Impact of Debris Blockage on Emergency Sump Recirculation at Pressurized-Water Reactors,” June 9, 2003. (ADAMS Accession No. ML031600259)

— — — — —, BL 2005-02, “Emergency Preparedness and Response Actions for Security-Based Events,” July 18, 2005. (ADAMS Accession No. ML051740058)

Generic Letters

— — — — —, GL 1980-009, “Low Level Radioactive Waste Disposal,” January 29, 1980. (ADAMS Accession No. ML031350287)

— — — — —, GL 1981-038, “Storage of Low-Level Radioactive Wastes at Power Reactor Sites,” November 10, 1981. (ADAMS Accession No. ML031110064)

— — — — —, GL 1981-039, “NRC Volume Reduction Policy,” November 30, 1981. (ADAMS Accession No. ML031210460)

— — — — —, GL 1985-05, “Inadvertent Boron Dilution Events,” January 31, 1985. (ADAMS Accession No. ML850210366)

— — — — —, GL 1986-04, “Policy Statement on Engineering Expertise on Shift,” February 13, 1986

— — — — —, GL 1988-05, “Staff Position on Boric Acid Corrosion of Carbon Steel Reactor Pressure Boundary Components in PWR Plants,” March 17, 1988. (ADAMS Accession No. ML8803220364)

— — — — —, GL 1989-02, “Actions to Improve the Detection of Counterfeit and Fraudulently Marked Products,” March 21, 1989. (ADAMS Accession No. ML8903160296.)

— — — — —, GL 1989-02, “Actions to Improve the Detection of Counterfeit and Fraudulently Marked Products,” March 21, 1989. (ADAMS Accession No. ML8903160296.)

— — — — —, GL 1989-08, “Erosion/Corrosion-Induced Pipe Wall Thinning,” May 2, 1989. (ADAMS Accession No. ML031200731)

— — — — —, GL 1991-05, “Licensee Commercial-Grade Procurement and Dedication Programs,” April 9, 1991. (ADAMS Accession No. ML9104030126.)

— — — — —, GL 1991-05, “Licensee Commercial-Grade Procurement and Dedication Programs,” April 9, 1991. (ADAMS Accession No. ML9104030126.)

— — — — —, GL 1991-14, “Emergency Telecommunications,” September 23, 1991.

— — — — —, GL 1992-01, “Reactor Vessel Structural Integrity”, February 28, 1992.

— — — — —, GL 1996-03, “Relocation of the Pressure Temperature Limit Curves and Low Temperature Overpressure Protection System Limits,” January 31, 1996. (ADAMS Accession No. ML031110004)

— — — — —, GL 1996-05, “Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves,” September 18, 1996. (ADAMS Accession No. ML031110010)

— — — — —, GL 1997-06, “Degradation of Steam Generator Internals,” September 30, 2006. (ADAMS Accession No. ML9609250096)

— — — — —, GL 2004-02, “Potential Impact of Debris Blockage on Emergency Recirculation during Design Basis Accidents at Pressurized-Water Reactors,” September 13, 2004. (ADAMS Accession No. ML042360586)

— — — — —, GL 2006-02, “Grid Reliability and the Impact on Plant Risk and the Operability of Offsite Power,” February 1, 2006. (ADAMS Accession No. ML060180352)

— — — — —, GL 2007-01, “Inaccessible or Underground Power Cable Failures that Disable Accident Mitigation Systems or Cause Plant Transients,” February 7, 2007. (ADAMS Accession No. ML070360665)

Generic Safety Issues

— — — — —, GSI-43, “Reliability of Air Systems”

— — — — —, GSI-83, “Control Room Habitability”

— — — — —, GSI-163, “Multiple Steam Generator Tube Leakage”

— — — — —, GSI-191, “Assessment of Debris Accumulation on PWR Sump Performance”

Information Notices

— — — — —, IN 86-83, “Underground Pathways into Protected Areas, Vital Areas, and Controlled Access Areas,” September 19, 1986

Interim Staff Guidance

— — — — —, DC/COL-ISG-1, “Interim Staff Guidance on Seismic Issues of High Frequency Ground Motion in Design Certification and Combined License Applications”

— — — — —, DC/COL-ISG-3, “Probabilistic Risk Assessment Information to Support Design Certification and Combined License Applications”

— — — — —, DC/COL-ISG-7, “Interim Staff Guidance on Assessment of Normal and Extreme Winter Precipitation Loads on the Roofs of Seismic Category I Structures”

— — — — —, DC/COL-ISG-8, “Necessary Content of Plant-Specific Technical Specifications When a Combined License is Issued”

— — — — —, DC/COL-ISG-11, “Interim Staff Guidance Finalizing Licensing-basis Information”

— — — — —, DC/COL-ISG-16, “Compliance with 10 CFR 50.54(hh)(2) and 10 CFR 52.80(d) Loss of Large Areas of the Plant due to Explosions or Fires from a Beyond-Design Basis Event” **(not publically available)**

— — — — —, DC/COL ISG-017, “Interim Staff Guidance on Ensuring Hazard-Consistent Seismic Input for Site Response and Soil Structure Interaction Analyses,” April 15, 2010. (ADAMS Accession No. ML101040703)

— — — — —, DC/COL ISG-020, “Seismic Margin Analysis for New Reactors Based on Probabilistic Risk Assessment,” April 15, 2010. (ADAMS Accession No. ML101040703)

— — — — —, DC/COL-ISG-22, “Potential Fuel Rod Splitting Due to Exposure to an Oxidizing Atmosphere during Storage and Transportation”

— — — — —, ESP/DC/COL-ISG-15, “Final Interim Staff Guidance on the Post-Combined License Commitments”

— — — — —, JLD-ISG-2012-01, Revision 0, “Compliance with Order EA-12-049, Order Modifying Licenses with Regard to Requirements for Mitigation Strategies for Beyond-Design-Basis External Events,” August 29, 2012. (ADAMS Accession No. ML12229A174)

— — — — —, JLD-ISG-2012-03, Revision 0, “Compliance with Order EA-12-051, Reliable Spent Fuel Pool Instrumentation,” August 29, 2012. (ADAMS Accession No. ML12221A339)

NUREG-Series Reports

— — — — —, NUREG-0396/EPA 520/1-78-016, “Planning Basis for the Development of State and Local Government Radiological Emergency Response Plans in Support of Light Water Nuclear Power Reactors”

— — — — —, NUREG-0588, “Interim Staff Position on Environmental Qualification of Safety-Related Electrical Equipment” (ADAMS Accession No. ML031480402)

— — — — —, NUREG-0612, “Control of Heavy Loads at Nuclear Power Plants. Resolution of Generic Technical Activity A-36,” July 1980 (ADAMS Accession No. ML070250180)

— — — — —, NUREG-0654/FEMA-REP-1, “Criteria for Preparation and Evaluation of Radiological Emergency Response Plans and Preparedness in Support of Nuclear Power Plants,” Revision 1, November 1980 (ADAMS Accession No. ML040420012)

— — — — —, NUREG-0696, “Functional Criteria for Emergency Response Facilities,” February 28, 1981 (ADAMS Accession No. ML051390358)

— — — — —, NUREG-0711, “Human Factors Engineering Program Review Model,” Revision 2

— — — — —, NUREG-0728, “NRC Incident Response Plan”

— — — — —, NUREG-0737, “Clarification of TMI Action Plan Requirements,” November 1980. (ADAMS Accession No. ML051400209)

— — — — —, NUREG-0737, Supplement 1, “Clarification of TMI Action Plan Requirements,” January 31, 1983. (ADAMS Accession No. ML051390367.)

— — — — —, NUREG-0800, “Standard Review Plan for the Review of Safety Analysis Reports for Nuclear Power Plants (LWR Edition),” March 2007. (ADAMS Accession No. ML070660036)

— — — — —, NUREG-0917, “Nuclear Regulatory Commission Staff Computer Programs for Use with Meteorological Data”

— — — — —, NUREG-0927, “Evaluation of Water Hammer Occurrence in Nuclear Power Plants,” Revision 1

— — — — —, NUREG-0933, “Resolution of Generic Safety Issues (Formerly entitled ‘A Prioritization of Generic Safety Issues’),” August 2008 (ADAMS Accession No. ML082410719)

— — — — —, NUREG-1021, “Operator Licensing Examination Standards for Power Reactors”

— — — — —, NUREG-1022, “Event Reporting Guidelines: 10 CFR 50.72 and 50.73,” Revision 2, October 31, 2000, (ADAMS Accession No. ML003762595)

— — — — —, NUREG-1407, “Procedural and Submittal Guidance for the Individual Plant Examination of External Events (IPEEE) for Severe Accident Vulnerabilities”

— — — — —, NUREG-1430, “Standard Technical Specifications — Babcock and Wilcox Plants”

- — — — —, NUREG-1431, “Standard Technical Specifications — Westinghouse Plants”
- — — — —, NUREG-1432, “Standard Technical Specifications — Combustion Engineering Plants”
- — — — —, NUREG-1482, “Guidelines for Inservice Testing at Nuclear Power Plants”
- — — — —, NUREG-1520, “Standard Review Plan for the Review of a License Application for a Fuel Cycle Facility”
- — — — —, NUREG-1555, “Standard Review Plans for Environmental Reviews for Nuclear Power Plants,” Supplement 1
- — — — —, NUREG-1556, “Consolidated Guidance about Materials Licenses”
- — — — —, NUREG-1577, “Standard Review Plan on Power Reactor Licensee Financial Qualifications and Decommissioning Funding Assurance”
- — — — —, NUREG-1736, “Consolidated Guidance: 10 CFR Part 20 – Standards for Protection Against Radiation”
- — — — —, NUREG-1793, “Final Safety Evaluation Report Related to Certification of the AP1000 Standard Design,” September 2004
- — — — —, NUREG-1801, “Generic Aging Lessons Learned (GALL) Report,” Revision 2
- — — — —, NUREG-1805, “Fire Dynamics Tools (FDTs) Quantitative Fire Hazard Analysis Methods for the U.S. Nuclear Regulatory Commission Fire Protection Inspection Program”
- — — — —, NUREG-1835, “Safety Evaluation Report for an Early Site Permit (ESP) at the North Anna ESP Site,” September 2005, (ADAMS Accession No. ML052710305.)
- — — — —, NUREG-1923, “Safety Evaluation Report for an Early Site Permit (ESP) at the Vogtle Electric Generating Plant (VEGP) ESP Site,” July 2009
- , NUREG-2115, “Central and Eastern United States Seismic Source Characterization for Nuclear Facilities,” January 31, 2012(ADAMS Accession No. ML12048A776)
- — — — —, NUREG/CR-2858, “PAVAN: An Atmospheric Dispersion Program for Evaluating Design-Basis Accidental Releases of Radioactive Materials from Nuclear Power Stations”
- — — — —, NUREG/CR-2919, “XOQDOQ Computer Program for the Meteorological Evaluation of Routine Releases at Nuclear Power Stations”
- — — — —, NUREG/CR-4013, “LADTAP II - Technical Reference and User Guide,” April 1986
- — — — —, NUREG/CR-4461, “Tornado Climatology of the Contiguous United States,” February 2007

— — — — —, NUREG/CR-4653, “GASPAR II - Technical Reference and User Guide,”
March 1987

— — — — —, NUREG/CR-5250, “Seismic Hazard Characterization of 69 Nuclear Plant Sites
East of the Rocky Mountains,” Volumes 1–8, U.S. Nuclear Regulatory Commission,
Washington, DC, January 1989

— — — — —, NUREG/CR-6190, “Update of NUREG/CR-6190 Material to Reflect Postulated
Threat Requirements” **(not publically available)**

— — — — —, NUREG/CR-6331, “Atmospheric Relative Concentrations in Building Wakes,”
May 1997

— — — — —, NUREG/CR-6372, “Recommendations for Probabilistic Seismic Hazard Analysis:
Guidance on Uncertainty and User of Experts,” Senior Seismic Hazard Analysis Committee
(SSHAC), composed of R.J. Budnitz, G. Apostolakis, D.M. Boore, L.S. Cluff, K.J. Coppersmith,
C.A. Cornell, and P.A. Morris, prepared for the U.S. Nuclear Regulatory Commission, the
U.S. Department of Energy, and the Electric Power Research Institute, April 1997

— — — — —, NUREG/CR-6607, “Guidance for Performing Probabilistic Seismic Hazard
Analysis for a Nuclear Plant Site: Example Application to the Southeastern United States:
UCRL-ID-133494,” J.B. Savy, W. Foxall, N. Abrahamson, and D. Bernreuter, prepared for the
U.S. Nuclear Regulatory Commission, 2002

— — — — —, NUREG/CR-6728, “Technical Basis for Revision of Regulatory Guidance on
Design Ground Motions: Hazard- and Risk-Consistent Ground Motion Spectra Guidelines,”
R.K. McGuire, W.J. Silva, and C.J. Costantino, prepared for the U.S. Nuclear Regulatory
Commission, 2001, (ADAMS Accession No. ML013100232)

— — — — —, NUREG/CR-6890, Volume 1, “Reevaluation of Station Blackout Risk at Nuclear
Power Plants—Analysis of Loss of Offsite Power Events: 1986–2004”

— — — — —, NUREG/CR-6953, “Review of NUREG-0654, Supplement 3, “Criteria for
Protective Action Recommendations for Severe Accidents”

— — — — —, NUREG/CR-7000, “Essential Elements of an Electric Cable Condition Monitoring
Program”

Regulatory Guides

— — — — —, RG 1.8, Revision 3, “Qualification and Training of Personnel for Nuclear Power
Plants,” May 2000 (ADAMS Accession No. ML003706932)

— — — — —, RG 1.12, Revision 2, “Nuclear Power Plant Instrumentation for Earthquakes,”
March 1997 (ADAMS Accession No. ML003739944)

— — — — —, RG 1.16, “Reporting of Operating Information”

- — — — —, RG 1.21, Revision 2, “Measuring, Evaluating, and Reporting Radioactive Material in Liquid and Gaseous Effluents and Solid Waste,” June 2009 (ADAMS Accession No. ML091170109)
- — — — —, RG 1.23, Revision 1, “Meteorological Monitoring Programs for Nuclear Power Plants,” March 2007 (ADAMS Accession No. ML070350028)
- — — — —, RG 1.26, Revision 4, “Quality Group Classification and Standards for Water-, Steam-, and Radioactive-Waste-Containing Components of Nuclear Power Plants,” March 2007 (ADAMS Accession No. ML070290283)
- — — — —, RG 1.27, Revision 2, “Ultimate Heat Sink for Nuclear Power Plants (for Comment),” January 1976 (ADAMS Accession No. ML003739969)
- — — — —, RG 1.28, Revision 4, “Quality Assurance Program Requirements (Design and Construction),” June 2010 (ADAMS Accession No. ML100160003)
- — — — —, RG 1.29, Revision 4, “Seismic Design Classification,” March 2007 (ADAMS Accession No. ML070310052)
- — — — —, RG 1.30, “Quality Assurance Requirements for the Installation, Inspection, and Testing of Instrumentation and Electric Equipment (Safety Guide 30),” August 1972 (ADAMS Accession No. ML081270243)
- — — — —, RG 1.31, Revision 3, “Control of Ferrite Content in Stainless Steel Weld Metal,” April 1978 (ADAMS Accession No. ML003739986)
- — — — —, RG 1.132, Revision 2, “Site Investigations for Foundations of Nuclear Power Plants,” October 2003. (ADAMS Accession No. ML13350A266)
- — — — —, RG 1.33, Revision 2, “Quality Assurance Program Requirements (Operation),” February 1978 (ADAMS Accession No. ML003739995)
- — — — —, RG 1.37, Revision 1, “Quality Assurance Requirements for Cleaning of Fluid Systems and Associated Components of Water-Cooled Nuclear Power Plants,” March 2007 (ADAMS Accession No. ML070250571)
- — — — —, RG 1.38, “Quality Assurance Requirements for Packaging, Shipping, Receiving, Storage, and Handling of Items for Water-Cooled Nuclear Power Plants,” **(Withdrawn -- See 75 FR 54921, 09/09/2010)**
- — — — —, RG 1.39, “Housekeeping Requirements for Water-Cooled Nuclear Power Plants,” September 1977 (ADAMS Accession No. ML003740067)
- — — — —, RG 1.44, “Control of the Use of Sensitized Steel,” May 1973 (ADAMS Accession No. ML003740109)
- — — — —, RG 1.45, Revision 1, “Guidance on Monitoring and Responding to Reactor Coolant System Leakage,” May 1973 (ADAMS Accession No. ML003740113)

- — — — —, RG 1.52, Revision 3, “Design, Inspection, and Testing Criteria for Air Filtration and Adsorption Units of Post Accident Engineered Safety Feature Atmosphere Cleanup Systems in Light Water Cooled Nuclear Power Plants,” June 2001 (ADAMS Accession No. ML011710176)
- — — — —, RG 1.54, Revision 1, “Service Level I, II, and III Protective Coatings Applied to Nuclear Power Plants,” July 2000 (ADAMS Accession No. ML003714475)
- — — — —, RG 1.59, Revision 2, “Design Basis Floods for Nuclear Power Plants,” August 1977 (ADAMS Accession No. ML003740388)
- — — — —, RG 1.60, Revision 1, “Design Response Spectra for Seismic Design of Nuclear Power Plants,” December 1973 (ADAMS Accession No. ML003740207)
- — — — —, RG 1.63, Revision 3, “Electric Penetration Assemblies in Containment Structures for Nuclear Power Plants,” February 1987 (ADAMS Accession No. ML003740219)
- — — — —, RG 1.65, Revision 1, “Materials and Inspections for Reactor Vessel Closure Studs,” April 2010 (ADAMS Accession No. ML092050716)
- — — — —, RG 1.68, Revision 3, “Initial Test Program for Water-Cooled Nuclear Power Plants,” March 2007 (ADAMS Accession No. ML070260039)
- — — — —, RG 1.70, Revision 3, “Standard Format and Content of Safety Analysis Reports for Nuclear Power Plants (LWR Edition),” November 1978 (ADAMS Accession No. ML011340116)
- — — — —, RG 1.75, Revision 3, “Physical Independence of Electrical Systems,” February 2005 (ADAMS Accession No. ML043630448)
- — — — —, RG 1.76, Revision 1, “Design-Basis Tornado and Tornado Missiles for Nuclear Power Plants,” March 2007 (ADAMS Accession No. ML070360253)
- — — — —, RG 1.78, Revision 1, “Evaluating the Habitability of a Nuclear Power Plant Control Room During a Postulated Hazardous Chemical Release,” December 2001 (ADAMS Accession No. ML013100014)
- — — — —, RG 1.82, Revision 3, “Potential Impact of Debris Blockage on Emergency Recirculation during Design Basis Accidents at Pressurized-Water Reactors,” November 2003 (ADAMS Accession No. ML031960432)
- — — — —, RG 1.84, “Design and Fabrication Code Case Acceptability, ASME Section III, Division 1,” April 30, 1975 (ADAMS Accession No. ML13350A350)
- — — — —, RG 1.89, Revision 1, “Environmental Qualification of Certain Electric Equipment Important to Safety for Nuclear Power Plants,” June 1984 (ADAMS Accession No. ML003740271)
- — — — —, RG 1.91, Revision 1, “Evaluations of Explosions Postulated to Occur at Transportation Routes Near Nuclear Power Plants,” February 1978 (ADAMS Accession No. ML003740286)

— — — — —, RG 1.94, Revision 1, “Quality Assurance Requirements for Installation, Inspection, and Testing of Structural Concrete and Structural Steel During the Construction Phase of Nuclear Power Plants,” April 1976 (ADAMS Accession No. ML003740305)

— — — — —, RG 1.97, Revision 4, “Criteria for Accident Monitoring Instrumentation for Nuclear Power Plants,” June 2006 (ADAMS Accession No. ML061580448)

— — — — —, RG 1.99, Revision 2, “Radiation Embrittlement of Reactor Vessel Materials,” May 1988 (ADAMS Accession No. ML003740284)

— — — — —, RG 1.100, Revision 3, “Seismic Qualification of Electric and Active Mechanical Equipment and Functional Qualification of Active Mechanical Equipment for Nuclear Power Plants,” September 2009 (ADAMS Accession No. ML091320468)

— — — — —, RG 1.102, Revision 1, “Flood Protection for Nuclear Power Plants,” September 1976 (ADAMS Accession No. ML003740308)

— — — — —, RG 1.105, Revision 2, “Setpoints for Safety-Related Instrumentation,” February 1986 (ADAMS Accession No. ML003740318)

— — — — —, RG 1.109, Revision 1, “Calculation of Annual Doses to Man from Routine Releases of Reactor Effluents for the Purpose of Evaluating Compliance with 10 CFR Part 50, Appendix I,” October 1977 (ADAMS Accession No. ML003740384)

— — — — —, RG 1.110, “Cost-Benefit Analysis for Radwaste Systems for Light-Water-Cooled Nuclear Power Reactors (for comment),” March 1976. (ADAMS Accession No. ML003740332)

— — — — —, RG 1.111, Revision 1, “Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water-Cooled Nuclear Power Reactors,” July 1977 (ADAMS Accession No. ML003740354)

— — — — —, RG 1.112, Revision 1, “Calculation of Releases of Radioactive Materials in Gaseous and Liquid Effluents from Light-Water-Cooled Power Reactors,” March 2007 (ADAMS Accession No. ML070320241)

— — — — —, RG 1.113, Revision 1, “Estimating Aquatic Dispersion of Effluents from Accidental and Routine Reactor Releases for the Purpose of Implementing Appendix I,” April 1977, (ADAMS Accession No. ML003740390)

— — — — —, RG 1.115, Revision 1, “Protection Against Low-Trajectory Turbine Missiles,” July 1977 (ADAMS Accession No. ML003739456)

— — — — —, RG 1.116, Revision 0-R, “Quality Assurance Requirements for Installation, Inspection, and Testing of Mechanical Equipment and Systems,” May 1977 (ADAMS Accession No. ML003739465)

— — — — —, RG 1.121, “Bases for Plugging Degraded PWR Steam Generator Tubes,” (for Comment), August 1976 (ADAMS Accession No. ML003739366)

- — — — —, RG 1.129, Revision 2, “Maintenance, Testing, and Replacement of Large Lead Storage Batteries for Nuclear Power Plants,” February 2007. (ADAMS Accession No. ML063490110)
- — — — —, RG 1.132, Revision 2, “Site Investigations for Foundations of Nuclear Power Plants,” October 2003 (ADAMS Accession No. ML032790474)
- — — — —, RG 1.133, Revision 1, “Loose-Part Detection Program for the Primary System of Light-Water-Cooled Reactors,” May 1981. (ADAMS Accession No. ML003740137)
- — — — —, RG 1.138, Revision 1, “Laboratory Investigations of Soils and Rocks for Engineering Analysis and Design of Nuclear Power Plants,” December 2003 (ADAMS Accession No. ML033510166)
- — — — —, RG 1.140, Revision 2, “Design, Inspection, and Testing Criteria for Air Filtration and Adsorption Units of Normal Atmosphere Cleanup Systems in Light-Water-Cooled Nuclear Power Plants,” June 2001 (ADAMS Accession No. ML011710150)
- — — — —, RG 1.143, Revision 2, “Design Guidance for Radioactive Waste Management Systems, Structures, and Components Installed in Light-Water-Cooled Nuclear Power Plants,” November 2001 (ADAMS Accession No. ML013100305)
- — — — —, RG 1.145, Revision 1, “Atmospheric Dispersion Models for Potential Accident Consequence Assessments at Nuclear Power Plants,” November 1982. (ADAMS Accession No. ML003740205)
- — — — —, RG 1.147, “Inservice Inspection Code Case Acceptability, ASME Section XI, Division 1,” October 2007. (ADAMS Accession No. ML072070419)
- — — — —, RG 1.149, “Nuclear Power Plant Simulation Facilities for Use in Operator Training and License Examinations,” October 2001. (ADAMS Accession No. ML012770164)
- — — — —, RG 1.150, “Ultrasonic Testing of Reactor Vessel Welds During Preservice and Inservice Examinations” (**Withdrawn-- See 73 FR 7766, 02/11/2008**)
- — — — —, RG 1.152, Revision 3, “Criteria for Digital Computers in Safety Systems of Nuclear Power Plants,” July 2011. (ADAMS Accession No. ML102870028)
- — — — —, RG 1.155, “Station Blackout,” August 1988. (ADAMS Accession No. ML003716792)
- — — — —, RG 1.160, Revision 2, “Monitoring the Effectiveness of Maintenance at Nuclear Power Plants,” March 1997. (ADAMS Accession No. ML003761662)
- — — — —, RG 1.163, “Performance-Based Containment Leak-Test Program,” September 1995. (ADAMS Accession No. ML003740058)
- — — — —, RG 1.165, “Identification and Characterization of Seismic Sources and Determination of Safe Shutdown Earthquake Ground Motion” (**Withdrawn -- See 75 FR 22868, 04/30/2010**)

- — — — —, RG 1.166, “Pre-Earthquake Planning and Immediate Nuclear Power Plant Operator Postearthquake Actions,” March 1997. (ADAMS Accession No. ML003740089)
- — — — —, RG 1.167, “Restart of a Nuclear Power Plant Shut Down by a Seismic Event,” March 1997. (ADAMS Accession No. ML003740093)
- — — — —, RG 1.182, Revision 0, “Assessing and Managing Risk Before Maintenance Activities at Nuclear Power Plants,” May 2000. (ADAMS Accession No. ML003740117)
- — — — —, RG 1.183, “Alternative Radiological Source Terms for Evaluating Design Basis Accidents at Nuclear Power Reactors,” July 2000. (ADAMS Accession No. ML003716792)
- — — — —, RG 1.189, Revision 2, “Fire Protection for Nuclear Power Plants,” October 2009. (ADAMS Accession No. ML092580550)
- — — — —, RG 1.190, “Calculational and Dosimetry Methods for Determining Pressure Vessel Neutron Fluence,” March 2001. (ADAMS Accession No. ML010890301)
- — — — —, RG 1.192, “Operation and Maintenance Code Case Acceptability, ASME OM Code,” June 2003. (ADAMS Accession No. ML030730430)
- — — — —, RG 1.194, “Atmospheric Relative Concentrations for Control Room Radiological Habitability Assessments at Nuclear Power Plants,” June 2003. (ADAMS Accession No. ML031530505)
- — — — —, RG 1.196, “Control Room Habitability at Light Water Nuclear Power Reactors,” May 2003. (ADAMS Accession No. ML031490611)
- — — — —, RG 1.198, “Procedures and Criteria for Assessing Seismic Soil Liquefaction at Nuclear Power Plant Sites,” November 2003. (ADAMS Accession No. ML033280143)
- — — — —, RG 1.200, Revision 1, “An Approach for Determining the Technical Adequacy of Probabilistic Risk Assessment Results for Risk-Informed Activities,” January 2007. (ADAMS Accession No. ML070240001)
- — — — —, RG 1.204, “Guidelines for Lightning Protection of Nuclear Power Plants,” November 2005. (ADAMS Accession No. ML052290422)
- — — — —, RG 1.206, “Combined License Applications for Nuclear Power Plants (LWR Edition),” June 2007. (ADAMS Accession No. ML070720184)
- — — — —, RG 1.208, “A Performance-Based Approach to Define the Site-Specific Earthquake Ground Motion,” March 2007. (ADAMS Accession No. ML070310619)
- — — — —, RG 1.214, “Response Strategies for Potential Aircraft Threats”
- — — — —, RG 4.7, Revision 2, “General Site Suitability Criteria for Nuclear Power Station,” April 1998. (ADAMS Accession No. ML003739894)

— — — — —, RG 4.15, Revision 2, “Quality Assurance for Radiological Monitoring Programs (Inception through Normal Operations to License Termination) – Effluent Streams and the Environment,” July 2007. (ADAMS Accession No. ML071790506)

— — — — —, RG 4.21, “Minimization of Contamination and Radioactive Waste Generation: Life-Cycle Planning,” June 2008. (ADAMS Accession No. ML080500187)

— — — — —, RG 5.7, Revision 1, “Entry/Exit Control for Protected Areas, Vital Areas, and Material Access Areas,” May 1980 (ADAMS Accession No. ML003739976)

— — — — —, RG 5.12, “General Use of Locks in the Protection and Control of Facilities and Special Nuclear Materials,” November 1973. (ADAMS Accession No. ML003740035)

— — — — —, RG 5.29, Revision 2, “Special Nuclear Material Control and Accounting Systems for Nuclear Power Plants,” June 2013 (ADAMS Accession No. ML13051A421)

— — — — —, RG 5.44, Revision 3, “Perimeter Intrusion Alarm Systems,” October 1997. (ADAMS Accession No. ML003739217)

— — — — —, RG 5.62, Revision 1, “Reporting of Safeguards Events,” November 1987 (ADAMS Accession No. ML003739271)

— — — — —, RG 5.65, “Vital Area Access Controls, Protection of Physical Protection System Equipment and Key and Lock Controls,” September 1986 (ADAMS Accession No. ML003739336)

— — — — —, RG 5.66, Revision 1, “Access Authorization Program for Nuclear Power Plants,” June 1991 (ADAMS Accession No. ML003739354)

— — — — —, RG 5.68, “Protection Against Malevolent Use of Vehicles at Nuclear Power Plants,” August 1994 (ADAMS Accession No. ML003739379)

— — — — —, RG 5.69, “Guidance for the Application of Radiological Sabotage Design Basis Threat in the Design, Development, and Implementation of a Physical Security Protection Program that Meets 10 CFR 73.55 Requirements” **(Includes security-related or safeguards information and is not publicly available)**

— — — — —, RG 5.71, “Cyber Security Programs for Nuclear Facilities,” June 2010 (ADAMS Accession No. ML090340159)

— — — — —, RG 5.74, “Managing the Safety/Security Interface,” June 2009 (ADAMS Accession No. ML091690036)

— — — — —, RG 5.75, “Training and Qualification of Security Personnel at Nuclear Power Reactor Facilities,” June 18, 2009 (ADAMS Accession No. ML091690036)

— — — — —, RG 5.76, “Physical Protection Programs at Nuclear Power Reactors” **(Includes security-related or safeguards information and is not publicly available)**

— — — — —, RG 8.2, “Guide for Administrative Practices in Radiation Monitoring,” February 1973. (ADAMS Accession No. ML003739444)

— — — — —, RG 8.4, “Direct Reading and Indirect Reading Pocket Dosimeters,”
(February 1973, ADAMS Accession No. ML003739448)

— — — — —, RG 8.6, “Standard Test Procedures for Geiger-Muller Counters” **(Withdrawn –
See 75 FR 12804, 03/17/2010)**

— — — — —, RG 8.7, Revision 2, “Instructions for Recording and Reporting Occupational
Radiation Exposure Data,” November 2005. (ADAMS Accession No. ML052970092)

— — — — —, RG 8.8, Revision 3, “Information Relevant to Ensuring that Occupational
Radiation Exposures at Nuclear Power Stations Will Be ALARA,” June 1978. (ADAMS
Accession No. ML003739549)

— — — — —, RG 8.9, Revision 1, “Acceptable Concepts, Models, Equations, and Assumptions
for a Bioassay Program,” July 1993. (ADAMS Accession No. ML003739554)

— — — — —, RG 8.10, Revision 1-R, “Operating Philosophy for Maintaining Occupational
Radiation Exposures ALARA,” May 1977. (ADAMS Accession No. ML003739563)

— — — — —, RG 8.13, Revision 3, “Instruction Concerning Prenatal Radiation Exposure,”
June 1999. (ADAMS Accession No. ML003739505)

— — — — —, RG 8.15, Revision 1, “Acceptable Programs for Respiratory Protection,”
October 1999. (ADAMS Accession No. ML003739528)

— — — — —, RG 8.20, Revision 1, “Applications of Bioassay for I-125 and I-131,”
September 1979. (ADAMS Accession No. ML003739555)

— — — — —, RG 8.25, Revision 1, “Air Sampling in the Workplace,” June 1992. (ADAMS
Accession No. ML003739616)

— — — — —, RG 8.26, “Applications of Bioassay for Fission and Activation Products,”
September 1980. (ADAMS Accession No. ML080140014)

— — — — —, RG 8.27, “Radiation Protection Training for Personnel at Light-Water-Cooled
Nuclear Power Plants,” March 1981. (ADAMS Accession No. ML003739628)

— — — — —, RG 8.28, “Audible-Alarm Dosimeters,” August 1981. (ADAMS Accession
No. ML003739382)

— — — — —, RG 8.29, Revision 1, “Instruction Concerning Risks from Occupational Radiation
Exposure,” February 1996 (ADAMS Accession No. ML003739438)

— — — — —, RG 8.32, “Criteria for Establishing a Tritium Bioassay Program,” July 1988
(Accession No. ML003739479)

— — — — —, RG 8.34, “Monitoring Criteria and Methods to Calculate Occupational Radiation
Doses,” July 1992. (ADAMS Accession No. ML090770221)

— — — — —, RG 8.35, Revision 1, “Planned Special Exposures,” June 1992 (ADAMS Accession No. ML003739507)

— — — — —, RG 8.36, “Radiation Dose to the Embryo/Fetus,” July 1992 (ADAMS Accession No. ML003739548)

— — — — —, RG 8.38, Revision 1, “Control of Access to High and Very High Radiation Areas in Nuclear Power Plants,” August 2014 (ADAMS Accession No. ML14226A834)

Draft Regulatory Guides

— — — — —, DG-1143, “Design-Basis Tornado and Tornado Missiles for Nuclear Power Plants”

Regulatory Issue Summaries

— — — — —, RIS 2000-03, “Resolution of Generic Safety Issue 158: Performance of Safety-Related Power-Operated Valves Under Design Basis Conditions,” March 15, 2000 (ADAMS Accession No. ML003686003)

— — — — —, RIS 2000-11, “NRC Emergency Telecommunications System,” July 2000 (ADAMS Accession No. ML003737811)

— — — — —, RIS 2000-18, “Guidance on Managing Quality Assurance Records in Electronic Media,” October 23, 2000 (ADAMS Accession No. ML003739359)

— — — — —, RIS 2002-22, “Use of EPRI/NEI Joint Task Force Report, ‘Guideline on Licensing Digital Upgrades: EPRI TR-102348, Revision 1, NEI 01-01: A Revision of EPRI TR-102348 to Reflect Changes to the 10 CFR 50.59 Rule,’” November 25, 2002 (ADAMS Accession No. ML023160044)

— — — — —, RIS 2005-02, “Clarifying the Process for Making Emergency Plan Changes,” February 14, 2005 (ADAMS Accession No. ML042580404)

— — — — —, RIS 2005-04, “Guidance on the Protection of Unattended Openings that Intersect a Security Boundary or Area,” April 14, 2005. **(Exempt from public disclosure in accordance with 10 CFR 2.390)**

— — — — —, RIS 2005-026, “Control of Sensitive Unclassified Nonsafeguards Information Related to Nuclear Power Reactors,” November 7, 2005 (ADAMS Accession No. ML051430228)

— — — — —, RIS 2006-06, “New Reactor Standardization Needed to Support the Design-Centered Licensing Review Approach,” May 31, 2006 (ADAMS Accession No. ML053540251)

Other NRC Documents

— — — — —, NRC First Revised Order, EA-03-009, “Interim Inspection Requirements for Reactor Pressure Vessel Heads at Pressurized Water Reactors,” February 2003 (ADAMS Accession No. ML030690496)

— — — — —, 2007d. Postulated Radioactive Releases Due to Liquid-containing Tank Failures. Branch Technical Position 11-6. Chapter 11 of NUREG-0800. (ADAMS Accession No. ML070720635)

— — — — —, November 6, 2008, Memorandum, “Onsite Review of Design and Procurement Specifications for Pumps, Valves, and Dynamic Restraints for the AP1000 Reactor,” (ADAMS Accession No. ML083110154)

— — — — —, April 9, 2009, Letter from Scott Morris, NRC, to Jack Roe, NEI, “NRC Staff Review of NEI 03-12, “Template for Security Plan, Training and Qualification, Safeguards Contingency Plan, [and Independent Spent Fuel Storage Installation Security Program]” (Revision 6)” (ADAMS Accession No. ML090920528)

— — — — —, NRC Final Safety Evaluation on Joint Owners’ Group Program on Motor-Operated Valve Periodic Verification, September 25, 2006 (ADAMS Accession No. ML061280315), and supplement, September 18, 2008 (ADAMS Accession No. ML082480638)

— — — — —, SRM, CMWCO-10-0001, “Regulation of Cyber Security at Nuclear Power Plants,” October 2010 (ADAMS Accession No. ML102940009)

U.S. Army Corps of Engineers (USACE)

— — — — —, Hydrologic Modeling System HEC-HMS. User’s Manual, Version 3.5. USACE Hydrologic Engineering Center, Davis, CA. 2010a. Available at <http://www.hec.usace.army.mil/software/hec-hms/>

— — — — —, HEC-RAS River Analysis System. User’s Manual, Version 4.1. USACE Hydrologic Engineering Center, Davis, CA. 2010b. Available at <http://www.hec.usace.army.mil/software/hec-ras/>

— — — — —, USACE Engineering Manual 1110-1-1905, Engineering and Design – Bearing Capacity of Soils, October 1992

— — — — —, USACE Engineering Manual 1110-1-2908, Engineering and Design Rock Foundations, 1994

— — — — —, “Hydraulic Design of Navigation Dams,” Engineering Manual 1110-2-1605, May 12, 1987

U.S. Geological Survey

— — — — —, National Earthquake Information Center (NEIC), Website, neic.usgs.gov/neis/epic/epic_rect.html.

— — — — —, JCN Q-4151, Task Order No. 10, “Technical Evaluation Report with No Open Items for the Levy County, Florida, COL Review”

Westinghouse

— — — — —, AP1000 Design Control Document, Revision 19

— — — — —, WCAP-14655, “Designer’s input to the Training of the Human Factors Engineering Verification and Validation Personnel,” Revision 1, August 1996

— — — — —, WCAP-14986, “Westinghouse Owners Group Post Accident Sampling System Requirements,” Westinghouse Owners Group Project No. 694, June 2000

— — — — —, WCAP-15985, “AP1000 Implementation of the Regulatory Treatment of Nonsafety-Related Systems Process,” Revision 2, August 2003

— — — — —, WCAP-16361, APP-PMS-JEP-001, “Westinghouse Setpoint Methodology for Protection Systems – AP1000,” Revision 0, May 2006

— — — — —, APP-GW-GLR-040 (TR-70), “Plant Operations Maintenance and Surveillance Procedures,” August 23, 2007

— — — — —, APP-GW-GLR-069 (TR-68), “Equipment Survivability Assessment,” June 11, 2007

— — — — —, APP-GW-GLR-070 (TR-66), “Development of Severe Accident Management Guidelines, January 12, 2007”

— — — — —, APP-GW-GLR-101, (TR-101), “AP1000 Probabilistic Risk Assessment Site-Specific Considerations,” October 2007

— — — — —, APP-OCS-J1-002, “AP1000 HSI Design Guidelines,” Revision 1, August 18, 2009

— — — — —, APP-PGS-M3C-011, “AP1000 Gas Spill or Release Effects on Control Room Habitability,” Revision 0 and Revision 1, July 16 and August 12, 2010

— — — — —, APP-VES-M3C-006, “Main Control Room Emergency Habitability from Toxic Chemical Effluents,” Revision 0 and Revision 1, June 7, 2010

— — — — —, Westinghouse Letter “AP1000 Response to Proposed Open Item (Chapter 3),” January 26, 2010 (ADAMS Accession No. ML100320291)

— — — — —, Technical Report (TR)-49, “AP1000 Enhancement Report”

— — — — —, Technical Report (TR)-74A, APP-GW-GLR-064, “AP1000 Generic Technical Specifications Completion”

— — — — —, Technical Report (TR)-74C, APP-GW-GLN-075, “AP1000 Generic Technical Specifications for Design Changes”

— — — — —, Technical Report (TR)-94, APP-GW-GLR-066, “AP1000 Safeguards Assessment Report”

— — — — —, Technical Report (TR)-96, “Interim Compensatory Measures Report”

— — — — —, Technical Report (TR)-103, APP-GW-GLN-019, “Fluid System Changes”

— — — — —, Technical Report (TR)-136, APP-GW-GLR-136, “AP1000 Human Factors Program Implementation for the Emergency Operations Facility and Technical Support Center,” Revision 1

Other References

Abrahamson, N.A., and W.J. Silva, “Summary of the Abrahamson & Silva NGA Ground-Motion Relations,” *Earthquake Spectra*, Vol. 24, pp. 67-97, 2008

Advanced Soil Mechanics, McGraw-Hill, New York, 1969

American Association of State Highway and Transportation Officials (AASHTO), “LRFD Bridge Design Specification,” 2002

Applin, P.L., and E.R. Applin, “The Comanche Series and Associated Rocks in the Subsurface in Central and South Florida,” U.S. Geological Survey Professional Paper 447, 1965

Applin, P.L., “Preliminary Report on Buried Pre-Mesozoic Rocks in Florida and Adjacent States,” U.S. Geological Survey Circular No. 91, 28 p., 1951

Arthur, J.D., Fischler, C., Kromhout, C., Clayton, J.M., Kelley, G.M., Lee, R.A., Li, L., O’Sullivan, M., Green, R.C., Werner, C.L., “Hydrogeologic Framework of the Southwest Florida Water Management District,” Florida Geological Survey, Bulletin No. 68, pp. 175, 2008

Arthur, J.D., R.A. Lee, and L. Li, “Lithostratigraphic and Hydrostratigraphic Cross Sections through Levy-Marion to Pasco Counties, Southwest Florida,” Florida Geological Society Open-File Report 81, 2001

Atkinson, G.M., and D.M. Boore, “Ground Motion Relations for Eastern North America,” *Bulletin of the Seismological Society of America*, Vol. 85, No. 1, 1995, pp. 17–230

Atomic Energy Act, Sections 103 and 185(b)

Barkan, R., ten Brink, U.S., and Lin, J., 2009, Far field tsunami simulations of the 1755 Lisbon earthquake: Implications for tsunami hazard to the U.S. East Coast and the Caribbean: *Marine Geology*, v. 264, p. 109-122

- Barnett, R.S., "Basement Structure of Florida and Its Tectonic Implications," *Transactions of the Gulf Coast Association of Geological Societies*, Vol. XXV, pp. 122–142, 1975
- Begemann, H., "The Delft Continuous Soil Sampler," *Bulletin of the international Association of Engineering Geology*, No. 10, pp. 35–37, 1974, in Das, B. (1983). *Advanced Soil Mechanics*, McGraw-Hill, New York, 1974
- Bieniawski, Z. T., *Engineering Rock Mass Classification*, p. 251. Wiley, New York, 1989
- Bird, P., and Kagan, Y.Y., 2004, Plate-tectonic analysis of shallow seismicity: apparent boundary width, beta-value, corner magnitude, coupled lithosphere thickness, and coupling in 7 tectonic settings: *Bulletin of the Seismological Society of America*, v. 94, p. 2380-2399
- Boore, D.M., and G.M. Atkinson, "Ground-Motion Prediction Equations for the Average Horizontal Component of PGA, PGV, and 5%-Damped PSA at Spectral Periods between 0.01 s and 10.0 s," *Earthquake Spectra*, Vol. 24, pp. 99-138, 2008
- Bourgeois, J., Hansen, T.A., Wiberg, P.L., and Kauffman, E.G., 1988, A tsunami deposit at the Cretaceous-Tertiary boundary in Texas: *Science*, v. 241, p. 567-241
- Bowles, J.E., *Foundation Analysis and Design*, 4th Edition, McGraw-Hill, New York, NY, 1988
- Caldon Topical Report, ER-157P, Revision 8, "Supplement to Topical Report ER-80P: Basis for a Power Uprate with the LEFM Check or Checkplus™ System"
- Campbell, K., "Geologic Map of the Levy County, Florida," Florida Geological Survey Open File Map Series 11, scale 1:126,720, 1992
- Campbell, K.W., and Y. Bozorgnia, "NGA Ground Motion Model for the Geometric Mean Horizontal Component of PGA, PGV, PGD and 5% Damped Linear Elastic Response Spectra for Periods Ranging from 0.01 to 10 s," *Earthquake Spectra*, Vol. 24, pp. 139-171, 2008
- Carr, W.J., and D.C. Alverson, "Stratigraphy of Middle Tertiary Rocks in Part of West-Central Florida," *U.S. Geological Survey Bulletin*, 1092, 1959
- Chapman, M.C., and P. Talwani, "Seismic Hazard Mapping for Bridge and Highway Design in South Carolina," South Carolina Department of Transportation Report, 2002
- Chiou, B.S.-J., and R.R. Youngs, "An NGA Model for the Average Horizontal Component of Peak Ground Motion and Response Spectra," *Earthquake Spectra*, Vol. 24, pp. 173-215, 2008
- Chow, V.T., 1959, *Open-channel hydraulics*: New York, McGraw-Hill, 680 p.
- Chow, V. T., ed., *Handbook of Applied Hydrology, A Compendium of Water-resources Technology*, 1964
- Coleman, J.B., Prior, D.B., and Lindsay, J.F., 1983, Deltaic influences on shelf edge instability processes, in Stanley, D.J., and Moore, G.T., eds., *The Shelfbreak: Critical Interface on Continental Margins*: Society of Economic Paleontologists and Mineralogists, Special Publication 33, p. 121-137

Coleman, J.B., Prior, D.B., and Lindsay, J.F., 1983, Deltaic influences on shelf edge instability processes, in Stanley, D.J., and Moore, G.T., eds., *The Shelfbreak: Critical Interface on Continental Margins*: Society of Economic Paleontologists and Mineralogists, Special Publication 33, p. 121-137

Crone, A.J., M.N. Machette, and J.R. Bowman, "Episodic Nature of Earthquake Activity in Stable Continental Regions Revealed by Palaeoseismicity Studies of Australian and North American Quaternary Faults," *Australian Journal of Earth Sciences*, Vol. 44, pp. 203–214, 1997

Crone, A.J., and R.L. Wheeler, Open-File Report 00-260, "Data for Quaternary Faults, Liquefaction Features, and Possible Tectonic Features in the Central and Eastern United States, East of the Rocky Mountain Front," Reston, Virginia, 2000

Cumbest, et al., "Reverse VSP and Crosswell Seismic Imaging at the Savannah River Site," Society of Exploration Geophysics, 1996

Deere, D.U., Hendron, A.J., Patton, F.D., and Cording, E.J., "Design of Surface and Near-Surface Construction in Rock," AIME, Failure and Breakage of Rock – Eighth Symposium on Rock Mechanics, 1967

Dellinger, J.A., and Blum, J.A., 2009, Insights into the mechanism of the Northern Gulf of Mexico Ms 5.3 "Green Canyon event" of 10 February 2006: Eos, Transactions American Geophysical Union, v. Fall Meeting Supplement, p. Abstract S53A-1484

Dewey, J.W., and Dellinger, J.A., 2008, Location of the Green Canyon (offshore southern Louisiana) seismic event of February 10, 2006: U.S. Geological Survey, Open-File Report 2008-1184, 30 p.

Doyle, L.J., and Holmes, C.W., 1985, Shallow structure, stratigraphy, and carbonate sedimentary processes of West Florida Continental Slope: American Association of Petroleum Geologists Bulletin, v. 69, p. 1133-1144

Easterbrook, D.J., *Surface Processes and Landforms*, Second Edition, Prentice Hall, Upper Saddle River, NJ, 1999

Fine, I.V., Rabinovich, A.B., Bornhold, B.D., Thomson, R., and Kulikov, E.A., 2005, The Grand Banks landslide-generated tsunami of November 18, 1929: preliminary analysis and numerical modeling: Marine Geology, v. 215, p. 45-57

Florida Power Corporation, "Site and Environment," Chapter 2, *Crystal River Final Safety Analysis Report*, 1976

Frankel, A., C. Mueller, T. Barnhard, D. Perkins, E.V. Leyendecker, N. Dickman, S. Hanson, and M. Hopper, Open-File Report 96-532, "National Seismic-Hazard Maps: Documentation," U.S. Geological Survey, 1996

Frankel, A.D., M.D. Petersen, C.S. Mueller, K.M. Haller, R.L. Wheeler, E.V. Leyendecker, R.L. Wesson, S.C. Harmsen, C.H. Cramer, D.M. Perkins, and K.S. Rukstales, Open-File Report 02-420, "Documentation for the 2002 Update of the National Seismic Hazard Maps," U.S. Geological Survey, 2002

Gale, A.S., 2006, The Cretaceous-Palaeogene boundary on the Brazos River, Falls County, Texas: Is there evidence for impact-induced tsunami sedimentation: Proceedings of the Geologists; Association, v. 117, p. 173-185

Gardner, G.H.F., L.W. Gardner, and A.R. Gregory, "Formation Velocity and Density-The Diagnostic Basics for Stratigraphic Traps," *Geophysics*, v. 39, pp. 770-780, 1974

Geist, E.L., 2002, Complex earthquake rupture and local tsunamis: *Journal of Geophysical Research*, v. 107, p. doi:10.1029/2000JB000139

Geist et al., (2009) --- Geist EL, Parsons T, ten Brink US and Lee HJ (2009) Tsunami Probability. In: Bernard EN and Robinson AR (eds), *The Sea 15*: 93–135. Harvard Univ Press, Cambridge, Mass

Hanks, T., and Kanamori, H., 1979, "A Moment Magnitude Scale" *J. Geophys. Res.*, Vol. 84, No. B5, pp. 2348-2350

Harbitz, C.B., Løvholt, F., Pedersen, G., and Masson, D.G., 2006, Mechanisms of tsunami generation by submarine landslides: a short review: *Norwegian Journal of Geology*, v. 86, p. 255-264

Hoek, E., and Brown, E.T., "Practical Estimates of Rock Mass Strength." *Int. J. Rock Mech. Min. Sci.*, Vol. 34, No. 8, pp. 1165-1186, 1997

Hoek, E., and M.S. Diederichs, "Empirical Estimation of Rock Mass Modulus," *International Journal of Rock Mechanics & Mining Sciences*, Vol. 43, pp. 203–215, 2006

Hoek, E., Carranza-Torres, C., and B. Corkum, "Hoek-Brown Failure Criterion — 2002 Edition," In *Proceedings, NARMS-TAC Conference, Toronto*, Vol. 1, pp. 267–273, 2002

Huffines, G. R., and R. E. Orville, 1999: Lightning Ground Flash Density and Thunderstorm Duration in the Continental United States: 1989–96. *J. Appl. Meteor.*, 38, 1013–1019.

Holzworth, George C., "Mixing Heights, Wind Speeds, and Potential for Urban Air Pollution Throughout the Contiguous United States," AP-101, Office of Air Programs, EPA, January 1972

Hsu, S.A., D. Braud, and B. Blanchard. 2006. Rapid Estimation of Maximum Storm Surges Induced by Hurricanes Katrina and Rita in 2005. *NWA Electronic Journal of Operational Meteorology*, 2006-EJ9. Available at <http://www.nwas.org/ej/pdf/2006-EJ9.pdf>

Hutchinson, C.B., "Assessment of Hydrogeologic Conditions with Emphasis on Water Quality and Wastewater Injection, Southwest Sarasota and West Charlotte Counties, Florida," U.S. Geological Survey Water-Supply Paper 2371, 1992

Idriss, I.M., and Sun, J.I., SHAKE91: A Computer Program for Conducting Equivalent Linear Seismic Response Analyses of Horizontally Layered Soil Deposits. Davis, California: Center for Geotechnical Modeling, Department of Civil and Environmental Engineering, University of California. 1992

Imamura, F., Simulation of wave-packet propagation along sloping beach by TUNAMI-code, in Yeh, H., Liu, P.L.F., and Synolakis, C.E., eds., Long-Wave Runup Models: World Scientific, p. 25-42, 1996.

International Seismological Centre (ISC), Website, www.isc.ac.uk/search/bulletin/unscript.html, accessed August 23, 2007

Jelesnianski, C. P., J. Chen, and W. A. Shaffer (1992), SLOSH: Sea, lake, and overland surges from hurricanes, US Department of Commerce, National Oceanic and Atmospheric Administration, National Weather Service

Johnston, A.C., K.J. Coppersmith, L.R. Kanter, and C.A. Cornell, "The Earthquakes of Stable Continental Regions," Final Report submitted to Electric Power Research Institute, TR-102261, Vols. 1 and 3, 1994

"Joint Owners Group Motor Operated Valve Periodic Verification Program Summary," MPR-2524-A, December 11, 2006 (ADAMS Accession No. [ML063470526](#))

Kari, T.R., J.M. Melillo, and T.C. Peterson, eds, "Global Climate Change Impacts in the United States," Cambridge University Press, Cambridge, New York, NY, 2009)

Keller, G., Adatte, T., Berner, Z., Harting, M., Baum, G., Prauss, M., Tantawy, A., and Stueben, D., 2007, Chicxulub impact predates K-T boundary: New evidence from Brazos, Texas: Earth and Planetary Science Letters, v. 255, p. 339-356

Keller, G., and Stinnesbeck, W., 1996, Near-K/T age of clastic deposits from Texas to Brazil: impact, volcanism and/or sea-level lowstand?: Terra Nova, v. 8, p. 277-285

Knight, Bill, West Coast and Alaska Tsunami Warning Center, "Model Predictions of Gulf and Southern Atlantic Coast Tsunami Impacts From a Distribution of Sources," Science of Tsunami Hazards, Volume 24, Number 5, pp. 304-312, 2006

Knapp, M.S., "Top of the Floridian Aquifer of North Central Florida," Florida Department of Natural Resources, Bureau of Geology, scale 1:500,000, 1979

Kulhawy, F. and Mayne, P., Manual on Estimating Soil Properties for Foundation Design, Report EL-6800, prepared for Electric Power Research Institute, Palo Alto, CA, 1990

Lander, James F., Lowell S. Whiteside, and Patricia A. Lockridge, "A Brief History of Tsunamis in the Caribbean Sea," The International Journal of the Tsunami Society, Volume 20, Number 2, 2002

Liu, C., and Olsson, R.K., 1992, Evolutionary radiation of microperforate planktonic foraminifera following the K/T mass extinction event: Journal of Foraminiferal Research, v. 22, p. 328-346

Liu, P.L.F., Cho, Y.S., Yoon, S.B., and Seo, S.N., 1995, Numerical simulations of the 1960 Chilean tsunami propagation and inundation at Hilo, Hawaii, in Tsuchiya, Y., and Shuto, N., eds., Tsunami: Progress in Prediction, Disaster Prevention and Warning: Kluwer Academic Publishers, p. 99-115

- Lynett, P., Borrero, J.C., Liu, P.L.F., and Synolakis, C.E., 2003, Field survey and numerical simulations: A review of the 1998 Papua New Guinea tsunami: *Pure and Applied Geophysics*, v. 160, p. 2119-2146
- Lynett, P., and Liu, P.L.F., 2002, A numerical study of submarine-landslide-generated waves and run-up: *Proceedings of the Royal Society of London, A*, v. 458, p. 2885-2910
- Mader, Charles L., "Modeling the 1755 Lisbon Tsunami," *The International Journal of the Tsunami Society*, Volume 19, Number 2, ISSN 0736-5306, 2001
- Maddox, G.L, Karst Features of Florida Caverns State Park and Falling Waters State Recreation Area; Jackson and Washington Counties, Florida, *Southeastern Geological Society Guidebook Issue No. 34*, 1993
- Mancini, E.A., Tew, B.H., and Smith, C.C., 1989, Cretaceous-Tertiary contact, Mississippi and Alabama: *Journal of Foraminiferal Research*, v. 19, p. 93-104
- Marinos, P and Hoek, E., "GSI – A Geologically Friendly Tool for Rock Mass Strength Estimation," *Proc. GeoEng2000 Conference*, Melbourne, 1422-1442, 2000
- Marple, R.T., and P. Talwani, "Evidence for a Buried Fault System in the Coastal Plain of the Carolinas and Virginia—Implications for Neotectonics in the Southeastern United States," *GSA Bulletin*, Vol. 112, No. 2, pp. 200–220, 2000
- Mayne, P.W., B.R. Christopher, and J. DeJong, "Subsurface Investigations-Geotechnical Site Characterization," Prepared for the U.S. Department of Transportation. Publication No. FHWA NHI-01-031, May 2002
- McGarr, A., 1965, Excitation of seiches in channels by seismic waves: *Journal of Geophysical Research*, v. 70, p. 847-854
- Means, G.H., "A Marine-influenced Siliciclastic Unit (Citronelle Formation) in Western Panhandle Florida," M.S. thesis submitted to the Department of Geological Sciences Florida State University, pp. 134, 2009
- Miller, J.A., "Hydrogeologic Framework of the Floridian Aquifer System in Florida and in Parts of Georgia, Alabama, and South Carolina," *Regional Aquifer-System Analysis*, U.S. Geological Survey Professional Paper 1403-B, (includes 33 plates), 1986
- Mueller, C.S., 2010, "The influence of maximum magnitude on seismic-hazard estimates in the Central and Eastern United States," *Bulletin of the Seismological Society of America*, v. 100, p. 699-711
- Myers, E.P., and Baptista, A.M., 1995, Finite element modeling of the July 12, 1993, Hokkaido Nansei-Oki tsunami: *Pure and Applied Geophysics*, v. 144, p. 769-801
- Nettles, M., 2007, Analysis of the 10 February 2006: Gulf of Mexico earthquake from global and regional seismic data, in 2007 Offshore Technology Conference, Houston, Texas, p. 2.
- NGGM-IA-0003, "Transmission Interface Agreement for Operations, Maintenance, and Engineering Activities at Nuclear Plants"

Northern California Earthquake Data Center, "Advanced National Seismic System (ANSS) Catalog Search," Website, ncedc.org/anss/catalog-search.html, 2003

NuStart Technical Report, AP-TR-NS01-A, "Containment Leak Rate Test Program," Revision 2, dated April 4, 2007

Petersen, M.D., Frankel, A.D., Harmsen, S.C., Mueller, C.S., Haller, K.M., Wheeler, R.L., Wesson, R.L., Zeng, Y., Boyd, O.S., Perkins, D.M., Luco, N., Field, E.H., Wills, C.J., and Rukstales, K.S., 2008, Documentation for the 2008 update of the United States National Seismic Hazard Maps U.S. Geological Survey Open-File Report 2008-1128, 128 p

Pride, R.W., F.W. Meyer, and R.N. Cherry, "Hydrology of Green Swamp Area in Central Florida," Florida Geological Survey, Report of Investigations No. 42, 1966

Progress Energy, Letter with Serial Number NPD-NRC-2008-031 from J. Scarola, Senior VP and Chief Nuclear Officer, to NRC, Attachment 2, 12 September 2008

Scott, T.M., G.L. Maddox, and J.M. Lloyd, Editors, "Florida's Ground Water Quality Monitoring Program, Hydrogeological Framework," Geological Survey of Florida Special Publication No. 32, 1991

Silva, W.J., "Base Case and Recommended Limits of Modulus Reduction and Damping Relationships," Data files EPRIRR1L.MAT, EPRIRR1U.MAT, EPRISR1.MAT, EPRISR1L.MAT, and EPRISR1U.MAT, transmitted March 18, 2007

Robertson, A. MacG., "Estimating Weak Rock Strength," AIME Annual General Meeting, Tucson, AZ, 1988

Systems Energy Resources Inc. (SERI), "Early Site Permit Application for Grand Gulf Nuclear Station Site, Part 2 Site Safety Analysis Report," Rev 3, Jackson Mississippi, March 2006

Robinson, J.S., M. Sivapalan, and J.D. Snell. 1995. On the relative roles of hillslope processes, channel routing and network geomorphology in the hydrologic response of natural catchments. *Water Resources Research.*, 31(12), 3089–3101

RocLab 1.031, Rocscience Inc., *RocLab Version 1.031 - Rock Mass Strength Analysis using the Generalized Hoek-Brown Failure Criterion*. www.rocscience.com, Toronto, Ontario, Canada, 2007

Rothwell, R.G., Kenyon, N.H., and McGregor, B.A., 1991, Sedimentary features of the south Texas continental slope as revealed by side-scan sonar and high-resolution seismic data: *American Association of Petroleum Geologists Bulletin*, v. 75, p. 298-312

Rupert, F.R., "Geology and Geomorphology of Levy County, Florida," Florida Geological Survey Open-File Report 19, 1988

Sawyer, D.S., R.T. Buffler, and R.H. Pilger, Jr., "The Crust under the Gulf of Mexico Basin," Chapter 4 in A. Salvador, ed., "The Gulf of Mexico Basin," *The Geology of North America*, Vol. J, The Geological Society of America, pp. 53–72, 1991

- Savrda, C.E., 1993, Ichnosedimentologic evidence for a noncatastrophic origin of Cretaceous-Tertiary boundary sands in Alabama: *Geology*, v. 21, p. 1075-1078
- Scheffner, N.W. 2008. Water Levels and Long Waves. In: Demirbilek, Z., Coastal Engineering Manual, Part II, Coastal Hydrodynamics Chapter 5-6 , Engineer Manual 1110-2-1100, U.S. Army Corps of Engineers, Washington, D.C.
- Schnabel, P.B., J. Lysmer, and H.B. Seed, "SHAKE — A Computer Program for Earthquake Response Analysis of Horizontally Layered Sites," Earthquake Engineering Research Center, University of California, Berkeley, California, EERC 72-12, 1972
- Schreiner and Riedel, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, "Probable Maximum Precipitation Estimates, United States East of the 105th Meridian," Hydrometeorological Report No. 51, June 1978
- Schulte, P., Speijer, R., Mai, H., and Kontny, A., 2006, The Cretaceous-Paleogene (K-P) boundary at Brazos, Texas: Sequence stratigraphy, depositional events and the Chicxulub impact: *Sedimentary Geology*, v. 184, p. 77-109
- Schulte, S.M, Mooney, W.D., "An Updated Global Earthquake Catalogue for Stable Continental Regions Reassessing the Correlation with Ancient Rifts," *Geophysical Journal International*, Vol. 161, pp. 707-721, 2005
- Schwerdt R.W., F.P. Ho, and R.R. Watkins. 1979. Meteorological Criteria for Standard Project Hurricane and Probable Maximum Hurricane Windfields, Gulf and East Coasts of the United States. NOAA Technical Report NWS 23, National Oceanic and Atmospheric Administration, National Weather Service, Silver Spring, MD
- Scott, T., Personal communication, June 4, 2009
- Scott, T.M., "Miocene to Holocene History of Florida," in Randazzo, A.F., and D.S. Jones, eds., *The Geology of Florida*, University Press of Florida, Chapter 5, pp. 57-67, 1997
- Scott, T.M., Campbell, K.M., Rupert, F.R., Arthur, J.D., Missimer, T.M., Lloyd, J.M., Yon, J.W. and Duncan, J.G., "Geologic Map of the State of Florida," Florida Geological Survey Open File Report No. 80, Produced by the Florida Geological Survey in cooperation with the Florida Department of Environmental Protection, 2001
- Scott, T.M., Means, G.H., Meegan, R.P., Means, R.C., Upchurch, S.B., Copeland, R.E., Jones, J., Roberts, T., and Willett, A., Springs of Florida: Florida Geological Survey Bulletin 66, 377 p. plus CD, 2004
- Serrano, Alcibiades and Otalla, Claudio, "Ultimate Bearing Capacity of Rock Masses," *International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts*, Vol. 31, No. 2, pp. 93-106, 1994
- Silver et al., 2009 --- Silver, E., Day, S., Ward, S. et al. (2009). Volcano collapse and tsunami generation in the Bismarck Volcanic Arc, Papua New Guinea. *Journal of Volcanology and Geothermal Research*, 186, 210-222

Silva, W.J., "Base Case and Recommended Limits of Modulus Reduction and Damping Relationships," Data files EPRIRR1L.MAT, EPRIRR1U.MAT, EPRISR1.MAT, EPRISR1L.MAT, and EPRISR1U.MAT, transmitted March 18, 2007

Silva, W.J., and K. Lee, "WES RASCALS Code for Synthesizing Earthquake Ground Motions: State-of-the-Art for Assessing Earthquake Hazards in the United States Report 24," Miscellaneous Paper S-73-1, 1987, U.S. Army Corps of Engineers Waterways Experiment Station

Silva, W.J., N. Abrahamson, G. Toro, and C. Costantino, "Description and Validation of the Stochastic Ground Motion Model," Report submitted to Brookhaven National Laboratory, Associated Universities, Inc., New York, 1996

Sivapalan, M., C. Jothiyangkoon, and M. Menabde. 2002. Linearity and nonlinearity of basin response as a function of scale: Discussion of alternative definitions. *Water Resources Research* 38(2):1012. 10.1029/2001WR000482

Sinclair, W.C., and J.W. Stewart, "Sinkhole Type, Development, and Distribution in Florida," Map Series 110, Florida Geological Survey, 1985

Smit, J., Roep, T.B., Alvarez, W., Montanari, A., Claeys, P., Grajales-Nishimura, J.M., and Bermudez, J., 1996, Coarse-grained, clastic sandstone complex at the K/T boundary around the Gulf of Mexico: Deposition by tsunami waves induced by the Chicxulub impact?, in Ryder, G., Fastovsky, D., and Gartner, S., eds., *The Cretaceous-Tertiary Event and Other Catastrophes in Earth History: Boulder, Colorado, Geological Society of America, Special Paper 307*, p. 151-182

Smith, D.L., and K.M. Lord, "Tectonic Evolution and Geophysics of the Florida Basement," in Randazzo, A.F., and D.S. Jones, eds., *The Geology of Florida*, University Press of Florida, Chapter 2, pp. 13–26, 1997

South Carolina Department of Transportation (SCDOT), "Seismic Design Specifications for Highway Bridges, Seismicity Study Report," 2003, Website, www.dot.state.sc.us/doing/bridge/bridgeseismic.html, accessed April 10, 2007

South Texas Project Nuclear Operating Company (STPNOC), "Application for a Combined License (COL) for Two Advanced Boiling Water Reactors (ABWRs), the Proposed South Texas Project Units 3 & 4, Rev 01," January 15, 2008

Southwest Florida Water Management District (SWFWMD). 2009a. Lake Hancock Land Use Study. Conservation and Recreation Management Plan. SWFWMD, Brooksville, FL

Sproul, C.R., D.H. Boggess, and H.J. Woodard, "Saline-Water Intrusion from Deep Artesian Sources in the McGregor Isles Area of Lee County, Florida," U.S. Geological Survey and Florida Department of Environmental Resources, Information Circular No. 75, 1972

Somerville, P.G., N. Collins, N. Abrahamson, R. Graves, and C. Saikia, "Ground Motion Attenuation Relations for the Central and Eastern United States," Final Report to the U.S. Geological Survey, Contract No. 99HQGR0098, 2001

Southwest Florida Water Management District (SWFWMD). 1997. Water Use Demand Estimates & Projections 1996-2020, January 1997, SWFWMD, Brooksville, FL.

Southwest Florida Water Management District (SWFWMD). 2011. Water Management Information System. Available at <http://www8.swfwmd.state.fl.us/WMIS/Search/WcpSimple.aspx>. SWFWMD, Brooksville, FL.

Southwest Florida Water Management District (SWFWMD). 2009a. Lake Hancock Land Use Study. Conservation and Recreation Management Plan. SWFWMD, Brooksville, FL.

Southwest Florida Water Management District (SWFWMD). 2009b. 2007 Estimated Water Use Report. February 2009. Available at http://www.swfwmd.state.fl.us/documents/reports/2007_estimated_water_use.pdf. SWFWMD, Brooksville, FL.

Suwannee River Water Management District (SRWMD). 2010a. Water Well Depth Owner Search. Available at <http://fl-suwanneeriver.civicplus.com/waterwelldepthownersearch/waterwelldepthownersearch.asp>. SRWMD, Live Oak, FL.

Suwannee River Water Management District (SRWMD). 2010b. Water Supply Assessment. Available at <http://www.srwmd.state.fl.us/DocumentView.aspx?DID=1759>. SRWMD, Live Oak, FL

Systems Energy Resources Inc. (SERI), "Early Site Permit Application for Grand Gulf Nuclear Station Site, Part 2 Site Safety Analysis Report," Revision 3, Jackson, Mississippi, March 2006

Talwani, P., and W.T. Schaeffer, "Recurrence Rates of Large Earthquakes in the South Carolina Coastal Plain Based on Paleoliquefaction Data," *Journal of Geophysical Research*, Vol. 106, No. B4, pp. 6621–6642, 2001

Technical Specification Task Force (TSTF)-511, "Eliminate Working Hour Restrictions from TS 5.2.2 to Support Compliance with 10 CFR Part 26 ['Fitness for Duty Programs']," Revision 0

Technical Specification Task Force Traveler (TSTF) 449, "Steam Generator Tube Integrity," Revision 4

ten Brink, U.S., Twichell, D., Geist, E.L., Chaytor, J., Locat, J., Lee, H., Buczkowski, B., Barkan, R., Solow, A.R., Andrews, B.D., Parsons, T., Lynett, P., Lin, J., and Sansoucy, M., 2008, Evaluation of Tsunami Sources with the Potential to Impact the U.S. Atlantic and Gulf Coasts: An Updated Report to the Nuclear Regulatory Commission, 302 p. [U.S. Geological Survey Administrative Report].

Tennessee Valley Authority, "Geotechnical, Geological, and Seismological (GG&S) Evaluations for the Bellefonte Site, North Alabama," Report prepared by CH2M HILL and Geomatrix Consultants, Rev. 1, March 2006

Titov, V.V., and Synolakis, C.E., 1998, Numerical modeling of tidal wave runup: *Journal of Waterway, Port, Coastal, and Ocean Engineering*, v. 124, p. 157-171

Trabant, Peter, et al., "East Breaks Slump, Northwest Gulf of Mexico," Offshore Technology Conference, OTC 12960, 2001

Twichell, D.C., Valentine, P.C., and Parson, L.M., 1993, Slope failure of carbonate sediment on the West Florida Slope, in Schwab, W.C., Lee, H.J., and Twichell, D.C., eds., *Submarine Landslides: Selected Studies in the U.S. Exclusive Economic Zone*: U.S. Geological Survey Bulletin 2002, p. 69-78

Upchurch, S.B., "Fractures and Photolineaments: Introduction and Analysis Methodology," Internal Document for SDII Global Corporation, 2008

Upchurch, S.B., personal communication, 2009

USGS 2007, The tsunami analysis method used in the USGS Administrative Report (2007)
Zahibo et al. (2003)

Vaisala, "Vaisala's National Lightning Detection Network (NLDN): Cloud-to-Ground Lightning Incidence in the Continental U.S. (1997-2007)" Vaisala, 2009,
http://www.lightningsafety.noaa.gov/stats/08_Vaisala_NLDN_Poster.pdf, Accessed September 27, 2010

Vernon, R.O., "Geology of Citrus and Levy Counties, Florida," Florida Geological Survey Bulletin No. 33, 1951

Wang, J. X. L., and J. K. Angell, "Air Stagnation Climatology for the United States (1948-1998)," NOAA Air Resources Laboratory Atlas No. 1, Air Resources Laboratory, Environmental Research Laboratories, Office of Oceanic and Atmospheric Research, Silver Spring, MD, April 1999

Ward, S.N., 2001, Landslide tsunami: *Journal of Geophysical Research*, v. 106, p. 11,201-211,215

Ward 2010 – Ward, S. N., and S. Day, 2010. The 1958 Lituya Bay Landslide and Tsunami: A Tsunami Ball Approach, *Journal of Earthquake and Tsunami*, v4, no.4, p285-319, doi: 10.1142/S1793431110000893
PDF: <http://es.ucsc.edu/~ward/papers/Lituya.pdf>

WASH-1300, "Technical Basis for Interim Regional Tornado Criteria," May 1974

Webb, D., "Residual Strength in Conventional Triaxial Tests," *Proceeding of the International Conference on Soil Mechanics and Foundation Engineering*, v. 1, p. 433–441, 1969. In Das, B. (1983)

Weems, R.E., and W.C. Lewis, "Structural and Tectonic Setting of the Charleston, South Carolina, Region: Evidence from the Tertiary Stratigraphic Record," *GSA Bulletin*, Vol. 114, No. 1, pp. 24–42, 2002

Wells and Coppersmith (1994) --- Wells, D.L., and Coppersmith, K.J., 1994, New empirical relationships among magnitude, rupture length, rupture width, rupture area, and surface displacement: *Bulletin of the Seismological Society of America*, v. 84, p. 974-1002

Westergaard, H.M. Water Pressures on Dams During Earthquakes, *Transactions, ASCE*, Vol. 98, 1933

Wheeler, R.L., Open-File Report 2005-1336, "Known or Suggested Quaternary Tectonic Faulting, Central and Eastern United States — New Updated Assessments for 2005," U.S. Geological Survey, 2005

(White 1988). --- White, W.B. 1988. *Geomorphology and Hydrology of Karst Terrains*. Oxford University Press, New York, NY

Willett, M.A., "Effect of Dissolution of the Florida Carbonate Platform on Isostatic Uplift and Relative Sea-Level Change," M.S. thesis, Florida State University, 2006

Winston, G.O., "Paleogene Zones of the Southwestern Peninsula," *The Boulder Zone Dolomites of Florida*, Miami Geological Society, Volume 2, 1996

Yang, K., *Analysis of laterally loaded drilled shafts in rock*, PhD Dissertation, The University of Akron, 2006

Youd, T. L., et al. "Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils," *Journal of Geotechnical and Geo-environmental Engineering*, ASCE, October 2001

Zoback, M.L., and M.D. Zoback, "Tectonic Stress Field of the Continental United States," in L.C. Pakiser and W.D. Mooney, eds., *Geophysical Framework of the Continental United States*, Geological Society of America Memoir 172, pp. 523–541, 1989

Zoback, M.L., and M.D. Zoback, "State of Stress in the Coterminous United States," *Journal of Geophysical Research*, Vol. 85, pp. 6,113–6,156, 1980