

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee 1. Sensor Services, Inc. 2. 46200 Messerall Road Titusville, Pennsylvania 16354	In accordance with the letter dated April 26, 2012, 3. License number 37-30981-01 is amended in its entirety to read as follows: 4. Expiration date October 31, 2013 5. Docket No. 030-36780 Reference No. 32-25568-01
---	--

6. Byproduct, source, and/or special nuclear material A. Iron 55 B. Cobalt 60 C. Krypton 85 D. Strontium 90 E. Cadmium 109 F. Cesium 137 G. Promethium 147 H. Americium 241 I. Curium 244 J. Any byproduct material with atomic numbers 3 through 103	7. Chemical and/or physical form A. Sealed Source B. Sealed Source C. Sealed Source D. Sealed Source E. Sealed Source F. Sealed Source G. Sealed Source H. Sealed Source I. Sealed Source J. Any	8. Maximum amount that licensee may possess at any one time under this license A. Not applicable (See Condition 10) B. Not applicable (See Condition 10) C. Not applicable (See Condition 10) D. Not applicable (See Condition 10) E. Not applicable (See Condition 10) F. Not applicable (See Condition 10) G. Not applicable (See Condition 10) H. Not applicable (See Condition 10) I. Not applicable (See Condition 10) J. Not to exceed 10 microcuries
---	--	---

9. Authorized use:
- A. through I. For possession incident to service for other persons as defined in 10 CFR 20.1003 for:
 - (1) Installation into or removal from gauging devices.
 - (2) Installation, radiation surveys, relocation, repair, and servicing of gauging devices listed in the application dated May 5, 2003 and others of the same design.
 - (3) Instruction and training of individuals in the use of gauging devices.
 - (4) Removing and shipping from customer's facilities, transfer and disposal of sealed sources and devices manufactured by the companies listed in the application dated May 5, 2003 and others of the same design.
 - (5) Leak test sample collection and analysis.
 - J. Taking of, and analysis of, samples as a service for other persons as defined in 10 CFR 20.1003.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
37-30981-01

Docket or Reference Number
030-36780
32-25568-01

Amendment No. 5

CONDITIONS

10. The licensee does not possession of radioactive material(s) and/or source(s) while at the client's facility except for leak test samples.
11. Licensed material may be used only at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States.
- If the jurisdiction status of a Federal facility within an Agreement State is unknown, the licensee should contact the Federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive Federal jurisdiction. Authorization for use of radioactive materials at job sites in Agreement States not under exclusive Federal jurisdiction shall be obtained from the appropriate state regulatory agency.
12. Licensed material shall be used by, or under the supervision of, Rodney Lake, Bart Moscarello, Robert A. Dornbush, or Benjamin L. Lake.
13. The Radiation Safety Officer for this license is Rodney Lake.
14. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d), 40.36(b), and 70.25(d) for establishing decommissioning financial assurance.
15. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- D. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
37-30981-01Docket or Reference Number
030-36780
32-25568-01

Amendment No. 5

- E. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- H. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
16. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
17. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
18. This license does not authorize commercial distribution of licensed material.
19. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
37-30981-01Docket or Reference Number
030-36780
32-25568-01

Amendment No. 5

20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated May 5, 2003 (ML031320073)
 - B. Letter dated February 17, 2005 (ML050810031)
 - C. Letter dated March 22, 2008 (ML080910499)



For the U.S. Nuclear Regulatory Commission

Date May 1, 2012

By

Original signed by Kathy Modes

Kathy Modes
Decommissioning Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406